



NATIONAL CORE INDICATORS
AGING AND DISABILITIES™ **ADULT CONSUMER SURVEY**

2024 – 2025

NATIONAL RESULTS



Human Services
Research Institute



National Core Indicators—Aging and Disabilities™ (NCI-AD™) is a collaboration between Advancing States, Human Services Research Institute, and participating states.



**Human Services Research Institute (HSRI)
2336 Massachusetts Avenue
Cambridge, MA 02140**

Advancing States

241 18th Street S, Suite 403

Arlington, VA 22202



3/2026

Suggested citation:

National Core Indicators- Aging and Disabilities. 2024-25 NCI-AD Adult Consumer Survey National Report. Human Services Research Institute and ADvancing States. Accessed on National Core Indicators-- Aging and Disabilities website: <https://nci-ad.org/upload/reports>

Acknowledgments

We are sincerely grateful to our participating states for their hard work and dedication to NCI-AD. Importantly, we are also grateful for the thousands of people receiving publicly funded long-term services and supports who are willing to share their experiences.

List of Acronyms

AAA – Area Agency on Aging

A&D – Aged and Disabled

ADRC – Aging and Disability Resource Center

ALF – Assisted Living Facility

BI – Brain Injury

BI Section – Background Information Section of NCI-AD Adult Consumer Survey

CAC – Community Alternative Care

CADI – Community Access for Disability Inclusion

CDCS – Consumer Directed Community Supports

CDS – Consumer Directed Services

CFC – Choices for Care (VT)

CFC – Community First Choice (WA)

CHOICE – Community and Home Options to Institutional Care for the Elderly and Disabled

CIL – Center for Independent Living

CMHS – Community Mental Health Supports

CMS – Centers for Medicare & Medicaid Services of care

CPAP – Continuous positive airway pressure

DD – Developmental Disabilities

E&D – Elderly and Disabled

EBD – Elderly, Blind, and Disabled

FE – Frail and Elderly

FFS – Fee-For-Service

HC – Home Care

HCBS – Home and Community-Based Services

HSRI – Human Services Research Institute

ICF/DD – Intermediate Care Facility for Persons with Developmental Disabilities

ID/DD – Intellectual and Developmental Disabilities

IDT – Interdisciplinary Team

IRIS – Include, Respect, I-Self Direct

LOC – Level of Care

LTSS – Long-Term Services and Supports

MCO – Managed Care Organization

MLTSS – Managed Long-Term Services and Supports

N – Number of respondents

N/A – Not Applicable

NASDDDS – National Association of State Directors of Developmental Disabilities Services

NASUAD – National Association of States United for Aging and Disabilities

NCI-AD™ – National Core Indicators for Aging and Disabilities®

NB – Neurobehavioral Hospital

NF – Nursing Facility

NH – Nursing Home

OAA – Older Americans Act

PACE – Program of All-Inclusive Care for the Elderly

PAS – Personal Assistance Services

PCA – Personal Care Assistant

PD – Physical Disability

RCAP – Residential Care Assistance Program

RCF – Residential Care Facility

RUCA – Rural-Urban Commuting Area

SAIL – State of Alabama Independent Living

SMRT – State Medical Review Team

SNF – Skilled Nursing Facility

TA – Technical Assistance

TBI – Traumatic Brain Injury

Table of Contents

Acknowledgments	3
List of Acronyms	4
Introduction.....	13
Adult Consumer Survey	13
Presentation of Data.....	15
Participating States	15
Collapsing and Weighting.....	15
Program Classification.....	15
Figure 1. Classification of 2024-25 state programs into national buckets.....	18
Figure 2. Margin of error by state and program category at 95% Confidence Level, assuming 0.7 distribution (assuming 0.5 distribution).....	25
Presentation of Results	26
Demographic.....	27
Table 1. Average age (reported for those under 90 years old).....	28
Table 2. Age category (including those 90 and older)	29
Table 3. Gender	30
Table 4. Race and ethnicity.....	31
Table 5. Marital status.....	32
Table 6. Preferred language.....	33
Table 7. Preferred means of Communication	34
Table 8. Residential designation	35
Table 9. Median income (based on zip code)	36
Table 10. Type of residence	37
Table 11. Who the person lives with	38
Table 12. Address changed in the past 6 months.....	39
Table 13. Where people moved from (if moved in the last 6 months).....	40
Table 14A. Diagnoses.....	41
Table 14B. Diagnoses (continued)	42
Table 15. Person has chronic psychiatric or mental health diagnosis	43
Table 16. Level of mobility.....	44
Table 17. Has history of frequent falls (more than two falls in a six-month period)	45
Table 18. Receives Medicare	46

National Core Indicators-Aging and Disabilities

Table 19. Length of time receiving LTSS services in current program	47
Table 20. Person has a legal guardian.....	48
Table 21. Amount of paid support person receives.....	49
Table 22. Person has remote supports	50
Community Participation	51
Table 23. Gets to do things outside of their home as much as they want to	53
Table 24. Takes part in activities with others as much as they want to (in-person or virtually).....	55
Table 25A. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually)	58
Table 25B. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued)	59
Access to Community.....	60
Table 26. Has transportation to do the things they want outside of home.....	62
Table 27. Has transportation to get to medical appointments.....	64
Everyday Living	65
Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)	67
Table 29. Gets enough support for everyday activities (if needs at least some assistance).....	69
Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)	71
Table 31. Gets enough support for self-care (if needs at least some assistance).....	73
Work.....	74
Table 32. Has a paid job.....	76
Table 33. Wants a paid job (if they do not currently have one)	78
Table 34. Someone talked with them about job options (if they do not currently have a job but want one).....	80
Table 35. Person volunteers	82
Table 36. Wants to volunteer (if they do not currently).....	84
Relationships.....	85
Table 37. Has friends or family they do not live with who are a part of their life	87
Table 38. Always able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life).....	89
Table 39. Reasons cannot always see or talk to friends or family	91
Service Coordination	92
Table 40A. How first found out about services they can get.....	95

National Core Indicators-Aging and Disabilities

Table 40B. How first found out about services they can get (continued).....	96
Table 41. Can always contact their case manager/care coordinator when needs to.....	98
Table 42. Who helps person most often (if anyone helps on a regular basis).....	100
Table 43. Additional people who help person on a regular basis.....	102
Table 44. People who are paid to help them come and leave when they are supposed to.....	104
Table 45. Has a backup plan if people who are paid to help them do not show up.....	106
Table 46. Has an emergency plan in place in case of widescale emergency	108
Table 47. Knows whom to contact if they have a complaint about their services	110
Table 48. Knows whom to contact if they want to make changes to services	112
Table 49. Services meet all current needs and goals.....	114
Table 50A. Additional services and supports needed (if all current needs and goals are not being met)	118
Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued).....	119
Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued).....	120
Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager).....	122
Table 52. Service providers work together to provide support.....	124
Care Coordination	125
Table 53. Knows how to manage chronic conditions (if has at least one).....	127
Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home.....	129
Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home).....	131
Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home).....	133
Choice and Control.....	134
Table 57. Always in control of their life	136
Table 58. Able to furnish and decorate their room however they want to (if living in a group setting).....	138
Table 59. Able to choose their roommate (if living in a group setting and has a roommate)	140
Table 60. Can always get up and go to bed when they want to.....	142
Table 61. Can eat their meals when they want to.....	144

National Core Indicators-Aging and Disabilities

Table 62. Can choose or change their services.....	146
Table 63. Can choose or change when and how often they receive services.....	148
Table 64. Can choose or change the people who provide paid supports if wants	150
Satisfaction.....	151
Table 65. Services and supports help them live the life they want	153
Table 66. Case manager/care coordinator changes more often than they would like.....	155
Table 67. People who are paid to help them change too often	157
Table 68. Likes where they live.....	159
Table 69A. Reasons does not like where they live (if does not always like where they live)	163
Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)	164
Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)	165
Table 70. Wants to live somewhere else	167
Table 71. Where person would prefer to live (if wants to live somewhere else).....	169
Table 72. People who are paid to help them do things the way they want them done.....	171
Table 73. Usually likes how they spend their time during the day	173
Technology.....	174
Table 74. Has access to the internet.....	176
Table 75. Frequency with which people use the internet	178
Table 76. Always has a stable internet connection	180
Table 77. Has talked to health professionals using video conference/telehealth	182
Table 78. Liked talking to health care providers using telehealth.....	184
Access to Needed Equipment	185
Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them	187
Table 80. Needs other bathroom modifications but does not have them	189
Table 81. Needs a shower chair but does not have one.....	191
Table 82. Needs a specialized bed but does not have one	193
Table 83. Need for a ramp (either inside or outside of their residence) but does not have one	195
Table 84. Needs other home modifications in their home but does not have them.....	197
Table 85. Needs a wheelchair but does not have one.....	199
Table 86. Needs a scooter but does not have one	201
Table 87. Needs a walker but does not have one.....	203
Table 88. Needs hearing aids but does not have them	205

National Core Indicators-Aging and Disabilities

Table 89. Needs glasses but does not have them.....	207
Table 90. Needs personal emergency response system (PERS) but does not have one.....	209
Table 91. Needs an oxygen machine but does not have one	211
Table 92. Needs other assistive technology equipment but does not have	213
Table 93. Needs other equipment but does not have them.....	215
Medications	216
Table 94. Knows what prescription medications are for	218
Table 95. Takes medication to help feel less sad or depressed	220
Healthcare.....	221
Table 96. Has access to mental health services if they want them	223
Table 97. Can get an appointment to see or talk to their primary care doctor when they need to.....	225
Table 98. Went to the emergency room for any reason in the past 12 months	227
Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance	229
Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain	231
Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician	233
Table 102. Had a physical exam/wellness visit in the past 12 months	235
Table 103. Had a hearing exam in the past 4 years	237
Table 104. Had a vision exam in the past 12 months	239
Table 105. Had a dental visit in the past 12 months.....	241
Table 106. Had a flu shot in the past 12 months	243
Table 107. Received the COVID-19 Vaccine.....	245
Wellness.....	246
Table 108. Has access to healthy foods when they want them	248
Table 109. Overall health.....	250
Table 110. Health is better than 12 months ago	252
Table 111. In the past 12 months, forgets things more often than before	254
Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months).....	256
Table 113. Amount of physical activity per week	258
Table 114. Often feels lonely	260
Affordability	261
Table 115. Ever has to skip meals due to financial worries	263

Safety	264
Table 116. They or someone else has concerns about falling or being unstable	266
Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)	268
Table 118. Able to get to safety quickly in case of an emergency	270
Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others.....	272
Table 120. Are ever worried for the security of their personal belongings.....	274
Table 121. Someone used or took their money without their permission in the past 12 months...	276
Table 122. Feels safe around the people who are paid to help them	278
Rights and Respect.....	279
Table 123. Gets information about services in their preferred language (if preferred language is not English)	281
Table 124. Services and supports are delivered in a way that is respectful of their culture	283
Table 125. People who are paid to help them treat them with respect.....	285
Table 126. Others ask before coming into their home/room (if living in a group setting)	287
Table 127. Able to lock doors to room (if living in a group setting).....	289
Table 128. Has enough privacy where lives (if living in a group setting)	291
Table 129. Can have visitors at any time (if living in a group setting).....	293
Table 130. Can get something to eat or grab a snack anytime they want to (if living in a group setting).....	295
Person-Centered Planning (State Optional Module).....	296
Table 131. Involvement in making decisions about what is in the service plan	298
Table 132. Remember their last service planning meeting	300
Table 133. Service planning meeting took place at a time that was good for them	302
Table 134. Service planning meeting took place in a location that was good for them	304
Table 135. Service planning meeting included the people they wanted to be there	306
Table 136. People at the service planning meeting listened to needs and preferences	308
Table 137. Received a copy of the service plan after the service planning meeting	310
Table 138. Current service plan reflects what was talked about at the service plan meeting	312
Table 139. Choices and preferences are reflected in current service plan.....	314
Self-Direction module	315
Table 140. Uses self-directed supports option	316
Table 141. Makes decisions about services that are self directed.....	318
Table 142. Has enough help deciding how to direct services, like making decisions about how and	

National Core Indicators-Aging and Disabilities when services are received.....	320
Table 143. Can make changes to the services and supports you self-direct if needed	322
Table 144. Has the amount of control wanted with the services that are self-directed	324
Table 145. Services and supports wanted to self direct are always available	326
Table 146. Gets information about budget and services from the financial management service (FMS)	328
Table 147. Information received from the FMS is easy to understand.....	330
Table 148. Frequency of receiving information about budget and services from FMS.....	332
Table 149. Parts of self-direction need help with	334
Our History	335
NCI-AD Indicators	335
How NCI-AD Data Are Used	336
Methodology.....	336
Administration	336
Proxy Respondents.....	337
Figure 3. Proxy Version: Frequency of Use by State Proxy Version: Frequency of Use by State	339
Surveyor Training	340
Sampling.....	340
Data Analysis	341
Data Management and Analysis	341

Introduction

National Core Indicators—Aging and Disabilities (NCI-AD™) is run collaboratively by two organizations focused on helping states develop innovative service systems: ADvancing States and the Human Services Research Institute.

Using their combined expertise, and with input from state directors, service participants, and leaders in the field, the team developed a standardized survey to **hear directly from people served** by publicly funded long-term services and supports programs—known as LTSS. More recently, NCI-AD launched the State of the Workforce—AD (SotW-AD) survey to **understand the states of LTSS service providers**.

LTSS have a major impact on people’s quality of life. Through NCI-AD, states have a valid tool to understand how their LTSS programs are performing — specifically those serving older adults and people with disabilities. And they can decide when and where quality improvement is needed.

This final report includes all demographic and outcome data collected through the 2024-25 NCI-AD Adult Consumer Survey. These data were collected between July 1, 2024 and June 30, 2025.

Adult Consumer Survey

A cornerstone of NCI-AD’s mission is to raise the voices of older adults and people with disabilities by collecting data on how publicly funded services and supports impact their quality of life. This is achieved through our flagship survey: the Adult Consumer Survey (ACS). The survey addresses nearly 100 indicators designed to understand overall performance of public aging and physical disability systems; these indicators are grouped by sub-domain (see a full list of sub-domains and indicators [here](#)).

Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person—demographic and service-related data—mainly from service agency records. There are two main survey sections:

Background Information (BI) Section: The BI Section collects demographic and service-related information about the service recipient. To the extent possible, data for the BI Section are derived from states’ existing administrative records. Select BI items not available from state administrative data sources may be collected by surveyors at the end of the survey meeting. Each BI item tracks whether data were derived from existing administrative records or collected by surveyors as part of the survey meetings.

Main Survey: The main survey section of the Adult Consumer Survey gathers both subjective and objective information from the respondent, and consists of approximately 90 questions organized into thematic sub-sections. The Full In-Person Survey is completed through in-person, secure video meeting, or over-the-phone conversations. The respondent may ask their proxy (e.g., family member or close friend) for assistance with answering a subset of objective questions.

A “Proxy Version” of the survey is made available in the limited instances when only a proxy respondent answers survey questions because the person receiving services is unable or unwilling to provide valid responses. This survey includes only the objective, proxy allowed questions.

The main section of the survey also includes two state-optional modules:

Person-Centered Planning Module (state-optional). This is a state-optional series of questions that ask about the person-centered planning process, including the person’s experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: AL, AZ, CO, DE, IN, KS, KY, MN, MO, NC, ND, NH, NJ, OH, OK, TN, WA, and WI.

Self-direction Module (state-optional). Questions in this section are asked only of those who are using a self-directed supports option and assess experiences specific to self-direction. The following states conducted the Self-direction module: AL, CO, DE, KY, MO, NJ, NY, OH, OK, TN, WA, and WI.

Presentation of Data

Participating States

Twenty four (24) states conducted the NCI-AD Adult Consumer Survey during the 2024-25 data collection cycle and had a valid sample for reporting: Alabama (AL), Arizona (AZ), California (CA), Colorado (CO), Delaware (DE), Indiana (IN), Kansas (KS), Kentucky (KY), Massachusetts (MA), Minnesota (MN), Missouri (MO), Nebraska (NE), New Hampshire (NH), New Jersey (NJ), New York (NY), North Carolina (NC), North Dakota (ND), Ohio (OH), Oklahoma (OK), South Dakota (SD), Tennessee (TN), Virginia (VA), Washington (WA), and Wisconsin (WI). To be included in reporting, states are required to meet an overall sample size to reach a 95% confidence level and 5% Margin of Error (MoE), most states oversample in order to allow for comparisons of subgroups in their populations.

There is considerable variation in how states' long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. Therefore, ACS respondents are served in a variety of settings, including their homes and communities as well as institutional settings such as nursing facilities. *See Appendix A for detailed information on State Sample Strategies.*

Collapsing and Weighting

Many questions in the ACS allow respondents to answer a question with a "middle" response, like "maybe," "sometimes," or "in-between." Most tables in this section present collapsed data; this means that two or more response options are grouped together if they are considered to reflect a positive outcome. Table percentages include "yes" responses only, unless otherwise noted. *To see the breakout of responses for each option, please see Appendix B.*

All state and NCI-AD averages throughout this report are "weighted" to account for any non-proportional sampling of programs and to "rebalance" the states' sample sizes according to their populations of survey-eligible service recipients. *See more details on weighting in the methodology section of this report.*

Program Classification

Outcome tables present overall state averages as well as outcomes by program. Organization of programs into categories allows for more meaningful comparisons between states. A state that surveyed a program or programs in a particular category, for example, may want to compare its NCI-AD results to the results of other states that included programs in the same category.

To create program classifications, NCI-AD sorted programs from which states sample into eight categories. It should be noted that, while different state programs classified into the same category share similarities and common elements, they can also differ on a number of characteristics. As such, **even when making cross-state comparisons within the same category, caution should be exercised.**

Below is a description of each of the eight programmatic categories used for analysis and presentation of results throughout this report:

- **Programs of All-Inclusive Care for the Elderly (PACE).** These programs provide comprehensive medical and social services to community-dwelling older adults, most of whom are dually eligible for Medicare and Medicaid benefits. To qualify for PACE, an individual must be age 55 or older, live in the service area of a PACE site, be eligible for nursing home care, and able to live safely in the community. PACE is a program under Medicare, and states can elect to provide PACE services to Medicaid beneficiaries as an optional Medicaid benefit. For enrolled participants, the program serves as their sole source of Medicaid and Medicare benefits. *States included in PACE breakouts: New Jersey, New York, North Carolina, and Tennessee.*
- **Managed Long-Term Services and Supports Home and Community-Based Services (MLTSS HCBS).** This category includes programs which use capitated Medicaid managed care organizations (MCOs) to deliver HCBS to eligible members. These programs may be operated under multiple federal Medicaid authorities, including 1915(a), 1915(b), 1915(c) and 1115. Most states designed their MLTSS samples to allow for some comparison between the MCOs in their state. *States included in MLTSS breakouts: Arizona, Delaware, Indiana, New Jersey, New York, Ohio, Tennessee, Virginia, and Wisconsin*
- **Combined Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan) that provide LTSS services to both older adults and adults with disabilities and do not differentiate between them once eligibility is established. **The “Combined Medicaid” category encompasses an especially wide variety of programs; comparisons across states should be made with particular caution.** *States included in Combined Medicaid breakouts: Alabama, California, Colorado, Massachusetts, Missouri, Nebraska, New York, North Carolina, North Dakota, Oklahoma, South Dakota, and Wisconsin*
- **Aging Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan but excluding PACE programs) intended specifically to provide LTSS services to older adults. *States included in Aging Medicaid breakouts: Indiana, Kansas, Massachusetts, New Hampshire, and Ohio.*
- **Physical Disability (PD) Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan) intended specifically to provide LTSS services to people with physical and other non-intellectual disabilities/developmental disabilities (ID/DD), except for programs specifically serving people with traumatic or acquired brain injury. *States included in PD Medicaid breakouts: Colorado, Kansas, Kentucky, Minnesota, Missouri, Ohio, and South Dakota.*
- **Older Americans Act (OAA).** The OAA was established by Congress in 1965 to provide services to seniors age 60 or older. The OAA program supports a range of HCBS, such as Meals on Wheels and other nutrition programs, in-home services, transportation, legal services, elder abuse prevention and caregiver support. These programs help seniors stay as independent as

possible in their homes and communities. Generally, beneficiaries of programs in the OAA category are eligible to be included in the NCI-AD survey sample if they receive one or more “Cluster 1” services (such as home-delivered meals, adult day care/adult day health, personal care services and chore or homemaker services) with approximate frequency of at least 2-3 or more times per week. **NOTE: For programs in the OAA category, some states limit their survey samples to recipients of a specific “Cluster 1” service, whereas other states’ samples include recipients of a broader array of services. States included in OAA breakouts: Indiana, Kentucky, North Carolina, and Oklahoma.**

- **Nursing Facilities (NFs).** This category includes skilled and intermediate NFs, with consumers receiving services funded by Medicaid and delivered through either the traditional fee-for-service (FFS) or MLTSS model. The NF category includes people being served in institutional settings rather than through HCBS. *States included in NF breakouts: Alabama, Delaware, Nebraska, New Jersey, North Carolina, Tennessee, and Washington.*
- **Other.** Programs not fitting into one of the eight categories above, such as state-funded programs or programs providing services to other populations of recipients, are not included as a separate breakout in tables due to the dissimilar nature of programs; however, data from these programs *are included* in overall state and NCI-AD Averages.

State reports display the outcomes from these programs.

Figure 1 shows classification of 2024-25 state programs into the programmatic categories described above; the number of analyzed surveys in each category by state is also shown.

Figure 2 contains calculations of margins of error for each state overall and each state’s program categories, under two scenarios: assuming a 0.5 and a 0.7 distribution of responses. Using the 0.5 distribution of responses is the most conservative distribution assumption allowed for calculating margins of error and is usually used when no prior information is available about true population response distributions. When prior information is available, it can be used for calculating less conservative margins of error. Based on distributions observed in previously collected NCI-AD data, it is reasonable to assume a somewhat less conservative population response distribution of 0.7 for calculating margins of error.

Calculations in both scenarios use the total number of analyzed surveys in a given program category. It is important to note that the actual number of valid responses to an individual survey item may be smaller than the total number of analyzed surveys.

Figure 1. Classification of 2024-25 state programs into national buckets

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
AL	608	Nursing Facilities N = 112	n/a	n/a	Elderly & Disabled Waiver, State of AL Independent Living (SAIL) Waiver, Alabama Community Transition (ACT) Waiver, Technical Assistance Waiver N = 496	n/a	n/a	n/a	n/a
AZ	396	n/a	n/a	Mercy Care LTC, Banner LTC, UHCCP LTC N = 396	n/a	n/a	n/a	n/a	n/a
CA	1362	n/a	n/a	n/a	Home and Community-Based Alternatives (HCBA) Waiver, Multipurpose Senior Services Program (MSSP), Medi-Cal Waiver Program (MCWP) N = 1362	n/a	n/a	n/a	n/a
CO	1258	n/a	n/a	n/a	Elderly Blind & Disabled (EBD) waiver N = 1099	n/a	Community Mental Health Supports (CMHS) waiver, Complementary and Integrative Health (CIH) Waiver N = 141	n/a	Brain Injury (BI) Waiver N = 18
DE	862	Highmark - NF, Amerihealth-NF, Delaware First Health NF N = 310	n/a	Highmark- HCBS, Amerihealth - HCBS, Delaware First Health - HCBS N = 552	n/a	n/a	n/a	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
IN	413	n/a	n/a	PathWays Waiver N = 200	n/a	Health & Wellness Waiver N = 105	n/a	Older Americans Act N = 38	Community and Home Options to Institutional Care for the Elderly and Disabled (CHOICE), Traumatic Brain Injury Waiver, Social Services Block Grant (SSBG) N = 70
KS	1206	n/a	n/a	n/a	n/a	Healthy Blue-FE (Frail and Elderly) Waiver, Sunflower-FE (Frail and Elderly) Waiver, United-FE (Frail and Elderly) Waiver N = 499	Healthy Blue-PD (Physical Disability) Waiver, Sunflower-PD (Physical Disability) Waiver, United-PD (Physical Disability) Waiver N = 599	n/a	Healthy Blue-BI (Brain Injury) Waiver, Sunflower-BI (Brain Injury) Waiver, United-BI (Brain Injury) Waiver N = 108
KY	409	n/a	n/a	n/a	n/a	n/a	Medicaid 1915c (HCBS) N = 190	OAA N = 219	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
MA	503	n/a	n/a	n/a	MFP Community Living Waiver, MFP Residential Supports Waiver N = 110	Frail Elder Waiver N = 340	n/a	n/a	Acquired Brain Injury with Residential Habilitation Waiver, Acquired Brain Injury with Non-Residential Habilitation Waiver, Traumatic Brain Injury Waiver N = 53
MN	408	n/a	n/a	n/a	n/a	n/a	Community Alternative Care (CAC) Waiver, Brain Injury (BI) Waiver, Community Access for Disability Inclusion (CADI) N = 408	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
MO	2306	n/a	n/a	n/a	Consumer Directed Services (State Plan), Agency Model Personal Care (State Plan), Aged and Disabled Waiver, Residential Care Facility/Assisted Living Facility PC (State Plan), Independent Living Waiver, Structured Family Caregiver Waiver, Medically Fragile Adult Waiver, AIDS Waiver N = 1987	n/a	Adult Daycare Waiver N = 308	n/a	Brain Injury Waiver N = 11
NE	663	Nursing Facility Institutional Services N = 186	n/a	n/a	Personal Assistance Services and Medicaid Aged and Disabled Waiver N = 477	n/a	n/a	n/a	n/a
NH	410	n/a	n/a	n/a	n/a	Choices for Independence Program N = 410	n/a	n/a	n/a
NJ	727	MLTSS/NF N = 109	PACE N = 110	MLTSS/HCBS:"N", MLTSS/HCBS:"O", MLTSS/HCBS:"P", MLTSS/HCBS:"Q", MLTSS/HCBS:"R" N = 508	n/a	n/a	n/a	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
NY	396	n/a	PACE N = 6	MLTC (MAP), PARTIAL MLTC, Mainstream (HMO, PHSP), Health and Recovery Plans (HARP) N = 360	County Services, Nursing Home Transition and Diversion (NHTD), Traumatic Brain Injury (TBI), Assisted Living Program (ALP) N = 36	n/a	n/a	n/a	n/a
NC	376	Nursing Facilities (NF) N = 9	PACE N = 1	n/a	Personal Care Services (PCS), Private Duty Nursing (PDN), CAP/C, CAP/DA, CAP/CD N = 222	n/a	n/a	OAA N = 144	n/a
ND	404	n/a	n/a	n/a	HCBS Waiver, Medicaid State Plan Personal Care, Service Payments for the Elderly and Disabled, Expanded Service Payments for the Elderly and Disabled, 1915i N = 404	n/a	n/a	n/a	n/a
OH	1522	n/a	n/a	MyCare Ohio Waiver N = 382	n/a	PASSPORT Waiver, Assisted Living Waiver N = 755	Ohio Home Care Waiver N = 385	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
OK	832	n/a	n/a	n/a	ADvantage-Traditional, ADvantage-Assisted Living, ADvantage-Adult Day Health, ADvantage-CD-PASS, State Plan Personal Care, Living Choice, Medically Fragile N = 629	n/a	n/a	Older Americans Act N = 203	n/a
SD	366	n/a	n/a	n/a	HOPE Waiver, Medicaid State Plan N = 294	n/a	ADLS Waiver N = 9	n/a	In-Home Services N = 63
TN	789	Wellpoint Group 1, BlueCare Group 1, UnitedHealthcare Group 1 N = 266	PACE N = 36	Wellpoint Group 2, Wellpoint Group 3, BlueCare Group 2, BlueCare Group 3, UnitedHealthcare Group 2, UnitedHealthcare Group 3 N = 487	n/a	n/a	n/a	n/a	n/a
VA	407	n/a	n/a	Aetna Better Health, Anthem HealthKeepers Plus, Molina Healthcare, Sentara Community Plan, United HealthCare Community Plan N = 407	n/a	n/a	n/a	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
WA	1627	Skilled Nursing Facility N = 96	n/a	n/a	n/a	n/a	n/a	n/a	Adult Family Home, Adult Residential Care (ARC), Assisted Living Facility (non-ARC), Enhanced Adult Residential Care (EARC), InHome N = 1531
WI	1770	n/a	n/a	Family Care, Family Care Partnership N = 1143	Include, Respect, I Self-Direct (IRIS) N = 627	n/a	n/a	n/a	n/a
Total	20026	1088	153	4435	7743	2109	2040	604	1854

Figure 2. Margin of error by state and program category at 95% Confidence Level, assuming 0.7 distribution (assuming 0.5 distribution)

State	Overall	Overall-HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
AL	3.6%(4.0%)	4.0%(4.4%)	8.5%(9.3%)	n/a	n/a	3.6%(4.0%)	n/a	n/a	n/a	n/a
AZ	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a	4.5%(4.9%)	n/a	n/a	n/a	n/a	n/a
CA	2.4%(2.7%)	2.4%(2.7%)	n/a	n/a	n/a	2.4%(2.7%)	n/a	n/a	n/a	n/a
CO	2.5%(2.8%)	2.5%(2.8%)	n/a	n/a	n/a	2.7%(3.0%)	n/a	7.6%(8.3%)	n/a	n/a*
DE	3.1%(3.3%)	3.8%(4.2%)	5.1%(5.6%)	n/a	3.8%(4.2%)	n/a	n/a	n/a	n/a	n/a
IN	4.4%(4.8%)	4.4%(4.8%)	n/a	n/a	6.4%(6.9%)	n/a	8.8%(9.6%)	n/a	14.6%(15.9%)	10.7%(11.7%)
KS	2.6%(2.8%)	2.6%(2.8%)	n/a	n/a	n/a	n/a	4.0%(4.4%)	3.7%(4.0%)	n/a	8.6%(9.4%)
KY	4.4%(4.8%)	4.4%(4.8%)	n/a	n/a	n/a	n/a	n/a	6.5%(7.1%)	6.1%(6.6%)	n/a
MA	4.0%(4.4%)	4.0%(4.4%)	n/a	n/a	n/a	8.6%(9.3%)	4.9%(5.3%)	n/a	n/a	12.3%(13.5%)
MN	4.4%(4.9%)	4.4%(4.9%)	n/a	n/a	n/a	n/a	n/a	4.4%(4.9%)	n/a	n/a
MO	1.9%(2.0%)	1.9%(2.0%)	n/a	n/a	n/a	2.0%(2.2%)	n/a	5.1%(5.6%)	n/a	27.1%(29.5%)
NE	3.5%(3.8%)	4.1%(4.5%)	6.6%(7.2%)	n/a	n/a	4.1%(4.5%)	n/a	n/a	n/a	n/a
NH	4.4%(4.8%)	4.4%(4.8%)	n/a	n/a	n/a	n/a	4.4%(4.8%)	n/a	n/a	n/a
NJ	3.3%(3.6%)	3.6%(3.9%)	8.6%(9.4%)	8.6%(9.3%)	4.0%(4.3%)	n/a	n/a	n/a	n/a	n/a
NY	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a*	4.7%(5.2%)	15.0%(16.3%)	n/a	n/a	n/a	n/a
NC	4.6%(5.1%)	4.7%(5.1%)	n/a*	n/a*	n/a	6.0%(6.6%)	n/a	n/a	7.5%(8.2%)	n/a
ND	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a	n/a	4.5%(4.9%)	n/a	n/a	n/a	n/a
OH	2.3%(2.5%)	2.3%(2.5%)	n/a	n/a	4.6%(5.0%)	n/a	3.3%(3.6%)	4.6%(5.0%)	n/a	n/a
OK	3.1%(3.4%)	3.1%(3.4%)	n/a	n/a	n/a	3.6%(3.9%)	n/a	n/a	6.3%(6.9%)	n/a
SD	4.7%(5.1%)	4.7%(5.1%)	n/a	n/a	n/a	5.2%(5.7%)	n/a	n/a*	n/a	11.3%(12.3%)
TN	3.2%(3.5%)	3.9%(4.3%)	5.5%(6.0%)	15.0%(16.3%)	4.1%(4.4%)	n/a	n/a	n/a	n/a	n/a
VA	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a	4.5%(4.9%)	n/a	n/a	n/a	n/a	n/a
WA	2.2%(2.4%)	2.3%(2.5%)	9.2%(10.0%)	n/a	n/a	n/a	n/a	n/a	n/a	2.3%(2.5%)
WI	2.1%(2.3%)	2.1%(2.3%)	n/a	n/a	2.7%(2.9%)	3.6%(3.9%)	n/a	n/a	n/a	n/a
Total	0.6%(.7%)	0.7%(.7%)	2.7%(3.0%)	7.3%(7.9%)	1.3%(1.5%)	1.0%(1.1%)	2.0%(2.1%)	2.0%(2.2%)	3.7%(4.0%)	2.1%(2.3%)

State and Program Category with respondents of 20 or fewer people are denoted with a "n/a*".

Presentation of Results

All demographic and outcome results for the 2024-25 NCI-AD Adult Consumer Survey are reported. **All state and NCI-AD Averages presented are weighted.** Analysis results are presented in two sections:

Demographic Characteristics: Tables show demographic and service-related characteristics of service recipients in each state. Demographic information is un-collapsed.

Outcome Tables and Comparisons Across States: Outcomes are grouped by sub-domain. Each outcome is first displayed as a chart depicting the NCI-AD overall and program-level averages followed by a table with states, listed alphabetically, displaying each state's weighted average, each state's observed (unweighted) number of valid responses, as well as the overall weighted "NCI-AD Average" and the overall observed number of valid responses. In addition to displaying weighted state averages, tables in this section also contain weighted results for the eight program categories described in "Classification of Programs" in previous section (PACE, MLTSS HCBS, Combined Medicaid, Aging Medicaid, PD Medicaid, BI Medicaid, OAA, and NFs). Results for the "Other" program category are not presented separately; however, programs in this category are included in calculation of state averages and the overall NCI-AD Average.

Tables also contain an "Overall – HCBS only" weighted average for each state and overall across all states. This average includes only HCBS-based program categories (PACE, MLTSS HCBS, Combined Medicaid, Aging Medicaid, PD Medicaid, BI Medicaid, and OAA as well as HCBS programs in the "Other" category); its calculation excludes NFs. For states that did not survey NF residents, the "Overall – HCBS only" average is identical to the state's weighted average.

When a measure is not mutually exclusive in the response options, charts depict the NCI-AD overall average and all response options followed by a table with states, listed alphabetically, displaying each state's weighted average for each response option. N is not shown for these measures.

NOTES:

To protect people's privacy, **we do not show the data when 20 or fewer people from a state or within a program responded** to a question; however, their data are included in the overall state average.

For some items collected in the Background Information section, states had large amounts of missing data or data recorded as "don't know." Where 25% or more of a state's sample had "don't know" or missing responses, we used an asterisk (*) to indicate that state's data should be interpreted with caution as it may not accurately represent the sample or service population.

Demographic

Table 1. Average age (reported for those under 90 years old)

State	Age	Observed N
AL	62.8	590
AZ	66.6	365
CA	60.7	1,297
CO	63.1	1,205
DE	66.1	819
IN	63.8	397
KS	65.8	1,170
KY	61.3	373
MA	72.2	462
MN	50.9	408
MO	60.7	2,240
NC	62.8	361
ND	62.9	389
NE	67.0	610
NH	67.6	382
NJ	68.6	657
NY	67.3	368
OH	68.7	1,422
OK	69.1	784
SD	67.0	353
TN	66.8	745
VA	52.4	401
WA	67.2	1,547
WI	64.1	1,695
NCI-AD Weighted Average	62.2	19,040

Table 2. Age category (including those 90 and older)

State	18-44	45-64	65-89	90+	N
AL	11%	35%	46%	7%	608
AZ	10%	25%	57%	8%	396
CA	21%	25%	50%	5%	1,341
CO	14%	31%	51%	5%	1,258
DE	11%	24%	56%	8%	862
IN	9%	38%	49%	4%	413
KS	7%	30%	59%	4%	1,202
KY	18%	32%	46%	4%	403
MA	3%	11%	76%	10%	503
MN	31%	47%	22%	0%	408
MO	13%	44%	41%	2%	2,263
NC	11%	40%	47%	2%	371
ND	13%	34%	49%	4%	402
NE	10%	23%	58%	9%	551
NH	6%	29%	59%	7%	408
NJ	7%	23%	60%	10%	724
NY	8%	21%	61%	9%	402
OH	5%	25%	64%	6%	1,517
OK	5%	24%	65%	6%	830
SD	9%	27%	59%	5%	366
TN	8%	26%	60%	6%	789
VA	32%	40%	27%	2%	407
WA	6%	29%	60%	5%	1,614
WI	8%	39%	48%	5%	1,770
Weighted NCI-AD Average	16%	29%	50%	5%	19,808

Table 3. Gender

State	Male	Female	Other	Don't Know or Unclear	N
AL	41%	59%	0%	0%	608
AZ	44%	56%	0%	0%	396
CA	38%	62%	0%	0%	1,362
CO	37%	63%	0%	0%	1,258
DE	43%	57%	0%	0%	862
IN	34%	66%	0%	0%	413
KS	30%	70%	0%	0%	1,206
KY	33%	67%	0%	0%	406
MA	31%	69%	0%	0%	503
MN	45%	55%	0%	0%	408
MO	48%	52%	0%	0%	1,022
NC	30%	70%	0%	0%	376
ND	39%	61%	0%	0%	404
NE	36%	64%	0%	0%	663
NH	32%	68%	0%	0%	410
NJ	40%	60%	0%	0%	727
NY	30%	70%	0%	0%	402
OH	31%	69%	0%	0%	1,522
OK	30%	70%	0%	0%	830
SD	37%	63%	0%	0%	366
TN	34%	66%	0%	0%	789
VA	40%	60%	0%	0%	407
WA	34%	66%	0%	0%	1,627
WI	33%	67%	0%	0%	1,770
Weighted NCI-AD Average	36%	64%	0%	0%	18,737

Table 4. Race and ethnicity*Categories are not mutually exclusive; therefore N is not shown.*

State	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know or Unclear
AL	1%	1%	44%	0%	54%	1%	5%	0%
AZ	2%	2%	8%	0%	64%	20%	4%	3%
CA	1%	16%	19%	1%	33%	29%	3%	3%
CO	1%	2%	3%	0%	63%	17%	0%	14%
DE	1%	1%	30%	3%	64%	4%	0%	0%
IN	1%	1%	17%	0%	75%	1%	4%	1%
KS	3%	1%	20%	0%	71%	4%	1%	1%
KY	1%	3%	15%	0%	78%	3%	2%	0%
MA	2%	1%	12%	0%	72%	7%	4%	4%
MN	3%	3%	24%	3%	63%	3%	1%	3%
MO	3%	1%	39%	0%	54%	1%	4%	1%
NC	1%	0%	51%	0%	45%	0%	1%	0%
ND	11%	3%	5%	1%	75%	3%	3%	1%
NE	2%	3%	17%	0%	75%	4%	1%	1%
NH	1%	3%	1%	0%	86%	0%	1%	6%
NJ	0%	12%	26%	0%	39%	21%	2%	0%
NY	2%	18%	27%	0%	31%	14%	8%	0%
OH	1%	8%	17%	0%	68%	3%	6%	0%
OK	10%	1%	13%	0%	78%	3%	0%	0%
SD	11%	1%	2%	0%	86%	2%	1%	0%
TN	1%	0%	29%	0%	63%	1%	0%	4%
VA	1%	5%	37%	0%	54%	1%	2%	0%
WA	10%	11%	16%	2%	52%	12%	3%	0%
WI	2%	2%	25%	0%	50%	3%	3%	15%
Weighted NCI-AD Average	2%	11%	24%	1%	44%	15%	4%	2%

Table 5. Marital status

State	Single, never married	Married or in domestic partnership	Separated or divorced	Widowed	Don't Know or Unclear	N
AL	40%	9%	28%	22%	1%	594
AZ **	34%	12%	0%	3%	51%	396
CA **	6%	3%	2%	2%	87%	1,362
CO	30%	21%	29%	18%	2%	1,258
DE	35%	14%	25%	23%	4%	802
IN	26%	16%	35%	18%	4%	413
KS	24%	10%	35%	20%	10%	1,206
KY	39%	22%	15%	15%	9%	406
MA	22%	15%	25%	31%	7%	503
MN	62%	6%	28%	3%	1%	407
MO	44%	10%	30%	15%	1%	1,690
NC	50%	11%	26%	11%	3%	371
ND	34%	12%	32%	21%	1%	399
NE	43%	18%	20%	18%	0%	663
NH	29%	10%	37%	24%	0%	410
NJ	36%	18%	16%	30%	0%	727
NY	24%	18%	14%	25%	19%	402
OH	24%	17%	31%	27%	1%	1,522
OK	20%	21%	25%	26%	9%	828
SD	34%	12%	28%	25%	1%	366
TN **	20%	8%	14%	14%	43%	789
VA	50%	14%	19%	6%	11%	407
WA	28%	12%	38%	20%	2%	1,624
WI	24%	15%	25%	15%	21%	1,770
Weighted NCI-AD Average	24%	11%	15%	12%	37%	19,315

States with more than 25% missing or don't know are marked with **: AZ, CA, TN.

Table 6. Preferred language

State	English	Spanish	Other	Don't Know or Unclear	N
AL	99%	0%	0%	0%	588
AZ	90%	8%	2%	0%	396
CA	66%	9%	21%	3%	632
CO	86%	1%	1%	12%	1,258
DE	99%	1%	0%	0%	862
IN	99%	0%	1%	1%	413
KS	88%	1%	2%	9%	1,202
KY	90%	1%	8%	1%	407
MA	82%	8%	9%	1%	503
MN	97%	0%	3%	0%	408
MO	97%	0%	2%	0%	1,751
NC	98%	0%	1%	1%	371
ND	93%	1%	6%	0%	397
NE	94%	3%	3%	0%	627
NH	93%	2%	4%	0%	408
NJ	73%	15%	12%	0%	721
NY	53%	21%	25%	0%	402
OH	84%	1%	15%	0%	1,519
OK	98%	0%	1%	1%	831
SD	99%	1%	1%	0%	366
TN	99%	0%	1%	0%	788
VA	98%	1%	1%	0%	407
WA	84%	6%	10%	0%	1,614
WI	95%	2%	3%	0%	1,684
Weighted NCI-AD Average	80%	8%	11%	1%	18,555

Table 7. Preferred means of Communication

State	Spoken	Gestures or body language	Sign language or finger spelling	Communication aid or Device	Other	Don't Know or Unclear	N
AL	93%	4%	1%	0%	1%	0%	587
AZ	96%	1%	0%	1%	2%	0%	396
CA	94%	3%	1%	1%	1%	1%	967
CO	91%	1%	0%	0%	1%	6%	1,258
DE	100%	0%	0%	0%	0%	0%	862
IN	91%	3%	0%	1%	1%	4%	413
KS	87%	1%	0%	0%	0%	11%	1,201
KY	89%	2%	0%	0%	3%	5%	407
MA	99%	0%	0%	0%	0%	0%	503
MN	98%	2%	0%	0%	0%	0%	336
MO	98%	1%	0%	0%	1%	0%	1,737
NC	79%	0%	0%	0%	4%	16%	372
ND	99%	0%	0%	1%	0%	0%	324
NE	96%	3%	0%	0%	1%	0%	643
NH **	14%	0%	0%	0%	0%	86%	376
NJ	95%	1%	0%	1%	3%	0%	727
NY	82%	2%	0%	0%	1%	14%	402
OH	98%	1%	0%	0%	0%	0%	1,517
OK	98%	1%	0%	0%	1%	0%	829
SD	98%	1%	0%	0%	0%	0%	366
TN	94%	3%	1%	0%	2%	0%	789
VA	90%	1%	0%	0%	4%	4%	407
WA	97%	1%	0%	0%	1%	0%	1,598
WI	97%	0%	0%	0%	2%	0%	169
Weighted NCI-AD Average	91%	2%	0%	0%	2%	5%	17,186

States with more than 25% missing or don't know are marked with **: NH.

Table 8. Residential designation*Categories created using zip codes and corresponding RUCA codes.*

State	Metropolitan	Micropolitan	Rural	Small town	Don't Know or Unclear	N
AL	73%	13%	3%	10%	0%	608
AZ	93%	5%	1%	1%	0%	396
CA	94%	4%	1%	1%	0%	1,338
CO	46%	20%	10%	25%	0%	1,258
DE	74%	22%	0%	4%	0%	862
IN	84%	11%	1%	4%	0%	412
KS	58%	24%	9%	10%	0%	1,201
KY	45%	27%	8%	21%	0%	406
MA	97%	3%	0%	0%	0%	503
MN	83%	8%	3%	6%	0%	408
MO	70%	12%	8%	10%	1%	2,035
NC	54%	32%	4%	10%	1%	371
ND	52%	20%	22%	5%	0%	404
NE	63%	15%	9%	14%	0%	572
NH	58%	19%	7%	16%	0%	407
NJ	99%	1%	0%	0%	0%	724
NY	97%	2%	1%	1%	0%	402
OH	78%	16%	1%	5%	0%	1,517
OK	40%	29%	10%	20%	0%	829
SD	38%	31%	16%	15%	0%	362
TN	63%	20%	3%	14%	0%	789
VA	79%	7%	6%	8%	0%	407
WA	91%	5%	2%	3%	0%	1,605
WI	77%	9%	5%	9%	0%	1,770
Weighted NCI-AD Average	85%	8%	3%	4%	0%	19,586

Table 9. Median income (based on zip code)

State	\$0- \$9,999	\$10,000- \$19,999	\$20,000- \$29,999	\$30,000- \$39,999	\$40,000- \$49,999	\$50,000- \$59,999	\$60,000- \$69,999	\$70,000- \$79,999	\$80,000- \$89,999	\$90,000- \$99,999	\$100,000 and over	N
AL	1%	1%	2%	18%	41%	22%	9%	4%	1%	1%	0%	608
AZ	0%	0%	1%	8%	16%	30%	26%	7%	6%	3%	3%	396
CA	0%	0%	1%	4%	11%	22%	22%	13%	11%	7%	8%	1,338
CO	0%	1%	2%	6%	26%	25%	18%	12%	5%	2%	4%	1,258
DE	0%	0%	0%	2%	2%	27%	38%	1%	19%	3%	7%	862
IN	0%	0%	0%	5%	17%	45%	16%	5%	7%	2%	2%	412
KS	0%	0%	0%	7%	29%	33%	14%	6%	6%	2%	2%	1,201
KY	0%	0%	2%	15%	47%	23%	8%	3%	2%	0%	1%	406
MA	0%	0%	0%	1%	13%	14%	20%	17%	14%	8%	12%	503
MN	0%	0%	0%	1%	9%	34%	21%	15%	11%	5%	4%	408
MO	0%	0%	2%	12%	47%	19%	12%	4%	2%	1%	1%	1,990
NC	1%	1%	0%	10%	43%	31%	9%	4%	1%	1%	0%	368
ND	0%	0%	0%	4%	17%	42%	24%	12%	0%	0%	0%	404
NE	1%	0%	1%	6%	19%	44%	9%	15%	3%	1%	0%	572
NH	1%	0%	0%	0%	2%	25%	32%	15%	16%	3%	6%	406
NJ	1%	1%	1%	2%	10%	18%	13%	13%	11%	11%	21%	723
NY	0%	0%	0%	14%	26%	20%	14%	9%	7%	7%	3%	402
OH	0%	0%	0%	7%	20%	35%	16%	11%	6%	4%	2%	1,513
OK	0%	0%	0%	10%	43%	33%	7%	5%	1%	0%	0%	826
SD	0%	0%	0%	1%	23%	44%	17%	10%	1%	4%	0%	361
TN	0%	0%	2%	12%	46%	20%	11%	6%	3%	0%	1%	789
VA	2%	0%	1%	5%	22%	21%	17%	9%	10%	3%	10%	407
WA	0%	0%	0%	2%	15%	22%	28%	18%	6%	4%	3%	1,600
WI	0%	0%	0%	7%	22%	34%	17%	10%	7%	2%	1%	1,770
Weighted NCI-AD Average	1%	0%	1%	7%	20%	24%	18%	10%	8%	5%	6%	19,523

Table 10. Type of residence

State	Own or Family House or Apartment	Senior Living Apartment or Complex	Group Home, Adult Family Home, Foster Home, Host Home	Assisted Living Facility, Residential Care Facility	Nursing Facility, Nursing Home	Homeless or Temporary Shelter	Other	Don't Know or Unclear	N
AL	44%	1%	0%	1%	53%	0%	0%	1%	586
AZ	51%	1%	10%	17%	20%	0%	0%	0%	396
CA	90%	6%	1%	3%	0%	0%	0%	0%	1,044
CO	60%	0%	0%	24%	1%	0%	15%	0%	1,258
DE	80%	3%	5%	10%	0%	1%	1%	1%	510
IN	68%	5%	0%	23%	1%	0%	2%	0%	413
KS	75%	3%	1%	9%	1%	0%	0%	11%	1,198
KY	92%	4%	0%	1%	0%	0%	1%	3%	405
MA	42%	43%	8%	0%	0%	0%	0%	6%	503
MN	70%	3%	16%	9%	0%	0%	1%	0%	336
MO	84%	5%	0%	10%	1%	0%	0%	0%	1,740
NC	66%	6%	6%	18%	2%	1%	1%	0%	375
ND	92%	0%	1%	4%	0%	0%	2%	1%	400
NE	44%	1%	1%	17%	37%	0%	0%	0%	630
NH	67%	1%	0%	29%	0%	1%	1%	0%	410
NJ	39%	10%	1%	21%	29%	0%	0%	0%	727
NY	78%	3%	0%	2%	0%	0%	0%	16%	402
OH	74%	7%	0%	19%	0%	0%	0%	0%	1,522
OK	88%	7%	0%	1%	0%	0%	1%	1%	829
SD	77%	13%	0%	10%	0%	0%	0%	0%	366
TN	48%	1%	2%	4%	44%	0%	1%	0%	789
VA	80%	1%	1%	1%	1%	1%	12%	4%	407
WA	58%	4%	15%	7%	16%	0%	0%	0%	1,627
WI	79%	4%	2%	13%	3%	0%	0%	0%	1,631
Weighted NCI-AD Average	77%	4%	2%	6%	4%	0%	2%	4%	18,504

Table 11. Who the person lives with*Categories are not mutually exclusive; therefore, N is not shown.*

State	No One – Lives Alone	Spouse or Partner	Other Family	Friend(s)	Live-in PCA	Others	Don't Know or Unclear
AL	28%	4%	22%	1%	1%	44%	0%
AZ	22%	15%	30%	1%	16%	36%	0%
CA	20%	14%	63%	1%	3%	5%	0%
CO	41%	21%	37%	2%	3%	4%	0%
DE	29%	11%	42%	4%	1%	16%	0%
IN	52%	17%	28%	2%	2%	1%	2%
KS	54%	10%	21%	1%	1%	4%	2%
KY	35%	21%	43%	1%	1%	1%	3%
MA	50%	11%	21%	1%	2%	7%	11%
MN	51%	7%	31%	2%	4%	11%	0%
MO	46%	9%	32%	2%	1%	11%	0%
NC	38%	8%	28%	4%	2%	24%	0%
ND	57%	12%	22%	1%	0%	7%	1%
NE	32%	11%	13%	0%	2%	41%	2%
NH	13%	4%	3%	0%	0%	1%	70%
NJ	22%	11%	21%	1%	3%	43%	0%
NY	23%	12%	38%	1%	1%	2%	0%
OH	56%	17%	33%	1%	2%	0%	0%
OK	49%	20%	26%	3%	1%	1%	2%
SD	70%	10%	16%	1%	2%	3%	0%
TN	21%	6%	22%	1%	0%	50%	1%
VA	28%	19%	48%	5%	2%	4%	1%
WA	50%	6%	16%	1%	5%	26%	0%
WI	50%	18%	27%	1%	2%	6%	0%
Weighted NCI-AD Average	30%	14%	42%	2%	3%	9%	1%

Table 12. Address changed in the past 6 months

State	No	Yes	Don't Know or Unclear	N
AL	90%	10%	0%	607
AZ	93%	7%	0%	396
CA	97%	3%	0%	993
CO	94%	5%	1%	1,230
DE	91%	8%	1%	510
IN	94%	3%	3%	413
KS	83%	6%	10%	1,197
KY	87%	5%	8%	406
MA	86%	4%	10%	503
MN	90%	10%	0%	335
MO	94%	6%	0%	1,721
NC	90%	10%	0%	375
ND	90%	8%	2%	351
NE	94%	6%	0%	663
NH	93%	7%	0%	410
NJ	97%	3%	0%	727
NY	83%	2%	15%	402
OH	96%	4%	0%	1,522
OK	93%	5%	1%	830
SD	94%	6%	0%	366
TN	86%	5%	9%	788
VA	87%	6%	7%	407
WA	82%	17%	1%	1,604
WI	92%	8%	1%	1,576
Weighted NCI-AD Average	90%	5%	5%	18,332

Table 13. Where people moved from (if moved in the last 6 months)

State	Own or Family House or Apartment	Senior Living Apartment or Complex	Group Home, Adult Family Home, Foster Home, Host Home	Assisted Living Facility, Residential Care Facility	Nursing Facility, Nursing Home	Homeless or Temporary Shelter	Other	Don't Know or Unclear	N
AL	73%	0%	0%	0%	6%	0%	9%	12%	44
AZ	45%	0%	0%	39%	17%	0%	0%	0%	29
CA	86%	5%	0%	4%	0%	5%	0%	0%	39
CO	81%	2%	0%	8%	3%	0%	5%	0%	69
DE	65%	8%	11%	3%	2%	2%	10%	0%	42
KS	70%	3%	0%	7%	7%	1%	4%	9%	73
MN	69%	3%	9%	9%	0%	0%	6%	3%	32
MO	72%	10%	2%	10%	0%	0%	5%	1%	101
NC	41%	3%	4%	3%	3%	11%	36%	0%	31
ND	66%	4%	0%	8%	4%	4%	15%	0%	26
NE	53%	3%	0%	34%	6%	0%	3%	0%	44
NH	23%	0%	0%	8%	12%	15%	19%	23%	26
OH	78%	0%	0%	16%	4%	1%	1%	0%	55
OK	87%	6%	0%	4%	0%	0%	0%	3%	53
SD	87%	0%	0%	10%	0%	0%	0%	3%	24
TN	60%	0%	3%	12%	20%	0%	5%	1%	43
VA	39%	0%	2%	0%	6%	4%	40%	8%	26
WA	46%	4%	6%	6%	26%	1%	8%	3%	253
WI	60%	7%	0%	18%	2%	4%	7%	0%	103
Weighted NCI-AD Average	60%	3%	2%	6%	8%	4%	14%	5%	1,187

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: IN, KY, MA, NJ, NY.

Table 14A. Diagnoses*Categories are not mutually exclusive; therefore, N is not shown.*

State	Physical Disability	Traumatic Brain Injury or Other Acquired Brain Injury	Intellectual or Other Developmental Disability	Alzheimer's Disease or Other Dementia	Heart Disease	Cancer
AL	78%	20%	18%	26%	74%	16%
AZ	3%	4%	2%	26%	84%	20%
CA	61%	10%	21%	13%	18%	11%
CO	94%	32%	9%	9%	2%	13%
DE	51%	12%	9%	14%	31%	9%
IN	86%	7%	7%	15%	39%	12%
KS	83%	19%	3%	10%	34%	20%
KY	73%	5%	18%	10%	40%	8%
MA	99%	14%	1%	16%	37%	18%
MN	44%	0%	8%	7%	0%	0%
MO	68%	12%	13%	6%	25%	16%
NC	4%	0%	6%	0%	0%	0%
ND	92%	13%	11%	8%	40%	12%
NE	73%	14%	10%	17%	32%	15%
NH	12%	2%	1%	2%	6%	2%
NJ	52%	5%	4%	22%	47%	24%
NY	50%	8%	8%	18%	29%	14%
OH	67%	11%	8%	13%	42%	21%
OK	67%	11%	8%	7%	41%	22%
SD	76%	16%	9%	4%	40%	29%
TN	79%	12%	8%	31%	39%	5%
VA	1%	9%	10%	3%	27%	5%
WA	67%	20%	12%	10%	32%	17%
WI	51%	1%	0%	15%	58%	12%
Weighted NCI-AD Average	51%	10%	12%	12%	29%	13%

Table 14B. Diagnoses (continued)

Categories are not mutually exclusive; therefore, N is not shown.

State	Chronic Obstructive Pulmonary Disease (COPD)	Stroke	Diabetes	Hypertension (or High Blood Pressure)	Limited or No Vision- Legally Blind	Hearing Loss- Severe or Profound
AL	25%	29%	46%	80%	20%	14%
AZ	17%	20%	41%	65%	6%	7%
CA	13%	17%	33%	55%	19%	12%
CO	30%	15%	36%	70%	4%	7%
DE	14%	24%	33%	56%	6%	11%
IN	21%	19%	44%	49%	19%	10%
KS	29%	26%	34%	55%	11%	8%
KY	31%	17%	35%	48%	19%	9%
MA	34%	22%	37%	69%	56%	12%
MN	0%	0%	0%	0%	0%	0%
MO	27%	19%	40%	60%	25%	12%
NC	0%	1%	2%	3%	0%	0%
ND	24%	19%	30%	7%	4%	2%
NE	20%	19%	39%	54%	7%	13%
NH	34%	2%	18%	20%	87%	59%
NJ	26%	20%	42%	73%	18%	11%
NY	12%	23%	43%	70%	14%	18%
OH	30%	26%	42%	71%	11%	13%
OK	35%	23%	41%	60%	21%	21%
SD	27%	24%	42%	62%	15%	17%
TN	28%	25%	39%	68%	8%	5%
VA	19%	5%	1%	59%	2%	1%
WA	22%	29%	44%	59%	16%	18%
WI	39%	22%	41%	69%	3%	1%
Weighted NCI-AD Average	19%	18%	32%	60%	14%	11%

MA data reflect those who have "Limited or No Vision". Data does not reflect the "Legally Blind" designation.

Table 15. Person has chronic psychiatric or mental health diagnosis

State	No	Yes	Don't Know or Unclear	N
AL	46%	54%	0%	606
AZ	32%	68%	0%	396
CA	69%	30%	1%	864
CO	44%	56%	0%	1,258
DE	65%	31%	4%	797
IN	46%	54%	0%	413
KS	63%	21%	16%	1,200
KY	58%	29%	13%	400
MA	31%	69%	0%	503
MN	24%	76%	0%	407
MO	55%	43%	1%	1,653
NC **	2%	13%	85%	158
ND	56%	42%	2%	400
NE	52%	46%	2%	663
NH	46%	32%	22%	410
NJ	58%	42%	0%	727
NY **	60%	10%	30%	402
OH	74%	25%	1%	1,522
OK	68%	30%	1%	804
SD	70%	28%	2%	366
TN	38%	62%	1%	786
VA	98%	2%	0%	407
WA	64%	31%	4%	1,600
WI	37%	63%	0%	1,720
Weighted NCI-AD Average	64%	27%	9%	18,462

States with more than 25% missing or don't know are marked with **: NC, NY.

Table 16. Level of mobility

Categories are not mutually exclusive (except 'Don't know or unclear').

State	Non-Ambulatory	Moves Self with Wheelchair	Moves Self With Other Aids	Moves Self Without Aids	Don't Know or Unclear
AL	25%	38%	35%	18%	0%
AZ	0%	8%	2%	91%	0%
CA	7%	18%	53%	43%	0%
CO	4%	17%	74%	5%	0%
DE	19%	38%	40%	28%	0%
IN	8%	33%	60%	14%	1%
KS	2%	21%	57%	27%	1%
KY	17%	11%	42%	29%	4%
MA	4%	22%	68%	19%	0%
MN	28%	22%	22%	50%	0%
MO	4%	16%	59%	42%	0%
NC	7%	19%	55%	36%	0%
ND	1%	1%	82%	15%	1%
NE	6%	32%	54%	32%	1%
NH	1%	6%	11%	4%	70%
NJ	10%	28%	51%	13%	0%
NY	8%	12%	44%	18%	0%
OH	5%	30%	73%	36%	0%
OK	3%	20%	57%	50%	0%
SD	8%	22%	63%	32%	1%
TN	33%	30%	30%	9%	0%
VA	3%	8%	34%	65%	1%
WA	7%	36%	60%	25%	0%
WI	10%	22%	53%	17%	4%
Weighted NCI-AD Average	7%	18%	48%	36%	0%

Table 17. Has history of frequent falls (more than two falls in a six-month period)

State	No	Yes	Don't Know or Unclear	N
AL	73%	27%	0%	605
AZ	95%	5%	0%	396
CA	78%	22%	0%	960
CO	74%	15%	11%	1,258
DE	79%	20%	1%	796
IN	53%	43%	5%	413
KS	60%	30%	10%	1,200
KY	69%	14%	17%	399
MA	85%	15%	0%	503
MN	78%	21%	2%	335
MO	70%	29%	1%	1,685
NC	68%	30%	2%	373
ND **	50%	22%	27%	391
NE	66%	32%	2%	663
NH	73%	27%	0%	410
NJ	87%	13%	0%	727
NY	58%	28%	15%	402
OH	80%	19%	1%	1,521
OK	64%	35%	1%	806
SD	72%	27%	1%	366
TN	84%	15%	1%	788
VA	71%	24%	5%	407
WA	63%	36%	1%	1,601
WI	74%	25%	1%	1,563
Weighted NCI-AD Average	70%	25%	5%	18,568

States with more than 25% missing or don't know are marked with **: ND. MA data reflect a history of more than one fall rather than two falls in a six-month period.

Table 18. Receives Medicare

State	No	Yes	Don't Know or Unclear	N
AL	26%	74%	0%	606
AZ	25%	75%	0%	396
CA	29%	71%	0%	1,362
CO	16%	84%	0%	1,258
DE	20%	80%	0%	862
IN	25%	75%	0%	413
KS	16%	71%	13%	1,196
KY	24%	50%	26%	394
MA	4%	87%	9%	503
MN	37%	63%	0%	407
MO	26%	74%	0%	2,298
NC	18%	82%	0%	374
ND	25%	57%	19%	388
NE	21%	79%	0%	663
NH	62%	38%	0%	410
NJ	20%	80%	0%	727
NY	15%	64%	21%	402
OH	15%	64%	20%	1,521
OK **	0%	72%	28%	814
SD	9%	87%	4%	366
TN	11%	89%	0%	789
VA	44%	47%	9%	407
WA	9%	83%	8%	1,602
WI	18%	82%	0%	1,770
Weighted NCI-AD Average	24%	69%	7%	19,928

States with more than 25% missing or don't know are marked with **: OK.

Table 19. Length of time receiving LTSS services in current program*Information required to come from administrative records.*

State	0 - 5 Months	6 Months – Less Than 1 Year	1 Year – Less Than 3 Years	3 or More Years	Don't Know or Unclear	N
AL	10%	89%	0%	0%	0%	608
CA **	0%	0%	0%	0%	100%	1,341
CO	0%	2%	18%	79%	0%	1,258
DE	8%	4%	11%	78%	0%	862
IN	2%	52%	24%	21%	0%	413
KS	4%	13%	31%	50%	2%	1,206
KY	0%	2%	33%	58%	6%	396
MA	4%	10%	44%	42%	0%	503
MN	1%	2%	28%	69%	0%	407
MO	6%	14%	31%	49%	0%	2,306
NC **	0%	0%	10%	28%	61%	346
ND **	0%	1%	7%	1%	91%	400
NE	3%	10%	32%	54%	1%	663
NH	35%	20%	28%	17%	0%	410
NJ	0%	19%	39%	42%	0%	727
NY	1%	12%	30%	56%	0%	402
OH **	0%	1%	18%	23%	57%	1,522
OK **	0%	1%	6%	7%	85%	807
SD	3%	11%	24%	62%	0%	366
TN	5%	6%	34%	55%	0%	789
VA **	7%	2%	10%	15%	66%	407
WA	14%	11%	13%	61%	0%	1,532
WI	7%	19%	35%	39%	0%	1,770
Weighted NCI-AD Average	3%	8%	14%	26%	49%	19,441

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AZ. States with more than 25% missing or don't know are marked with **: CA, NC, ND, OH, OK, VA.

Table 20. Person has a legal guardian*Information required to come from administrative records.*

State	No	Yes	Don't Know or Unclear	N
AL	99%	1%	0%	552
AZ	90%	10%	0%	396
CA **	0%	0%	100%	1,336
CO	81%	10%	9%	1,258
DE	96%	4%	0%	698
IN	92%	8%	0%	413
KS **	16%	3%	82%	1,200
KY	74%	18%	8%	393
MA	96%	4%	0%	503
MN	90%	10%	0%	407
MO **	1%	1%	99%	2,286
NC	86%	14%	0%	345
ND **	63%	10%	28%	400
NE	89%	11%	0%	663
NH	96%	4%	0%	410
NJ	96%	4%	0%	727
NY	83%	17%	0%	402
OH **	11%	3%	86%	1,522
OK	72%	4%	24%	804
SD	98%	2%	0%	366
TN	90%	10%	0%	789
VA **	0%	0%	100%	407
WA	97%	3%	0%	1,627
WI	87%	13%	0%	1,770
Weighted NCI-AD Average	41%	6%	53%	19,674

States with more than 25% missing or don't know are marked with **: CA, KS, MO, ND, OH, VA.

Table 21. Amount of paid support person receives*Information required to come from administrative records.*

State	24-Hour Support or Supervision	Daily Support (For a Limited Number of Hours Per Day, Not Round-the-Clock)	Scheduled, Less Frequent than Daily Support	As-Needed Visitation and Phone Contact	None of the Above	Don't Know or Unclear	N
AL **	0%	0%	0%	0%	0%	100%	607
AZ	47%	42%	7%	1%	3%	0%	396
CO	19%	38%	33%	3%	4%	4%	1,258
DE	23%	11%	15%	43%	0%	8%	862
IN	34%	33%	19%	4%	5%	4%	413
KS **	0%	0%	0%	0%	0%	100%	1,201
KY	5%	56%	28%	2%	3%	6%	397
MA	8%	69%	20%	2%	0%	0%	503
MO	0%	57%	39%	0%	0%	4%	2,291
NC **	24%	20%	7%	1%	10%	38%	348
ND	5%	14%	52%	9%	0%	19%	401
NE	58%	36%	6%	0%	0%	0%	663
NH	36%	56%	1%	5%	0%	3%	410
NJ	51%	29%	12%	0%	9%	0%	727
NY **	0%	0%	0%	0%	0%	100%	402
OH **	6%	0%	0%	0%	1%	93%	1,517
OK **	0%	0%	0%	0%	0%	99%	812
SD	45%	15%	40%	0%	0%	0%	364
TN	50%	20%	27%	0%	3%	0%	789
VA **	0%	0%	0%	0%	0%	100%	407
WA	39%	33%	25%	0%	1%	1%	1,606
Weighted NCI-AD Average	12%	14%	8%	1%	2%	64%	16,377

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: CA, MN, WI. States with more than 25% missing or don't know are marked with **: AL, KS, NC, NY, OH, OK, VA.

Table 22. Person has remote supports

Information required to come from administrative records.

State	No, None	Yes, 24-Hour Remote Supports	Yes, Less than 24-Hour Remote Supports	Don't Know or Unclear	N
AL **	0%	0%	0%	100%	605
AZ	78%	20%	2%	0%	396
CO	53%	28%	7%	12%	1,258
DE	93%	7%	0%	0%	862
IN	69%	21%	10%	0%	413
KS **	0%	0%	0%	99%	1,201
KY	78%	3%	3%	17%	394
MA	100%	0%	0%	0%	503
MO	100%	0%	0%	0%	2,215
NC **	43%	6%	3%	48%	348
ND	72%	0%	9%	19%	401
NE	60%	40%	0%	0%	663
NH	100%	0%	0%	0%	410
NJ	68%	25%	7%	0%	727
NY **	0%	0%	0%	100%	402
OH **	0%	0%	0%	100%	1,516
OK **	0%	0%	0%	100%	809
SD	66%	34%	0%	0%	366
TN	82%	14%	0%	3%	785
VA **	0%	0%	0%	100%	407
WA	100%	0%	0%	0%	1,627
Weighted NCI-AD Average	29%	5%	1%	65%	16,310

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: CA, MN, WI. States with more than 25% missing or don't know are marked with **: AL, KS, NC, NY, OH, OK, VA.

Community Participation

Gets to do things outside of their home as much as they want to




Table 23. Gets to do things outside of their home as much as they want to

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	54%	294	55%	n/a*	n/a	n/a	55%	n/a	n/a	n/a
AZ	61%	206	61%	n/a	n/a	61%	n/a	n/a	n/a	n/a
CA	74%	727	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
CO	64%	983	64%	n/a	n/a	n/a	64%	n/a	70%	n/a
DE	54%	637	67%	45%	n/a	67%	n/a	n/a	n/a	n/a
IN	66%	255	66%	n/a	n/a	66%	n/a	62%	n/a	61%
KS	79%	915	79%	n/a	n/a	n/a	n/a	82%	76%	n/a
KY	61%	289	61%	n/a	n/a	n/a	n/a	n/a	61%	61%
MA	59%	316	59%	n/a	n/a	n/a	67%	58%	n/a	n/a
MN	59%	307	59%	n/a	n/a	n/a	n/a	n/a	59%	n/a
MO	65%	1,595	65%	n/a	n/a	n/a	65%	n/a	75%	n/a
NC	64%	316	64%	n/a*	n/a*	n/a	64%	n/a	n/a	67%
ND	74%	304	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
NE	64%	575	68%	59%	n/a	n/a	68%	n/a	n/a	n/a
NH	50%	339	50%	n/a	n/a	n/a	n/a	50%	n/a	n/a
NJ	73%	493	78%	57%	74%	78%	n/a	n/a	n/a	n/a
NY	66%	202	66%	n/a	n/a*	66%	n/a*	n/a	n/a	n/a
OH	70%	1,253	70%	n/a	n/a	75%	n/a	66%	55%	n/a
OK	63%	626	63%	n/a	n/a	n/a	58%	n/a	n/a	70%
SD	67%	339	67%	n/a	n/a	n/a	68%	n/a	n/a*	n/a
TN	60%	415	62%	56%	69%	62%	n/a	n/a	n/a	n/a
VA	66%	307	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
WA	63%	1,399	65%	51%	n/a	n/a	n/a	n/a	n/a	n/a
WI	67%	1,291	67%	n/a	n/a	63%	73%	n/a	n/a	n/a
Weighted NCI-AD Average	68%	14,383	68%	55%	92%	67%	70%	65%	61%	68%

Programs with low response rates of fewer than 20 are denoted with “n/a*“.

Takes part in activities with others as much as they want to (in-person or virtually)





Table 24. Takes part in activities with others as much as they want to (in-person or virtually)

Response options of “No” and “Sometimes” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	62%	304	63%	n/a*	n/a	n/a	63%	n/a	n/a	n/a
AZ	55%	210	55%	n/a	n/a	55%	n/a	n/a	n/a	n/a
CA	73%	731	73%	n/a	n/a	n/a	73%	n/a	n/a	n/a
CO	59%	982	59%	n/a	n/a	n/a	58%	n/a	74%	n/a
DE	46%	646	54%	41%	n/a	54%	n/a	n/a	n/a	n/a
IN	57%	254	57%	n/a	n/a	56%	n/a	59%	n/a	53%
KS	80%	919	80%	n/a	n/a	n/a	n/a	82%	78%	n/a
KY	44%	293	44%	n/a	n/a	n/a	n/a	n/a	44%	48%
MA	60%	314	60%	n/a	n/a	n/a	85%	56%	n/a	n/a
MN	64%	311	64%	n/a	n/a	n/a	n/a	n/a	64%	n/a
MO	64%	1,580	64%	n/a	n/a	n/a	64%	n/a	81%	n/a
NC	59%	319	59%	n/a*	n/a*	n/a	57%	n/a	n/a	61%
ND	59%	305	59%	n/a	n/a	n/a	59%	n/a	n/a	n/a
NE	61%	580	60%	62%	n/a	n/a	60%	n/a	n/a	n/a
NH	56%	336	56%	n/a	n/a	n/a	n/a	56%	n/a	n/a
NJ	60%	485	63%	47%	69%	63%	n/a	n/a	n/a	n/a
NY	66%	204	66%	n/a	n/a*	66%	n/a*	n/a	n/a	n/a
OH	76%	1,259	76%	n/a	n/a	80%	n/a	73%	69%	n/a
OK	63%	620	63%	n/a	n/a	n/a	57%	n/a	n/a	74%
SD	72%	341	72%	n/a	n/a	n/a	72%	n/a	n/a*	n/a
TN	55%	416	53%	57%	48%	53%	n/a	n/a	n/a	n/a
VA	67%	311	67%	n/a	n/a	67%	n/a	n/a	n/a	n/a
WA	65%	1,410	63%	74%	n/a	n/a	n/a	n/a	n/a	n/a
WI	69%	1,288	69%	n/a	n/a	67%	72%	n/a	n/a	n/a
Weighted NCI-AD Average	67%	14,418	67%	61%	67%	65%	69%	68%	63%	65%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.



Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued)




Table 25A. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually)*Categories are not mutually exclusive, therefore N is not shown.*

State	Cost or Money	Transportation	Accessibility or Lack of Equipment	Health Limitations	Not Enough Help, Staffing, or Personal Assistance	Feeling Unwelcome in the Community
AL	29%	34%	21%	36%	15%	7%
AZ	14%	37%	15%	36%	8%	6%
CA	4%	19%	5%	63%	0%	0%
CO	13%	25%	8%	54%	6%	4%
DE	7%	28%	5%	54%	4%	0%
IN	14%	47%	14%	63%	7%	0%
KS	11%	48%	6%	52%	6%	1%
KY	15%	42%	9%	77%	0%	2%
MA	3%	23%	17%	30%	3%	6%
MN	14%	35%	6%	37%	8%	2%
MO	7%	36%	4%	48%	1%	2%
NC	27%	56%	18%	41%	20%	4%
ND	13%	32%	3%	36%	3%	2%
NE	20%	57%	10%	63%	16%	3%
NH	9%	53%	19%	39%	7%	2%
NJ	9%	21%	11%	57%	5%	2%
NY	7%	30%	9%	58%	3%	2%
OH	14%	45%	7%	67%	3%	0%
OK	12%	46%	9%	65%	4%	2%
SD	19%	53%	29%	71%	11%	2%
TN	7%	26%	17%	50%	7%	0%
VA	17%	32%	7%	41%	2%	0%
WA	5%	20%	5%	47%	3%	1%
WI	10%	23%	8%	62%	1%	1%
Weighted NCI-AD Average	11%	31%	8%	54%	4%	1%

Table 25B. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued)*Categories are not mutually exclusive, therefore N is not shown.*

State	Feeling Unsafe	No Community Activities Outside of Home Available	Lack of Information or Doesn't Know What Type of Community Activities are Available	Does Not Have Technology or Equipment	Other
AL	7%	9%	23%	27%	17%
AZ	5%	2%	19%	1%	40%
CA	0%	3%	1%	3%	21%
CO	4%	5%	7%	3%	29%
DE	1%	2%	13%	2%	20%
IN	3%	0%	2%	2%	13%
KS	1%	1%	2%	2%	8%
KY	0%	0%	0%	0%	5%
MA	3%	3%	5%	17%	38%
MN	2%	4%	3%	4%	17%
MO	1%	2%	2%	3%	17%
NC	3%	6%	12%	2%	19%
ND	2%	8%	5%	11%	26%
NE	3%	4%	10%	8%	4%
NH	5%	6%	5%	4%	22%
NJ	3%	2%	3%	4%	15%
NY	0%	2%	3%	11%	17%
OH	2%	1%	3%	3%	5%
OK	0%	7%	4%	5%	18%
SD	7%	6%	5%	3%	5%
TN	2%	1%	7%	5%	11%
VA	2%	3%	7%	6%	25%
WA	4%	4%	10%	5%	27%
WI	1%	3%	1%	3%	17%
Weighted NCI-AD Average	1%	3%	5%	5%	20%

Access to Community

Always has transportation
to do the things they want
outside of home




Table 26. Always transportation to do the things they want outside of home

Response options of “No, Seldom or Never” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	59%	585	65%	54%	n/a	n/a	65%	n/a	n/a	n/a
AZ	65%	314	65%	n/a	n/a	65%	n/a	n/a	n/a	n/a
CA	80%	1,232	80%	n/a	n/a	n/a	80%	n/a	n/a	n/a
CO	76%	1,171	76%	n/a	n/a	n/a	76%	n/a	64%	n/a
DE	58%	698	71%	45%	n/a	71%	n/a	n/a	n/a	n/a
IN	70%	365	70%	n/a	n/a	70%	n/a	67%	n/a	64%
KS	79%	1,127	79%	n/a	n/a	n/a	n/a	81%	77%	n/a
KY	76%	392	76%	n/a	n/a	n/a	n/a	n/a	76%	76%
MA	67%	440	67%	n/a	n/a	n/a	80%	65%	n/a	n/a
MN	68%	356	68%	n/a	n/a	n/a	n/a	n/a	68%	n/a
MO	70%	2,149	70%	n/a	n/a	n/a	70%	n/a	83%	n/a
NC	62%	360	62%	n/a*	n/a*	n/a	59%	n/a	n/a	64%
ND	74%	369	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
NE	65%	627	70%	56%	n/a	n/a	70%	n/a	n/a	n/a
NH	55%	395	55%	n/a	n/a	n/a	n/a	55%	n/a	n/a
NJ	70%	641	72%	62%	65%	73%	n/a	n/a	n/a	n/a
NY	65%	349	65%	n/a	n/a*	65%	70%	n/a	n/a	n/a
OH	77%	1,465	77%	n/a	n/a	78%	n/a	78%	69%	n/a
OK	71%	791	71%	n/a	n/a	n/a	70%	n/a	n/a	73%
SD	67%	352	67%	n/a	n/a	n/a	66%	n/a	n/a*	n/a
TN	60%	658	65%	52%	76%	65%	n/a	n/a	n/a	n/a
VA	74%	399	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
WA	65%	1,525	68%	49%	n/a	n/a	n/a	n/a	n/a	n/a
WI	84%	1,591	84%	n/a	n/a	82%	88%	n/a	n/a	n/a
Weighted NCI-AD Average	73%	18,351	73%	55%	53%	69%	77%	72%	71%	68%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Always has transportation to get to medical appointments




Table 27. Has transportation to get to medical appointments

Response options of “No, Seldom or Never” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	92%	574	88%	95%	n/a	n/a	88%	n/a	n/a	n/a
AZ	89%	325	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
CA	96%	1,282	96%	n/a	n/a	n/a	96%	n/a	n/a	n/a
CO	93%	1,230	93%	n/a	n/a	n/a	92%	n/a	96%	n/a
DE	91%	723	92%	91%	n/a	92%	n/a	n/a	n/a	n/a
IN	90%	375	90%	n/a	n/a	92%	n/a	85%	n/a	92%
KS	93%	1,151	93%	n/a	n/a	n/a	n/a	94%	93%	n/a
KY	90%	405	90%	n/a	n/a	n/a	n/a	n/a	90%	83%
MA	90%	458	90%	n/a	n/a	n/a	98%	88%	n/a	n/a
MN	87%	364	87%	n/a	n/a	n/a	n/a	n/a	87%	n/a
MO	90%	2,166	90%	n/a	n/a	n/a	90%	n/a	93%	n/a
NC	89%	367	89%	n/a*	n/a*	n/a	86%	n/a	n/a	85%
ND	87%	386	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
NE	95%	641	95%	96%	n/a	n/a	95%	n/a	n/a	n/a
NH	87%	404	87%	n/a	n/a	n/a	n/a	87%	n/a	n/a
NJ	90%	647	91%	88%	100%	91%	n/a	n/a	n/a	n/a
NY	89%	384	89%	n/a	n/a*	88%	98%	n/a	n/a	n/a
OH	94%	1,440	94%	n/a	n/a	94%	n/a	96%	91%	n/a
OK	89%	809	89%	n/a	n/a	n/a	89%	n/a	n/a	88%
SD	91%	363	91%	n/a	n/a	n/a	89%	n/a	n/a*	n/a
TN	91%	667	90%	91%	97%	90%	n/a	n/a	n/a	n/a
VA	89%	400	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
WA	92%	1,540	92%	92%	n/a	n/a	n/a	n/a	n/a	n/a
WI	97%	1,689	97%	n/a	n/a	96%	97%	n/a	n/a	n/a
Weighted NCI-AD Average	92%	18,790	92%	94%	86%	90%	93%	91%	89%	87%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Everyday Living

Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)




Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)

Response options of “A lot” and “Some” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	95%	601	91%	97%	n/a	n/a	91%	n/a	n/a	n/a
AZ	94%	393	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
CA	98%	1,334	98%	n/a	n/a	n/a	98%	n/a	n/a	n/a
CO	92%	1,243	92%	n/a	n/a	n/a	92%	n/a	84%	n/a
DE	90%	854	90%	91%	n/a	90%	n/a	n/a	n/a	n/a
IN	94%	397	94%	n/a	n/a	94%	n/a	99%	n/a	72%
KS	97%	1,200	97%	n/a	n/a	n/a	n/a	97%	99%	n/a
KY	97%	408	97%	n/a	n/a	n/a	n/a	n/a	98%	82%
MA	94%	486	94%	n/a	n/a	n/a	95%	94%	n/a	n/a
MN	89%	391	89%	n/a	n/a	n/a	n/a	n/a	89%	n/a
MO	97%	2,275	97%	n/a	n/a	n/a	97%	n/a	99%	n/a
NC	91%	373	91%	n/a*	n/a*	n/a	97%	n/a	n/a	78%
ND	91%	401	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
NE	87%	653	90%	81%	n/a	n/a	90%	n/a	n/a	n/a
NH	90%	401	90%	n/a	n/a	n/a	n/a	90%	n/a	n/a
NJ	94%	716	93%	97%	75%	93%	n/a	n/a	n/a	n/a
NY	99%	398	99%	n/a	n/a*	99%	100%	n/a	n/a	n/a
OH	97%	1,521	97%	n/a	n/a	97%	n/a	96%	99%	n/a
OK	87%	824	87%	n/a	n/a	n/a	97%	n/a	n/a	71%
SD	93%	366	93%	n/a	n/a	n/a	95%	n/a	n/a*	n/a
TN	98%	774	98%	97%	100%	98%	n/a	n/a	n/a	n/a
VA	65%	405	65%	n/a	n/a	65%	n/a	n/a	n/a	n/a
WA	93%	1,612	94%	90%	n/a	n/a	n/a	n/a	n/a	n/a
WI	95%	1,752	95%	n/a	n/a	93%	99%	n/a	n/a	n/a
Weighted NCI-AD Average	93%	19,778	93%	93%	96%	97%	92%	96%	93%	75%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Always gets enough support for everyday activities (if needs at least some assistance)




Table 29. Gets enough support for everyday activities (if needs at least some assistance)

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	557	85%	87%	n/a	n/a	85%	n/a	n/a	n/a
AZ	84%	367	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
CA	91%	1,252	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
CO	84%	1,122	84%	n/a	n/a	n/a	84%	n/a	82%	n/a
DE	89%	766	86%	91%	n/a	86%	n/a	n/a	n/a	n/a
IN	79%	361	79%	n/a	n/a	80%	n/a	80%	n/a	38%
KS	84%	1,158	84%	n/a	n/a	n/a	n/a	86%	80%	n/a
KY	72%	365	72%	n/a	n/a	n/a	n/a	n/a	73%	54%
MA	86%	449	86%	n/a	n/a	n/a	95%	84%	n/a	n/a
MN	72%	341	72%	n/a	n/a	n/a	n/a	n/a	72%	n/a
MO	85%	2,167	85%	n/a	n/a	n/a	85%	n/a	89%	n/a
NC	70%	333	70%	n/a*	n/a*	n/a	71%	n/a	n/a	50%
ND	82%	360	82%	n/a	n/a	n/a	82%	n/a	n/a	n/a
NE	96%	580	95%	97%	n/a	n/a	95%	n/a	n/a	n/a
NH	81%	354	81%	n/a	n/a	n/a	n/a	81%	n/a	n/a
NJ	92%	643	92%	92%	82%	92%	n/a	n/a	n/a	n/a
NY	80%	390	80%	n/a	n/a*	80%	74%	n/a	n/a	n/a
OH	91%	1,467	91%	n/a	n/a	92%	n/a	93%	83%	n/a
OK	77%	736	77%	n/a	n/a	n/a	78%	n/a	n/a	76%
SD	86%	346	86%	n/a	n/a	n/a	86%	n/a	n/a*	n/a
TN	85%	747	84%	87%	94%	84%	n/a	n/a	n/a	n/a
VA	80%	255	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
WA	85%	1,480	86%	82%	n/a	n/a	n/a	n/a	n/a	n/a
WI	87%	1,661	87%	n/a	n/a	84%	92%	n/a	n/a	n/a
Weighted NCI-AD Average	85%	18,257	85%	85%	98%	82%	88%	87%	75%	59%

Programs with low response rates of fewer than 20 are denoted with “n/a*“.

Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)




Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)

Response options of “A lot” and “Some” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	606	76%	95%	n/a	n/a	76%	n/a	n/a	n/a
AZ	88%	393	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
CA	84%	1,329	84%	n/a	n/a	n/a	84%	n/a	n/a	n/a
CO	66%	1,245	66%	n/a	n/a	n/a	66%	n/a	68%	n/a
DE	83%	855	72%	91%	n/a	72%	n/a	n/a	n/a	n/a
IN	82%	395	82%	n/a	n/a	84%	n/a	87%	n/a	56%
KS	76%	1,196	76%	n/a	n/a	n/a	n/a	72%	83%	n/a
KY	77%	407	77%	n/a	n/a	n/a	n/a	n/a	81%	40%
MA	80%	483	80%	n/a	n/a	n/a	74%	81%	n/a	n/a
MN	55%	387	55%	n/a	n/a	n/a	n/a	n/a	55%	n/a
MO	69%	2,268	69%	n/a	n/a	n/a	69%	n/a	86%	n/a
NC	73%	374	73%	n/a*	n/a*	n/a	86%	n/a	n/a	59%
ND	60%	399	60%	n/a	n/a	n/a	60%	n/a	n/a	n/a
NE	76%	647	81%	66%	n/a	n/a	81%	n/a	n/a	n/a
NH	59%	402	59%	n/a	n/a	n/a	n/a	59%	n/a	n/a
NJ	88%	714	85%	95%	39%	87%	n/a	n/a	n/a	n/a
NY	91%	399	91%	n/a	n/a*	90%	97%	n/a	n/a	n/a
OH	83%	1,521	83%	n/a	n/a	81%	n/a	84%	91%	n/a
OK	53%	822	53%	n/a	n/a	n/a	65%	n/a	n/a	32%
SD	61%	365	61%	n/a	n/a	n/a	73%	n/a	n/a*	n/a
TN	96%	771	95%	98%	83%	95%	n/a	n/a	n/a	n/a
VA	42%	405	42%	n/a	n/a	42%	n/a	n/a	n/a	n/a
WA	79%	1,609	78%	88%	n/a	n/a	n/a	n/a	n/a	n/a
WI	79%	1,746	79%	n/a	n/a	72%	94%	n/a	n/a	n/a
Weighted NCI-AD Average	77%	19,738	77%	84%	91%	86%	76%	81%	68%	48%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Always gets enough support for self-care (if needs at least some assistance)




Table 31. Gets enough support for self-care (if needs at least some assistance)

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	89%	495	89%	89%	n/a	n/a	89%	n/a	n/a	n/a
AZ	83%	342	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
CA	93%	1,016	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
CO	87%	767	87%	n/a	n/a	n/a	87%	n/a	96%	n/a
DE	90%	664	88%	91%	n/a	88%	n/a	n/a	n/a	n/a
IN	80%	299	80%	n/a	n/a	81%	n/a	79%	n/a	45%
KS	87%	907	87%	n/a	n/a	n/a	n/a	88%	86%	n/a
KY	74%	240	74%	n/a	n/a	n/a	n/a	n/a	76%	53%
MA	88%	371	88%	n/a	n/a	n/a	96%	86%	n/a	n/a
MN	74%	210	74%	n/a	n/a	n/a	n/a	n/a	74%	n/a
MO	84%	1,590	84%	n/a	n/a	n/a	84%	n/a	90%	n/a
NC	65%	276	65%	n/a*	n/a*	n/a	67%	n/a	n/a	46%
ND	86%	232	86%	n/a	n/a	n/a	86%	n/a	n/a	n/a
NE	93%	508	95%	89%	n/a	n/a	95%	n/a	n/a	n/a
NH	80%	235	80%	n/a	n/a	n/a	n/a	80%	n/a	n/a
NJ	93%	562	93%	93%	81%	93%	n/a	n/a	n/a	n/a
NY	80%	355	80%	n/a	n/a*	81%	73%	n/a	n/a	n/a
OH	92%	1,244	92%	n/a	n/a	92%	n/a	94%	87%	n/a
OK	81%	461	81%	n/a	n/a	n/a	81%	n/a	n/a	81%
SD	85%	251	85%	n/a	n/a	n/a	89%	n/a	n/a*	n/a
TN	85%	713	85%	86%	97%	84%	n/a	n/a	n/a	n/a
VA	83%	157	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
WA	86%	1,224	87%	83%	n/a	n/a	n/a	n/a	n/a	n/a
WI	90%	1,413	90%	n/a	n/a	88%	94%	n/a	n/a	n/a
Weighted NCI-AD Average	86%	14,532	86%	84%	98%	83%	90%	88%	79%	55%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Work

Has a paid job




Table 32. Has a paid job

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	2%	581	1%	3%	n/a	n/a	1%	n/a	n/a	n/a
AZ	2%	385	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
CA	2%	1,145	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
CO	3%	1,234	3%	n/a	n/a	n/a	3%	n/a	12%	n/a
DE	3%	833	5%	1%	n/a	5%	n/a	n/a	n/a	n/a
IN	2%	367	2%	n/a	n/a	1%	n/a	4%	n/a	3%
KS	3%	1,182	3%	n/a	n/a	n/a	n/a	2%	3%	n/a
KY	2%	405	2%	n/a	n/a	n/a	n/a	n/a	2%	1%
MA	2%	382	2%	n/a	n/a	n/a	6%	1%	n/a	n/a
MN	20%	357	20%	n/a	n/a	n/a	n/a	n/a	20%	n/a
MO	4%	2,154	4%	n/a	n/a	n/a	4%	n/a	2%	n/a
NC	6%	374	6%	n/a*	n/a*	n/a	6%	n/a	n/a	3%
ND	5%	389	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
NE	2%	639	3%	0%	n/a	n/a	3%	n/a	n/a	n/a
NH	3%	386	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
NJ	0%	710	1%	0%	3%	1%	n/a	n/a	n/a	n/a
NY	3%	387	3%	n/a	n/a*	3%	3%	n/a	n/a	n/a
OH	1%	1,394	1%	n/a	n/a	2%	n/a	0%	2%	n/a
OK	4%	801	4%	n/a	n/a	n/a	1%	n/a	n/a	9%
SD	5%	360	5%	n/a	n/a	n/a	6%	n/a	n/a*	n/a
TN	1%	729	1%	0%	0%	1%	n/a	n/a	n/a	n/a
VA	17%	399	17%	n/a	n/a	17%	n/a	n/a	n/a	n/a
WA	1%	1,518	1%	0%	n/a	n/a	n/a	n/a	n/a	n/a
WI	4%	1,640	4%	n/a	n/a	4%	4%	n/a	n/a	n/a
Weighted NCI-AD Average	5%	18,751	5%	3%	0%	2%	5%	2%	12%	5%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Wants a paid job (if they do not currently have one)




Table 33. Wants a paid job (if they do not currently have one)

Response options of “No” and “Maybe, not sure” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	15%	285	20%	n/a*	n/a	n/a	20%	n/a	n/a	n/a
AZ	16%	202	16%	n/a	n/a	16%	n/a	n/a	n/a	n/a
CA	15%	597	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
CO	14%	940	14%	n/a	n/a	n/a	14%	n/a	15%	n/a
DE	11%	624	16%	8%	n/a	16%	n/a	n/a	n/a	n/a
IN	7%	237	7%	n/a	n/a	3%	n/a	19%	n/a	3%
KS	4%	890	4%	n/a	n/a	n/a	n/a	3%	4%	n/a
KY	7%	287	7%	n/a	n/a	n/a	n/a	n/a	7%	5%
MA	11%	263	11%	n/a	n/a	n/a	19%	9%	n/a	n/a
MN	34%	241	34%	n/a	n/a	n/a	n/a	n/a	34%	n/a
MO	10%	1,453	10%	n/a	n/a	n/a	10%	n/a	16%	n/a
NC	11%	306	11%	n/a*	n/a*	n/a	17%	n/a	n/a	6%
ND	6%	283	6%	n/a	n/a	n/a	6%	n/a	n/a	n/a
NE	2%	564	2%	3%	n/a	n/a	2%	n/a	n/a	n/a
NH	17%	311	17%	n/a	n/a	n/a	n/a	17%	n/a	n/a
NJ	5%	519	5%	5%	14%	4%	n/a	n/a	n/a	n/a
NY	10%	197	10%	n/a	n/a*	11%	n/a*	n/a	n/a	n/a
OH	4%	1,123	4%	n/a	n/a	3%	n/a	4%	10%	n/a
OK	6%	603	6%	n/a	n/a	n/a	5%	n/a	n/a	9%
SD	8%	321	8%	n/a	n/a	n/a	9%	n/a	n/a*	n/a
TN	7%	418	8%	6%	14%	8%	n/a	n/a	n/a	n/a
VA	15%	244	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
WA	7%	1,281	7%	5%	n/a	n/a	n/a	n/a	n/a	n/a
WI	14%	1,157	14%	n/a	n/a	15%	11%	n/a	n/a	n/a
Weighted NCI-AD Average	12%	13,346	12%	3%	4%	10%	14%	8%	22%	7%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Someone talked with them about job options (if they do not currently have a job but want one)




Table 34. Someone talked with them about job options (if they do not currently have a job but want one)

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	35%	65	35%	n/a	n/a	n/a	35%	n/a	n/a	n/a
AZ	25%	32	25%	n/a	n/a	25%	n/a	n/a	n/a	n/a
CA	21%	90	21%	n/a	n/a	n/a	21%	n/a	n/a	n/a
CO	30%	119	30%	n/a	n/a	n/a	29%	n/a	n/a*	n/a
DE	13%	82	21%	0%	n/a	21%	n/a	n/a	n/a	n/a
KS	27%	34	27%	n/a	n/a	n/a	n/a	n/a*	n/a*	n/a
MA	34%	32	34%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	63%	82	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
MO	35%	143	35%	n/a	n/a	n/a	35%	n/a	n/a*	n/a
NC	40%	38	40%	n/a	n/a	n/a	42%	n/a	n/a	n/a*
NH	27%	51	27%	n/a	n/a	n/a	n/a	27%	n/a	n/a
NJ	36%	31	33%	n/a*	n/a*	n/a*	n/a	n/a	n/a	n/a
NY	38%	22	38%	n/a	n/a	38%	n/a	n/a	n/a	n/a
OH	31%	59	31%	n/a	n/a	n/a*	n/a	23%	44%	n/a
OK	20%	56	20%	n/a	n/a	n/a	33%	n/a	n/a	n/a*
SD	47%	27	47%	n/a	n/a	n/a	51%	n/a	n/a*	n/a
TN	18%	30	27%	n/a*	n/a*	n/a*	n/a	n/a	n/a	n/a
VA	39%	35	39%	n/a	n/a	39%	n/a	n/a	n/a	n/a
WA	30%	85	31%	n/a*	n/a	n/a	n/a	n/a	n/a	n/a
WI	38%	148	38%	n/a	n/a	40%	33%	n/a	n/a	n/a
Weighted NCI-AD Average	32%	1,324	32%	21%	n/a*	35%	28%	27%	60%	19%

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: IN, KY, ND, NE. Programs with low response rates of fewer than 20 are denoted with "n/a*".

Person volunteers




Table 35. Person volunteers

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	6%	585	10%	3%	n/a	n/a	10%	n/a	n/a	n/a
AZ	9%	385	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
CA	8%	1,132	8%	n/a	n/a	n/a	8%	n/a	n/a	n/a
CO	11%	1,233	11%	n/a	n/a	n/a	11%	n/a	23%	n/a
DE	9%	831	14%	6%	n/a	14%	n/a	n/a	n/a	n/a
IN	7%	375	7%	n/a	n/a	7%	n/a	6%	n/a	17%
KS	7%	1,178	7%	n/a	n/a	n/a	n/a	7%	7%	n/a
KY	4%	405	4%	n/a	n/a	n/a	n/a	n/a	3%	6%
MA	10%	384	10%	n/a	n/a	n/a	15%	10%	n/a	n/a
MN	17%	353	17%	n/a	n/a	n/a	n/a	n/a	17%	n/a
MO	9%	2,131	9%	n/a	n/a	n/a	9%	n/a	9%	n/a
NC	10%	370	10%	n/a*	n/a*	n/a	11%	n/a	n/a	6%
ND	15%	383	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
NE	11%	638	13%	8%	n/a	n/a	13%	n/a	n/a	n/a
NH	14%	385	14%	n/a	n/a	n/a	n/a	14%	n/a	n/a
NJ	3%	701	4%	1%	15%	4%	n/a	n/a	n/a	n/a
NY	5%	384	5%	n/a	n/a*	5%	5%	n/a	n/a	n/a
OH	7%	1,391	7%	n/a	n/a	8%	n/a	7%	6%	n/a
OK	8%	798	8%	n/a	n/a	n/a	6%	n/a	n/a	13%
SD	20%	359	20%	n/a	n/a	n/a	18%	n/a	n/a*	n/a
TN	3%	712	5%	1%	6%	5%	n/a	n/a	n/a	n/a
VA	12%	399	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
WA	8%	1,511	9%	5%	n/a	n/a	n/a	n/a	n/a	n/a
WI	12%	1,640	12%	n/a	n/a	13%	11%	n/a	n/a	n/a
Weighted NCI-AD Average	8%	18,663	8%	5%	2%	7%	9%	8%	12%	9%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Wants to volunteer (if they do not currently)




Table 36. Wants to volunteer (if they do not currently)

Response options of “No” and “Maybe, not sure” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	11%	260	13%	n/a*	n/a	n/a	13%	n/a	n/a	n/a
AZ	9%	179	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
CA	15%	555	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
CO	13%	841	13%	n/a	n/a	n/a	12%	n/a	32%	n/a
DE	7%	567	13%	4%	n/a	13%	n/a	n/a	n/a	n/a
IN	6%	218	6%	n/a	n/a	5%	n/a	9%	n/a	4%
KS	3%	831	3%	n/a	n/a	n/a	n/a	1%	4%	n/a
KY	6%	269	6%	n/a	n/a	n/a	n/a	n/a	5%	8%
MA	15%	235	15%	n/a	n/a	n/a	14%	14%	n/a	n/a
MN	11%	246	11%	n/a	n/a	n/a	n/a	n/a	11%	n/a
MO	10%	1,343	10%	n/a	n/a	n/a	10%	n/a	8%	n/a
NC	10%	283	10%	n/a*	n/a*	n/a	11%	n/a	n/a	6%
ND	5%	242	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
NE	5%	499	5%	6%	n/a	n/a	5%	n/a	n/a	n/a
NH	20%	272	20%	n/a	n/a	n/a	n/a	20%	n/a	n/a
NJ	3%	481	4%	0%	9%	4%	n/a	n/a	n/a	n/a
NY	8%	186	8%	n/a	n/a*	8%	n/a*	n/a	n/a	n/a
OH	5%	1,042	5%	n/a	n/a	5%	n/a	4%	4%	n/a
OK	7%	543	7%	n/a	n/a	n/a	2%	n/a	n/a	17%
SD	7%	275	7%	n/a	n/a	n/a	10%	n/a	n/a*	n/a
TN	3%	389	6%	1%	15%	5%	n/a	n/a	n/a	n/a
VA	8%	267	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
WA	9%	1,165	8%	16%	n/a	n/a	n/a	n/a	n/a	n/a
WI	13%	1,063	13%	n/a	n/a	14%	11%	n/a	n/a	n/a
Weighted NCI-AD Average	10%	12,251	10%	9%	2%	8%	12%	7%	9%	10%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Relationships

Has friends or family they do not live with who are a part of their life




Table 37. Has friends or family they do not live with who are a part of their life

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	92%	306	93%	n/a*	n/a	n/a	93%	n/a	n/a	n/a
AZ	90%	221	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
CA	90%	798	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
CO	95%	1,011	95%	n/a	n/a	n/a	95%	n/a	94%	n/a
DE	85%	677	90%	82%	n/a	90%	n/a	n/a	n/a	n/a
IN	96%	266	96%	n/a	n/a	96%	n/a	95%	n/a	97%
KS	94%	926	94%	n/a	n/a	n/a	n/a	94%	95%	n/a
KY	97%	293	97%	n/a	n/a	n/a	n/a	n/a	98%	94%
MA	92%	352	92%	n/a	n/a	n/a	88%	93%	n/a	n/a
MN	90%	346	90%	n/a	n/a	n/a	n/a	n/a	90%	n/a
MO	92%	1,615	92%	n/a	n/a	n/a	92%	n/a	94%	n/a
NC	83%	328	83%	n/a*	n/a*	n/a	92%	n/a	n/a	91%
ND	90%	315	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
NE	97%	599	97%	97%	n/a	n/a	97%	n/a	n/a	n/a
NH	89%	350	89%	n/a	n/a	n/a	n/a	89%	n/a	n/a
NJ	89%	535	93%	76%	92%	93%	n/a	n/a	n/a	n/a
NY	94%	207	94%	n/a	n/a*	95%	n/a*	n/a	n/a	n/a
OH	96%	1,263	96%	n/a	n/a	98%	n/a	95%	95%	n/a
OK	95%	646	95%	n/a	n/a	n/a	95%	n/a	n/a	95%
SD	95%	344	95%	n/a	n/a	n/a	96%	n/a	n/a*	n/a
TN	82%	472	87%	75%	93%	87%	n/a	n/a	n/a	n/a
VA	94%	314	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
WA	89%	1,448	89%	93%	n/a	n/a	n/a	n/a	n/a	n/a
WI	94%	1,355	94%	n/a	n/a	92%	96%	n/a	n/a	n/a
Weighted NCI-AD Average	92%	14,987	92%	75%	98%	94%	91%	94%	92%	93%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Always able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)




Table 38. Always able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)

Response options of “Most of the time, usually” and “Yes, always, or chooses not to” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	96%	282	95%	n/a*	n/a	n/a	95%	n/a	n/a	n/a
AZ	92%	199	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
CA	98%	710	98%	n/a	n/a	n/a	98%	n/a	n/a	n/a
CO	94%	946	94%	n/a	n/a	n/a	94%	n/a	96%	n/a
DE	92%	584	95%	90%	n/a	95%	n/a	n/a	n/a	n/a
IN	94%	250	94%	n/a	n/a	96%	n/a	87%	n/a	94%
KS	96%	872	96%	n/a	n/a	n/a	n/a	97%	95%	n/a
KY	96%	279	96%	n/a	n/a	n/a	n/a	n/a	96%	97%
MA	91%	316	91%	n/a	n/a	n/a	83%	92%	n/a	n/a
MN	90%	308	90%	n/a	n/a	n/a	n/a	n/a	90%	n/a
MO	96%	1,450	96%	n/a	n/a	n/a	96%	n/a	95%	n/a
NC	88%	295	88%	n/a*	n/a*	n/a	92%	n/a	n/a	97%
ND	91%	280	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
NE	96%	576	97%	95%	n/a	n/a	97%	n/a	n/a	n/a
NH	88%	308	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
NJ	97%	481	97%	96%	97%	97%	n/a	n/a	n/a	n/a
NY	95%	193	95%	n/a	n/a*	95%	n/a*	n/a	n/a	n/a
OH	98%	1,191	98%	n/a	n/a	98%	n/a	98%	93%	n/a
OK	97%	612	97%	n/a	n/a	n/a	98%	n/a	n/a	94%
SD	95%	322	95%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	93%	395	93%	92%	100%	93%	n/a	n/a	n/a	n/a
VA	94%	297	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
WA	93%	1,281	95%	88%	n/a	n/a	n/a	n/a	n/a	n/a
WI	97%	1,266	97%	n/a	n/a	96%	97%	n/a	n/a	n/a
Weighted NCI-AD Average	95%	13,693	95%	84%	99%	95%	96%	94%	92%	96%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.





Table 39. Reasons cannot always see or talk to friends or family

Categories are not mutually exclusive, therefore N is not shown.

State	Availability of Transportation	Physical Accessibility	Staffing/Personal Assistance Unavailable	Health Limitations	Someone Prevents From/Rules Against	No or Limited Access to a Phone	No or Limited Access to the Internet	Other
CA	4%	1%	0%	14%	9%	2%	0%	69%
CO	35%	6%	2%	26%	2%	2%	0%	56%
DE	13%	7%	0%	39%	7%	3%	2%	48%
KS	26%	5%	0%	18%	3%	3%	0%	55%
MA	15%	6%	0%	16%	0%	1%	0%	69%
MN	31%	0%	0%	22%	3%	3%	0%	50%
MO	32%	3%	1%	14%	3%	2%	0%	61%
ND	43%	5%	0%	48%	0%	0%	0%	47%
NE	25%	6%	13%	30%	22%	13%	7%	66%
NH	29%	3%	0%	16%	0%	11%	0%	53%
OH	28%	9%	0%	23%	0%	0%	0%	65%
SD	57%	0%	8%	21%	0%	0%	0%	43%
TN	34%	0%	2%	47%	0%	2%	0%	29%
WA	24%	4%	3%	11%	3%	12%	0%	56%
WI	26%	5%	0%	42%	0%	0%	4%	43%
Weighted NCI-AD Average	24%	6%	2%	21%	2%	5%	1%	62%

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, AZ, IN, KY, NC, NJ, NY, OK, VA.

Service Coordination






Table 40A. How first found out about services they can get

Proxy respondents were allowed for this question; Categories are not mutually exclusive, therefore N is not shown.

State	Friend	Family	Aging and Disability Resource Center; Area Agency on Aging; Center for Independent Living	State or County Agency	Case manager or care coordinator
AL	9%	13%	3%	11%	24%
AZ	10%	34%	2%	9%	24%
CA	17%	21%	2%	6%	5%
CO	11%	20%	4%	21%	19%
DE	5%	29%	3%	7%	24%
IN	12%	13%	21%	8%	11%
KS	10%	15%	21%	17%	22%
KY	15%	12%	3%	11%	6%
MA	8%	14%	18%	15%	9%
MN	6%	17%	2%	20%	45%
MO	18%	21%	7%	12%	7%
NC	21%	11%	5%	13%	14%
ND	14%	24%	17%	23%	21%
NE	11%	26%	15%	9%	27%
NH	6%	18%	4%	8%	22%
NJ	13%	32%	5%	9%	27%
NY	13%	25%	4%	9%	15%
OH	8%	21%	14%	10%	22%
OK	11%	16%	7%	10%	21%
SD	4%	17%	3%	16%	35%
TN	5%	16%	6%	2%	13%
VA	9%	10%	2%	18%	15%
WA	7%	12%	7%	13%	17%
WI	13%	17%	23%	8%	17%
Weighted NCI-AD Average	14%	20%	5%	10%	13%

Table 40B. How first found out about services they can get (continued)

Proxy respondents were allowed for this question; Categories are not mutually exclusive, therefore N is not shown.

State	Doctor, Hospital, Clinic	Other Provider or Provider Agency	Media, Newspaper, TV, Radio, Billboard, Brochure, Flyer, Advertisement	Internet or Website	Other
AL	31%	10%	2%	2%	8%
AZ	22%	10%	1%	1%	15%
CA	32%	6%	1%	2%	13%
CO	21%	18%	1%	2%	6%
DE	28%	5%	1%	0%	2%
IN	20%	15%	3%	2%	4%
KS	20%	3%	1%	2%	5%
KY	13%	4%	0%	1%	26%
MA	19%	27%	2%	1%	5%
MN	11%	8%	0%	1%	7%
MO	25%	5%	4%	3%	10%
NC	21%	22%	1%	0%	7%
ND	21%	15%	0%	2%	4%
NE	23%	19%	1%	2%	2%
NH	16%	16%	0%	1%	18%
NJ	25%	16%	0%	1%	6%
NY	43%	6%	6%	3%	13%
OH	15%	9%	1%	1%	3%
OK	17%	15%	1%	1%	12%
SD	22%	13%	1%	0%	3%
TN	22%	11%	0%	1%	6%
VA	12%	16%	0%	2%	22%
WA	27%	8%	0%	0%	5%
WI	15%	5%	1%	2%	9%
Weighted NCI-AD Average	29%	9%	2%	2%	12%

Can always contact their case manager/care coordinator when needs to




Table 41. Can always contact their case manager/care coordinator when needs to

Response options of “Most of the time, usually” and “Yes, always” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	98%	449	96%	100%	n/a	n/a	96%	n/a	n/a	n/a
AZ	94%	295	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
CA	92%	996	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
CO	92%	1,032	92%	n/a	n/a	n/a	92%	n/a	87%	n/a
DE	93%	536	96%	90%	n/a	96%	n/a	n/a	n/a	n/a
IN	93%	317	93%	n/a	n/a	94%	n/a	89%	n/a	n/a*
KS	94%	1,015	94%	n/a	n/a	n/a	n/a	95%	93%	n/a
KY	98%	326	98%	n/a	n/a	n/a	n/a	n/a	98%	99%
MA	94%	396	94%	n/a	n/a	n/a	93%	94%	n/a	n/a
MN	85%	307	85%	n/a	n/a	n/a	n/a	n/a	85%	n/a
MO	95%	1,326	95%	n/a	n/a	n/a	95%	n/a	92%	n/a
NC	94%	172	94%	n/a*	n/a*	n/a	93%	n/a	n/a	98%
ND	97%	327	97%	n/a	n/a	n/a	97%	n/a	n/a	n/a
NE	97%	529	96%	99%	n/a	n/a	96%	n/a	n/a	n/a
NH	93%	353	93%	n/a	n/a	n/a	n/a	93%	n/a	n/a
NJ	98%	548	98%	98%	97%	98%	n/a	n/a	n/a	n/a
NY	95%	340	95%	n/a	n/a*	94%	97%	n/a	n/a	n/a
OH	95%	1,259	95%	n/a	n/a	96%	n/a	95%	93%	n/a
OK	96%	598	96%	n/a	n/a	n/a	97%	n/a	n/a	89%
SD	97%	325	97%	n/a	n/a	n/a	96%	n/a	n/a*	n/a
TN	95%	569	96%	93%	97%	96%	n/a	n/a	n/a	n/a
VA	82%	149	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
WA	91%	1,286	91%	85%	n/a	n/a	n/a	n/a	n/a	n/a
WI	95%	1,574	95%	n/a	n/a	95%	96%	n/a	n/a	n/a
Weighted NCI-AD Average	93%	15,024	93%	96%	99%	95%	92%	94%	90%	94%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.




Table 42. Who helps person most often (if anyone helps on a regular basis)*Proxy respondents were allowed for this question.*

State	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	Observed N
AL	59%	20%	1%	17%	2%	2%	537
AZ	62%	26%	0%	9%	1%	1%	375
CA	33%	58%	4%	4%	0%	0%	1,248
CO	44%	29%	1%	21%	3%	1%	1,107
DE	76%	14%	1%	7%	2%	1%	755
IN	56%	27%	1%	13%	2%	1%	367
KS	51%	31%	6%	9%	2%	0%	1,071
KY	56%	25%	0%	16%	2%	1%	346
MA	56%	11%	0%	30%	3%	1%	455
MN	63%	13%	2%	17%	4%	1%	320
MO	50%	32%	4%	12%	1%	1%	2,078
NC	62%	4%	0%	25%	4%	4%	305
ND	71%	17%	1%	11%	0%	0%	346
NE	87%	9%	1%	2%	0%	0%	602
NH	67%	15%	1%	13%	3%	1%	389
NJ	64%	14%	0%	15%	1%	6%	630
NY	49%	40%	2%	9%	0%	0%	384
OH	51%	24%	2%	19%	2%	3%	1,462
OK	44%	8%	1%	39%	6%	1%	711
SD	63%	11%	0%	24%	3%	0%	356
TN	71%	5%	0%	20%	1%	2%	649
VA	15%	11%	1%	64%	8%	1%	276
WA	79%	15%	1%	4%	0%	0%	1,554
WI	48%	37%	4%	9%	1%	0%	1,665
Weighted NCI-AD Average	44%	37%	3%	14%	2%	1%	17,988




Table 43. Additional people who help person on a regular basis

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Paid support worker who is not a friend or relative	Paid family member or spouse/partner	Paid friend	Unpaid family member or spouse/partner	Unpaid friend or volunteer	Other	No one else provides additional support
AL	12%	3%	1%	49%	3%	2%	31%
AZ	24%	4%	0%	42%	8%	3%	28%
CA	12%	8%	1%	42%	4%	0%	37%
CO	24%	10%	1%	40%	14%	2%	25%
DE	25%	2%	0%	30%	7%	1%	39%
IN	17%	5%	1%	49%	11%	2%	19%
KS	26%	8%	2%	39%	11%	1%	24%
KY	4%	2%	0%	60%	13%	3%	29%
MA	47%	3%	1%	34%	8%	3%	13%
MN	21%	8%	1%	40%	10%	2%	30%
MO	20%	7%	1%	43%	9%	2%	31%
NC	36%	3%	1%	41%	14%	3%	19%
ND	35%	5%	1%	32%	6%	1%	26%
NE	13%	2%	0%	39%	12%	1%	41%
NH	40%	4%	0%	36%	13%	6%	18%
NJ	29%	4%	0%	42%	7%	5%	18%
NY	20%	15%	2%	58%	7%	3%	13%
OH	12%	5%	0%	59%	9%	0%	24%
OK	30%	3%	0%	43%	10%	2%	20%
SD	51%	3%	2%	33%	10%	0%	11%
TN	29%	2%	0%	42%	5%	1%	24%
VA	8%	5%	0%	50%	14%	0%	27%
WA	24%	4%	0%	34%	7%	0%	32%
WI	23%	8%	1%	42%	11%	1%	22%
Weighted NCI-AD Average	17%	8%	1%	46%	8%	1%	27%

People who are paid to help them come and leave when they are supposed to




Table 44. People who are paid to help them come and leave when they are supposed to

Response options of “Some, or usually” and “Yes, always” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	93%	199	90%	96%	n/a	n/a	90%	n/a	n/a	n/a
AZ	85%	177	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
CA	96%	673	96%	n/a	n/a	n/a	96%	n/a	n/a	n/a
CO	92%	591	92%	n/a	n/a	n/a	92%	n/a	97%	n/a
DE	83%	332	86%	82%	n/a	86%	n/a	n/a	n/a	n/a
IN	77%	182	77%	n/a	n/a	78%	n/a	71%	n/a	n/a*
KS	92%	729	92%	n/a	n/a	n/a	n/a	91%	94%	n/a
KY	89%	219	89%	n/a	n/a	n/a	n/a	n/a	90%	80%
MA	92%	329	92%	n/a	n/a	n/a	96%	92%	n/a	n/a
MN	82%	190	82%	n/a	n/a	n/a	n/a	n/a	82%	n/a
MO	94%	1,395	94%	n/a	n/a	n/a	94%	n/a	95%	n/a
NC	95%	192	95%	n/a*	n/a*	n/a	92%	n/a	n/a	95%
ND	92%	268	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
NE	86%	459	88%	83%	n/a	n/a	88%	n/a	n/a	n/a
NH	87%	286	87%	n/a	n/a	n/a	n/a	87%	n/a	n/a
NJ	96%	307	96%	95%	98%	96%	n/a	n/a	n/a	n/a
NY	95%	247	95%	n/a	n/a*	95%	94%	n/a	n/a	n/a
OH	90%	987	90%	n/a	n/a	90%	n/a	91%	90%	n/a
OK	89%	511	89%	n/a	n/a	n/a	90%	n/a	n/a	84%
SD	93%	293	93%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	84%	337	90%	73%	100%	89%	n/a	n/a	n/a	n/a
VA	91%	46	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
WA	91%	1,023	94%	69%	n/a	n/a	n/a	n/a	n/a	n/a
WI	91%	1,134	91%	n/a	n/a	88%	97%	n/a	n/a	n/a
Weighted NCI-AD Average	93%	11,106	93%	90%	99%	93%	95%	88%	86%	90%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Has a backup plan if people who are paid to help them do not show up




Table 45. Has a backup plan if people who are paid to help them do not show up*Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	73%	201	58%	89%	n/a	n/a	58%	n/a	n/a	n/a
AZ	78%	167	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
CA	69%	673	69%	n/a	n/a	n/a	69%	n/a	n/a	n/a
CO	74%	582	74%	n/a	n/a	n/a	74%	n/a	66%	n/a
DE	82%	322	67%	90%	n/a	67%	n/a	n/a	n/a	n/a
IN	72%	174	72%	n/a	n/a	72%	n/a	79%	n/a	n/a*
KS	77%	748	77%	n/a	n/a	n/a	n/a	79%	75%	n/a
KY	70%	227	70%	n/a	n/a	n/a	n/a	n/a	71%	61%
MA	72%	323	72%	n/a	n/a	n/a	79%	72%	n/a	n/a
MN	63%	174	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
MO	73%	1,471	73%	n/a	n/a	n/a	73%	n/a	73%	n/a
NC	81%	189	81%	n/a*	n/a*	n/a	74%	n/a	n/a	65%
ND	72%	266	72%	n/a	n/a	n/a	72%	n/a	n/a	n/a
NE	87%	414	82%	94%	n/a	n/a	82%	n/a	n/a	n/a
NH	63%	282	63%	n/a	n/a	n/a	n/a	63%	n/a	n/a
NJ	85%	295	89%	74%	77%	89%	n/a	n/a	n/a	n/a
NY	74%	248	74%	n/a	n/a*	74%	74%	n/a	n/a	n/a
OH	84%	912	84%	n/a	n/a	87%	n/a	81%	80%	n/a
OK	64%	494	64%	n/a	n/a	n/a	65%	n/a	n/a	60%
SD	77%	288	77%	n/a	n/a	n/a	80%	n/a	n/a*	n/a
TN	80%	315	81%	78%	90%	81%	n/a	n/a	n/a	n/a
VA	74%	46	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
WA	67%	957	69%	40%	n/a	n/a	n/a	n/a	n/a	n/a
WI	77%	1,119	77%	n/a	n/a	72%	86%	n/a	n/a	n/a
Weighted NCI-AD Average	73%	10,887	73%	86%	57%	76%	70%	77%	69%	63%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*

Has an emergency plan in place in case of widescale emergency




Table 46. Has an emergency plan in place in case of widescale emergency

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	91%	576	85%	96%	n/a	n/a	85%	n/a	n/a	n/a
AZ	77%	332	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
CA	82%	1,257	82%	n/a	n/a	n/a	82%	n/a	n/a	n/a
CO	68%	1,168	68%	n/a	n/a	n/a	67%	n/a	70%	n/a
DE	78%	742	76%	80%	n/a	76%	n/a	n/a	n/a	n/a
IN	86%	365	86%	n/a	n/a	89%	n/a	79%	n/a	88%
KS	91%	1,168	91%	n/a	n/a	n/a	n/a	92%	89%	n/a
KY	68%	402	68%	n/a	n/a	n/a	n/a	n/a	68%	62%
MA	79%	447	79%	n/a	n/a	n/a	86%	77%	n/a	n/a
MN	84%	361	84%	n/a	n/a	n/a	n/a	n/a	84%	n/a
MO	79%	2,190	79%	n/a	n/a	n/a	79%	n/a	86%	n/a
NC	72%	365	72%	n/a*	n/a*	n/a	73%	n/a	n/a	69%
ND	74%	372	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
NE	92%	637	89%	98%	n/a	n/a	89%	n/a	n/a	n/a
NH	67%	355	67%	n/a	n/a	n/a	n/a	67%	n/a	n/a
NJ	89%	662	90%	88%	75%	91%	n/a	n/a	n/a	n/a
NY	71%	378	71%	n/a	n/a*	71%	62%	n/a	n/a	n/a
OH	86%	1,441	86%	n/a	n/a	86%	n/a	86%	83%	n/a
OK	85%	802	85%	n/a	n/a	n/a	91%	n/a	n/a	74%
SD	85%	351	85%	n/a	n/a	n/a	89%	n/a	n/a*	n/a
TN	81%	684	77%	87%	77%	77%	n/a	n/a	n/a	n/a
VA	81%	374	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
WA	64%	1,431	64%	66%	n/a	n/a	n/a	n/a	n/a	n/a
WI	87%	1,639	87%	n/a	n/a	86%	89%	n/a	n/a	n/a
Weighted NCI-AD Average	79%	18,499	79%	85%	68%	75%	81%	83%	81%	71%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Knows whom to contact if they have a complaint about their services




Table 47. Knows whom to contact if they have a complaint about their services

Response options of “Not sure, maybe” and “No” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	252	85%	n/a*	n/a	n/a	85%	n/a	n/a	n/a
AZ	83%	187	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
CA	83%	719	83%	n/a	n/a	n/a	83%	n/a	n/a	n/a
CO	85%	884	85%	n/a	n/a	n/a	85%	n/a	81%	n/a
DE	83%	576	84%	82%	n/a	84%	n/a	n/a	n/a	n/a
IN	88%	226	88%	n/a	n/a	88%	n/a	85%	n/a	85%
KS	87%	872	87%	n/a	n/a	n/a	n/a	87%	87%	n/a
KY	92%	263	92%	n/a	n/a	n/a	n/a	n/a	92%	91%
MA	87%	311	87%	n/a	n/a	n/a	87%	87%	n/a	n/a
MN	81%	285	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MO	89%	1,525	89%	n/a	n/a	n/a	89%	n/a	90%	n/a
NC	91%	268	91%	n/a*	n/a*	n/a	90%	n/a	n/a	85%
ND	91%	298	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
NE	91%	550	91%	90%	n/a	n/a	91%	n/a	n/a	n/a
NH	86%	318	86%	n/a	n/a	n/a	n/a	86%	n/a	n/a
NJ	96%	451	95%	97%	87%	96%	n/a	n/a	n/a	n/a
NY	85%	206	85%	n/a	n/a*	85%	n/a*	n/a	n/a	n/a
OH	89%	1,179	89%	n/a	n/a	88%	n/a	90%	87%	n/a
OK	90%	534	90%	n/a	n/a	n/a	95%	n/a	n/a	79%
SD	94%	332	94%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	88%	408	90%	83%	93%	90%	n/a	n/a	n/a	n/a
VA	71%	170	71%	n/a	n/a	71%	n/a	n/a	n/a	n/a
WA	76%	1,360	79%	61%	n/a	n/a	n/a	n/a	n/a	n/a
WI	90%	1,285	90%	n/a	n/a	88%	94%	n/a	n/a	n/a
Weighted NCI-AD Average	84%	13,459	84%	84%	97%	86%	83%	88%	84%	83%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*

Knows whom to contact if they want to make changes to services




Table 48. Knows whom to contact if they want to make changes to services

Response options of “Not sure, maybe” and “No” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	87%	250	89%	n/a*	n/a	n/a	89%	n/a	n/a	n/a
AZ	87%	181	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
CA	87%	718	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
CO	86%	877	86%	n/a	n/a	n/a	86%	n/a	90%	n/a
DE	65%	569	82%	50%	n/a	82%	n/a	n/a	n/a	n/a
IN	84%	225	84%	n/a	n/a	83%	n/a	87%	n/a	71%
KS	91%	859	91%	n/a	n/a	n/a	n/a	90%	90%	n/a
KY	87%	253	87%	n/a	n/a	n/a	n/a	n/a	89%	78%
MA	88%	317	88%	n/a	n/a	n/a	92%	88%	n/a	n/a
MN	83%	282	83%	n/a	n/a	n/a	n/a	n/a	83%	n/a
MO	85%	1,495	85%	n/a	n/a	n/a	85%	n/a	89%	n/a
NC	68%	266	68%	n/a*	n/a*	n/a	78%	n/a	n/a	75%
ND	90%	283	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
NE	85%	543	89%	78%	n/a	n/a	89%	n/a	n/a	n/a
NH	83%	324	83%	n/a	n/a	n/a	n/a	83%	n/a	n/a
NJ	88%	459	90%	78%	82%	91%	n/a	n/a	n/a	n/a
NY	85%	205	85%	n/a	n/a*	85%	n/a*	n/a	n/a	n/a
OH	89%	1,155	89%	n/a	n/a	87%	n/a	92%	89%	n/a
OK	82%	540	82%	n/a	n/a	n/a	86%	n/a	n/a	72%
SD	95%	332	95%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	83%	400	89%	73%	93%	88%	n/a	n/a	n/a	n/a
VA	79%	157	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
WA	74%	1,342	78%	51%	n/a	n/a	n/a	n/a	n/a	n/a
WI	92%	1,292	92%	n/a	n/a	90%	96%	n/a	n/a	n/a
Weighted NCI-AD Average	84%	13,324	84%	55%	95%	86%	86%	90%	85%	74%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Services meet all current needs and goals






Table 49. Services meet all current needs and goals

Response options of “No, not at all” and “Some needs and goals” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	72%	484	66%	80%	n/a	n/a	66%	n/a	n/a	n/a
AZ	73%	323	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
CA	83%	1,095	83%	n/a	n/a	n/a	83%	n/a	n/a	n/a
CO	70%	1,122	70%	n/a	n/a	n/a	70%	n/a	71%	n/a
DE	70%	722	68%	71%	n/a	68%	n/a	n/a	n/a	n/a
IN	61%	358	61%	n/a	n/a	65%	n/a	53%	n/a	52%
KS	79%	1,097	79%	n/a	n/a	n/a	n/a	82%	77%	n/a
KY	59%	366	59%	n/a	n/a	n/a	n/a	n/a	60%	55%
MA	78%	415	78%	n/a	n/a	n/a	83%	76%	n/a	n/a
MN	62%	301	62%	n/a	n/a	n/a	n/a	n/a	62%	n/a
MO	76%	2,043	76%	n/a	n/a	n/a	76%	n/a	74%	n/a
NC	56%	318	56%	n/a*	n/a*	n/a	53%	n/a	n/a	42%
ND	76%	355	76%	n/a	n/a	n/a	76%	n/a	n/a	n/a
NE	79%	585	80%	77%	n/a	n/a	80%	n/a	n/a	n/a
NH	65%	380	65%	n/a	n/a	n/a	n/a	65%	n/a	n/a
NJ	85%	615	85%	84%	80%	85%	n/a	n/a	n/a	n/a
NY	60%	368	60%	n/a	n/a*	60%	54%	n/a	n/a	n/a
OH	76%	1,475	76%	n/a	n/a	76%	n/a	80%	66%	n/a
OK	80%	693	80%	n/a	n/a	n/a	79%	n/a	n/a	82%
SD	83%	349	83%	n/a	n/a	n/a	81%	n/a	n/a*	n/a
TN	80%	627	79%	81%	92%	78%	n/a	n/a	n/a	n/a
VA	52%	227	52%	n/a	n/a	52%	n/a	n/a	n/a	n/a
WA	73%	1,555	74%	66%	n/a	n/a	n/a	n/a	n/a	n/a
WI	81%	1,571	81%	n/a	n/a	77%	88%	n/a	n/a	n/a
Weighted NCI-AD Average	72%	17,444	72%	74%	70%	66%	77%	73%	64%	56%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.





Additional services and supports needed (if all current needs and goals are not being met; continued)




Table 50A. Additional services and supports needed (if all current needs and goals are not being met)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Skilled Nursing Facility, Nursing Home Services	Personal Care Assistance, Personal Care Services	Homemaker or Chore Services	Companion Services	Healthcare Home Services, Home Health	Home Delivered Meals
AL	13%	36%	35%	37%	27%	20%
AZ	8%	23%	23%	19%	10%	7%
CA	5%	34%	32%	9%	14%	16%
CO	2%	27%	41%	28%	18%	26%
DE	11%	15%	6%	7%	4%	4%
IN	7%	33%	32%	13%	11%	11%
KS	4%	44%	44%	6%	4%	8%
KY	1%	15%	25%	28%	26%	46%
MA	3%	22%	18%	12%	6%	1%
MN	2%	29%	38%	23%	13%	22%
MO	2%	30%	31%	10%	12%	17%
NC	5%	42%	48%	36%	19%	46%
ND	6%	36%	43%	34%	24%	25%
NE	8%	15%	11%	16%	4%	1%
NH	5%	20%	19%	6%	10%	6%
NJ	2%	7%	8%	11%	7%	10%
NY	6%	29%	27%	11%	21%	24%
OH	2%	23%	10%	5%	6%	6%
OK	5%	24%	27%	7%	5%	6%
SD	6%	32%	49%	29%	24%	22%
TN	4%	28%	19%	14%	7%	7%
VA	2%	17%	24%	5%	12%	11%
WA	2%	22%	7%	9%	6%	6%
WI	5%	34%	36%	9%	9%	9%
Weighted NCI-AD Average	5%	29%	28%	12%	15%	19%

Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Adult Day Services	Transportation	Respite or Family Caregiver Support	Health Care	Mental Health Care	Dental Care
AL	26%	43%	24%	23%	15%	35%
AZ	18%	29%	16%	8%	5%	28%
CA	5%	15%	7%	3%	6%	16%
CO	18%	37%	13%	13%	12%	16%
DE	8%	15%	3%	8%	6%	12%
IN	3%	29%	5%	15%	7%	17%
KS	0%	20%	3%	12%	6%	11%
KY	21%	18%	12%	3%	20%	34%
MA	2%	15%	0%	3%	4%	6%
MN	9%	32%	3%	12%	10%	22%
MO	4%	29%	7%	5%	5%	6%
NC	25%	43%	12%	7%	22%	31%
ND	18%	43%	2%	8%	6%	18%
NE	3%	31%	1%	7%	5%	25%
NH	3%	42%	4%	4%	5%	11%
NJ	2%	19%	4%	1%	7%	6%
NY	7%	37%	16%	3%	9%	16%
OH	3%	18%	1%	2%	4%	21%
OK	5%	24%	2%	4%	6%	8%
SD	14%	56%	6%	14%	19%	9%
TN	5%	19%	5%	11%	7%	16%
VA	7%	23%	3%	7%	5%	15%
WA	5%	19%	0%	5%	7%	7%
WI	3%	23%	6%	8%	8%	9%
Weighted NCI-AD Average	8%	28%	9%	5%	8%	17%

Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Housing Assistance	Heating or Cooling Assistance	Hospice	Funeral Planning	Other
AL	25%	23%	3%	9%	12%
AZ	18%	8%	5%	4%	21%
CA	20%	7%	0%	3%	44%
CO	26%	18%	2%	2%	29%
DE	13%	4%	0%	3%	28%
IN	10%	7%	0%	1%	45%
KS	13%	3%	0%	1%	27%
KY	17%	28%	1%	17%	4%
MA	5%	1%	0%	1%	26%
MN	28%	13%	0%	2%	19%
MO	13%	10%	0%	3%	37%
NC	24%	25%	2%	8%	13%
ND	25%	16%	1%	1%	28%
NE	14%	6%	0%	4%	32%
NH	6%	0%	0%	1%	25%
NJ	17%	1%	2%	1%	43%
NY	17%	12%	0%	5%	13%
OH	16%	3%	1%	0%	50%
OK	8%	4%	1%	0%	33%
SD	18%	23%	3%	9%	27%
TN	10%	3%	0%	5%	25%
VA	29%	15%	0%	2%	31%
WA	17%	1%	0%	1%	45%
WI	14%	8%	1%	4%	38%
Weighted NCI-AD Average	19%	11%	0%	4%	28%

Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)




Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)*Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	51%	135	50%	n/a*	n/a	n/a	50%	n/a	n/a	n/a
AZ	50%	74	50%	n/a	n/a	50%	n/a	n/a	n/a	n/a
CA	49%	148	49%	n/a	n/a	n/a	49%	n/a	n/a	n/a
CO	52%	274	52%	n/a	n/a	n/a	52%	n/a	77%	n/a
DE	65%	146	59%	76%	n/a	59%	n/a	n/a	n/a	n/a
IN	75%	108	75%	n/a	n/a	79%	n/a	69%	n/a	n/a*
KS	65%	191	65%	n/a	n/a	n/a	n/a	60%	69%	n/a
KY	39%	125	39%	n/a	n/a	n/a	n/a	n/a	40%	22%
MA	57%	81	57%	n/a	n/a	n/a	n/a*	55%	n/a	n/a
MN	63%	99	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
MO	51%	222	51%	n/a	n/a	n/a	50%	n/a	62%	n/a
NC	62%	74	62%	n/a*	n/a	n/a	70%	n/a	n/a	71%
ND	81%	59	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
NE	76%	93	74%	79%	n/a	n/a	74%	n/a	n/a	n/a
NH	67%	120	67%	n/a	n/a	n/a	n/a	67%	n/a	n/a
NJ	69%	80	73%	n/a*	n/a*	74%	n/a	n/a	n/a	n/a
NY	51%	123	51%	n/a	n/a*	50%	n/a*	n/a	n/a	n/a
OH	84%	283	84%	n/a	n/a	87%	n/a	83%	79%	n/a
OK	75%	103	75%	n/a	n/a	n/a	78%	n/a	n/a	n/a*
SD	72%	55	72%	n/a	n/a	n/a	72%	n/a	n/a*	n/a
TN	72%	95	72%	n/a*	n/a*	72%	n/a	n/a	n/a	n/a
VA	53%	65	53%	n/a	n/a	53%	n/a	n/a	n/a	n/a
WA	52%	311	46%	80%	n/a	n/a	n/a	n/a	n/a	n/a
WI	60%	266	60%	n/a	n/a	59%	65%	n/a	n/a	n/a
Weighted NCI-AD Average	55%	3,330	55%	57%	9%	54%	54%	70%	60%	65%

Programs with low response rates of fewer than 20 are denoted with "n/a".*

Service providers work together to provide support




Table 52. Service providers work together to provide support

Response options of “No” and “Sometimes, or some service providers” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	425	77%	94%	n/a	n/a	77%	n/a	n/a	n/a
AZ	76%	271	76%	n/a	n/a	76%	n/a	n/a	n/a	n/a
CA	88%	970	88%	n/a	n/a	n/a	88%	n/a	n/a	n/a
CO	75%	705	75%	n/a	n/a	n/a	75%	n/a	77%	n/a
DE	77%	509	78%	77%	n/a	78%	n/a	n/a	n/a	n/a
IN	83%	215	83%	n/a	n/a	86%	n/a	69%	n/a	n/a*
KS	87%	925	87%	n/a	n/a	n/a	n/a	89%	85%	n/a
KY	91%	225	91%	n/a	n/a	n/a	n/a	n/a	92%	84%
MA	76%	389	76%	n/a	n/a	n/a	81%	75%	n/a	n/a
MN	64%	253	64%	n/a	n/a	n/a	n/a	n/a	64%	n/a
MO	81%	1,329	81%	n/a	n/a	n/a	81%	n/a	82%	n/a
NC	76%	217	76%	n/a*	n/a*	n/a	79%	n/a	n/a	74%
ND	86%	256	86%	n/a	n/a	n/a	86%	n/a	n/a	n/a
NE	81%	461	82%	79%	n/a	n/a	82%	n/a	n/a	n/a
NH	76%	309	76%	n/a	n/a	n/a	n/a	76%	n/a	n/a
NJ	80%	572	81%	79%	89%	80%	n/a	n/a	n/a	n/a
NY	77%	233	77%	n/a	n/a*	77%	68%	n/a	n/a	n/a
OH	82%	1,073	82%	n/a	n/a	77%	n/a	89%	87%	n/a
OK	81%	494	81%	n/a	n/a	n/a	85%	n/a	n/a	60%
SD	77%	287	77%	n/a	n/a	n/a	81%	n/a	n/a*	n/a
TN	87%	578	85%	89%	100%	85%	n/a	n/a	n/a	n/a
VA	80%	142	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
WA	76%	1,388	77%	75%	n/a	n/a	n/a	n/a	n/a	n/a
WI	89%	1,516	89%	n/a	n/a	86%	95%	n/a	n/a	n/a
Weighted NCI-AD Average	82%	13,742	83%	80%	98%	79%	86%	82%	75%	71%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Care Coordination

Knows how to manage chronic conditions (if has at least one)




Table 53. Knows how to manage chronic conditions (if has at least one)

Response options of “No” and “In-between, or some conditions” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	92%	292	93%	n/a*	n/a	n/a	93%	n/a	n/a	n/a
AZ	82%	188	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
CA	87%	595	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
CO	91%	916	91%	n/a	n/a	n/a	91%	n/a	92%	n/a
DE	73%	566	82%	66%	n/a	82%	n/a	n/a	n/a	n/a
IN	81%	231	81%	n/a	n/a	81%	n/a	78%	n/a	93%
KS	90%	861	90%	n/a	n/a	n/a	n/a	90%	91%	n/a
KY	91%	278	91%	n/a	n/a	n/a	n/a	n/a	90%	93%
MA	90%	302	90%	n/a	n/a	n/a	86%	90%	n/a	n/a
MN	82%	273	82%	n/a	n/a	n/a	n/a	n/a	82%	n/a
MO	90%	1,369	90%	n/a	n/a	n/a	90%	n/a	78%	n/a
NC	74%	311	74%	n/a*	n/a*	n/a	81%	n/a	n/a	85%
ND	82%	266	82%	n/a	n/a	n/a	82%	n/a	n/a	n/a
NE	59%	544	49%	77%	n/a	n/a	49%	n/a	n/a	n/a
NH	83%	309	83%	n/a	n/a	n/a	n/a	83%	n/a	n/a
NJ	66%	518	77%	37%	94%	76%	n/a	n/a	n/a	n/a
NY	84%	189	84%	n/a	n/a*	84%	n/a*	n/a	n/a	n/a
OH	79%	1,229	79%	n/a	n/a	76%	n/a	81%	85%	n/a
OK	92%	585	92%	n/a	n/a	n/a	93%	n/a	n/a	91%
SD	78%	327	78%	n/a	n/a	n/a	80%	n/a	n/a*	n/a
TN	85%	392	88%	79%	93%	88%	n/a	n/a	n/a	n/a
VA	88%	283	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
WA	80%	1,340	81%	79%	n/a	n/a	n/a	n/a	n/a	n/a
WI	93%	1,195	93%	n/a	n/a	92%	93%	n/a	n/a	n/a
Weighted NCI-AD Average	84%	13,359	84%	59%	75%	84%	86%	83%	85%	88%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home




Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	24%	588	29%	20%	n/a	n/a	29%	n/a	n/a	n/a
AZ	31%	380	31%	n/a	n/a	31%	n/a	n/a	n/a	n/a
CA	24%	1,148	24%	n/a	n/a	n/a	24%	n/a	n/a	n/a
CO	27%	1,222	27%	n/a	n/a	n/a	28%	n/a	20%	n/a
DE	25%	808	27%	24%	n/a	27%	n/a	n/a	n/a	n/a
IN	32%	360	32%	n/a	n/a	34%	n/a	31%	n/a	26%
KS	29%	1,146	29%	n/a	n/a	n/a	n/a	30%	29%	n/a
KY	30%	400	30%	n/a	n/a	n/a	n/a	n/a	29%	34%
MA	39%	442	39%	n/a	n/a	n/a	36%	40%	n/a	n/a
MN	24%	348	24%	n/a	n/a	n/a	n/a	n/a	24%	n/a
MO	26%	2,074	26%	n/a	n/a	n/a	26%	n/a	23%	n/a
NC	36%	368	36%	n/a*	n/a*	n/a	34%	n/a	n/a	36%
ND	29%	362	29%	n/a	n/a	n/a	29%	n/a	n/a	n/a
NE	35%	624	37%	33%	n/a	n/a	37%	n/a	n/a	n/a
NH	35%	393	35%	n/a	n/a	n/a	n/a	35%	n/a	n/a
NJ	22%	696	25%	17%	33%	24%	n/a	n/a	n/a	n/a
NY	22%	375	22%	n/a	n/a*	23%	18%	n/a	n/a	n/a
OH	29%	1,487	29%	n/a	n/a	26%	n/a	32%	34%	n/a
OK	29%	783	29%	n/a	n/a	n/a	33%	n/a	n/a	21%
SD	35%	355	35%	n/a	n/a	n/a	34%	n/a	n/a*	n/a
TN	26%	654	31%	20%	21%	31%	n/a	n/a	n/a	n/a
VA	22%	394	22%	n/a	n/a	22%	n/a	n/a	n/a	n/a
WA	38%	1,563	37%	47%	n/a	n/a	n/a	n/a	n/a	n/a
WI	32%	1,620	32%	n/a	n/a	33%	31%	n/a	n/a	n/a
Weighted NCI-AD Average	26%	18,590	26%	30%	22%	25%	25%	33%	27%	30%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)




Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

Response options of “No” and “In-between” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	87%	85	95%	n/a*	n/a	n/a	95%	n/a	n/a	n/a
AZ	84%	68	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
CA	93%	151	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
CO	88%	271	88%	n/a	n/a	n/a	87%	n/a	90%	n/a
DE	90%	164	88%	92%	n/a	88%	n/a	n/a	n/a	n/a
IN	86%	78	86%	n/a	n/a	87%	n/a	80%	n/a	n/a*
KS	88%	262	88%	n/a	n/a	n/a	n/a	93%	84%	n/a
KY	80%	102	80%	n/a	n/a	n/a	n/a	n/a	81%	75%
MA	92%	118	92%	n/a	n/a	n/a	n/a*	91%	n/a	n/a
MN	82%	76	82%	n/a	n/a	n/a	n/a	n/a	82%	n/a
MO	89%	370	89%	n/a	n/a	n/a	89%	n/a	95%	n/a
NC	87%	108	87%	n/a*	n/a	n/a	81%	n/a	n/a	86%
ND	87%	83	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
NE	85%	193	81%	93%	n/a	n/a	81%	n/a	n/a	n/a
NH	82%	115	82%	n/a	n/a	n/a	n/a	82%	n/a	n/a
NJ	83%	131	82%	n/a*	89%	82%	n/a	n/a	n/a	n/a
NY	87%	42	87%	n/a	n/a*	86%	n/a*	n/a	n/a	n/a
OH	89%	359	89%	n/a	n/a	91%	n/a	87%	91%	n/a
OK	91%	181	91%	n/a	n/a	n/a	89%	n/a	n/a	96%
SD	97%	124	97%	n/a	n/a	n/a	95%	n/a	n/a*	n/a
TN	84%	109	84%	n/a*	n/a*	84%	n/a	n/a	n/a	n/a
VA	88%	63	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
WA	80%	517	83%	68%	n/a	n/a	n/a	n/a	n/a	n/a
WI	93%	378	93%	n/a	n/a	93%	93%	n/a	n/a	n/a
Weighted NCI-AD Average	88%	4,148	89%	84%	97%	87%	91%	87%	84%	88%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*

Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)




Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	91%	151	93%	n/a*	n/a	n/a	93%	n/a	n/a	n/a
AZ	86%	112	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
CA	86%	284	86%	n/a	n/a	n/a	86%	n/a	n/a	n/a
CO	82%	320	82%	n/a	n/a	n/a	82%	n/a	85%	n/a
DE	85%	190	85%	85%	n/a	85%	n/a	n/a	n/a	n/a
IN	80%	97	80%	n/a	n/a	89%	n/a	61%	n/a	n/a*
KS	83%	324	83%	n/a	n/a	n/a	n/a	83%	82%	n/a
KY	76%	122	76%	n/a	n/a	n/a	n/a	n/a	77%	70%
MA	89%	170	89%	n/a	n/a	n/a	91%	88%	n/a	n/a
MN	91%	78	91%	n/a	n/a	n/a	n/a	n/a	91%	n/a
MO	84%	523	84%	n/a	n/a	n/a	84%	n/a	88%	n/a
NC	87%	120	87%	n/a*	n/a	n/a	89%	n/a	n/a	73%
ND	87%	99	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
NE	92%	203	90%	95%	n/a	n/a	90%	n/a	n/a	n/a
NH	82%	133	82%	n/a	n/a	n/a	n/a	82%	n/a	n/a
NJ	80%	151	83%	n/a*	100%	82%	n/a	n/a	n/a	n/a
NY	83%	83	83%	n/a	n/a*	82%	n/a*	n/a	n/a	n/a
OH	90%	431	90%	n/a	n/a	89%	n/a	93%	88%	n/a
OK	89%	231	89%	n/a	n/a	n/a	87%	n/a	n/a	94%
SD	93%	128	93%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	82%	150	78%	94%	n/a*	78%	n/a	n/a	n/a	n/a
VA	84%	78	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
WA	77%	533	79%	65%	n/a	n/a	n/a	n/a	n/a	n/a
WI	87%	495	87%	n/a	n/a	83%	94%	n/a	n/a	n/a
Weighted NCI-AD Average	85%	5,206	85%	84%	100%	83%	86%	83%	86%	79%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Choice and Control

Always feels in control of their life




Table 57. Always feels in control of their life

Response options of “In-between, sometimes” and “No, rarely, never” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	64%	293	70%	n/a*	n/a	n/a	70%	n/a	n/a	n/a
AZ	74%	206	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
CA	81%	598	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
CO	72%	972	72%	n/a	n/a	n/a	73%	n/a	67%	n/a
DE	56%	628	65%	48%	n/a	65%	n/a	n/a	n/a	n/a
IN	70%	253	70%	n/a	n/a	70%	n/a	68%	n/a	78%
KS	73%	885	73%	n/a	n/a	n/a	n/a	74%	73%	n/a
KY	67%	285	67%	n/a	n/a	n/a	n/a	n/a	66%	71%
MA	75%	299	75%	n/a	n/a	n/a	77%	75%	n/a	n/a
MN	61%	294	61%	n/a	n/a	n/a	n/a	n/a	61%	n/a
MO	79%	1,450	79%	n/a	n/a	n/a	79%	n/a	79%	n/a
NC	68%	323	68%	n/a*	n/a*	n/a	72%	n/a	n/a	75%
ND	81%	282	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
NE	76%	569	75%	79%	n/a	n/a	75%	n/a	n/a	n/a
NH	64%	325	64%	n/a	n/a	n/a	n/a	64%	n/a	n/a
NJ	68%	527	72%	56%	83%	72%	n/a	n/a	n/a	n/a
NY	82%	189	82%	n/a	n/a*	83%	n/a*	n/a	n/a	n/a
OH	72%	1,258	72%	n/a	n/a	73%	n/a	73%	66%	n/a
OK	81%	604	81%	n/a	n/a	n/a	84%	n/a	n/a	74%
SD	78%	333	78%	n/a	n/a	n/a	74%	n/a	n/a*	n/a
TN	63%	417	70%	53%	86%	70%	n/a	n/a	n/a	n/a
VA	71%	308	71%	n/a	n/a	71%	n/a	n/a	n/a	n/a
WA	69%	1,387	71%	59%	n/a	n/a	n/a	n/a	n/a	n/a
WI	79%	1,196	79%	n/a	n/a	77%	82%	n/a	n/a	n/a
Weighted NCI-AD Average	75%	13,881	76%	56%	72%	78%	78%	72%	64%	75%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Able to furnish and decorate their room however they want to (if living in a group setting)




Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)

Response options of “In all ways” and “In most ways” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	92%	83	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
CA	89%	48	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
CO	89%	48	89%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
DE	91%	67	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
IN	100%	42	100%	n/a	n/a	100%	n/a	n/a*	n/a	n/a
KS	87%	55	87%	n/a	n/a	n/a	n/a	87%	n/a*	n/a
MA	81%	34	81%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	93%	70	93%	n/a	n/a	n/a	n/a	n/a	93%	n/a
MO	62%	280	62%	n/a	n/a	n/a	62%	n/a	n/a	n/a
NC	97%	27	97%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
NE	96%	183	100%	95%	n/a	n/a	100%	n/a	n/a	n/a
NH	95%	97	95%	n/a	n/a	n/a	n/a	95%	n/a	n/a
NJ	81%	178	89%	74%	n/a*	89%	n/a	n/a	n/a	n/a
OH	98%	383	98%	n/a	n/a	97%	n/a	99%	n/a*	n/a
OK	100%	37	100%	n/a	n/a	n/a	100%	n/a	n/a	n/a*
SD	100%	53	100%	n/a	n/a	n/a	100%	n/a	n/a	n/a
TN	84%	145	100%	82%	n/a*	100%	n/a	n/a	n/a	n/a
WA	82%	379	92%	69%	n/a	n/a	n/a	n/a	n/a	n/a
WI	90%	108	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	88%	2,342	90%	84%	n/a*	94%	81%	96%	93%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Able to choose their roommate
(if living in a group setting
and has a roommate)




Table 59. Able to choose their roommate (if living in a group setting and has a roommate)

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	27%	37	27%	n/a	n/a	27%	n/a	n/a	n/a	n/a
CA	23%	31	23%	n/a	n/a	n/a	23%	n/a	n/a	n/a
MO	9%	209	9%	n/a	n/a	n/a	9%	n/a	n/a	n/a
NE	37%	107	n/a*	27%	n/a	n/a	n/a*	n/a	n/a	n/a
NH	5%	37	5%	n/a	n/a	n/a	n/a	5%	n/a	n/a
NJ	18%	95	25%	15%	n/a*	26%	n/a	n/a	n/a	n/a
OH	83%	24	83%	n/a	n/a	n/a*	n/a	n/a*	n/a	n/a
TN	26%	100	n/a*	26%	n/a	n/a*	n/a	n/a	n/a	n/a
WA	24%	161	33%	19%	n/a	n/a	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	27%	946	29%	27%	n/a*	30%	24%	34%	23%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, CO, DE, IN, KS, KY, MA, MN, NC, ND, NY, OK, SD, VA, WI. Programs with low response rates of fewer than 20 are denoted with "n/a*".




Table 60. Can always get up and go to bed when they want to

Response options of “Some days, sometimes” and “No, never” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	24	90%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	83%	91	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
CA	96%	108	96%	n/a	n/a	n/a	96%	n/a	n/a	n/a
CO	97%	236	97%	n/a	n/a	n/a	96%	n/a	97%	n/a
DE	82%	78	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
IN	94%	62	94%	n/a	n/a	96%	n/a	n/a*	n/a	n/a*
KS	97%	82	97%	n/a	n/a	n/a	n/a	96%	100%	n/a
MA	93%	167	93%	n/a	n/a	n/a	n/a*	93%	n/a	n/a
MN	91%	82	91%	n/a	n/a	n/a	n/a	n/a	91%	n/a
MO	94%	358	94%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
NC	63%	53	63%	n/a*	n/a	n/a	82%	n/a	n/a	n/a*
NE	85%	218	86%	85%	n/a	n/a	86%	n/a	n/a	n/a
NH	91%	109	91%	n/a	n/a	n/a	n/a	91%	n/a	n/a
NJ	74%	286	85%	59%	91%	85%	n/a	n/a	n/a	n/a
OH	96%	444	96%	n/a	n/a	95%	n/a	97%	n/a*	n/a
OK	99%	83	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a*
SD	99%	95	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a
TN	77%	168	91%	74%	n/a*	91%	n/a	n/a	n/a	n/a
WA	87%	484	88%	84%	n/a	n/a	n/a	n/a	n/a	n/a
WI	95%	137	95%	n/a	n/a	96%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	86%	3,402	87%	67%	92%	91%	94%	94%	92%	100%

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Can always eat their meals when they want to




Table 61. Can always eat their meals when they want to

Response options of “Some days, sometimes” and “No, never” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	74%	25	90%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	59%	91	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
CA	90%	109	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
CO	94%	235	94%	n/a	n/a	n/a	94%	n/a	89%	n/a
DE	46%	79	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
IN	94%	61	94%	n/a	n/a	93%	n/a	n/a*	n/a	n/a*
KS	70%	82	70%	n/a	n/a	n/a	n/a	70%	69%	n/a
MA	94%	166	94%	n/a	n/a	n/a	n/a*	95%	n/a	n/a
MN	68%	82	68%	n/a	n/a	n/a	n/a	n/a	68%	n/a
MO	39%	357	39%	n/a	n/a	n/a	39%	n/a	n/a*	n/a
NC	39%	51	39%	n/a*	n/a	n/a	74%	n/a	n/a	n/a*
NE	65%	215	79%	57%	n/a	n/a	79%	n/a	n/a	n/a
NH	37%	108	37%	n/a	n/a	n/a	n/a	37%	n/a	n/a
NJ	80%	282	80%	80%	87%	80%	n/a	n/a	n/a	n/a
OH	62%	445	62%	n/a	n/a	53%	n/a	78%	n/a*	n/a
OK	93%	84	93%	n/a	n/a	n/a	90%	n/a	n/a	n/a*
SD	81%	95	81%	n/a	n/a	n/a	73%	n/a	n/a	n/a
TN	60%	169	76%	57%	n/a*	77%	n/a	n/a	n/a	n/a
WA	54%	477	61%	43%	n/a	n/a	n/a	n/a	n/a	n/a
WI	58%	137	58%	n/a	n/a	58%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	70%	3,387	72%	46%	84%	78%	79%	81%	71%	91%

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.




Table 62. Can choose or change their services

Response options of “Yes, all services” and “Sometimes, or some services” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	82%	417	86%	76%	n/a	n/a	86%	n/a	n/a	n/a
AZ	87%	300	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
CA	85%	1,044	85%	n/a	n/a	n/a	85%	n/a	n/a	n/a
CO	90%	959	90%	n/a	n/a	n/a	90%	n/a	92%	n/a
DE	75%	645	90%	62%	n/a	90%	n/a	n/a	n/a	n/a
IN	92%	303	92%	n/a	n/a	92%	n/a	91%	n/a	n/a*
KS	94%	997	94%	n/a	n/a	n/a	n/a	94%	94%	n/a
KY	75%	282	75%	n/a	n/a	n/a	n/a	n/a	76%	65%
MA	84%	393	84%	n/a	n/a	n/a	84%	84%	n/a	n/a
MN	87%	311	87%	n/a	n/a	n/a	n/a	n/a	87%	n/a
MO	92%	1,894	92%	n/a	n/a	n/a	92%	n/a	89%	n/a
NC	75%	277	75%	n/a*	n/a*	n/a	89%	n/a	n/a	74%
ND	93%	325	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
NE	90%	575	95%	81%	n/a	n/a	95%	n/a	n/a	n/a
NH	84%	322	84%	n/a	n/a	n/a	n/a	84%	n/a	n/a
NJ	92%	544	95%	83%	90%	95%	n/a	n/a	n/a	n/a
NY	95%	364	95%	n/a	n/a*	95%	97%	n/a	n/a	n/a
OH	92%	1,258	92%	n/a	n/a	92%	n/a	92%	93%	n/a
OK	90%	657	90%	n/a	n/a	n/a	96%	n/a	n/a	74%
SD	94%	331	94%	n/a	n/a	n/a	96%	n/a	n/a*	n/a
TN	91%	574	93%	85%	100%	93%	n/a	n/a	n/a	n/a
VA	85%	170	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
WA	84%	1,221	86%	74%	n/a	n/a	n/a	n/a	n/a	n/a
WI	94%	1,569	94%	n/a	n/a	93%	96%	n/a	n/a	n/a
Weighted NCI-AD Average	88%	15,732	88%	66%	99%	94%	87%	90%	86%	74%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Can choose or change when and how often they receive services




Table 63. Can choose or change when and how often they receive services

Response options of “Yes, all services” and “Sometimes, or some services” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	68%	410	74%	61%	n/a	n/a	74%	n/a	n/a	n/a
AZ	66%	291	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
CA	75%	1,016	75%	n/a	n/a	n/a	75%	n/a	n/a	n/a
CO	74%	1,001	74%	n/a	n/a	n/a	74%	n/a	77%	n/a
DE	53%	643	70%	39%	n/a	70%	n/a	n/a	n/a	n/a
IN	79%	299	79%	n/a	n/a	81%	n/a	76%	n/a	n/a*
KS	83%	982	83%	n/a	n/a	n/a	n/a	84%	82%	n/a
KY	64%	285	64%	n/a	n/a	n/a	n/a	n/a	65%	46%
MA	68%	398	68%	n/a	n/a	n/a	71%	68%	n/a	n/a
MN	63%	306	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
MO	74%	1,824	74%	n/a	n/a	n/a	74%	n/a	79%	n/a
NC	53%	290	53%	n/a*	n/a*	n/a	62%	n/a	n/a	56%
ND	72%	327	72%	n/a	n/a	n/a	72%	n/a	n/a	n/a
NE	57%	582	58%	56%	n/a	n/a	58%	n/a	n/a	n/a
NH	71%	325	71%	n/a	n/a	n/a	n/a	71%	n/a	n/a
NJ	60%	538	67%	33%	80%	66%	n/a	n/a	n/a	n/a
NY	78%	353	78%	n/a	n/a*	78%	82%	n/a	n/a	n/a
OH	74%	1,275	74%	n/a	n/a	69%	n/a	80%	79%	n/a
OK	81%	665	81%	n/a	n/a	n/a	89%	n/a	n/a	59%
SD	83%	347	83%	n/a	n/a	n/a	81%	n/a	n/a*	n/a
TN	71%	568	73%	66%	88%	72%	n/a	n/a	n/a	n/a
VA	71%	161	71%	n/a	n/a	71%	n/a	n/a	n/a	n/a
WA	66%	1,226	69%	51%	n/a	n/a	n/a	n/a	n/a	n/a
WI	85%	1,518	85%	n/a	n/a	83%	89%	n/a	n/a	n/a
Weighted NCI-AD Average	73%	15,630	74%	44%	82%	76%	74%	77%	68%	58%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Can choose or change the people who provide paid supports if wants




Table 64. Can choose or change the people who provide paid supports if wants

Response options of “Yes, all service providers” and “Sometimes, or some” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	80%	190	90%	68%	n/a	n/a	90%	n/a	n/a	n/a
AZ	57%	222	57%	n/a	n/a	57%	n/a	n/a	n/a	n/a
CA	87%	796	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
CO	85%	613	85%	n/a	n/a	n/a	86%	n/a	72%	n/a
DE	50%	358	78%	35%	n/a	78%	n/a	n/a	n/a	n/a
IN	81%	186	81%	n/a	n/a	80%	n/a	82%	n/a	n/a*
KS	92%	779	92%	n/a	n/a	n/a	n/a	90%	95%	n/a
KY	70%	191	70%	n/a	n/a	n/a	n/a	n/a	72%	29%
MA	85%	311	85%	n/a	n/a	n/a	81%	87%	n/a	n/a
MN	61%	189	61%	n/a	n/a	n/a	n/a	n/a	61%	n/a
MO	85%	1,485	85%	n/a	n/a	n/a	85%	n/a	90%	n/a
NC	63%	183	63%	n/a*	n/a*	n/a	79%	n/a	n/a	81%
ND	83%	253	83%	n/a	n/a	n/a	83%	n/a	n/a	n/a
NE	48%	451	50%	45%	n/a	n/a	50%	n/a	n/a	n/a
NH	67%	269	67%	n/a	n/a	n/a	n/a	67%	n/a	n/a
NJ	56%	294	69%	18%	82%	68%	n/a	n/a	n/a	n/a
NY	92%	268	92%	n/a	n/a*	93%	74%	n/a	n/a	n/a
OH	81%	1,008	81%	n/a	n/a	75%	n/a	83%	97%	n/a
OK	93%	494	93%	n/a	n/a	n/a	96%	n/a	n/a	80%
SD	90%	287	90%	n/a	n/a	n/a	89%	n/a	n/a*	n/a
TN	71%	314	82%	49%	100%	81%	n/a	n/a	n/a	n/a
VA	91%	43	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
WA	72%	1,155	77%	38%	n/a	n/a	n/a	n/a	n/a	n/a
WI	86%	1,298	86%	n/a	n/a	80%	98%	n/a	n/a	n/a
Weighted NCI-AD Average	84%	11,637	84%	33%	99%	87%	87%	83%	73%	79%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Satisfaction

Services and supports help them live the life they want




Table 65. Services and supports help them live the life they want

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	91%	234	91%	n/a*	n/a	n/a	91%	n/a	n/a	n/a
AZ	85%	170	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
CA	92%	598	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
CO	88%	861	88%	n/a	n/a	n/a	88%	n/a	95%	n/a
DE	76%	541	80%	72%	n/a	80%	n/a	n/a	n/a	n/a
IN	82%	226	82%	n/a	n/a	85%	n/a	76%	n/a	65%
KS	85%	834	85%	n/a	n/a	n/a	n/a	87%	85%	n/a
KY	93%	261	93%	n/a	n/a	n/a	n/a	n/a	94%	85%
MA	92%	283	92%	n/a	n/a	n/a	93%	91%	n/a	n/a
MN	85%	251	85%	n/a	n/a	n/a	n/a	n/a	85%	n/a
MO	90%	1,436	90%	n/a	n/a	n/a	90%	n/a	89%	n/a
NC	90%	269	90%	n/a*	n/a*	n/a	89%	n/a	n/a	94%
ND	92%	272	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
NE	92%	529	95%	86%	n/a	n/a	95%	n/a	n/a	n/a
NH	83%	323	83%	n/a	n/a	n/a	n/a	83%	n/a	n/a
NJ	95%	452	95%	97%	96%	95%	n/a	n/a	n/a	n/a
NY	89%	195	89%	n/a	n/a*	90%	n/a*	n/a	n/a	n/a
OH	88%	1,204	88%	n/a	n/a	89%	n/a	88%	84%	n/a
OK	92%	525	92%	n/a	n/a	n/a	91%	n/a	n/a	93%
SD	88%	326	88%	n/a	n/a	n/a	88%	n/a	n/a*	n/a
TN	94%	352	96%	90%	97%	96%	n/a	n/a	n/a	n/a
VA	82%	169	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
WA	85%	1,357	87%	75%	n/a	n/a	n/a	n/a	n/a	n/a
WI	90%	1,152	90%	n/a	n/a	87%	96%	n/a	n/a	n/a
Weighted NCI-AD Average	89%	12,820	89%	85%	76%	89%	90%	86%	87%	92%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Case manager/care coordinator changes more often than they would like




Table 66. Case manager/care coordinator changes more often than they would like

Response options of “Yes” and “Some, or sometimes” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	26%	231	24%	n/a*	n/a	n/a	24%	n/a	n/a	n/a
AZ	29%	167	29%	n/a	n/a	29%	n/a	n/a	n/a	n/a
CA	22%	603	22%	n/a	n/a	n/a	22%	n/a	n/a	n/a
CO	35%	812	35%	n/a	n/a	n/a	35%	n/a	55%	n/a
DE	34%	396	39%	23%	n/a	39%	n/a	n/a	n/a	n/a
IN	41%	191	41%	n/a	n/a	34%	n/a	63%	n/a	n/a*
KS	18%	792	18%	n/a	n/a	n/a	n/a	15%	20%	n/a
KY	32%	233	32%	n/a	n/a	n/a	n/a	n/a	34%	20%
MA	17%	277	17%	n/a	n/a	n/a	13%	18%	n/a	n/a
MN	48%	256	48%	n/a	n/a	n/a	n/a	n/a	48%	n/a
MO	27%	868	27%	n/a	n/a	n/a	27%	n/a	31%	n/a
NC	29%	146	29%	n/a*	n/a*	n/a	32%	n/a	n/a	27%
ND	21%	255	21%	n/a	n/a	n/a	21%	n/a	n/a	n/a
NE	20%	484	22%	17%	n/a	n/a	22%	n/a	n/a	n/a
NH	25%	301	25%	n/a	n/a	n/a	n/a	25%	n/a	n/a
NJ	24%	405	26%	15%	22%	26%	n/a	n/a	n/a	n/a
NY	44%	175	44%	n/a	n/a*	44%	n/a*	n/a	n/a	n/a
OH	25%	1,082	25%	n/a	n/a	28%	n/a	18%	31%	n/a
OK	25%	452	25%	n/a	n/a	n/a	26%	n/a	n/a	23%
SD	11%	305	11%	n/a	n/a	n/a	15%	n/a	n/a*	n/a
TN	26%	336	25%	27%	12%	26%	n/a	n/a	n/a	n/a
VA	37%	108	37%	n/a	n/a	37%	n/a	n/a	n/a	n/a
WA	25%	1,115	26%	17%	n/a	n/a	n/a	n/a	n/a	n/a
WI	21%	1,199	21%	n/a	n/a	23%	17%	n/a	n/a	n/a
Weighted NCI-AD Average	29%	11,189	29%	17%	5%	38%	25%	27%	40%	25%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

People who are paid to help them change too often




Table 67. People who are paid to help them change too often

Response options of “Yes” and “Some, or sometimes” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	16%	134	19%	n/a*	n/a	n/a	19%	n/a	n/a	n/a
AZ	30%	106	30%	n/a	n/a	30%	n/a	n/a	n/a	n/a
CA	12%	454	12%	n/a	n/a	n/a	12%	n/a	n/a	n/a
CO	30%	516	30%	n/a	n/a	n/a	31%	n/a	34%	n/a
DE	57%	314	36%	68%	n/a	36%	n/a	n/a	n/a	n/a
IN	51%	139	51%	n/a	n/a	51%	n/a	54%	n/a	n/a*
KS	13%	610	13%	n/a	n/a	n/a	n/a	15%	10%	n/a
KY	23%	166	23%	n/a	n/a	n/a	n/a	n/a	21%	36%
MA	12%	254	12%	n/a	n/a	n/a	16%	10%	n/a	n/a
MN	35%	167	35%	n/a	n/a	n/a	n/a	n/a	35%	n/a
MO	19%	1,142	19%	n/a	n/a	n/a	19%	n/a	13%	n/a
NC	34%	169	34%	n/a*	n/a*	n/a	21%	n/a	n/a	16%
ND	38%	226	38%	n/a	n/a	n/a	38%	n/a	n/a	n/a
NE	36%	435	35%	38%	n/a	n/a	35%	n/a	n/a	n/a
NH	33%	261	33%	n/a	n/a	n/a	n/a	33%	n/a	n/a
NJ	37%	235	26%	71%	23%	26%	n/a	n/a	n/a	n/a
NY	19%	162	19%	n/a	n/a*	19%	n/a*	n/a	n/a	n/a
OH	30%	864	30%	n/a	n/a	32%	n/a	26%	32%	n/a
OK	31%	388	31%	n/a	n/a	n/a	36%	n/a	n/a	13%
SD	22%	286	22%	n/a	n/a	n/a	26%	n/a	n/a*	n/a
TN	44%	243	29%	66%	38%	29%	n/a	n/a	n/a	n/a
VA	31%	32	31%	n/a	n/a	31%	n/a	n/a	n/a	n/a
WA	24%	1,010	23%	40%	n/a	n/a	n/a	n/a	n/a	n/a
WI	16%	916	16%	n/a	n/a	21%	7%	n/a	n/a	n/a
Weighted NCI-AD Average	22%	9,229	21%	59%	5%	24%	16%	26%	28%	17%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Likes where they live





Table 68. Likes where they live


Response options of “In-between, most of the time” and “Yes” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	89%	303	90%	85%	n/a	n/a	90%	n/a	n/a	n/a
AZ	89%	222	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
CA	93%	804	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
CO	94%	1,010	94%	n/a	n/a	n/a	94%	n/a	97%	n/a
DE	82%	677	87%	78%	n/a	87%	n/a	n/a	n/a	n/a
IN	94%	276	94%	n/a	n/a	96%	n/a	88%	n/a	97%
KS	92%	922	92%	n/a	n/a	n/a	n/a	94%	89%	n/a
KY	93%	290	93%	n/a	n/a	n/a	n/a	n/a	92%	95%
MA	93%	347	93%	n/a	n/a	n/a	89%	94%	n/a	n/a
MN	84%	346	84%	n/a	n/a	n/a	n/a	n/a	84%	n/a
MO	91%	1,614	91%	n/a	n/a	n/a	91%	n/a	90%	n/a
NC	91%	325	91%	n/a*	n/a*	n/a	86%	n/a	n/a	95%
ND	91%	315	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
NE	94%	598	96%	89%	n/a	n/a	96%	n/a	n/a	n/a
NH	87%	349	87%	n/a	n/a	n/a	n/a	87%	n/a	n/a
NJ	92%	533	94%	86%	90%	95%	n/a	n/a	n/a	n/a
NY	91%	208	91%	n/a	n/a*	91%	n/a*	n/a	n/a	n/a
OH	93%	1,262	93%	n/a	n/a	94%	n/a	92%	90%	n/a
OK	95%	644	95%	n/a	n/a	n/a	94%	n/a	n/a	95%
SD	92%	341	92%	n/a	n/a	n/a	92%	n/a	n/a*	n/a
TN	90%	466	95%	84%	100%	95%	n/a	n/a	n/a	n/a
VA	85%	312	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
WA	88%	1,450	90%	78%	n/a	n/a	n/a	n/a	n/a	n/a
WI	91%	1,348	91%	n/a	n/a	91%	92%	n/a	n/a	n/a
Weighted NCI-AD Average	91%	14,962	91%	88%	98%	92%	91%	91%	87%	95%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.



Reasons does not like where they live (if does not always like where they live)
(continued)



Reasons does not like where they live (if does not always like where they live)
(continued)




Table 69A. Reasons does not like where they live (if does not always like where they live)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Accessibility of House or Building	Feels Unsafe in or Dislikes Neighborhood	Feels Unsafe in Residence	Residence or Building needs Repair or Upkeep	Doesn't Feel Like Home
AL	5%	23%	6%	17%	54%
AZ	2%	6%	8%	10%	38%
CA	5%	19%	2%	18%	2%
CO	9%	17%	6%	13%	13%
DE	4%	4%	4%	3%	37%
IN	18%	18%	17%	17%	19%
KS	6%	17%	5%	17%	20%
KY	19%	19%	5%	1%	28%
MA	9%	9%	1%	7%	2%
MN	8%	20%	10%	11%	16%
MO	7%	22%	4%	10%	6%
NC	10%	15%	7%	19%	16%
ND	8%	8%	6%	23%	11%
NE	8%	8%	1%	16%	30%
NH	7%	6%	0%	4%	12%
NJ	3%	5%	3%	6%	28%
NY	16%	12%	9%	8%	7%
OH	7%	15%	7%	22%	9%
OK	3%	13%	3%	13%	14%
SD	9%	9%	16%	20%	17%
TN	6%	3%	9%	5%	14%
VA	1%	14%	7%	12%	6%
WA	6%	12%	8%	12%	18%
WI	5%	21%	4%	14%	11%
Weighted NCI-AD Average	7%	15%	6%	13%	10%

Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Layout or Size of Residence or Building	Problems with Neighbors or Housemates or Other Residents	Problems with Staff	Insufficient Amount or Type of Staff	Wants More Independence or Control
AL	9%	11%	30%	6%	27%
AZ	11%	4%	21%	13%	19%
CA	9%	12%	0%	0%	3%
CO	16%	15%	4%	3%	5%
DE	3%	4%	11%	10%	17%
IN	15%	4%	6%	14%	10%
KS	8%	8%	4%	0%	7%
KY	6%	15%	0%	0%	5%
MA	9%	9%	12%	0%	2%
MN	8%	16%	11%	4%	6%
MO	7%	4%	2%	0%	2%
NC	13%	17%	8%	3%	31%
ND	10%	11%	2%	0%	3%
NE	16%	16%	9%	9%	28%
NH	4%	12%	6%	2%	11%
NJ	6%	3%	6%	1%	11%
NY	8%	13%	0%	2%	3%
OH	10%	12%	7%	1%	8%
OK	8%	13%	2%	0%	2%
SD	17%	28%	3%	0%	6%
TN	5%	6%	21%	9%	13%
VA	13%	5%	1%	1%	11%
WA	9%	11%	15%	4%	9%
WI	10%	11%	3%	3%	3%
Weighted NCI-AD Average	10%	10%	4%	2%	8%

Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

State	Wants More Privacy	Wants to be Closer to Family or Friends	Feels Isolated from Community or Feels Lonely	Affordability or Cost of Housing	Other
AL	20%	19%	21%	5%	28%
AZ	17%	19%	9%	15%	51%
CA	6%	2%	1%	4%	34%
CO	9%	12%	12%	12%	47%
DE	15%	6%	6%	2%	26%
IN	13%	4%	11%	5%	36%
KS	6%	2%	3%	5%	21%
KY	0%	6%	0%	0%	21%
MA	8%	6%	8%	0%	41%
MN	9%	3%	3%	5%	40%
MO	3%	3%	4%	7%	36%
NC	32%	8%	21%	7%	43%
ND	5%	7%	5%	8%	39%
NE	40%	26%	29%	7%	5%
NH	3%	6%	16%	9%	38%
NJ	15%	13%	7%	8%	33%
NY	5%	12%	2%	7%	43%
OH	6%	2%	3%	3%	24%
OK	7%	2%	4%	3%	36%
SD	6%	3%	2%	1%	14%
TN	10%	12%	5%	4%	34%
VA	17%	5%	6%	2%	46%
WA	6%	5%	2%	2%	29%
WI	1%	3%	3%	5%	33%
Weighted NCI-AD Average	11%	6%	5%	5%	38%

Wants to live somewhere else




Table 70. Wants to live somewhere else

Response options of “Yes” and “Maybe” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	41%	308	36%	55%	n/a	n/a	36%	n/a	n/a	n/a
AZ	37%	220	37%	n/a	n/a	37%	n/a	n/a	n/a	n/a
CA	26%	739	26%	n/a	n/a	n/a	26%	n/a	n/a	n/a
CO	35%	999	35%	n/a	n/a	n/a	35%	n/a	37%	n/a
DE	51%	664	46%	54%	n/a	46%	n/a	n/a	n/a	n/a
IN	30%	267	30%	n/a	n/a	26%	n/a	46%	n/a	13%
KS	28%	908	28%	n/a	n/a	n/a	n/a	26%	30%	n/a
KY	33%	293	33%	n/a	n/a	n/a	n/a	n/a	33%	32%
MA	28%	352	28%	n/a	n/a	n/a	37%	26%	n/a	n/a
MN	58%	340	58%	n/a	n/a	n/a	n/a	n/a	58%	n/a
MO	33%	1,498	33%	n/a	n/a	n/a	33%	n/a	41%	n/a
NC	41%	326	41%	n/a*	n/a*	n/a	45%	n/a	n/a	23%
ND	34%	309	34%	n/a	n/a	n/a	34%	n/a	n/a	n/a
NE	34%	597	32%	37%	n/a	n/a	32%	n/a	n/a	n/a
NH	41%	343	41%	n/a	n/a	n/a	n/a	41%	n/a	n/a
NJ	22%	525	19%	32%	29%	18%	n/a	n/a	n/a	n/a
NY	31%	205	31%	n/a	n/a*	32%	n/a*	n/a	n/a	n/a
OH	30%	1,259	30%	n/a	n/a	25%	n/a	33%	42%	n/a
OK	22%	638	22%	n/a	n/a	n/a	22%	n/a	n/a	22%
SD	35%	343	35%	n/a	n/a	n/a	35%	n/a	n/a*	n/a
TN	33%	463	22%	50%	17%	22%	n/a	n/a	n/a	n/a
VA	59%	313	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
WA	43%	1,410	38%	74%	n/a	n/a	n/a	n/a	n/a	n/a
WI	38%	1,339	38%	n/a	n/a	37%	40%	n/a	n/a	n/a
Weighted NCI-AD Average	35%	14,658	35%	51%	31%	31%	35%	34%	49%	22%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.




Table 71. Where person would prefer to live (if wants to live somewhere else)*Categories are not mutually exclusive, therefore N is not shown.*

State	Different kind of home	Live independently	With or closer to family	In a different neighborhood	A different type of geography or climate	Other
AL	47%	28%	49%	31%	22%	11%
AZ	21%	20%	30%	11%	18%	52%
CA	37%	9%	10%	31%	17%	18%
CO	31%	8%	14%	15%	24%	28%
DE	27%	33%	19%	12%	10%	15%
IN	27%	11%	17%	14%	19%	26%
KS	51%	8%	7%	19%	16%	8%
KY	42%	9%	10%	30%	6%	14%
MA	16%	10%	9%	18%	21%	32%
MN	34%	17%	8%	19%	14%	24%
MO	31%	6%	10%	20%	25%	17%
NC	44%	22%	11%	14%	14%	25%
ND	30%	2%	6%	11%	39%	27%
NE	32%	30%	35%	15%	22%	5%
NH	19%	15%	18%	17%	24%	20%
NJ	21%	24%	18%	17%	8%	34%
NY	27%	7%	7%	18%	21%	37%
OH	48%	18%	5%	19%	17%	5%
OK	29%	8%	19%	8%	22%	34%
SD	32%	11%	10%	21%	24%	15%
TN	23%	23%	18%	5%	2%	22%
VA	33%	18%	8%	27%	35%	14%
WA	31%	24%	11%	17%	11%	17%
WI	36%	10%	9%	19%	24%	22%
Weighted NCI-AD Average	34%	15%	11%	23%	22%	21%

People who are paid to help them always do things the way they want them done




Table 72. People who are paid to help them do things the way they want them done

Response options of “Some, or usually” and “No, never or rarely” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	87%	134	93%	n/a*	n/a	n/a	93%	n/a	n/a	n/a
AZ	81%	128	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
CA	93%	558	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
CO	85%	554	85%	n/a	n/a	n/a	86%	n/a	77%	n/a
DE	61%	358	78%	53%	n/a	78%	n/a	n/a	n/a	n/a
IN	79%	151	79%	n/a	n/a	79%	n/a	77%	n/a	n/a*
KS	92%	642	92%	n/a	n/a	n/a	n/a	90%	92%	n/a
KY	90%	176	90%	n/a	n/a	n/a	n/a	n/a	91%	80%
MA	87%	256	87%	n/a	n/a	n/a	91%	87%	n/a	n/a
MN	79%	176	79%	n/a	n/a	n/a	n/a	n/a	79%	n/a
MO	93%	1,216	93%	n/a	n/a	n/a	93%	n/a	94%	n/a
NC	83%	172	83%	n/a*	n/a*	n/a	93%	n/a	n/a	88%
ND	89%	236	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
NE	80%	439	86%	73%	n/a	n/a	86%	n/a	n/a	n/a
NH	79%	270	79%	n/a	n/a	n/a	n/a	79%	n/a	n/a
NJ	80%	245	87%	56%	81%	88%	n/a	n/a	n/a	n/a
NY	92%	173	92%	n/a	n/a*	92%	n/a*	n/a	n/a	n/a
OH	90%	901	90%	n/a	n/a	90%	n/a	89%	92%	n/a
OK	89%	388	89%	n/a	n/a	n/a	90%	n/a	n/a	87%
SD	88%	291	88%	n/a	n/a	n/a	86%	n/a	n/a*	n/a
TN	80%	241	87%	70%	95%	87%	n/a	n/a	n/a	n/a
VA	83%	33	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
WA	85%	1,227	88%	68%	n/a	n/a	n/a	n/a	n/a	n/a
WI	90%	1,073	90%	n/a	n/a	86%	97%	n/a	n/a	n/a
Weighted NCI-AD Average	90%	10,038	90%	64%	98%	90%	93%	86%	85%	87%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Usually likes how they spend their time during the day




Table 73. Usually likes how they spend their time during the day

Response options of “Some days, sometimes” and “No, never” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	52%	304	54%	n/a*	n/a	n/a	54%	n/a	n/a	n/a
AZ	71%	211	71%	n/a	n/a	71%	n/a	n/a	n/a	n/a
CA	74%	666	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
CO	66%	977	66%	n/a	n/a	n/a	66%	n/a	58%	n/a
DE	53%	648	57%	49%	n/a	57%	n/a	n/a	n/a	n/a
IN	56%	243	56%	n/a	n/a	62%	n/a	44%	n/a	61%
KS	68%	914	68%	n/a	n/a	n/a	n/a	72%	64%	n/a
KY	50%	290	50%	n/a	n/a	n/a	n/a	n/a	50%	51%
MA	67%	303	67%	n/a	n/a	n/a	76%	66%	n/a	n/a
MN	56%	303	56%	n/a	n/a	n/a	n/a	n/a	56%	n/a
MO	68%	1,554	68%	n/a	n/a	n/a	68%	n/a	74%	n/a
NC	66%	322	66%	n/a*	n/a*	n/a	60%	n/a	n/a	60%
ND	64%	295	64%	n/a	n/a	n/a	64%	n/a	n/a	n/a
NE	70%	567	66%	75%	n/a	n/a	66%	n/a	n/a	n/a
NH	58%	339	58%	n/a	n/a	n/a	n/a	58%	n/a	n/a
NJ	49%	529	56%	30%	76%	55%	n/a	n/a	n/a	n/a
NY	59%	203	59%	n/a	n/a*	59%	n/a*	n/a	n/a	n/a
OH	68%	1,255	68%	n/a	n/a	72%	n/a	68%	54%	n/a
OK	63%	617	63%	n/a	n/a	n/a	61%	n/a	n/a	65%
SD	70%	334	70%	n/a	n/a	n/a	70%	n/a	n/a*	n/a
TN	49%	419	52%	46%	100%	50%	n/a	n/a	n/a	n/a
VA	56%	310	56%	n/a	n/a	56%	n/a	n/a	n/a	n/a
WA	66%	1,402	67%	61%	n/a	n/a	n/a	n/a	n/a	n/a
WI	69%	1,245	69%	n/a	n/a	67%	73%	n/a	n/a	n/a
Weighted NCI-AD Average	65%	14,250	65%	62%	71%	62%	68%	63%	56%	62%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Technology

Has access to the internet




Table 74. Has access to the internet

Response options of “No” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	76%	596	79%	74%	n/a	n/a	79%	n/a	n/a	n/a
AZ	81%	380	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
CA	68%	1,270	68%	n/a	n/a	n/a	68%	n/a	n/a	n/a
CO	84%	1,227	84%	n/a	n/a	n/a	84%	n/a	91%	n/a
DE	74%	813	82%	68%	n/a	82%	n/a	n/a	n/a	n/a
IN	84%	359	84%	n/a	n/a	80%	n/a	93%	n/a	76%
KS	82%	1,180	82%	n/a	n/a	n/a	n/a	76%	89%	n/a
KY	82%	406	82%	n/a	n/a	n/a	n/a	n/a	84%	66%
MA	73%	460	73%	n/a	n/a	n/a	83%	70%	n/a	n/a
MN	88%	363	88%	n/a	n/a	n/a	n/a	n/a	88%	n/a
MO	74%	2,124	74%	n/a	n/a	n/a	74%	n/a	70%	n/a
NC	65%	370	65%	n/a*	n/a*	n/a	77%	n/a	n/a	73%
ND	76%	393	76%	n/a	n/a	n/a	76%	n/a	n/a	n/a
NE	87%	638	82%	94%	n/a	n/a	82%	n/a	n/a	n/a
NH	88%	392	88%	n/a	n/a	n/a	n/a	88%	n/a	n/a
NJ	71%	679	80%	48%	80%	80%	n/a	n/a	n/a	n/a
NY	78%	392	78%	n/a	n/a*	78%	67%	n/a	n/a	n/a
OH	78%	1,487	78%	n/a	n/a	75%	n/a	77%	93%	n/a
OK	81%	807	81%	n/a	n/a	n/a	82%	n/a	n/a	78%
SD	76%	355	76%	n/a	n/a	n/a	78%	n/a	n/a*	n/a
TN	75%	688	78%	70%	61%	78%	n/a	n/a	n/a	n/a
VA	85%	402	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
WA	78%	1,563	78%	78%	n/a	n/a	n/a	n/a	n/a	n/a
WI	83%	1,668	83%	n/a	n/a	82%	84%	n/a	n/a	n/a
Weighted NCI-AD Average	75%	19,012	75%	58%	96%	79%	73%	80%	88%	75%

Frequency of internet use




Table 75. Frequency with which people use the internet

Proxy respondents were allowed for this question.

State	Daily	Several times a week	Several times a month	Several times a year	Don't use	Observed N
AL	44%	7%	4%	2%	43%	479
AZ	49%	11%	5%	1%	35%	306
CA	71%	14%	3%	0%	13%	824
CO	70%	10%	5%	1%	13%	1,014
DE	44%	12%	4%	2%	38%	630
IN	63%	14%	5%	2%	16%	297
KS	70%	9%	4%	1%	16%	973
KY	69%	7%	7%	1%	15%	298
MA	65%	10%	6%	2%	16%	342
MN	80%	8%	2%	1%	8%	318
MO	73%	13%	4%	1%	9%	1,448
NC	67%	9%	4%	2%	18%	271
ND	78%	9%	3%	0%	10%	297
NE	57%	14%	7%	2%	20%	547
NH	55%	10%	6%	3%	26%	334
NJ	61%	11%	4%	1%	23%	497
NY	58%	12%	2%	1%	27%	306
OH	74%	9%	2%	1%	15%	1,173
OK	65%	13%	8%	2%	12%	648
SD	70%	11%	7%	3%	10%	274
TN	49%	16%	4%	2%	29%	467
VA	78%	9%	5%	0%	7%	336
WA	62%	11%	6%	2%	19%	1,188
WI	67%	9%	3%	1%	19%	1,339
Weighted NCI-AD Average	67%	12%	3%	1%	17%	14,606

Programs with low response rates of fewer than 20 are denoted with "n/a".

Always has a stable internet connection




Table 76. Always has a stable internet connection

Response options of “Sometimes works” and “Rarely or never works” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	84%	456	79%	88%	n/a	n/a	79%	n/a	n/a	n/a
AZ	85%	224	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
CA	90%	741	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
CO	86%	950	86%	n/a	n/a	n/a	86%	n/a	94%	n/a
DE	91%	496	89%	93%	n/a	89%	n/a	n/a	n/a	n/a
IN	91%	271	91%	n/a	n/a	91%	n/a	92%	n/a	88%
KS	95%	887	95%	n/a	n/a	n/a	n/a	97%	93%	n/a
KY	93%	301	93%	n/a	n/a	n/a	n/a	n/a	93%	97%
MA	85%	331	85%	n/a	n/a	n/a	77%	86%	n/a	n/a
MN	81%	294	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MO	84%	1,379	84%	n/a	n/a	n/a	83%	n/a	89%	n/a
NC	93%	257	93%	n/a*	n/a*	n/a	95%	n/a	n/a	89%
ND	92%	279	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
NE	92%	482	94%	88%	n/a	n/a	94%	n/a	n/a	n/a
NH	78%	265	78%	n/a	n/a	n/a	n/a	78%	n/a	n/a
NJ	97%	470	97%	97%	95%	97%	n/a	n/a	n/a	n/a
NY	90%	300	90%	n/a	n/a*	90%	88%	n/a	n/a	n/a
OH	94%	1,068	94%	n/a	n/a	95%	n/a	92%	93%	n/a
OK	84%	592	84%	n/a	n/a	n/a	84%	n/a	n/a	85%
SD	96%	262	96%	n/a	n/a	n/a	95%	n/a	n/a*	n/a
TN	91%	434	90%	91%	86%	91%	n/a	n/a	n/a	n/a
VA	88%	329	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
WA	91%	1,085	91%	90%	n/a	n/a	n/a	n/a	n/a	n/a
WI	86%	1,147	86%	n/a	n/a	86%	85%	n/a	n/a	n/a
Weighted NCI-AD Average	89%	13,300	89%	91%	85%	90%	89%	91%	87%	88%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Has talked to health professionals using video conference/telehealth




Table 77. Has talked to health professionals using video conference/telehealth

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	26%	593	38%	15%	n/a	n/a	38%	n/a	n/a	n/a
AZ	48%	373	48%	n/a	n/a	48%	n/a	n/a	n/a	n/a
CA	50%	1,150	50%	n/a	n/a	n/a	50%	n/a	n/a	n/a
CO	53%	1,220	53%	n/a	n/a	n/a	52%	n/a	74%	n/a
DE	30%	805	54%	12%	n/a	54%	n/a	n/a	n/a	n/a
IN	49%	355	49%	n/a	n/a	47%	n/a	57%	n/a	29%
KS	40%	1,138	40%	n/a	n/a	n/a	n/a	31%	49%	n/a
KY	45%	398	45%	n/a	n/a	n/a	n/a	n/a	46%	34%
MA	57%	444	57%	n/a	n/a	n/a	67%	55%	n/a	n/a
MN	69%	340	69%	n/a	n/a	n/a	n/a	n/a	69%	n/a
MO	39%	2,035	39%	n/a	n/a	n/a	39%	n/a	38%	n/a
NC	40%	369	40%	n/a*	n/a*	n/a	59%	n/a	n/a	31%
ND	42%	367	42%	n/a	n/a	n/a	42%	n/a	n/a	n/a
NE	34%	624	47%	13%	n/a	n/a	47%	n/a	n/a	n/a
NH	57%	396	57%	n/a	n/a	n/a	n/a	57%	n/a	n/a
NJ	24%	665	31%	4%	28%	31%	n/a	n/a	n/a	n/a
NY	40%	373	40%	n/a	n/a*	39%	58%	n/a	n/a	n/a
OH	34%	1,505	34%	n/a	n/a	34%	n/a	26%	61%	n/a
OK	40%	789	40%	n/a	n/a	n/a	45%	n/a	n/a	31%
SD	33%	357	33%	n/a	n/a	n/a	32%	n/a	n/a*	n/a
TN	28%	659	40%	12%	29%	40%	n/a	n/a	n/a	n/a
VA	48%	400	48%	n/a	n/a	48%	n/a	n/a	n/a	n/a
WA	47%	1,560	50%	32%	n/a	n/a	n/a	n/a	n/a	n/a
WI	44%	1,627	44%	n/a	n/a	42%	47%	n/a	n/a	n/a
Weighted NCI-AD Average	45%	18,542	45%	12%	47%	40%	49%	40%	60%	31%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Liked talking to health care providers using telehealth




Table 78. Liked talking to health care providers using telehealth

Response options of “No” and “Sometimes, or In-between” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	56%	135	55%	n/a*	n/a	n/a	55%	n/a	n/a	n/a
AZ	59%	124	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
CA	66%	309	66%	n/a	n/a	n/a	66%	n/a	n/a	n/a
CO	56%	528	56%	n/a	n/a	n/a	56%	n/a	45%	n/a
DE	58%	257	62%	45%	n/a	62%	n/a	n/a	n/a	n/a
IN	65%	117	65%	n/a	n/a	63%	n/a	70%	n/a	n/a*
KS	54%	392	54%	n/a	n/a	n/a	n/a	41%	61%	n/a
KY	71%	121	71%	n/a	n/a	n/a	n/a	n/a	74%	54%
MA	59%	165	59%	n/a	n/a	n/a	65%	58%	n/a	n/a
MN	60%	211	60%	n/a	n/a	n/a	n/a	n/a	60%	n/a
MO	56%	592	56%	n/a	n/a	n/a	56%	n/a	62%	n/a
NC	56%	151	56%	n/a	n/a*	n/a	56%	n/a	n/a	56%
ND	51%	133	51%	n/a	n/a	n/a	51%	n/a	n/a	n/a
NE	54%	218	54%	52%	n/a	n/a	54%	n/a	n/a	n/a
NH	54%	195	54%	n/a	n/a	n/a	n/a	54%	n/a	n/a
NJ	58%	136	56%	n/a*	55%	56%	n/a	n/a	n/a	n/a
NY	57%	87	57%	n/a	n/a*	57%	n/a*	n/a	n/a	n/a
OH	68%	443	68%	n/a	n/a	65%	n/a	69%	76%	n/a
OK	47%	256	47%	n/a	n/a	n/a	48%	n/a	n/a	45%
SD	65%	111	65%	n/a	n/a	n/a	72%	n/a	n/a*	n/a
TN	46%	138	48%	40%	n/a*	48%	n/a	n/a	n/a	n/a
VA	58%	152	58%	n/a	n/a	58%	n/a	n/a	n/a	n/a
WA	60%	686	61%	52%	n/a	n/a	n/a	n/a	n/a	n/a
WI	60%	594	60%	n/a	n/a	59%	60%	n/a	n/a	n/a
Weighted NCI-AD Average	60%	6,251	61%	54%	14%	58%	62%	63%	64%	53%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Access to Needed Equipment

Needs grab bars in the bathroom or elsewhere in their home but does not have them




Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	14%	603	27%	4%	n/a	n/a	27%	n/a	n/a	n/a
AZ	8%	385	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
CA	12%	1,305	12%	n/a	n/a	n/a	12%	n/a	n/a	n/a
CO	11%	1,237	11%	n/a	n/a	n/a	12%	n/a	3%	n/a
DE	5%	836	9%	1%	n/a	9%	n/a	n/a	n/a	n/a
IN	9%	372	9%	n/a	n/a	7%	n/a	12%	n/a	9%
KS	10%	1,177	10%	n/a	n/a	n/a	n/a	7%	13%	n/a
KY	14%	403	14%	n/a	n/a	n/a	n/a	n/a	14%	8%
MA	3%	471	3%	n/a	n/a	n/a	3%	3%	n/a	n/a
MN	4%	377	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
MO	13%	2,195	13%	n/a	n/a	n/a	13%	n/a	14%	n/a
NC	19%	371	19%	n/a*	n/a*	n/a	22%	n/a	n/a	27%
ND	7%	392	7%	n/a	n/a	n/a	7%	n/a	n/a	n/a
NE	0%	648	0%	0%	n/a	n/a	0%	n/a	n/a	n/a
NH	6%	402	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
NJ	1%	713	2%	0%	3%	2%	n/a	n/a	n/a	n/a
NY	12%	389	12%	n/a	n/a*	12%	11%	n/a	n/a	n/a
OH	5%	1,518	5%	n/a	n/a	4%	n/a	4%	11%	n/a
OK	10%	818	10%	n/a	n/a	n/a	11%	n/a	n/a	7%
SD	5%	365	5%	n/a	n/a	n/a	7%	n/a	n/a*	n/a
TN	5%	743	7%	2%	0%	7%	n/a	n/a	n/a	n/a
VA	16%	400	16%	n/a	n/a	16%	n/a	n/a	n/a	n/a
WA	9%	1,588	10%	4%	n/a	n/a	n/a	n/a	n/a	n/a
WI	8%	1,714	8%	n/a	n/a	5%	13%	n/a	n/a	n/a
Weighted NCI-AD Average	11%	19,422	11%	2%	0%	10%	13%	6%	8%	18%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs other bathroom modifications but does not have them




Table 80. Needs other bathroom modifications but does not have them

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	12%	595	23%	3%	n/a	n/a	23%	n/a	n/a	n/a
AZ	10%	381	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
CA	4%	1,305	4%	n/a	n/a	n/a	4%	n/a	n/a	n/a
CO	17%	1,217	17%	n/a	n/a	n/a	18%	n/a	12%	n/a
DE	4%	833	10%	0%	n/a	10%	n/a	n/a	n/a	n/a
IN	12%	362	12%	n/a	n/a	11%	n/a	12%	n/a	32%
KS	9%	1,151	9%	n/a	n/a	n/a	n/a	7%	12%	n/a
KY	25%	397	25%	n/a	n/a	n/a	n/a	n/a	26%	17%
MA	9%	466	9%	n/a	n/a	n/a	5%	10%	n/a	n/a
MN	5%	370	5%	n/a	n/a	n/a	n/a	n/a	5%	n/a
MO	14%	2,066	14%	n/a	n/a	n/a	14%	n/a	13%	n/a
NC	17%	370	17%	n/a*	n/a*	n/a	20%	n/a	n/a	24%
ND	9%	340	9%	n/a	n/a	n/a	9%	n/a	n/a	n/a
NE	0%	641	0%	0%	n/a	n/a	0%	n/a	n/a	n/a
NH	8%	382	8%	n/a	n/a	n/a	n/a	8%	n/a	n/a
NJ	1%	628	1%	0%	3%	1%	n/a	n/a	n/a	n/a
NY	16%	386	16%	n/a	n/a*	16%	8%	n/a	n/a	n/a
OH	5%	1,362	5%	n/a	n/a	4%	n/a	5%	7%	n/a
OK	7%	792	7%	n/a	n/a	n/a	6%	n/a	n/a	8%
SD	15%	357	15%	n/a	n/a	n/a	15%	n/a	n/a*	n/a
TN	4%	700	7%	1%	3%	7%	n/a	n/a	n/a	n/a
VA	15%	397	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
WA	10%	1,533	11%	2%	n/a	n/a	n/a	n/a	n/a	n/a
WI	9%	1,700	9%	n/a	n/a	7%	12%	n/a	n/a	n/a
Weighted NCI-AD Average	10%	18,731	10%	1%	32%	14%	8%	8%	10%	19%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs a shower chair but does not have one




Table 81. Needs a shower chair but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	8%	595	14%	3%	n/a	n/a	14%	n/a	n/a	n/a
AZ	4%	381	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
CA	7%	1,305	7%	n/a	n/a	n/a	7%	n/a	n/a	n/a
CO	6%	1,237	6%	n/a	n/a	n/a	6%	n/a	2%	n/a
DE	4%	842	6%	2%	n/a	6%	n/a	n/a	n/a	n/a
IN	5%	373	5%	n/a	n/a	4%	n/a	5%	n/a	19%
KS	5%	1,176	5%	n/a	n/a	n/a	n/a	3%	7%	n/a
KY	10%	404	10%	n/a	n/a	n/a	n/a	n/a	11%	4%
MA	5%	470	5%	n/a	n/a	n/a	0%	6%	n/a	n/a
MN	4%	377	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
MO	9%	2,197	9%	n/a	n/a	n/a	9%	n/a	11%	n/a
NC	12%	370	12%	n/a*	n/a*	n/a	15%	n/a	n/a	15%
ND	6%	393	6%	n/a	n/a	n/a	6%	n/a	n/a	n/a
NE	0%	647	1%	0%	n/a	n/a	1%	n/a	n/a	n/a
NH	3%	399	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
NJ	2%	696	3%	0%	4%	3%	n/a	n/a	n/a	n/a
NY	8%	385	8%	n/a	n/a*	9%	3%	n/a	n/a	n/a
OH	3%	1,518	3%	n/a	n/a	3%	n/a	2%	7%	n/a
OK	4%	818	4%	n/a	n/a	n/a	5%	n/a	n/a	2%
SD	3%	360	3%	n/a	n/a	n/a	3%	n/a	n/a*	n/a
TN	3%	732	4%	1%	3%	4%	n/a	n/a	n/a	n/a
VA	12%	395	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
WA	5%	1,587	5%	1%	n/a	n/a	n/a	n/a	n/a	n/a
WI	5%	1,711	5%	n/a	n/a	3%	7%	n/a	n/a	n/a
Weighted NCI-AD Average	7%	19,368	7%	1%	1%	7%	8%	3%	6%	10%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs a specialized bed but does not have one




Table 82. Needs a specialized bed but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	4%	604	8%	0%	n/a	n/a	8%	n/a	n/a	n/a
AZ	8%	386	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
CA	9%	1,314	9%	n/a	n/a	n/a	9%	n/a	n/a	n/a
CO	12%	1,238	12%	n/a	n/a	n/a	12%	n/a	3%	n/a
DE	3%	848	8%	0%	n/a	8%	n/a	n/a	n/a	n/a
IN	5%	360	5%	n/a	n/a	4%	n/a	8%	n/a	6%
KS	8%	1,181	8%	n/a	n/a	n/a	n/a	6%	11%	n/a
KY	12%	402	12%	n/a	n/a	n/a	n/a	n/a	12%	7%
MA	7%	470	7%	n/a	n/a	n/a	2%	8%	n/a	n/a
MN	5%	374	5%	n/a	n/a	n/a	n/a	n/a	5%	n/a
MO	10%	2,158	10%	n/a	n/a	n/a	10%	n/a	7%	n/a
NC	10%	368	10%	n/a*	n/a*	n/a	12%	n/a	n/a	13%
ND	7%	390	7%	n/a	n/a	n/a	7%	n/a	n/a	n/a
NE	2%	639	2%	3%	n/a	n/a	2%	n/a	n/a	n/a
NH	11%	396	11%	n/a	n/a	n/a	n/a	11%	n/a	n/a
NJ	2%	670	2%	1%	4%	2%	n/a	n/a	n/a	n/a
NY	7%	387	7%	n/a	n/a*	8%	3%	n/a	n/a	n/a
OH	2%	1,513	2%	n/a	n/a	2%	n/a	1%	3%	n/a
OK	5%	817	5%	n/a	n/a	n/a	4%	n/a	n/a	6%
SD	5%	361	5%	n/a	n/a	n/a	4%	n/a	n/a*	n/a
TN	3%	737	4%	1%	0%	4%	n/a	n/a	n/a	n/a
VA	7%	397	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
WA	8%	1,582	9%	0%	n/a	n/a	n/a	n/a	n/a	n/a
WI	10%	1,723	10%	n/a	n/a	9%	12%	n/a	n/a	n/a
Weighted NCI-AD Average	8%	19,315	8%	0%	1%	7%	9%	5%	7%	10%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Need for a ramp (either inside or outside of their residence) but does not have one




Table 83. Need for a ramp (either inside or outside of their residence) but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	6%	603	12%	2%	n/a	n/a	12%	n/a	n/a	n/a
AZ	4%	382	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
CA	5%	1,298	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
CO	10%	1,239	10%	n/a	n/a	n/a	11%	n/a	3%	n/a
DE	2%	845	5%	0%	n/a	5%	n/a	n/a	n/a	n/a
IN	8%	372	8%	n/a	n/a	9%	n/a	4%	n/a	13%
KS	5%	1,180	5%	n/a	n/a	n/a	n/a	4%	6%	n/a
KY	14%	402	14%	n/a	n/a	n/a	n/a	n/a	15%	6%
MA	7%	468	7%	n/a	n/a	n/a	6%	8%	n/a	n/a
MN	3%	374	3%	n/a	n/a	n/a	n/a	n/a	3%	n/a
MO	9%	2,171	9%	n/a	n/a	n/a	9%	n/a	5%	n/a
NC	10%	370	10%	n/a*	n/a*	n/a	13%	n/a	n/a	13%
ND	6%	387	6%	n/a	n/a	n/a	6%	n/a	n/a	n/a
NE	0%	649	0%	0%	n/a	n/a	0%	n/a	n/a	n/a
NH	6%	396	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
NJ	1%	669	2%	0%	1%	2%	n/a	n/a	n/a	n/a
NY	7%	383	7%	n/a	n/a*	7%	4%	n/a	n/a	n/a
OH	3%	1,519	3%	n/a	n/a	2%	n/a	2%	7%	n/a
OK	9%	819	9%	n/a	n/a	n/a	10%	n/a	n/a	7%
SD	5%	364	5%	n/a	n/a	n/a	5%	n/a	n/a*	n/a
TN	3%	713	5%	0%	3%	5%	n/a	n/a	n/a	n/a
VA	9%	400	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
WA	5%	1,568	6%	0%	n/a	n/a	n/a	n/a	n/a	n/a
WI	7%	1,716	7%	n/a	n/a	6%	8%	n/a	n/a	n/a
Weighted NCI-AD Average	6%	19,287	6%	0%	0%	7%	7%	4%	6%	10%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs other home modifications that does not have




Table 84. Needs other home modifications in their home but does not have

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	10%	485	22%	1%	n/a	n/a	22%	n/a	n/a	n/a
AZ	41%	68	41%	n/a	n/a	41%	n/a	n/a	n/a	n/a
CA	2%	1,079	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
CO	49%	123	49%	n/a	n/a	n/a	50%	n/a	n/a*	n/a
DE	38%	49	42%	n/a*	n/a	42%	n/a	n/a	n/a	n/a
IN	10%	293	10%	n/a	n/a	9%	n/a	10%	n/a	18%
KS	4%	961	4%	n/a	n/a	n/a	n/a	3%	5%	n/a
KY	10%	244	10%	n/a	n/a	n/a	n/a	n/a	10%	5%
MA	11%	459	11%	n/a	n/a	n/a	7%	12%	n/a	n/a
MN	24%	25	24%	n/a	n/a	n/a	n/a	n/a	24%	n/a
MO	6%	1,543	6%	n/a	n/a	n/a	6%	n/a	6%	n/a
NC	8%	311	8%	n/a*	n/a*	n/a	10%	n/a	n/a	10%
ND	11%	173	11%	n/a	n/a	n/a	11%	n/a	n/a	n/a
NE	1%	598	0%	3%	n/a	n/a	0%	n/a	n/a	n/a
NH	9%	212	9%	n/a	n/a	n/a	n/a	9%	n/a	n/a
NJ	2%	506	2%	0%	6%	2%	n/a	n/a	n/a	n/a
NY	12%	148	12%	n/a	n/a*	12%	n/a*	n/a	n/a	n/a
OH	2%	898	2%	n/a	n/a	2%	n/a	2%	5%	n/a
OK	4%	724	4%	n/a	n/a	n/a	2%	n/a	n/a	7%
SD	6%	157	6%	n/a	n/a	n/a	5%	n/a	n/a*	n/a
TN	3%	518	4%	1%	0%	5%	n/a	n/a	n/a	n/a
VA	3%	339	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
WA	7%	1,091	7%	2%	n/a	n/a	n/a	n/a	n/a	n/a
WI	6%	1,470	6%	n/a	n/a	5%	8%	n/a	n/a	n/a
Weighted NCI-AD Average	5%	12,474	5%	1%	48%	10%	3%	7%	9%	9%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs a wheelchair but does not have one




Table 85. Needs a wheelchair but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	8%	599	11%	6%	n/a	n/a	11%	n/a	n/a	n/a
AZ	6%	386	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
CA	5%	1,265	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
CO	6%	1,239	6%	n/a	n/a	n/a	6%	n/a	2%	n/a
DE	2%	836	4%	0%	n/a	4%	n/a	n/a	n/a	n/a
IN	4%	379	4%	n/a	n/a	3%	n/a	7%	n/a	3%
KS	2%	1,176	2%	n/a	n/a	n/a	n/a	2%	3%	n/a
KY	7%	409	7%	n/a	n/a	n/a	n/a	n/a	7%	3%
MA	7%	456	7%	n/a	n/a	n/a	1%	8%	n/a	n/a
MN	2%	361	2%	n/a	n/a	n/a	n/a	n/a	2%	n/a
MO	6%	2,197	6%	n/a	n/a	n/a	6%	n/a	4%	n/a
NC	10%	372	10%	n/a*	n/a*	n/a	10%	n/a	n/a	17%
ND	4%	390	4%	n/a	n/a	n/a	4%	n/a	n/a	n/a
NE	0%	636	0%	0%	n/a	n/a	0%	n/a	n/a	n/a
NH	6%	408	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
NJ	1%	689	1%	1%	1%	1%	n/a	n/a	n/a	n/a
NY	7%	392	7%	n/a	n/a*	7%	3%	n/a	n/a	n/a
OH	1%	1,519	1%	n/a	n/a	1%	n/a	1%	3%	n/a
OK	3%	811	3%	n/a	n/a	n/a	4%	n/a	n/a	2%
SD	3%	362	3%	n/a	n/a	n/a	4%	n/a	n/a*	n/a
TN	4%	745	4%	3%	6%	4%	n/a	n/a	n/a	n/a
VA	5%	400	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	5%	1,595	4%	5%	n/a	n/a	n/a	n/a	n/a	n/a
WI	6%	1,702	6%	n/a	n/a	5%	8%	n/a	n/a	n/a
Weighted NCI-AD Average	5%	19,324	5%	3%	0%	6%	5%	4%	3%	10%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs a scooter but does not have one




Table 86. Needs a scooter but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	14%	601	22%	8%	n/a	n/a	22%	n/a	n/a	n/a
AZ	11%	384	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
CA	9%	1,263	9%	n/a	n/a	n/a	9%	n/a	n/a	n/a
CO	14%	1,231	14%	n/a	n/a	n/a	14%	n/a	5%	n/a
DE	6%	830	13%	2%	n/a	13%	n/a	n/a	n/a	n/a
IN	4%	374	4%	n/a	n/a	3%	n/a	7%	n/a	0%
KS	5%	1,172	5%	n/a	n/a	n/a	n/a	4%	6%	n/a
KY	11%	402	11%	n/a	n/a	n/a	n/a	n/a	11%	9%
MA	11%	453	11%	n/a	n/a	n/a	8%	12%	n/a	n/a
MN	5%	358	5%	n/a	n/a	n/a	n/a	n/a	5%	n/a
MO	12%	2,173	12%	n/a	n/a	n/a	12%	n/a	4%	n/a
NC	21%	372	21%	n/a*	n/a*	n/a	26%	n/a	n/a	19%
ND	5%	386	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
NE	3%	624	2%	4%	n/a	n/a	2%	n/a	n/a	n/a
NH	11%	397	11%	n/a	n/a	n/a	n/a	11%	n/a	n/a
NJ	2%	660	2%	1%	2%	2%	n/a	n/a	n/a	n/a
NY	7%	389	7%	n/a	n/a*	7%	3%	n/a	n/a	n/a
OH	3%	1,519	3%	n/a	n/a	3%	n/a	3%	3%	n/a
OK	6%	807	6%	n/a	n/a	n/a	7%	n/a	n/a	3%
SD	5%	362	5%	n/a	n/a	n/a	7%	n/a	n/a*	n/a
TN	4%	706	7%	1%	3%	7%	n/a	n/a	n/a	n/a
VA	8%	398	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
WA	9%	1,579	9%	4%	n/a	n/a	n/a	n/a	n/a	n/a
WI	10%	1,676	10%	n/a	n/a	7%	16%	n/a	n/a	n/a
Weighted NCI-AD Average	8%	19,116	8%	6%	14%	7%	10%	6%	6%	12%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs a walker but does not have one




Table 87. Needs a walker but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	3%	600	2%	4%	n/a	n/a	2%	n/a	n/a	n/a
AZ	3%	383	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
CA	2%	1,263	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
CO	4%	1,241	4%	n/a	n/a	n/a	4%	n/a	2%	n/a
DE	2%	834	2%	2%	n/a	2%	n/a	n/a	n/a	n/a
IN	2%	379	2%	n/a	n/a	1%	n/a	1%	n/a	0%
KS	2%	1,174	2%	n/a	n/a	n/a	n/a	1%	2%	n/a
KY	3%	406	3%	n/a	n/a	n/a	n/a	n/a	4%	1%
MA	3%	455	3%	n/a	n/a	n/a	1%	3%	n/a	n/a
MN	1%	362	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
MO	3%	2,185	3%	n/a	n/a	n/a	3%	n/a	3%	n/a
NC	6%	370	6%	n/a*	n/a*	n/a	8%	n/a	n/a	8%
ND	2%	389	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
NE	0%	634	0%	1%	n/a	n/a	0%	n/a	n/a	n/a
NH	2%	405	2%	n/a	n/a	n/a	n/a	2%	n/a	n/a
NJ	2%	680	2%	1%	0%	2%	n/a	n/a	n/a	n/a
NY	3%	390	3%	n/a	n/a*	3%	3%	n/a	n/a	n/a
OH	1%	1,521	1%	n/a	n/a	2%	n/a	1%	3%	n/a
OK	2%	812	2%	n/a	n/a	n/a	2%	n/a	n/a	2%
SD	2%	361	2%	n/a	n/a	n/a	1%	n/a	n/a*	n/a
TN	2%	726	2%	2%	8%	2%	n/a	n/a	n/a	n/a
VA	5%	401	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	3%	1,585	3%	2%	n/a	n/a	n/a	n/a	n/a	n/a
WI	3%	1,700	3%	n/a	n/a	2%	4%	n/a	n/a	n/a
Weighted NCI-AD Average	3%	19,256	3%	2%	0%	3%	3%	1%	2%	5%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs hearing aids but does not have them




Table 88. Needs hearing aids but does not have them

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	6%	597	7%	5%	n/a	n/a	7%	n/a	n/a	n/a
AZ	8%	375	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
CA	5%	1,245	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
CO	15%	1,235	15%	n/a	n/a	n/a	15%	n/a	13%	n/a
DE	6%	833	6%	6%	n/a	6%	n/a	n/a	n/a	n/a
IN	5%	353	5%	n/a	n/a	6%	n/a	2%	n/a	10%
KS	4%	1,173	4%	n/a	n/a	n/a	n/a	4%	4%	n/a
KY	7%	403	7%	n/a	n/a	n/a	n/a	n/a	7%	7%
MA	9%	451	9%	n/a	n/a	n/a	5%	10%	n/a	n/a
MN	1%	360	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
MO	7%	2,183	7%	n/a	n/a	n/a	7%	n/a	3%	n/a
NC	12%	360	12%	n/a*	n/a*	n/a	7%	n/a	n/a	13%
ND	6%	389	6%	n/a	n/a	n/a	6%	n/a	n/a	n/a
NE	1%	632	0%	2%	n/a	n/a	0%	n/a	n/a	n/a
NH	8%	401	8%	n/a	n/a	n/a	n/a	8%	n/a	n/a
NJ	3%	664	3%	1%	2%	3%	n/a	n/a	n/a	n/a
NY	8%	387	8%	n/a	n/a*	8%	4%	n/a	n/a	n/a
OH	4%	1,517	4%	n/a	n/a	5%	n/a	4%	1%	n/a
OK	8%	803	8%	n/a	n/a	n/a	7%	n/a	n/a	11%
SD	9%	359	9%	n/a	n/a	n/a	6%	n/a	n/a*	n/a
TN	5%	718	4%	7%	6%	4%	n/a	n/a	n/a	n/a
VA	7%	394	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
WA	6%	1,583	6%	5%	n/a	n/a	n/a	n/a	n/a	n/a
WI	5%	1,685	5%	n/a	n/a	5%	5%	n/a	n/a	n/a
Weighted NCI-AD Average	7%	19,100	7%	8%	28%	8%	6%	5%	3%	12%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs glasses but does not have them




Table 89. Needs glasses but does not have them

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	5%	596	6%	5%	n/a	n/a	6%	n/a	n/a	n/a
AZ	6%	377	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
CA	3%	1,250	3%	n/a	n/a	n/a	3%	n/a	n/a	n/a
CO	6%	1,224	6%	n/a	n/a	n/a	6%	n/a	11%	n/a
DE	4%	826	6%	2%	n/a	6%	n/a	n/a	n/a	n/a
IN	4%	361	4%	n/a	n/a	2%	n/a	7%	n/a	0%
KS	2%	1,172	2%	n/a	n/a	n/a	n/a	1%	2%	n/a
KY	4%	409	4%	n/a	n/a	n/a	n/a	n/a	5%	2%
MA	3%	453	3%	n/a	n/a	n/a	4%	2%	n/a	n/a
MN	2%	359	2%	n/a	n/a	n/a	n/a	n/a	2%	n/a
MO	4%	2,190	4%	n/a	n/a	n/a	3%	n/a	6%	n/a
NC	15%	369	15%	n/a*	n/a*	n/a	14%	n/a	n/a	13%
ND	4%	388	4%	n/a	n/a	n/a	4%	n/a	n/a	n/a
NE	1%	635	0%	2%	n/a	n/a	0%	n/a	n/a	n/a
NH	6%	402	6%	n/a	n/a	n/a	n/a	6%	n/a	n/a
NJ	2%	697	2%	1%	1%	2%	n/a	n/a	n/a	n/a
NY	4%	389	4%	n/a	n/a*	4%	0%	n/a	n/a	n/a
OH	2%	1,517	2%	n/a	n/a	2%	n/a	2%	3%	n/a
OK	3%	809	3%	n/a	n/a	n/a	3%	n/a	n/a	3%
SD	3%	358	3%	n/a	n/a	n/a	2%	n/a	n/a*	n/a
TN	4%	718	4%	4%	6%	4%	n/a	n/a	n/a	n/a
VA	7%	396	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
WA	5%	1,593	4%	6%	n/a	n/a	n/a	n/a	n/a	n/a
WI	3%	1,684	3%	n/a	n/a	3%	3%	n/a	n/a	n/a
Weighted NCI-AD Average	5%	19,172	5%	8%	14%	4%	4%	4%	3%	8%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs personal emergency response system (PERS) but do not have one




Table 90. Needs personal emergency response system (PERS) but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	11%	597	20%	3%	n/a	n/a	20%	n/a	n/a	n/a
AZ	11%	375	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
CA	12%	1,236	12%	n/a	n/a	n/a	12%	n/a	n/a	n/a
CO	10%	1,227	10%	n/a	n/a	n/a	10%	n/a	12%	n/a
DE	4%	826	6%	2%	n/a	6%	n/a	n/a	n/a	n/a
IN	4%	356	4%	n/a	n/a	3%	n/a	2%	n/a	18%
KS	4%	1,169	4%	n/a	n/a	n/a	n/a	4%	4%	n/a
KY	24%	390	24%	n/a	n/a	n/a	n/a	n/a	25%	18%
MA	5%	454	5%	n/a	n/a	n/a	9%	5%	n/a	n/a
MN	4%	358	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
MO	17%	2,112	17%	n/a	n/a	n/a	17%	n/a	14%	n/a
NC	27%	367	27%	n/a*	n/a*	n/a	32%	n/a	n/a	36%
ND	5%	384	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
NE	0%	635	0%	1%	n/a	n/a	0%	n/a	n/a	n/a
NH	3%	401	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
NJ	2%	679	2%	0%	7%	2%	n/a	n/a	n/a	n/a
NY	8%	381	8%	n/a	n/a*	8%	5%	n/a	n/a	n/a
OH	1%	1,516	1%	n/a	n/a	1%	n/a	1%	1%	n/a
OK	11%	802	11%	n/a	n/a	n/a	13%	n/a	n/a	8%
SD	7%	354	7%	n/a	n/a	n/a	7%	n/a	n/a*	n/a
TN	5%	705	7%	2%	11%	7%	n/a	n/a	n/a	n/a
VA	25%	395	25%	n/a	n/a	25%	n/a	n/a	n/a	n/a
WA	6%	1,584	6%	4%	n/a	n/a	n/a	n/a	n/a	n/a
WI	10%	1,675	10%	n/a	n/a	8%	16%	n/a	n/a	n/a
Weighted NCI-AD Average	12%	18,978	12%	2%	2%	7%	16%	2%	8%	24%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs an oxygen machine but does not have one




Table 91. Needs an oxygen machine but does not have one

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	1%	591	3%	0%	n/a	n/a	3%	n/a	n/a	n/a
AZ	1%	381	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
CA	1%	1,248	1%	n/a	n/a	n/a	1%	n/a	n/a	n/a
CO	3%	1,230	3%	n/a	n/a	n/a	3%	n/a	1%	n/a
DE	1%	833	1%	0%	n/a	1%	n/a	n/a	n/a	n/a
IN	0%	356	0%	n/a	n/a	0%	n/a	0%	n/a	3%
KS	1%	1,169	1%	n/a	n/a	n/a	n/a	1%	1%	n/a
KY	3%	393	3%	n/a	n/a	n/a	n/a	n/a	3%	1%
MA	2%	455	2%	n/a	n/a	n/a	2%	2%	n/a	n/a
MN	1%	359	1%	n/a	n/a	n/a	n/a	n/a	1%	n/a
MO	2%	2,141	2%	n/a	n/a	n/a	2%	n/a	1%	n/a
NC	2%	370	2%	n/a*	n/a*	n/a	2%	n/a	n/a	5%
ND	1%	381	1%	n/a	n/a	n/a	1%	n/a	n/a	n/a
NE	1%	635	0%	2%	n/a	n/a	0%	n/a	n/a	n/a
NH	3%	398	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
NJ	0%	672	0%	0%	1%	0%	n/a	n/a	n/a	n/a
NY	2%	386	2%	n/a	n/a*	2%	0%	n/a	n/a	n/a
OH	1%	1,517	1%	n/a	n/a	1%	n/a	1%	1%	n/a
OK	1%	809	1%	n/a	n/a	n/a	1%	n/a	n/a	1%
SD	2%	360	2%	n/a	n/a	n/a	1%	n/a	n/a*	n/a
TN	1%	699	2%	0%	0%	2%	n/a	n/a	n/a	n/a
VA	3%	395	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
WA	1%	1,579	2%	0%	n/a	n/a	n/a	n/a	n/a	n/a
WI	1%	1,685	1%	n/a	n/a	1%	1%	n/a	n/a	n/a
Weighted NCI-AD Average	2%	19,042	2%	0%	0%	2%	2%	1%	1%	3%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs other assistive technology equipment but does not have




Table 92. Needs other assistive technology equipment but does not have

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	5%	534	7%	3%	n/a	n/a	7%	n/a	n/a	n/a
AZ	33%	55	33%	n/a	n/a	33%	n/a	n/a	n/a	n/a
CA	1%	1,048	1%	n/a	n/a	n/a	1%	n/a	n/a	n/a
CO	28%	226	28%	n/a	n/a	n/a	28%	n/a	n/a*	n/a
DE	13%	85	17%	n/a*	n/a	17%	n/a	n/a	n/a	n/a
IN	3%	294	3%	n/a	n/a	2%	n/a	7%	n/a	0%
KS	0%	979	0%	n/a	n/a	n/a	n/a	1%	0%	n/a
KY	3%	244	3%	n/a	n/a	n/a	n/a	n/a	4%	0%
MA	5%	449	5%	n/a	n/a	n/a	2%	5%	n/a	n/a
MN	26%	39	26%	n/a	n/a	n/a	n/a	n/a	26%	n/a
MO	2%	1,578	2%	n/a	n/a	n/a	2%	n/a	2%	n/a
NC	3%	354	3%	n/a*	n/a*	n/a	5%	n/a	n/a	4%
ND	2%	176	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
NE	0%	576	0%	0%	n/a	n/a	0%	n/a	n/a	n/a
NH	2%	240	2%	n/a	n/a	n/a	n/a	2%	n/a	n/a
NJ	3%	545	3%	1%	1%	3%	n/a	n/a	n/a	n/a
NY	3%	165	3%	n/a	n/a	3%	n/a*	n/a	n/a	n/a
OH	0%	859	0%	n/a	n/a	1%	n/a	0%	0%	n/a
OK	1%	704	1%	n/a	n/a	n/a	1%	n/a	n/a	2%
SD	4%	145	4%	n/a	n/a	n/a	2%	n/a	n/a*	n/a
TN	3%	535	4%	1%	0%	4%	n/a	n/a	n/a	n/a
VA	4%	393	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
WA	1%	1,219	1%	0%	n/a	n/a	n/a	n/a	n/a	n/a
WI	1%	1,390	1%	n/a	n/a	1%	1%	n/a	n/a	n/a
Weighted NCI-AD Average	2%	12,832	2%	1%	1%	4%	2%	3%	6%	3%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Needs other equipment but does not have




Table 93. Needs other equipment but does not have

Response options of “Has one, but needs replacement”, “Has one and doesn’t need replacement”, and “Doesn’t need” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	11%	481	18%	5%	n/a	n/a	18%	n/a	n/a	n/a
AZ	42%	54	42%	n/a	n/a	42%	n/a	n/a	n/a	n/a
CA	7%	1,051	7%	n/a	n/a	n/a	7%	n/a	n/a	n/a
CO	48%	96	48%	n/a	n/a	n/a	51%	n/a	n/a*	n/a
DE	21%	43	24%	n/a*	n/a	24%	n/a	n/a	n/a	n/a
IN	6%	258	6%	n/a	n/a	6%	n/a	7%	n/a	16%
KS	3%	974	3%	n/a	n/a	n/a	n/a	2%	3%	n/a
KY	2%	239	2%	n/a	n/a	n/a	n/a	n/a	2%	1%
MA	9%	454	9%	n/a	n/a	n/a	6%	10%	n/a	n/a
MN	0%	28	0%	n/a	n/a	n/a	n/a	n/a	0%	n/a
MO	6%	1,632	6%	n/a	n/a	n/a	6%	n/a	6%	n/a
NC	12%	281	12%	n/a*	n/a*	n/a	13%	n/a	n/a	10%
ND	5%	190	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
NE	0%	589	0%	1%	n/a	n/a	0%	n/a	n/a	n/a
NH	5%	209	5%	n/a	n/a	n/a	n/a	5%	n/a	n/a
NJ	4%	515	4%	3%	0%	4%	n/a	n/a	n/a	n/a
NY	13%	157	13%	n/a	n/a	12%	n/a*	n/a	n/a	n/a
OH	2%	981	2%	n/a	n/a	3%	n/a	1%	4%	n/a
OK	3%	706	3%	n/a	n/a	n/a	2%	n/a	n/a	5%
SD	1%	155	1%	n/a	n/a	n/a	2%	n/a	n/a*	n/a
TN	3%	500	3%	3%	6%	3%	n/a	n/a	n/a	n/a
VA	9%	365	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
WA	6%	1,125	6%	6%	n/a	n/a	n/a	n/a	n/a	n/a
WI	5%	1,464	5%	n/a	n/a	4%	7%	n/a	n/a	n/a
Weighted NCI-AD Average	8%	12,547	8%	6%	1%	10%	7%	4%	3%	9%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Medications

Knows what prescription medications are for




Table 94. Knows what prescription medications are for

Response options of “No” and “In-between, or some medications” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	88%	304	94%	n/a*	n/a	n/a	94%	n/a	n/a	n/a
AZ	83%	202	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
CA	91%	617	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
CO	89%	959	89%	n/a	n/a	n/a	89%	n/a	95%	n/a
DE	70%	616	85%	57%	n/a	85%	n/a	n/a	n/a	n/a
IN	90%	243	90%	n/a	n/a	89%	n/a	92%	n/a	93%
KS	90%	878	90%	n/a	n/a	n/a	n/a	90%	90%	n/a
KY	85%	285	85%	n/a	n/a	n/a	n/a	n/a	84%	92%
MA	90%	307	90%	n/a	n/a	n/a	91%	90%	n/a	n/a
MN	84%	287	84%	n/a	n/a	n/a	n/a	n/a	84%	n/a
MO	90%	1,418	90%	n/a	n/a	n/a	90%	n/a	87%	n/a
NC	78%	316	78%	n/a*	n/a*	n/a	86%	n/a	n/a	92%
ND	89%	274	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
NE	59%	563	52%	71%	n/a	n/a	52%	n/a	n/a	n/a
NH	73%	332	73%	n/a	n/a	n/a	n/a	73%	n/a	n/a
NJ	68%	520	76%	43%	90%	76%	n/a	n/a	n/a	n/a
NY	90%	194	90%	n/a	n/a*	91%	n/a*	n/a	n/a	n/a
OH	76%	1,248	76%	n/a	n/a	72%	n/a	78%	85%	n/a
OK	91%	599	91%	n/a	n/a	n/a	91%	n/a	n/a	91%
SD	85%	333	85%	n/a	n/a	n/a	82%	n/a	n/a*	n/a
TN	77%	397	87%	62%	83%	87%	n/a	n/a	n/a	n/a
VA	96%	293	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
WA	83%	1,388	85%	74%	n/a	n/a	n/a	n/a	n/a	n/a
WI	92%	1,206	92%	n/a	n/a	90%	94%	n/a	n/a	n/a
Weighted NCI-AD Average	88%	13,779	88%	55%	73%	87%	91%	84%	85%	92%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Takes medication to help feel less sad or depressed




Table 95. Takes medication to help feel less sad or depressed

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	45%	584	33%	55%	n/a	n/a	33%	n/a	n/a	n/a
AZ	41%	358	41%	n/a	n/a	41%	n/a	n/a	n/a	n/a
CA	35%	1,141	35%	n/a	n/a	n/a	35%	n/a	n/a	n/a
CO	45%	1,187	45%	n/a	n/a	n/a	44%	n/a	61%	n/a
DE	47%	755	52%	42%	n/a	52%	n/a	n/a	n/a	n/a
IN	58%	333	58%	n/a	n/a	58%	n/a	57%	n/a	46%
KS	45%	1,120	45%	n/a	n/a	n/a	n/a	39%	49%	n/a
KY	52%	392	52%	n/a	n/a	n/a	n/a	n/a	54%	36%
MA	45%	435	45%	n/a	n/a	n/a	39%	44%	n/a	n/a
MN	54%	336	54%	n/a	n/a	n/a	n/a	n/a	54%	n/a
MO	50%	2,080	50%	n/a	n/a	n/a	51%	n/a	40%	n/a
NC	47%	351	47%	n/a*	n/a*	n/a	54%	n/a	n/a	27%
ND	43%	363	43%	n/a	n/a	n/a	43%	n/a	n/a	n/a
NE	46%	611	45%	47%	n/a	n/a	45%	n/a	n/a	n/a
NH	50%	374	50%	n/a	n/a	n/a	n/a	50%	n/a	n/a
NJ	42%	656	39%	51%	42%	39%	n/a	n/a	n/a	n/a
NY	28%	364	28%	n/a	n/a*	29%	28%	n/a	n/a	n/a
OH	41%	1,451	41%	n/a	n/a	40%	n/a	40%	53%	n/a
OK	36%	784	36%	n/a	n/a	n/a	45%	n/a	n/a	21%
SD	49%	350	49%	n/a	n/a	n/a	52%	n/a	n/a*	n/a
TN	57%	593	52%	65%	41%	53%	n/a	n/a	n/a	n/a
VA	38%	390	38%	n/a	n/a	38%	n/a	n/a	n/a	n/a
WA	46%	1,504	47%	41%	n/a	n/a	n/a	n/a	n/a	n/a
WI	44%	1,591	44%	n/a	n/a	47%	38%	n/a	n/a	n/a
Weighted NCI-AD Average	38%	18,103	38%	50%	21%	35%	38%	45%	53%	26%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Healthcare

Has access to mental health services if they want them




Table 96. Has access to mental health services if they want them

Response options of “No” and “Sometimes” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	84%	286	82%	n/a*	n/a	n/a	82%	n/a	n/a	n/a
AZ	90%	185	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
CA	90%	609	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
CO	95%	923	95%	n/a	n/a	n/a	95%	n/a	99%	n/a
DE	89%	580	93%	86%	n/a	93%	n/a	n/a	n/a	n/a
IN	95%	230	95%	n/a	n/a	97%	n/a	91%	n/a	88%
KS	95%	850	95%	n/a	n/a	n/a	n/a	96%	95%	n/a
KY	88%	194	88%	n/a	n/a	n/a	n/a	n/a	89%	79%
MA	87%	292	87%	n/a	n/a	n/a	96%	86%	n/a	n/a
MN	94%	292	94%	n/a	n/a	n/a	n/a	n/a	94%	n/a
MO	93%	1,445	93%	n/a	n/a	n/a	93%	n/a	93%	n/a
NC	79%	300	79%	n/a*	n/a*	n/a	88%	n/a	n/a	76%
ND	91%	273	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
NE	95%	548	97%	92%	n/a	n/a	97%	n/a	n/a	n/a
NH	93%	303	93%	n/a	n/a	n/a	n/a	93%	n/a	n/a
NJ	90%	487	89%	94%	97%	88%	n/a	n/a	n/a	n/a
NY	88%	185	88%	n/a	n/a*	88%	n/a*	n/a	n/a	n/a
OH	94%	1,104	94%	n/a	n/a	93%	n/a	95%	96%	n/a
OK	92%	563	92%	n/a	n/a	n/a	96%	n/a	n/a	85%
SD	95%	316	95%	n/a	n/a	n/a	97%	n/a	n/a*	n/a
TN	89%	360	89%	89%	100%	89%	n/a	n/a	n/a	n/a
VA	86%	281	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
WA	89%	1,275	89%	93%	n/a	n/a	n/a	n/a	n/a	n/a
WI	91%	1,196	91%	n/a	n/a	91%	92%	n/a	n/a	n/a
Weighted NCI-AD Average	89%	13,077	89%	82%	76%	90%	90%	93%	94%	80%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Can get an appointment to see
or talk to their primary care
doctor when they need to




Table 97. Can get an appointment to see or talk to their primary care doctor when they need to

Response options of “Usually” and “No, rarely” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	93%	583	93%	93%	n/a	n/a	93%	n/a	n/a	n/a
AZ	84%	373	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
CA	86%	1,155	86%	n/a	n/a	n/a	86%	n/a	n/a	n/a
CO	82%	1,205	82%	n/a	n/a	n/a	82%	n/a	75%	n/a
DE	84%	756	88%	81%	n/a	88%	n/a	n/a	n/a	n/a
IN	85%	403	85%	n/a	n/a	85%	n/a	83%	n/a	97%
KS	90%	1,149	90%	n/a	n/a	n/a	n/a	91%	88%	n/a
KY	89%	395	89%	n/a	n/a	n/a	n/a	n/a	91%	75%
MA	82%	423	82%	n/a	n/a	n/a	93%	81%	n/a	n/a
MN	76%	335	76%	n/a	n/a	n/a	n/a	n/a	76%	n/a
MO	88%	2,086	88%	n/a	n/a	n/a	89%	n/a	87%	n/a
NC	77%	370	77%	n/a*	n/a*	n/a	81%	n/a	n/a	77%
ND	89%	367	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
NE	75%	625	76%	74%	n/a	n/a	76%	n/a	n/a	n/a
NH	82%	398	82%	n/a	n/a	n/a	n/a	82%	n/a	n/a
NJ	82%	700	84%	76%	88%	84%	n/a	n/a	n/a	n/a
NY	82%	374	82%	n/a	n/a*	83%	60%	n/a	n/a	n/a
OH	93%	1,492	93%	n/a	n/a	93%	n/a	93%	93%	n/a
OK	90%	794	90%	n/a	n/a	n/a	90%	n/a	n/a	89%
SD	90%	359	90%	n/a	n/a	n/a	88%	n/a	n/a*	n/a
TN	85%	672	89%	79%	89%	89%	n/a	n/a	n/a	n/a
VA	78%	383	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
WA	82%	1,526	83%	75%	n/a	n/a	n/a	n/a	n/a	n/a
WI	87%	1,628	87%	n/a	n/a	89%	85%	n/a	n/a	n/a
Weighted NCI-AD Average	84%	18,551	84%	75%	98%	84%	84%	88%	83%	82%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Went to the emergency room for any reason in the past 12 months




Table 98. Went to the emergency room for any reason in the past 12 months*Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	44%	593	39%	49%	n/a	n/a	39%	n/a	n/a	n/a
AZ	42%	379	42%	n/a	n/a	42%	n/a	n/a	n/a	n/a
CA	40%	1,149	40%	n/a	n/a	n/a	40%	n/a	n/a	n/a
CO	47%	1,217	47%	n/a	n/a	n/a	48%	n/a	44%	n/a
DE	29%	810	37%	22%	n/a	37%	n/a	n/a	n/a	n/a
IN	53%	367	53%	n/a	n/a	53%	n/a	58%	n/a	35%
KS	43%	1,143	43%	n/a	n/a	n/a	n/a	40%	45%	n/a
KY	39%	402	39%	n/a	n/a	n/a	n/a	n/a	38%	44%
MA	48%	447	48%	n/a	n/a	n/a	41%	48%	n/a	n/a
MN	43%	346	43%	n/a	n/a	n/a	n/a	n/a	43%	n/a
MO	42%	2,072	42%	n/a	n/a	n/a	42%	n/a	33%	n/a
NC	53%	366	53%	n/a*	n/a*	n/a	54%	n/a	n/a	45%
ND	42%	366	42%	n/a	n/a	n/a	42%	n/a	n/a	n/a
NE	36%	628	43%	23%	n/a	n/a	43%	n/a	n/a	n/a
NH	49%	394	49%	n/a	n/a	n/a	n/a	49%	n/a	n/a
NJ	33%	714	38%	21%	39%	38%	n/a	n/a	n/a	n/a
NY	36%	375	36%	n/a	n/a*	36%	34%	n/a	n/a	n/a
OH	46%	1,493	46%	n/a	n/a	41%	n/a	49%	56%	n/a
OK	46%	793	46%	n/a	n/a	n/a	52%	n/a	n/a	36%
SD	47%	355	47%	n/a	n/a	n/a	49%	n/a	n/a*	n/a
TN	33%	676	38%	27%	39%	38%	n/a	n/a	n/a	n/a
VA	47%	398	47%	n/a	n/a	47%	n/a	n/a	n/a	n/a
WA	56%	1,565	54%	62%	n/a	n/a	n/a	n/a	n/a	n/a
WI	50%	1,626	50%	n/a	n/a	51%	49%	n/a	n/a	n/a
Weighted NCI-AD Average	42%	18,674	42%	42%	40%	39%	42%	50%	44%	41%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*

Has gone to the emergency room
in the past 12 months due to
falling or losing balance




Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	25%	239	24%	26%	n/a	n/a	24%	n/a	n/a	n/a
AZ	32%	157	32%	n/a	n/a	32%	n/a	n/a	n/a	n/a
CA	27%	445	27%	n/a	n/a	n/a	27%	n/a	n/a	n/a
CO	31%	560	31%	n/a	n/a	n/a	31%	n/a	14%	n/a
DE	23%	259	32%	11%	n/a	32%	n/a	n/a	n/a	n/a
IN	32%	180	32%	n/a	n/a	39%	n/a	17%	n/a	n/a*
KS	24%	489	24%	n/a	n/a	n/a	n/a	25%	22%	n/a
KY	34%	165	34%	n/a	n/a	n/a	n/a	n/a	35%	24%
MA	46%	208	46%	n/a	n/a	n/a	27%	49%	n/a	n/a
MN	22%	148	22%	n/a	n/a	n/a	n/a	n/a	22%	n/a
MO	28%	835	28%	n/a	n/a	n/a	28%	n/a	25%	n/a
NC	41%	182	41%	n/a*	n/a*	n/a	30%	n/a	n/a	32%
ND	28%	151	28%	n/a	n/a	n/a	28%	n/a	n/a	n/a
NE	35%	243	33%	40%	n/a	n/a	33%	n/a	n/a	n/a
NH	34%	183	34%	n/a	n/a	n/a	n/a	34%	n/a	n/a
NJ	30%	252	29%	32%	26%	29%	n/a	n/a	n/a	n/a
NY	30%	137	30%	n/a	n/a*	30%	n/a*	n/a	n/a	n/a
OH	26%	708	26%	n/a	n/a	30%	n/a	24%	21%	n/a
OK	25%	379	25%	n/a	n/a	n/a	21%	n/a	n/a	37%
SD	28%	173	28%	n/a	n/a	n/a	29%	n/a	n/a*	n/a
TN	29%	223	27%	34%	n/a*	27%	n/a	n/a	n/a	n/a
VA	17%	176	17%	n/a	n/a	17%	n/a	n/a	n/a	n/a
WA	30%	848	29%	38%	n/a	n/a	n/a	n/a	n/a	n/a
WI	29%	812	29%	n/a	n/a	29%	27%	n/a	n/a	n/a
Weighted NCI-AD Average	27%	8,152	27%	46%	9%	31%	25%	26%	24%	33%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Has gone to the emergency room
in the past 12 months due to
tooth or mouth pain




Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	7%	238	5%	8%	n/a	n/a	5%	n/a	n/a	n/a
AZ	2%	157	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
CA	3%	444	3%	n/a	n/a	n/a	3%	n/a	n/a	n/a
CO	4%	563	4%	n/a	n/a	n/a	4%	n/a	3%	n/a
DE	5%	260	6%	3%	n/a	6%	n/a	n/a	n/a	n/a
IN	5%	183	5%	n/a	n/a	6%	n/a	2%	n/a	n/a*
KS	2%	480	2%	n/a	n/a	n/a	n/a	1%	2%	n/a
KY	1%	164	1%	n/a	n/a	n/a	n/a	n/a	1%	1%
MA	6%	207	6%	n/a	n/a	n/a	5%	6%	n/a	n/a
MN	4%	147	4%	n/a	n/a	n/a	n/a	n/a	4%	n/a
MO	5%	830	5%	n/a	n/a	n/a	5%	n/a	3%	n/a
NC	1%	182	1%	n/a*	n/a*	n/a	2%	n/a	n/a	0%
ND	2%	151	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
NE	2%	243	3%	0%	n/a	n/a	3%	n/a	n/a	n/a
NH	3%	180	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
NJ	0%	250	1%	0%	0%	1%	n/a	n/a	n/a	n/a
NY	3%	136	3%	n/a	n/a*	3%	n/a*	n/a	n/a	n/a
OH	2%	710	2%	n/a	n/a	2%	n/a	2%	4%	n/a
OK	1%	376	1%	n/a	n/a	n/a	1%	n/a	n/a	0%
SD	3%	173	3%	n/a	n/a	n/a	3%	n/a	n/a*	n/a
TN	3%	220	4%	0%	n/a*	4%	n/a	n/a	n/a	n/a
VA	5%	176	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	1%	848	1%	0%	n/a	n/a	n/a	n/a	n/a	n/a
WI	3%	809	3%	n/a	n/a	1%	5%	n/a	n/a	n/a
Weighted NCI-AD Average	3%	8,127	3%	2%	0%	3%	3%	3%	3%	0%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Has gone to the emergency room
in the past 12 months due to
not being able to see their
primary care physician




Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	13%	232	17%	10%	n/a	n/a	17%	n/a	n/a	n/a
AZ	4%	156	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
CA	13%	436	13%	n/a	n/a	n/a	13%	n/a	n/a	n/a
CO	12%	562	12%	n/a	n/a	n/a	13%	n/a	6%	n/a
DE	8%	257	12%	4%	n/a	12%	n/a	n/a	n/a	n/a
IN	10%	180	10%	n/a	n/a	9%	n/a	9%	n/a	n/a*
KS	4%	479	4%	n/a	n/a	n/a	n/a	3%	3%	n/a
KY	3%	163	3%	n/a	n/a	n/a	n/a	n/a	3%	0%
MA	8%	204	8%	n/a	n/a	n/a	9%	8%	n/a	n/a
MN	7%	147	7%	n/a	n/a	n/a	n/a	n/a	7%	n/a
MO	8%	828	8%	n/a	n/a	n/a	8%	n/a	4%	n/a
NC	11%	182	11%	n/a*	n/a*	n/a	16%	n/a	n/a	8%
ND	3%	148	3%	n/a	n/a	n/a	3%	n/a	n/a	n/a
NE	17%	243	17%	17%	n/a	n/a	17%	n/a	n/a	n/a
NH	12%	177	12%	n/a	n/a	n/a	n/a	12%	n/a	n/a
NJ	3%	249	4%	0%	0%	4%	n/a	n/a	n/a	n/a
NY	3%	135	3%	n/a	n/a*	2%	n/a*	n/a	n/a	n/a
OH	3%	709	3%	n/a	n/a	4%	n/a	2%	5%	n/a
OK	5%	377	5%	n/a	n/a	n/a	6%	n/a	n/a	5%
SD	6%	172	6%	n/a	n/a	n/a	7%	n/a	n/a*	n/a
TN	11%	219	14%	3%	n/a*	14%	n/a	n/a	n/a	n/a
VA	17%	174	17%	n/a	n/a	17%	n/a	n/a	n/a	n/a
WA	5%	843	4%	5%	n/a	n/a	n/a	n/a	n/a	n/a
WI	15%	795	15%	n/a	n/a	12%	21%	n/a	n/a	n/a
Weighted NCI-AD Average	10%	8,067	10%	5%	1%	5%	13%	6%	6%	7%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*

Had a physical exam/wellness visit in the past 12 months




Table 102. Had a physical exam/wellness visit in the past 12 months

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	84%	580	83%	85%	n/a	n/a	83%	n/a	n/a	n/a
AZ	80%	359	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
CA	88%	1,105	88%	n/a	n/a	n/a	88%	n/a	n/a	n/a
CO	85%	1,201	85%	n/a	n/a	n/a	85%	n/a	80%	n/a
DE	78%	788	81%	75%	n/a	81%	n/a	n/a	n/a	n/a
IN	94%	399	94%	n/a	n/a	95%	n/a	92%	n/a	100%
KS	88%	1,125	88%	n/a	n/a	n/a	n/a	90%	87%	n/a
KY	85%	399	85%	n/a	n/a	n/a	n/a	n/a	85%	83%
MA	89%	442	89%	n/a	n/a	n/a	93%	89%	n/a	n/a
MN	80%	343	80%	n/a	n/a	n/a	n/a	n/a	80%	n/a
MO	86%	2,055	86%	n/a	n/a	n/a	86%	n/a	88%	n/a
NC	83%	368	83%	n/a*	n/a*	n/a	87%	n/a	n/a	78%
ND	84%	360	84%	n/a	n/a	n/a	84%	n/a	n/a	n/a
NE	86%	616	87%	85%	n/a	n/a	87%	n/a	n/a	n/a
NH	83%	387	83%	n/a	n/a	n/a	n/a	83%	n/a	n/a
NJ	94%	715	93%	97%	93%	93%	n/a	n/a	n/a	n/a
NY	90%	374	90%	n/a	n/a*	90%	97%	n/a	n/a	n/a
OH	94%	1,507	94%	n/a	n/a	95%	n/a	94%	95%	n/a
OK	89%	790	89%	n/a	n/a	n/a	91%	n/a	n/a	86%
SD	81%	353	81%	n/a	n/a	n/a	83%	n/a	n/a*	n/a
TN	88%	689	88%	87%	94%	88%	n/a	n/a	n/a	n/a
VA	81%	392	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
WA	77%	1,521	80%	61%	n/a	n/a	n/a	n/a	n/a	n/a
WI	89%	1,588	89%	n/a	n/a	89%	89%	n/a	n/a	n/a
Weighted NCI-AD Average	87%	18,456	87%	82%	99%	90%	87%	92%	84%	82%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Had a hearing exam in the past 4 years




Table 103. Had a hearing exam in the past 4 years*Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	38%	495	37%	40%	n/a	n/a	37%	n/a	n/a	n/a
AZ	46%	298	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
CA	54%	824	54%	n/a	n/a	n/a	54%	n/a	n/a	n/a
CO	41%	1,006	41%	n/a	n/a	n/a	41%	n/a	30%	n/a
DE	45%	597	37%	53%	n/a	37%	n/a	n/a	n/a	n/a
IN	47%	300	47%	n/a	n/a	54%	n/a	31%	n/a	57%
KS	34%	907	34%	n/a	n/a	n/a	n/a	40%	28%	n/a
KY	39%	335	39%	n/a	n/a	n/a	n/a	n/a	37%	54%
MA	63%	348	63%	n/a	n/a	n/a	70%	61%	n/a	n/a
MN	47%	237	47%	n/a	n/a	n/a	n/a	n/a	47%	n/a
MO	41%	1,430	41%	n/a	n/a	n/a	41%	n/a	38%	n/a
NC	50%	309	50%	n/a*	n/a*	n/a	50%	n/a	n/a	52%
ND	46%	245	46%	n/a	n/a	n/a	46%	n/a	n/a	n/a
NE	45%	570	45%	46%	n/a	n/a	45%	n/a	n/a	n/a
NH	48%	258	48%	n/a	n/a	n/a	n/a	48%	n/a	n/a
NJ	53%	482	52%	56%	70%	51%	n/a	n/a	n/a	n/a
NY	56%	316	56%	n/a	n/a*	57%	45%	n/a	n/a	n/a
OH	35%	1,288	35%	n/a	n/a	37%	n/a	34%	23%	n/a
OK	36%	623	36%	n/a	n/a	n/a	29%	n/a	n/a	53%
SD	39%	317	39%	n/a	n/a	n/a	39%	n/a	n/a*	n/a
TN	54%	385	51%	58%	61%	51%	n/a	n/a	n/a	n/a
VA	42%	287	42%	n/a	n/a	42%	n/a	n/a	n/a	n/a
WA	40%	1,161	42%	29%	n/a	n/a	n/a	n/a	n/a	n/a
WI	46%	1,236	46%	n/a	n/a	43%	53%	n/a	n/a	n/a
Weighted NCI-AD Average	49%	14,254	49%	43%	45%	52%	50%	39%	39%	53%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*




Table 104. Had a vision exam in the past 12 months

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	56%	580	51%	61%	n/a	n/a	51%	n/a	n/a	n/a
AZ	63%	369	63%	n/a	n/a	63%	n/a	n/a	n/a	n/a
CA	68%	1,115	68%	n/a	n/a	n/a	68%	n/a	n/a	n/a
CO	57%	1,209	57%	n/a	n/a	n/a	57%	n/a	55%	n/a
DE	68%	782	61%	74%	n/a	61%	n/a	n/a	n/a	n/a
IN	65%	359	65%	n/a	n/a	66%	n/a	63%	n/a	68%
KS	65%	1,112	65%	n/a	n/a	n/a	n/a	65%	67%	n/a
KY	62%	395	62%	n/a	n/a	n/a	n/a	n/a	61%	68%
MA	64%	437	64%	n/a	n/a	n/a	65%	64%	n/a	n/a
MN	63%	337	63%	n/a	n/a	n/a	n/a	n/a	63%	n/a
MO	66%	2,066	66%	n/a	n/a	n/a	66%	n/a	60%	n/a
NC	66%	362	66%	n/a*	n/a*	n/a	64%	n/a	n/a	63%
ND	65%	360	65%	n/a	n/a	n/a	65%	n/a	n/a	n/a
NE	53%	610	53%	53%	n/a	n/a	53%	n/a	n/a	n/a
NH	55%	386	55%	n/a	n/a	n/a	n/a	55%	n/a	n/a
NJ	74%	662	70%	84%	81%	69%	n/a	n/a	n/a	n/a
NY	75%	364	75%	n/a	n/a*	77%	50%	n/a	n/a	n/a
OH	60%	1,493	60%	n/a	n/a	63%	n/a	59%	50%	n/a
OK	58%	785	58%	n/a	n/a	n/a	57%	n/a	n/a	60%
SD	57%	356	57%	n/a	n/a	n/a	59%	n/a	n/a*	n/a
TN	55%	639	52%	58%	81%	52%	n/a	n/a	n/a	n/a
VA	53%	396	53%	n/a	n/a	53%	n/a	n/a	n/a	n/a
WA	54%	1,537	55%	49%	n/a	n/a	n/a	n/a	n/a	n/a
WI	65%	1,588	65%	n/a	n/a	63%	68%	n/a	n/a	n/a
Weighted NCI-AD Average	65%	18,299	65%	63%	97%	71%	64%	61%	61%	63%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Had a dental visit in the past 12 months




Table 105. Had a dental visit in the past 12 months

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	44%	578	34%	53%	n/a	n/a	34%	n/a	n/a	n/a
AZ	50%	346	50%	n/a	n/a	50%	n/a	n/a	n/a	n/a
CA	61%	1,102	61%	n/a	n/a	n/a	61%	n/a	n/a	n/a
CO	49%	1,205	49%	n/a	n/a	n/a	48%	n/a	58%	n/a
DE	51%	777	48%	54%	n/a	48%	n/a	n/a	n/a	n/a
IN	46%	349	46%	n/a	n/a	41%	n/a	54%	n/a	48%
KS	41%	1,111	41%	n/a	n/a	n/a	n/a	38%	43%	n/a
KY	44%	399	44%	n/a	n/a	n/a	n/a	n/a	43%	48%
MA	49%	438	49%	n/a	n/a	n/a	56%	46%	n/a	n/a
MN	58%	344	58%	n/a	n/a	n/a	n/a	n/a	58%	n/a
MO	49%	2,022	49%	n/a	n/a	n/a	48%	n/a	57%	n/a
NC	47%	352	47%	n/a*	n/a*	n/a	56%	n/a	n/a	40%
ND	46%	326	46%	n/a	n/a	n/a	46%	n/a	n/a	n/a
NE	61%	608	53%	74%	n/a	n/a	53%	n/a	n/a	n/a
NH	35%	386	35%	n/a	n/a	n/a	n/a	35%	n/a	n/a
NJ	60%	674	55%	74%	70%	54%	n/a	n/a	n/a	n/a
NY	62%	351	62%	n/a	n/a*	63%	52%	n/a	n/a	n/a
OH	39%	1,391	39%	n/a	n/a	41%	n/a	36%	43%	n/a
OK	37%	776	37%	n/a	n/a	n/a	38%	n/a	n/a	36%
SD	45%	348	45%	n/a	n/a	n/a	52%	n/a	n/a*	n/a
TN	41%	638	35%	48%	67%	34%	n/a	n/a	n/a	n/a
VA	47%	375	47%	n/a	n/a	47%	n/a	n/a	n/a	n/a
WA	40%	1,498	40%	36%	n/a	n/a	n/a	n/a	n/a	n/a
WI	51%	1,543	51%	n/a	n/a	47%	58%	n/a	n/a	n/a
Weighted NCI-AD Average	54%	17,937	54%	49%	81%	56%	56%	42%	51%	39%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Had a flu shot in the past 12 months




Table 106. Had a flu shot in the past 12 months

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	69%	569	59%	78%	n/a	n/a	59%	n/a	n/a	n/a
AZ	67%	363	67%	n/a	n/a	67%	n/a	n/a	n/a	n/a
CA	70%	1,111	70%	n/a	n/a	n/a	70%	n/a	n/a	n/a
CO	61%	1,207	61%	n/a	n/a	n/a	62%	n/a	52%	n/a
DE	74%	791	60%	84%	n/a	60%	n/a	n/a	n/a	n/a
IN	72%	342	72%	n/a	n/a	80%	n/a	56%	n/a	80%
KS	68%	1,115	68%	n/a	n/a	n/a	n/a	72%	63%	n/a
KY	56%	393	56%	n/a	n/a	n/a	n/a	n/a	54%	68%
MA	71%	431	71%	n/a	n/a	n/a	70%	69%	n/a	n/a
MN	53%	333	53%	n/a	n/a	n/a	n/a	n/a	53%	n/a
MO	56%	1,992	56%	n/a	n/a	n/a	56%	n/a	60%	n/a
NC	66%	364	66%	n/a*	n/a*	n/a	64%	n/a	n/a	66%
ND	65%	356	65%	n/a	n/a	n/a	65%	n/a	n/a	n/a
NE	80%	606	75%	89%	n/a	n/a	75%	n/a	n/a	n/a
NH	68%	392	68%	n/a	n/a	n/a	n/a	68%	n/a	n/a
NJ	79%	699	76%	86%	86%	75%	n/a	n/a	n/a	n/a
NY	65%	359	65%	n/a	n/a*	65%	56%	n/a	n/a	n/a
OH	65%	1,462	65%	n/a	n/a	67%	n/a	65%	52%	n/a
OK	60%	778	60%	n/a	n/a	n/a	55%	n/a	n/a	69%
SD	70%	350	70%	n/a	n/a	n/a	72%	n/a	n/a*	n/a
TN	75%	652	66%	87%	83%	66%	n/a	n/a	n/a	n/a
VA	47%	386	47%	n/a	n/a	47%	n/a	n/a	n/a	n/a
WA	65%	1,519	64%	70%	n/a	n/a	n/a	n/a	n/a	n/a
WI	66%	1,591	66%	n/a	n/a	68%	63%	n/a	n/a	n/a
Weighted NCI-AD Average	64%	18,161	64%	76%	84%	67%	64%	65%	54%	68%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Received the COVID-19 Vaccine




Table 107. Received the COVID-19 Vaccine*Proxy respondents were allowed for this question.*

State	Fully vaccinated and received at least one booster	Fully vaccinated, but not received a booster	Partially vaccinated	Not vaccinated at all	Observed N
AL	50%	21%	5%	25%	580
AZ	62%	11%	6%	21%	358
CA	65%	12%	8%	15%	1,097
CO	55%	11%	9%	25%	1,216
DE	78%	6%	4%	12%	777
IN	48%	17%	13%	22%	343
KS	63%	8%	4%	25%	1,113
KY	60%	1%	0%	39%	391
MA	72%	13%	1%	14%	437
MN	62%	12%	6%	20%	332
MO	51%	13%	8%	28%	2,002
NC	49%	20%	13%	18%	360
ND	49%	8%	12%	31%	359
NE	60%	16%	8%	16%	611
NH	69%	12%	4%	15%	386
NJ	77%	8%	5%	11%	679
NY	58%	18%	9%	16%	362
OH	61%	12%	3%	25%	1,466
OK	50%	15%	8%	27%	778
SD	60%	8%	15%	18%	353
TN	45%	18%	12%	25%	605
VA	53%	14%	5%	29%	393
WA	72%	8%	5%	16%	1,525
WI	63%	10%	5%	22%	1,598
Weighted NCI-AD Average	60%	14%	7%	19%	18,121

Wellness

Has access to healthy foods when they want them




Table 108. Has access to healthy foods when they want them

Response options of “No” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	88%	577	86%	90%	n/a	n/a	86%	n/a	n/a	n/a
AZ	84%	381	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
CA	94%	1,185	94%	n/a	n/a	n/a	94%	n/a	n/a	n/a
CO	86%	1,221	86%	n/a	n/a	n/a	86%	n/a	76%	n/a
DE	80%	815	84%	77%	n/a	84%	n/a	n/a	n/a	n/a
IN	85%	358	85%	n/a	n/a	87%	n/a	79%	n/a	86%
KS	86%	1,164	86%	n/a	n/a	n/a	n/a	89%	82%	n/a
KY	87%	404	87%	n/a	n/a	n/a	n/a	n/a	87%	91%
MA	90%	440	90%	n/a	n/a	n/a	97%	88%	n/a	n/a
MN	80%	344	80%	n/a	n/a	n/a	n/a	n/a	80%	n/a
MO	87%	2,134	87%	n/a	n/a	n/a	87%	n/a	88%	n/a
NC	77%	366	77%	n/a*	n/a*	n/a	77%	n/a	n/a	76%
ND	90%	376	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
NE	87%	633	86%	90%	n/a	n/a	86%	n/a	n/a	n/a
NH	85%	395	85%	n/a	n/a	n/a	n/a	85%	n/a	n/a
NJ	86%	706	92%	71%	96%	92%	n/a	n/a	n/a	n/a
NY	88%	383	88%	n/a	n/a*	89%	76%	n/a	n/a	n/a
OH	90%	1,506	90%	n/a	n/a	89%	n/a	93%	89%	n/a
OK	90%	788	90%	n/a	n/a	n/a	91%	n/a	n/a	89%
SD	89%	357	89%	n/a	n/a	n/a	86%	n/a	n/a*	n/a
TN	85%	723	85%	85%	89%	85%	n/a	n/a	n/a	n/a
VA	86%	401	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
WA	86%	1,575	87%	82%	n/a	n/a	n/a	n/a	n/a	n/a
WI	88%	1,658	88%	n/a	n/a	88%	90%	n/a	n/a	n/a
Weighted NCI-AD Average	89%	18,890	89%	79%	86%	88%	91%	88%	83%	82%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Overall Health




Table 109. Overall health*Proxy respondents were allowed for this question.*

State	Excellent	Very Good	Good	Fair	Poor	Observed N
AL	2%	11%	30%	38%	19%	590
AZ	3%	14%	30%	35%	18%	381
CA	5%	11%	32%	35%	17%	1,182
CO	4%	13%	35%	31%	18%	1,227
DE	6%	16%	32%	35%	10%	817
IN	1%	6%	30%	38%	26%	371
KS	2%	7%	31%	41%	19%	1,166
KY	3%	7%	27%	34%	29%	406
MA	3%	11%	34%	32%	20%	442
MN	5%	14%	29%	36%	15%	349
MO	3%	11%	26%	40%	20%	2,153
NC	5%	10%	36%	34%	14%	372
ND	3%	16%	30%	35%	15%	369
NE	3%	14%	42%	31%	9%	624
NH	4%	14%	32%	31%	19%	403
NJ	2%	6%	35%	43%	13%	714
NY	5%	5%	35%	36%	19%	382
OH	2%	10%	28%	42%	17%	1,504
OK	2%	11%	30%	39%	18%	800
SD	5%	16%	33%	33%	13%	359
TN	2%	5%	29%	44%	20%	719
VA	5%	13%	31%	38%	13%	399
WA	4%	12%	32%	36%	16%	1,575
WI	3%	10%	31%	37%	20%	1,643
Weighted NCI-AD Average	4%	10%	32%	37%	17%	18,947

Health compared to 12 months ago




Table 110. Health compared to 12 months ago*Proxy respondents were allowed for this question.*

State	Much Better	Somewhat Better	About the same	Somewhat worse	Much worse	Observed N
AL	8%	16%	49%	22%	5%	588
AZ	8%	15%	43%	24%	11%	382
CA	6%	17%	48%	25%	5%	1,175
CO	8%	14%	45%	27%	7%	1,223
DE	7%	16%	57%	17%	3%	812
IN	5%	13%	45%	26%	10%	365
KS	7%	14%	44%	28%	8%	1,166
KY	2%	6%	56%	24%	11%	403
MA	9%	15%	42%	25%	8%	441
MN	10%	21%	42%	21%	7%	349
MO	5%	17%	46%	26%	7%	2,139
NC	5%	19%	48%	21%	7%	367
ND	7%	12%	49%	23%	8%	371
NE	4%	16%	57%	16%	7%	627
NH	12%	14%	41%	24%	10%	397
NJ	4%	14%	62%	17%	3%	716
NY	4%	10%	44%	35%	7%	382
OH	4%	14%	47%	29%	6%	1,511
OK	6%	12%	44%	32%	6%	801
SD	8%	16%	50%	21%	4%	359
TN	4%	13%	54%	25%	5%	710
VA	16%	11%	46%	20%	7%	400
WA	8%	19%	39%	26%	8%	1,565
WI	7%	14%	45%	26%	7%	1,636
Weighted NCI-AD Average	7%	14%	47%	26%	6%	18,885

In the past 12 months, forgets things more often than before




Table 111. In the past 12 months, forgets things more often than before

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	43%	558	39%	46%	n/a	n/a	39%	n/a	n/a	n/a
AZ	55%	375	55%	n/a	n/a	55%	n/a	n/a	n/a	n/a
CA	49%	1,131	49%	n/a	n/a	n/a	49%	n/a	n/a	n/a
CO	56%	1,189	56%	n/a	n/a	n/a	57%	n/a	38%	n/a
DE	41%	770	41%	41%	n/a	41%	n/a	n/a	n/a	n/a
IN	55%	350	55%	n/a	n/a	59%	n/a	52%	n/a	39%
KS	37%	1,120	37%	n/a	n/a	n/a	n/a	37%	35%	n/a
KY	44%	396	44%	n/a	n/a	n/a	n/a	n/a	44%	44%
MA	47%	435	47%	n/a	n/a	n/a	31%	51%	n/a	n/a
MN	53%	331	53%	n/a	n/a	n/a	n/a	n/a	53%	n/a
MO	45%	2,034	45%	n/a	n/a	n/a	46%	n/a	33%	n/a
NC	48%	358	48%	n/a*	n/a*	n/a	43%	n/a	n/a	48%
ND	44%	369	44%	n/a	n/a	n/a	44%	n/a	n/a	n/a
NE	38%	617	40%	34%	n/a	n/a	40%	n/a	n/a	n/a
NH	54%	392	54%	n/a	n/a	n/a	n/a	54%	n/a	n/a
NJ	39%	662	41%	34%	28%	41%	n/a	n/a	n/a	n/a
NY	53%	370	53%	n/a	n/a*	55%	33%	n/a	n/a	n/a
OH	41%	1,489	41%	n/a	n/a	41%	n/a	43%	35%	n/a
OK	54%	770	54%	n/a	n/a	n/a	53%	n/a	n/a	55%
SD	35%	358	35%	n/a	n/a	n/a	37%	n/a	n/a*	n/a
TN	41%	677	36%	49%	40%	36%	n/a	n/a	n/a	n/a
VA	46%	388	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
WA	51%	1,531	52%	44%	n/a	n/a	n/a	n/a	n/a	n/a
WI	50%	1,623	50%	n/a	n/a	47%	56%	n/a	n/a	n/a
Weighted NCI-AD Average	49%	18,293	49%	45%	60%	52%	48%	46%	46%	50%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)




Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)

Response options of “No” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	72%	189	65%	77%	n/a	n/a	65%	n/a	n/a	n/a
AZ	67%	200	67%	n/a	n/a	67%	n/a	n/a	n/a	n/a
CA	75%	521	75%	n/a	n/a	n/a	75%	n/a	n/a	n/a
CO	68%	650	68%	n/a	n/a	n/a	67%	n/a	82%	n/a
DE	63%	309	64%	62%	n/a	64%	n/a	n/a	n/a	n/a
IN	81%	171	81%	n/a	n/a	83%	n/a	74%	n/a	n/a*
KS	69%	405	69%	n/a	n/a	n/a	n/a	69%	67%	n/a
KY	83%	173	83%	n/a	n/a	n/a	n/a	n/a	83%	79%
MA	68%	185	68%	n/a	n/a	n/a	78%	68%	n/a	n/a
MN	68%	175	68%	n/a	n/a	n/a	n/a	n/a	68%	n/a
MO	59%	769	59%	n/a	n/a	n/a	59%	n/a	49%	n/a
NC	52%	160	52%	n/a*	n/a	n/a	62%	n/a	n/a	45%
ND	60%	157	60%	n/a	n/a	n/a	60%	n/a	n/a	n/a
NE	72%	236	70%	75%	n/a	n/a	70%	n/a	n/a	n/a
NH	69%	205	69%	n/a	n/a	n/a	n/a	69%	n/a	n/a
NJ	86%	243	86%	84%	39%	87%	n/a	n/a	n/a	n/a
NY	81%	193	81%	n/a	n/a*	82%	n/a*	n/a	n/a	n/a
OH	73%	598	73%	n/a	n/a	75%	n/a	71%	72%	n/a
OK	51%	400	51%	n/a	n/a	n/a	53%	n/a	n/a	47%
SD	72%	139	72%	n/a	n/a	n/a	71%	n/a	n/a*	n/a
TN	71%	243	74%	66%	n/a*	75%	n/a	n/a	n/a	n/a
VA	57%	169	57%	n/a	n/a	57%	n/a	n/a	n/a	n/a
WA	59%	773	61%	43%	n/a	n/a	n/a	n/a	n/a	n/a
WI	74%	797	74%	n/a	n/a	73%	74%	n/a	n/a	n/a
Weighted NCI-AD Average	71%	8,060	71%	59%	49%	79%	70%	71%	71%	49%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Amount of physical activity per week




Table 113. Amount of physical activity per week*Proxy respondents were allowed for this question.*

State	Does not exercise	Less than one hour	One to two hours	More than two hours	Observed N
AL	41%	20%	22%	17%	592
AZ	35%	21%	18%	25%	382
CA	21%	26%	24%	30%	1,132
CO	22%	17%	27%	34%	1,219
DE	41%	24%	16%	18%	817
IN	43%	24%	20%	13%	365
KS	41%	14%	17%	28%	1,154
KY	58%	12%	13%	16%	404
MA	34%	20%	17%	28%	441
MN	25%	23%	24%	27%	338
MO	24%	20%	26%	30%	2,119
NC	30%	28%	26%	16%	369
ND	36%	24%	20%	21%	362
NE	28%	21%	37%	14%	623
NH	26%	17%	28%	29%	386
NJ	43%	25%	17%	14%	690
NY	41%	19%	20%	20%	378
OH	44%	20%	17%	20%	1,511
OK	31%	22%	21%	26%	797
SD	27%	21%	23%	28%	357
TN	57%	21%	15%	7%	682
VA	25%	15%	19%	41%	395
WA	26%	18%	30%	26%	1,535
WI	34%	17%	19%	29%	1,620
Weighted NCI-AD Average	30%	21%	22%	27%	18,668

Often feels lonely




Table 114. Often feels lonely

Response options of “Not often, never or almost never” and “Sometimes” were collapsed

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	21%	306	17%	n/a*	n/a	n/a	17%	n/a	n/a	n/a
AZ	20%	211	20%	n/a	n/a	20%	n/a	n/a	n/a	n/a
CA	15%	643	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
CO	18%	983	18%	n/a	n/a	n/a	18%	n/a	11%	n/a
DE	24%	636	19%	27%	n/a	19%	n/a	n/a	n/a	n/a
IN	20%	241	20%	n/a	n/a	18%	n/a	27%	n/a	11%
KS	15%	900	15%	n/a	n/a	n/a	n/a	10%	17%	n/a
KY	11%	290	11%	n/a	n/a	n/a	n/a	n/a	12%	9%
MA	19%	308	19%	n/a	n/a	n/a	16%	19%	n/a	n/a
MN	32%	298	32%	n/a	n/a	n/a	n/a	n/a	32%	n/a
MO	18%	1,447	18%	n/a	n/a	n/a	18%	n/a	17%	n/a
NC	13%	322	13%	n/a*	n/a*	n/a	19%	n/a	n/a	10%
ND	20%	289	20%	n/a	n/a	n/a	20%	n/a	n/a	n/a
NE	11%	565	10%	11%	n/a	n/a	10%	n/a	n/a	n/a
NH	30%	338	30%	n/a	n/a	n/a	n/a	30%	n/a	n/a
NJ	11%	533	11%	11%	5%	11%	n/a	n/a	n/a	n/a
NY	16%	199	16%	n/a	n/a*	16%	n/a*	n/a	n/a	n/a
OH	17%	1,260	17%	n/a	n/a	17%	n/a	15%	23%	n/a
OK	17%	613	17%	n/a	n/a	n/a	15%	n/a	n/a	21%
SD	28%	336	28%	n/a	n/a	n/a	28%	n/a	n/a*	n/a
TN	14%	418	12%	16%	3%	12%	n/a	n/a	n/a	n/a
VA	17%	308	17%	n/a	n/a	17%	n/a	n/a	n/a	n/a
WA	29%	1,401	29%	26%	n/a	n/a	n/a	n/a	n/a	n/a
WI	20%	1,236	20%	n/a	n/a	23%	15%	n/a	n/a	n/a
Weighted NCI-AD Average	17%	14,081	17%	14%	1%	17%	16%	19%	25%	14%

Programs with low response rates of fewer than 20 are denoted with “n/a”.*

Affordability

Ever has to skip meals due to financial worries




Table 115. Ever has to skip meals due to financial worries

Response options of “Yes, often” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	6%	580	11%	3%	n/a	n/a	11%	n/a	n/a	n/a
AZ	6%	384	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
CA	13%	1,184	13%	n/a	n/a	n/a	13%	n/a	n/a	n/a
CO	13%	1,223	13%	n/a	n/a	n/a	13%	n/a	32%	n/a
DE	5%	824	11%	1%	n/a	11%	n/a	n/a	n/a	n/a
IN	11%	357	11%	n/a	n/a	8%	n/a	19%	n/a	6%
KS	13%	1,169	13%	n/a	n/a	n/a	n/a	8%	19%	n/a
KY	9%	399	9%	n/a	n/a	n/a	n/a	n/a	9%	9%
MA	12%	441	12%	n/a	n/a	n/a	6%	14%	n/a	n/a
MN	20%	347	20%	n/a	n/a	n/a	n/a	n/a	20%	n/a
MO	15%	2,137	15%	n/a	n/a	n/a	15%	n/a	12%	n/a
NC	15%	367	15%	n/a*	n/a*	n/a	21%	n/a	n/a	12%
ND	12%	378	12%	n/a	n/a	n/a	12%	n/a	n/a	n/a
NE	9%	632	13%	4%	n/a	n/a	13%	n/a	n/a	n/a
NH	11%	399	11%	n/a	n/a	n/a	n/a	11%	n/a	n/a
NJ	6%	706	7%	2%	13%	7%	n/a	n/a	n/a	n/a
NY	12%	382	12%	n/a	n/a*	12%	10%	n/a	n/a	n/a
OH	6%	1,509	6%	n/a	n/a	5%	n/a	5%	13%	n/a
OK	12%	788	12%	n/a	n/a	n/a	13%	n/a	n/a	10%
SD	13%	358	13%	n/a	n/a	n/a	15%	n/a	n/a*	n/a
TN	6%	719	9%	3%	0%	9%	n/a	n/a	n/a	n/a
VA	17%	399	17%	n/a	n/a	17%	n/a	n/a	n/a	n/a
WA	14%	1,571	16%	3%	n/a	n/a	n/a	n/a	n/a	n/a
WI	14%	1,669	14%	n/a	n/a	14%	14%	n/a	n/a	n/a
Weighted NCI-AD Average	13%	18,922	13%	2%	15%	11%	14%	10%	17%	11%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Safety

They or someone else has concerns about falling or being unstable




Table 116. They or someone else has concerns about falling or being unstable

Response options of “Yes, often” and “Sometimes” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	45%	601	43%	45%	n/a	n/a	43%	n/a	n/a	n/a
AZ	52%	386	52%	n/a	n/a	52%	n/a	n/a	n/a	n/a
CA	56%	1,307	56%	n/a	n/a	n/a	56%	n/a	n/a	n/a
CO	64%	1,240	64%	n/a	n/a	n/a	65%	n/a	37%	n/a
DE	51%	842	55%	48%	n/a	55%	n/a	n/a	n/a	n/a
IN	62%	385	62%	n/a	n/a	63%	n/a	57%	n/a	62%
KS	60%	1,192	60%	n/a	n/a	n/a	n/a	59%	62%	n/a
KY	55%	407	55%	n/a	n/a	n/a	n/a	n/a	53%	72%
MA	57%	467	57%	n/a	n/a	n/a	26%	63%	n/a	n/a
MN	49%	368	49%	n/a	n/a	n/a	n/a	n/a	49%	n/a
MO	54%	2,237	54%	n/a	n/a	n/a	54%	n/a	43%	n/a
NC	55%	373	55%	n/a*	n/a*	n/a	55%	n/a	n/a	62%
ND	60%	397	60%	n/a	n/a	n/a	60%	n/a	n/a	n/a
NE	54%	641	57%	49%	n/a	n/a	57%	n/a	n/a	n/a
NH	62%	405	62%	n/a	n/a	n/a	n/a	62%	n/a	n/a
NJ	49%	715	52%	42%	54%	52%	n/a	n/a	n/a	n/a
NY	64%	393	64%	n/a	n/a*	64%	65%	n/a	n/a	n/a
OH	59%	1,521	59%	n/a	n/a	59%	n/a	60%	56%	n/a
OK	65%	816	65%	n/a	n/a	n/a	67%	n/a	n/a	61%
SD	51%	363	51%	n/a	n/a	n/a	54%	n/a	n/a*	n/a
TN	52%	751	53%	49%	42%	54%	n/a	n/a	n/a	n/a
VA	49%	403	49%	n/a	n/a	49%	n/a	n/a	n/a	n/a
WA	59%	1,584	59%	59%	n/a	n/a	n/a	n/a	n/a	n/a
WI	54%	1,728	54%	n/a	n/a	53%	55%	n/a	n/a	n/a
Weighted NCI-AD Average	56%	19,522	56%	49%	50%	62%	55%	60%	51%	62%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)




Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	226	78%	90%	n/a	n/a	78%	n/a	n/a	n/a
AZ	87%	197	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
CA	80%	669	80%	n/a	n/a	n/a	80%	n/a	n/a	n/a
CO	86%	761	86%	n/a	n/a	n/a	87%	n/a	88%	n/a
DE	85%	440	81%	88%	n/a	81%	n/a	n/a	n/a	n/a
IN	89%	230	89%	n/a	n/a	92%	n/a	77%	n/a	100%
KS	90%	708	90%	n/a	n/a	n/a	n/a	92%	89%	n/a
KY	95%	256	95%	n/a	n/a	n/a	n/a	n/a	96%	88%
MA	89%	239	89%	n/a	n/a	n/a	93%	89%	n/a	n/a
MN	82%	173	82%	n/a	n/a	n/a	n/a	n/a	82%	n/a
MO	80%	1,021	80%	n/a	n/a	n/a	80%	n/a	83%	n/a
NC	78%	213	78%	n/a*	n/a	n/a	75%	n/a	n/a	75%
ND	86%	229	86%	n/a	n/a	n/a	86%	n/a	n/a	n/a
NE	95%	356	96%	93%	n/a	n/a	96%	n/a	n/a	n/a
NH	84%	245	84%	n/a	n/a	n/a	n/a	84%	n/a	n/a
NJ	93%	353	93%	95%	93%	93%	n/a	n/a	n/a	n/a
NY	87%	242	87%	n/a	n/a*	86%	n/a*	n/a	n/a	n/a
OH	90%	874	90%	n/a	n/a	91%	n/a	90%	85%	n/a
OK	81%	513	81%	n/a	n/a	n/a	80%	n/a	n/a	82%
SD	94%	191	94%	n/a	n/a	n/a	92%	n/a	n/a*	n/a
TN	86%	387	85%	87%	n/a*	85%	n/a	n/a	n/a	n/a
VA	71%	192	71%	n/a	n/a	71%	n/a	n/a	n/a	n/a
WA	81%	919	82%	77%	n/a	n/a	n/a	n/a	n/a	n/a
WI	91%	909	91%	n/a	n/a	91%	92%	n/a	n/a	n/a
Weighted NCI-AD Average	83%	10,543	83%	90%	98%	87%	80%	87%	86%	79%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Able to get to safety quickly in case of an emergency




Table 118. Able to get to safety quickly in case of an emergency

Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	578	87%	84%	n/a	n/a	87%	n/a	n/a	n/a
AZ	72%	370	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
CA	89%	1,257	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
CO	88%	1,173	88%	n/a	n/a	n/a	88%	n/a	95%	n/a
DE	87%	769	89%	86%	n/a	89%	n/a	n/a	n/a	n/a
IN	86%	360	86%	n/a	n/a	86%	n/a	85%	n/a	94%
KS	92%	1,123	92%	n/a	n/a	n/a	n/a	93%	90%	n/a
KY	80%	393	80%	n/a	n/a	n/a	n/a	n/a	80%	83%
MA	83%	446	83%	n/a	n/a	n/a	86%	81%	n/a	n/a
MN	89%	354	89%	n/a	n/a	n/a	n/a	n/a	89%	n/a
MO	91%	2,177	91%	n/a	n/a	n/a	91%	n/a	91%	n/a
NC	86%	364	86%	n/a*	n/a*	n/a	83%	n/a	n/a	84%
ND	89%	379	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
NE	69%	597	77%	53%	n/a	n/a	77%	n/a	n/a	n/a
NH	86%	390	86%	n/a	n/a	n/a	n/a	86%	n/a	n/a
NJ	83%	684	86%	76%	97%	86%	n/a	n/a	n/a	n/a
NY	81%	366	81%	n/a	n/a*	81%	85%	n/a	n/a	n/a
OH	89%	1,431	89%	n/a	n/a	90%	n/a	88%	87%	n/a
OK	90%	781	90%	n/a	n/a	n/a	91%	n/a	n/a	89%
SD	89%	344	89%	n/a	n/a	n/a	90%	n/a	n/a*	n/a
TN	79%	664	81%	76%	94%	80%	n/a	n/a	n/a	n/a
VA	94%	375	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
WA	79%	1,503	81%	69%	n/a	n/a	n/a	n/a	n/a	n/a
WI	90%	1,640	90%	n/a	n/a	89%	93%	n/a	n/a	n/a
Weighted NCI-AD Average	87%	18,518	87%	81%	86%	83%	90%	87%	87%	86%

Programs with low response rates of fewer than 20 are denoted with "n/a*".

Knows who to talk to if they are mistreated, hurt, disrespected by others




Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others

Response options of “No” and “Maybe, not sure” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	80%	308	81%	80%	n/a	n/a	81%	n/a	n/a	n/a
AZ	83%	213	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
CA	80%	739	80%	n/a	n/a	n/a	80%	n/a	n/a	n/a
CO	87%	976	87%	n/a	n/a	n/a	87%	n/a	95%	n/a
DE	77%	639	84%	72%	n/a	84%	n/a	n/a	n/a	n/a
IN	79%	254	79%	n/a	n/a	79%	n/a	79%	n/a	79%
KS	91%	923	91%	n/a	n/a	n/a	n/a	90%	92%	n/a
KY	83%	287	83%	n/a	n/a	n/a	n/a	n/a	84%	76%
MA	85%	323	85%	n/a	n/a	n/a	91%	84%	n/a	n/a
MN	78%	311	78%	n/a	n/a	n/a	n/a	n/a	78%	n/a
MO	84%	1,593	84%	n/a	n/a	n/a	84%	n/a	86%	n/a
NC	81%	322	81%	n/a*	n/a*	n/a	84%	n/a	n/a	80%
ND	84%	303	84%	n/a	n/a	n/a	84%	n/a	n/a	n/a
NE	78%	589	73%	86%	n/a	n/a	73%	n/a	n/a	n/a
NH	83%	331	83%	n/a	n/a	n/a	n/a	83%	n/a	n/a
NJ	80%	524	78%	85%	73%	79%	n/a	n/a	n/a	n/a
NY	85%	197	85%	n/a	n/a*	84%	n/a*	n/a	n/a	n/a
OH	88%	1,249	88%	n/a	n/a	86%	n/a	91%	84%	n/a
OK	83%	620	83%	n/a	n/a	n/a	90%	n/a	n/a	71%
SD	90%	341	90%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	72%	450	74%	71%	90%	73%	n/a	n/a	n/a	n/a
VA	82%	305	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
WA	80%	1,371	80%	81%	n/a	n/a	n/a	n/a	n/a	n/a
WI	93%	1,294	93%	n/a	n/a	92%	94%	n/a	n/a	n/a
Weighted NCI-AD Average	82%	14,462	82%	79%	93%	84%	82%	87%	82%	77%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Are ever worried for the security of their personal belongings




Table 120. Are ever worried for the security of their personal belongings

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	11%	305	10%	15%	n/a	n/a	10%	n/a	n/a	n/a
AZ	19%	213	19%	n/a	n/a	19%	n/a	n/a	n/a	n/a
CA	8%	761	8%	n/a	n/a	n/a	8%	n/a	n/a	n/a
CO	17%	993	17%	n/a	n/a	n/a	17%	n/a	22%	n/a
DE	20%	654	15%	23%	n/a	15%	n/a	n/a	n/a	n/a
IN	19%	250	19%	n/a	n/a	19%	n/a	20%	n/a	18%
KS	10%	931	10%	n/a	n/a	n/a	n/a	8%	13%	n/a
KY	9%	293	9%	n/a	n/a	n/a	n/a	n/a	10%	8%
MA	15%	328	15%	n/a	n/a	n/a	12%	15%	n/a	n/a
MN	21%	314	21%	n/a	n/a	n/a	n/a	n/a	21%	n/a
MO	10%	1,599	10%	n/a	n/a	n/a	10%	n/a	14%	n/a
NC	20%	325	20%	n/a*	n/a*	n/a	17%	n/a	n/a	11%
ND	9%	309	9%	n/a	n/a	n/a	9%	n/a	n/a	n/a
NE	23%	585	17%	33%	n/a	n/a	17%	n/a	n/a	n/a
NH	19%	337	19%	n/a	n/a	n/a	n/a	19%	n/a	n/a
NJ	9%	530	9%	8%	10%	9%	n/a	n/a	n/a	n/a
NY	11%	207	11%	n/a	n/a*	10%	n/a*	n/a	n/a	n/a
OH	12%	1,260	12%	n/a	n/a	12%	n/a	11%	11%	n/a
OK	11%	627	11%	n/a	n/a	n/a	13%	n/a	n/a	9%
SD	11%	343	11%	n/a	n/a	n/a	14%	n/a	n/a*	n/a
TN	19%	453	12%	28%	14%	11%	n/a	n/a	n/a	n/a
VA	13%	313	13%	n/a	n/a	13%	n/a	n/a	n/a	n/a
WA	17%	1,419	16%	26%	n/a	n/a	n/a	n/a	n/a	n/a
WI	9%	1,304	9%	n/a	n/a	10%	7%	n/a	n/a	n/a
Weighted NCI-AD Average	12%	14,653	12%	26%	26%	12%	10%	14%	17%	11%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Someone used or took their money without their permission in the past 12 months




Table 121. Someone used or took their money without their permission in the past 12 months

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	10%	308	12%	5%	n/a	n/a	12%	n/a	n/a	n/a
AZ	4%	210	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
CA	3%	760	3%	n/a	n/a	n/a	3%	n/a	n/a	n/a
CO	6%	987	6%	n/a	n/a	n/a	6%	n/a	25%	n/a
DE	9%	651	7%	10%	n/a	7%	n/a	n/a	n/a	n/a
IN	9%	247	9%	n/a	n/a	7%	n/a	15%	n/a	3%
KS	8%	924	8%	n/a	n/a	n/a	n/a	8%	8%	n/a
KY	4%	293	4%	n/a	n/a	n/a	n/a	n/a	4%	5%
MA	7%	327	7%	n/a	n/a	n/a	5%	7%	n/a	n/a
MN	9%	314	9%	n/a	n/a	n/a	n/a	n/a	9%	n/a
MO	4%	1,599	4%	n/a	n/a	n/a	4%	n/a	5%	n/a
NC	9%	322	9%	n/a*	n/a*	n/a	10%	n/a	n/a	6%
ND	5%	308	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
NE	7%	586	8%	5%	n/a	n/a	8%	n/a	n/a	n/a
NH	5%	344	5%	n/a	n/a	n/a	n/a	5%	n/a	n/a
NJ	1%	532	2%	0%	2%	2%	n/a	n/a	n/a	n/a
NY	5%	208	5%	n/a	n/a*	5%	n/a*	n/a	n/a	n/a
OH	4%	1,256	4%	n/a	n/a	4%	n/a	5%	7%	n/a
OK	6%	628	6%	n/a	n/a	n/a	8%	n/a	n/a	3%
SD	6%	343	6%	n/a	n/a	n/a	8%	n/a	n/a*	n/a
TN	8%	447	4%	13%	0%	4%	n/a	n/a	n/a	n/a
VA	4%	309	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
WA	6%	1,415	6%	6%	n/a	n/a	n/a	n/a	n/a	n/a
WI	5%	1,305	5%	n/a	n/a	6%	4%	n/a	n/a	n/a
Weighted NCI-AD Average	5%	14,623	5%	8%	2%	5%	4%	7%	8%	5%

Programs with low response rates of fewer than 20 are denoted with "n/a*".




Table 122. Feels safe around the people who are paid to help them

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	99%	133	99%	n/a*	n/a	n/a	99%	n/a	n/a	n/a
AZ	95%	128	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
CA	100%	559	100%	n/a	n/a	n/a	100%	n/a	n/a	n/a
CO	98%	554	98%	n/a	n/a	n/a	98%	n/a	84%	n/a
DE	94%	358	98%	93%	n/a	98%	n/a	n/a	n/a	n/a
IN	95%	163	95%	n/a	n/a	97%	n/a	85%	n/a	n/a*
KS	99%	641	99%	n/a	n/a	n/a	n/a	98%	99%	n/a
KY	99%	176	99%	n/a	n/a	n/a	n/a	n/a	99%	99%
MA	99%	257	99%	n/a	n/a	n/a	98%	99%	n/a	n/a
MN	97%	177	97%	n/a	n/a	n/a	n/a	n/a	97%	n/a
MO	99%	1,224	99%	n/a	n/a	n/a	99%	n/a	100%	n/a
NC	98%	172	98%	n/a*	n/a*	n/a	98%	n/a	n/a	94%
ND	99%	233	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a
NE	97%	442	97%	96%	n/a	n/a	97%	n/a	n/a	n/a
NH	99%	272	99%	n/a	n/a	n/a	n/a	99%	n/a	n/a
NJ	98%	244	98%	100%	100%	98%	n/a	n/a	n/a	n/a
NY	99%	172	99%	n/a	n/a*	99%	n/a*	n/a	n/a	n/a
OH	98%	901	98%	n/a	n/a	97%	n/a	100%	100%	n/a
OK	97%	389	97%	n/a	n/a	n/a	96%	n/a	n/a	100%
SD	98%	290	98%	n/a	n/a	n/a	97%	n/a	n/a*	n/a
TN	97%	241	98%	95%	100%	98%	n/a	n/a	n/a	n/a
VA	94%	33	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
WA	97%	1,233	98%	90%	n/a	n/a	n/a	n/a	n/a	n/a
WI	98%	1,078	98%	n/a	n/a	98%	99%	n/a	n/a	n/a
Weighted NCI-AD Average	98%	10,070	99%	96%	100%	98%	99%	97%	98%	96%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Rights and Respect

Gets information about services in their preferred language (if preferred language is not English)




Table 123. Gets information about services in their preferred language (if preferred language is not English)

Response options of “Yes” and “Some information” were collapsed. Proxy respondents were allowed for this question.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	95%	36	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
CA	93%	286	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
CO	93%	64	93%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
KS	72%	21	72%	n/a	n/a	n/a	n/a	n/a*	n/a*	n/a
MA	94%	61	94%	n/a	n/a	n/a	n/a*	96%	n/a	n/a
MO	69%	97	69%	n/a	n/a	n/a	68%	n/a	n/a*	n/a
NH	41%	22	41%	n/a	n/a	n/a	n/a	41%	n/a	n/a
NJ	88%	174	89%	n/a*	n/a*	89%	n/a	n/a	n/a	n/a
NY	90%	143	90%	n/a	n/a*	89%	n/a*	n/a	n/a	n/a
OH	70%	175	70%	n/a	n/a	73%	n/a	64%	84%	n/a
WA	87%	234	89%	n/a*	n/a	n/a	n/a	n/a	n/a	n/a
WI	83%	71	83%	n/a	n/a	83%	83%	n/a	n/a	n/a
Weighted NCI-AD Average	90%	1,484	91%	85%	n/a*	89%	93%	72%	88%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, DE, IN, KY, MN, NC, ND, NE, OK, SD, TN, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Services and supports are delivered in a way that is respectful of their culture




Table 124. Services and supports are delivered in a way that is respectful of their culture

Response options of “No” and “Sometimes or some services” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	99%	243	98%	n/a*	n/a	n/a	98%	n/a	n/a	n/a
AZ	97%	182	97%	n/a	n/a	97%	n/a	n/a	n/a	n/a
CA	99%	754	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a
CO	99%	915	99%	n/a	n/a	n/a	99%	n/a	99%	n/a
DE	98%	584	100%	97%	n/a	100%	n/a	n/a	n/a	n/a
IN	97%	232	97%	n/a	n/a	98%	n/a	93%	n/a	100%
KS	99%	869	99%	n/a	n/a	n/a	n/a	98%	99%	n/a
KY	100%	267	100%	n/a	n/a	n/a	n/a	n/a	100%	99%
MA	98%	309	98%	n/a	n/a	n/a	100%	98%	n/a	n/a
MN	96%	293	96%	n/a	n/a	n/a	n/a	n/a	96%	n/a
MO	99%	1,555	99%	n/a	n/a	n/a	99%	n/a	98%	n/a
NC	96%	280	96%	n/a*	n/a*	n/a	98%	n/a	n/a	100%
ND	99%	297	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a
NE	99%	556	99%	99%	n/a	n/a	99%	n/a	n/a	n/a
NH	98%	318	98%	n/a	n/a	n/a	n/a	98%	n/a	n/a
NJ	100%	466	100%	100%	100%	100%	n/a	n/a	n/a	n/a
NY	99%	203	99%	n/a	n/a*	99%	n/a*	n/a	n/a	n/a
OH	100%	1,213	100%	n/a	n/a	100%	n/a	100%	100%	n/a
OK	99%	540	99%	n/a	n/a	n/a	100%	n/a	n/a	98%
SD	100%	332	100%	n/a	n/a	n/a	99%	n/a	n/a*	n/a
TN	98%	411	100%	95%	100%	100%	n/a	n/a	n/a	n/a
VA	98%	179	98%	n/a	n/a	98%	n/a	n/a	n/a	n/a
WA	97%	1,407	98%	96%	n/a	n/a	n/a	n/a	n/a	n/a
WI	98%	1,295	98%	n/a	n/a	98%	99%	n/a	n/a	n/a
Weighted NCI-AD Average	99%	13,700	99%	94%	100%	99%	99%	98%	97%	99%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

People who are paid to help them treat them with respect




Table 125. People who are paid to help them treat them with respect

Response options of “No, never or rarely” and “Some, or usually” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	92%	134	99%	n/a*	n/a	n/a	99%	n/a	n/a	n/a
AZ	90%	129	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
CA	100%	563	100%	n/a	n/a	n/a	100%	n/a	n/a	n/a
CO	94%	558	94%	n/a	n/a	n/a	95%	n/a	94%	n/a
DE	73%	359	93%	63%	n/a	93%	n/a	n/a	n/a	n/a
IN	87%	164	87%	n/a	n/a	88%	n/a	86%	n/a	n/a*
KS	96%	640	96%	n/a	n/a	n/a	n/a	95%	97%	n/a
KY	96%	176	96%	n/a	n/a	n/a	n/a	n/a	96%	96%
MA	94%	253	94%	n/a	n/a	n/a	96%	95%	n/a	n/a
MN	91%	177	91%	n/a	n/a	n/a	n/a	n/a	91%	n/a
MO	95%	1,222	95%	n/a	n/a	n/a	95%	n/a	97%	n/a
NC	94%	172	94%	n/a*	n/a*	n/a	97%	n/a	n/a	94%
ND	94%	235	94%	n/a	n/a	n/a	94%	n/a	n/a	n/a
NE	91%	441	90%	91%	n/a	n/a	90%	n/a	n/a	n/a
NH	89%	271	89%	n/a	n/a	n/a	n/a	89%	n/a	n/a
NJ	92%	242	97%	79%	98%	97%	n/a	n/a	n/a	n/a
NY	98%	172	98%	n/a	n/a*	98%	n/a*	n/a	n/a	n/a
OH	94%	900	94%	n/a	n/a	93%	n/a	95%	97%	n/a
OK	93%	390	93%	n/a	n/a	n/a	93%	n/a	n/a	96%
SD	95%	290	95%	n/a	n/a	n/a	93%	n/a	n/a*	n/a
TN	84%	243	94%	69%	100%	94%	n/a	n/a	n/a	n/a
VA	91%	33	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
WA	93%	1,232	95%	78%	n/a	n/a	n/a	n/a	n/a	n/a
WI	96%	1,081	96%	n/a	n/a	94%	99%	n/a	n/a	n/a
Weighted NCI-AD Average	96%	10,077	97%	82%	100%	96%	98%	93%	94%	95%

Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Others ask before coming into their home/room (if living in a group setting)




Table 126. Others ask before coming into their home/room (if living in a group setting)

Response options of “Sometimes, rarely or never” and “Usually, but not always” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	69%	89	69%	n/a	n/a	69%	n/a	n/a	n/a	n/a
CA	83%	71	83%	n/a	n/a	n/a	83%	n/a	n/a	n/a
CO	85%	110	85%	n/a	n/a	n/a	84%	n/a	73%	n/a
DE	64%	301	77%	63%	n/a	77%	n/a	n/a	n/a	n/a
IN	81%	49	81%	n/a	n/a	83%	n/a	n/a*	n/a	n/a*
KS	79%	70	79%	n/a	n/a	n/a	n/a	84%	64%	n/a
MA	67%	39	67%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	83%	75	83%	n/a	n/a	n/a	n/a	n/a	83%	n/a
MO	74%	304	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
NC	32%	28	32%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
NE	85%	216	100%	79%	n/a	n/a	100%	n/a	n/a	n/a
NH	79%	135	79%	n/a	n/a	n/a	n/a	79%	n/a	n/a
NJ	65%	189	82%	52%	n/a*	82%	n/a	n/a	n/a	n/a
OH	77%	425	77%	n/a	n/a	77%	n/a	77%	n/a*	n/a
OK	88%	57	88%	n/a	n/a	n/a	88%	n/a	n/a	n/a*
SD	95%	55	95%	n/a	n/a	n/a	95%	n/a	n/a	n/a
TN	63%	159	83%	60%	n/a*	84%	n/a	n/a	n/a	n/a
WA	73%	413	75%	71%	n/a	n/a	n/a	n/a	n/a	n/a
WI	77%	128	77%	n/a	n/a	76%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	69%	2,957	69%	53%	n/a*	77%	79%	75%	82%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Able to lock doors to room (if living in a group setting)




Table 127. Able to lock doors to room (if living in a group setting)

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	53%	84	53%	n/a	n/a	53%	n/a	n/a	n/a	n/a
CA	73%	70	73%	n/a	n/a	n/a	73%	n/a	n/a	n/a
CO	95%	111	95%	n/a	n/a	n/a	94%	n/a	95%	n/a
DE	16%	285	68%	9%	n/a	68%	n/a	n/a	n/a	n/a
IN	96%	50	96%	n/a	n/a	98%	n/a	n/a*	n/a	n/a*
KS	91%	68	91%	n/a	n/a	n/a	n/a	95%	79%	n/a
MA	44%	38	44%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	92%	74	92%	n/a	n/a	n/a	n/a	n/a	92%	n/a
MO	40%	301	40%	n/a	n/a	n/a	40%	n/a	n/a	n/a
NC	35%	27	35%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
NE	48%	217	93%	32%	n/a	n/a	93%	n/a	n/a	n/a
NH	55%	131	55%	n/a	n/a	n/a	n/a	55%	n/a	n/a
NJ	46%	185	75%	19%	n/a*	75%	n/a	n/a	n/a	n/a
OH	98%	423	98%	n/a	n/a	99%	n/a	98%	n/a*	n/a
OK	99%	57	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a*
SD	87%	54	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
TN	22%	146	59%	17%	n/a*	59%	n/a	n/a	n/a	n/a
WA	44%	390	72%	4%	n/a	n/a	n/a	n/a	n/a	n/a
WI	77%	123	77%	n/a	n/a	78%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	57%	2,877	63%	19%	n/a*	84%	60%	86%	91%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Has enough privacy where lives (if living in a group setting)




Table 128. Has enough privacy where lives (if living in a group setting)

Response options of “Sometimes, rarely or never” and “Usually, but not always” were collapsed.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	78%	89	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
CA	95%	70	95%	n/a	n/a	n/a	95%	n/a	n/a	n/a
CO	89%	113	89%	n/a	n/a	n/a	89%	n/a	87%	n/a
DE	67%	301	81%	65%	n/a	81%	n/a	n/a	n/a	n/a
IN	92%	50	92%	n/a	n/a	93%	n/a	n/a*	n/a	n/a*
KS	81%	71	81%	n/a	n/a	n/a	n/a	85%	72%	n/a
MA	81%	39	81%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	86%	77	86%	n/a	n/a	n/a	n/a	n/a	86%	n/a
MO	80%	307	80%	n/a	n/a	n/a	80%	n/a	n/a	n/a
NC	72%	28	72%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
NE	74%	211	91%	68%	n/a	n/a	91%	n/a	n/a	n/a
NH	86%	133	86%	n/a	n/a	n/a	n/a	86%	n/a	n/a
NJ	69%	190	84%	56%	n/a*	85%	n/a	n/a	n/a	n/a
OH	90%	423	90%	n/a	n/a	90%	n/a	89%	n/a*	n/a
OK	71%	57	71%	n/a	n/a	n/a	78%	n/a	n/a	n/a*
SD	94%	54	94%	n/a	n/a	n/a	94%	n/a	n/a	n/a
TN	64%	159	76%	62%	n/a*	76%	n/a	n/a	n/a	n/a
WA	81%	414	89%	71%	n/a	n/a	n/a	n/a	n/a	n/a
WI	85%	129	85%	n/a	n/a	84%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	79%	2,959	80%	67%	n/a*	87%	81%	86%	85%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with “n/a*”.

Can have visitors at any time (if living in a group setting)




Table 129. Can have visitors at any time (if living in a group setting)

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	59%	83	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
CA	45%	68	45%	n/a	n/a	n/a	45%	n/a	n/a	n/a
CO	91%	108	91%	n/a	n/a	n/a	96%	n/a	81%	n/a
DE	86%	282	80%	87%	n/a	80%	n/a	n/a	n/a	n/a
IN	92%	51	92%	n/a	n/a	93%	n/a	n/a*	n/a	n/a*
KS	87%	70	87%	n/a	n/a	n/a	n/a	87%	88%	n/a
MA	77%	38	77%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	81%	73	81%	n/a	n/a	n/a	n/a	n/a	81%	n/a
MO	34%	287	34%	n/a	n/a	n/a	34%	n/a	n/a	n/a
NC	88%	26	88%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
NE	90%	215	100%	87%	n/a	n/a	100%	n/a	n/a	n/a
NH	86%	122	86%	n/a	n/a	n/a	n/a	86%	n/a	n/a
NJ	62%	184	67%	57%	n/a*	67%	n/a	n/a	n/a	n/a
OH	98%	409	98%	n/a	n/a	99%	n/a	95%	n/a*	n/a
OK	79%	56	79%	n/a	n/a	n/a	71%	n/a	n/a	n/a*
SD	94%	54	94%	n/a	n/a	n/a	94%	n/a	n/a	n/a
TN	91%	154	100%	90%	n/a*	100%	n/a	n/a	n/a	n/a
WA	77%	391	75%	79%	n/a	n/a	n/a	n/a	n/a	n/a
WI	81%	124	81%	n/a	n/a	81%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	76%	2,837	75%	80%	n/a*	79%	57%	90%	82%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with "n/a*".

Can get something to eat or grab a snack anytime they want to (if living in a group setting)




Table 130. Can get something to eat or grab a snack anytime they want to (if living in a group setting)

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	72%	86	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
CA	74%	68	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a
CO	93%	112	93%	n/a	n/a	n/a	93%	n/a	90%	n/a
DE	79%	288	63%	81%	n/a	63%	n/a	n/a	n/a	n/a
IN	96%	49	96%	n/a	n/a	95%	n/a	n/a*	n/a	n/a*
KS	97%	70	97%	n/a	n/a	n/a	n/a	98%	96%	n/a
MA	89%	39	89%	n/a	n/a	n/a	n/a*	n/a*	n/a	n/a
MN	83%	76	83%	n/a	n/a	n/a	n/a	n/a	83%	n/a
MO	65%	297	65%	n/a	n/a	n/a	65%	n/a	n/a	n/a
NC	40%	27	40%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
NE	89%	213	100%	86%	n/a	n/a	100%	n/a	n/a	n/a
NH	90%	135	90%	n/a	n/a	n/a	n/a	90%	n/a	n/a
NJ	92%	171	89%	94%	n/a*	89%	n/a	n/a	n/a	n/a
OH	91%	418	91%	n/a	n/a	92%	n/a	90%	n/a*	n/a
OK	86%	57	86%	n/a	n/a	n/a	74%	n/a	n/a	n/a*
SD	92%	51	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
TN	92%	154	96%	92%	n/a*	95%	n/a	n/a	n/a	n/a
WA	81%	397	83%	78%	n/a	n/a	n/a	n/a	n/a	n/a
WI	87%	123	87%	n/a	n/a	87%	n/a*	n/a	n/a	n/a
Weighted NCI-AD Average	78%	2,875	77%	69%	n/a*	87%	73%	91%	83%	n/a*

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, KY, ND, NY, VA. Programs with low response rates of fewer than 20 are denoted with "n/a*".

Person-Centered Planning (State Optional Module)

Involvement in making decisions about what is in the service plan




Table 131. Involvement in making decisions about what is in the service plan

State	Very or fully involved	Somewhat	Very little	Not at all	Observed N
AL	82%	11%	5%	1%	136
AZ	80%	11%	7%	2%	55
CO	83%	14%	2%	1%	619
DE	77%	17%	3%	3%	322
IN	86%	12%	1%	1%	122
KS	92%	7%	1%	0%	554
KY	95%	5%	0%	0%	78
MN	83%	14%	2%	1%	154
MO	88%	10%	2%	1%	799
NC	83%	14%	2%	1%	118
ND	91%	7%	1%	0%	151
NH	85%	11%	3%	1%	163
NJ	76%	21%	2%	1%	294
OH	91%	8%	1%	0%	737
OK	87%	12%	0%	0%	304
TN	80%	20%	0%	0%	152
WA	82%	15%	2%	1%	740
WI	87%	11%	1%	1%	898
Weighted NCI-AD Average	85%	13%	2%	1%	6,396

Remember their last service planning meeting




Table 132. Remember their last service planning meeting

State	Yes	No	Observed N
AL	49%	51%	231
AZ	79%	21%	165
CO	76%	24%	827
DE	51%	49%	539
IN	71%	29%	209
KS	75%	25%	804
KY	76%	24%	244
MN	65%	35%	236
MO	62%	38%	1,206
NC	41%	59%	243
ND	76%	24%	212
NH	61%	39%	278
NJ	57%	43%	440
OH	86%	14%	1,083
OK	73%	27%	448
TN	45%	55%	344
WA	67%	33%	1,241
WI	88%	12%	1,103
Weighted NCI-AD Average	66%	34%	9,853

Service planning meeting took place at a time that was good for them




Table 133. Service planning meeting took place at a time that was good for them

State	Yes	No	Observed N
AL	99%	1%	117
AZ	96%	4%	129
CO	99%	1%	625
DE	99%	1%	303
IN	99%	1%	137
KS	100%	0%	606
KY	99%	1%	155
MN	100%	0%	153
MO	100%	0%	703
NC	99%	1%	121
ND	100%	0%	162
NH	98%	2%	167
NJ	99%	1%	270
OH	99%	1%	883
OK	99%	1%	337
TN	100%	0%	163
WA	99%	1%	823
WI	99%	1%	966
Weighted NCI-AD Average	99%	1%	6,820

Service planning meeting took place in a location that was good for them




Table 134. Service planning meeting took place in a location that was good for them

State	Yes	No	Observed N
AL	100%	0%	115
AZ	98%	2%	130
CO	100%	0%	627
DE	99%	1%	304
IN	98%	2%	136
KS	100%	0%	605
KY	100%	0%	153
MN	100%	0%	151
MO	100%	0%	705
NC	100%	0%	122
ND	100%	0%	162
NH	99%	1%	168
NJ	100%	0%	266
OH	99%	1%	884
OK	99%	1%	336
TN	99%	1%	161
WA	100%	0%	825
WI	99%	1%	965
Weighted NCI-AD Average	100%	0%	6,815

Service planning meeting
included the people they
wanted to be there




Table 135. Service planning meeting included the people they wanted to be there

State	Yes	Some People	No	Observed N
AL	94%	4%	1%	115
AZ	94%	1%	6%	127
CO	96%	2%	2%	621
DE	93%	4%	3%	301
IN	97%	2%	1%	136
KS	98%	1%	1%	604
KY	100%	0%	0%	154
MN	93%	4%	3%	150
MO	98%	0%	2%	681
NC	97%	1%	2%	120
ND	98%	0%	2%	160
NH	89%	4%	7%	165
NJ	96%	2%	2%	265
OH	98%	1%	0%	885
OK	94%	4%	2%	336
TN	97%	1%	1%	163
WA	93%	3%	4%	809
WI	99%	0%	1%	960
Weighted NCI-AD Average	96%	2%	2%	6,752

People at the service planning meeting listened to needs and preferences




Table 136. People at the service planning meeting listened to needs and preferences

State	Completely	Mostly	Somewhat	Very little	Not at all	Observed N
AL	63%	28%	8%	2%	0%	117
AZ	72%	15%	9%	2%	2%	130
CO	70%	22%	7%	1%	0%	625
DE	66%	25%	8%	1%	0%	299
IN	66%	28%	3%	2%	2%	136
KS	82%	13%	3%	1%	1%	604
KY	78%	20%	2%	0%	0%	154
MN	71%	20%	9%	1%	0%	152
MO	83%	14%	2%	0%	0%	700
NC	72%	19%	7%	1%	1%	121
ND	89%	7%	3%	1%	0%	159
NH	75%	16%	7%	2%	1%	168
NJ	68%	26%	4%	1%	1%	267
OH	79%	17%	3%	0%	0%	880
OK	77%	16%	6%	1%	0%	335
TN	70%	25%	4%	0%	0%	162
WA	78%	14%	6%	1%	0%	817
WI	83%	12%	4%	1%	1%	954
Weighted NCI-AD Average	76%	18%	5%	1%	0%	6,780

Received a copy of the service plan after the service planning meeting




Table 137. Received a copy of the service plan after the service planning meeting

State	Yes	No	Observed N
AL	79%	21%	104
AZ	88%	12%	50
CO	89%	11%	478
DE	84%	16%	240
IN	85%	15%	92
KS	93%	7%	484
KY	86%	14%	70
MN	95%	5%	120
MO	88%	12%	598
NC	92%	8%	99
ND	90%	10%	135
NH	86%	14%	111
NJ	92%	8%	225
OH	94%	6%	676
OK	93%	7%	264
TN	72%	28%	104
WA	93%	7%	615
WI	92%	8%	803
Weighted NCI-AD Average	91%	9%	5,268

Current service plan reflects what was talked about at the service plan meeting




Table 138. Current service plan reflects what was talked about at the service plan meeting

State	Yes, completely	Yes, in part	No	Observed N
AL	90%	6%	4%	97
AZ	85%	11%	4%	48
CO	89%	10%	1%	502
DE	90%	8%	2%	253
IN	88%	12%	0%	101
KS	94%	5%	1%	497
KY	93%	7%	0%	68
MN	89%	11%	0%	122
MO	94%	5%	1%	596
NC	89%	11%	0%	101
ND	96%	4%	0%	132
NH	91%	8%	1%	115
NJ	90%	10%	0%	220
OH	92%	8%	0%	631
OK	93%	6%	1%	264
TN	81%	19%	0%	102
WA	91%	9%	0%	596
WI	95%	3%	2%	804
Weighted NCI-AD Average	91%	8%	1%	5,249

Choices and preferences are reflected in current service plan




Table 139. Choices and preferences are reflected in current service plan

State	Yes, all/completely	Yes, some/In Part	No	Observed N
AL	83%	16%	0%	125
AZ	83%	15%	2%	53
CO	86%	12%	2%	587
DE	83%	14%	3%	308
IN	84%	12%	4%	112
KS	94%	5%	1%	544
KY	88%	12%	0%	76
MN	83%	15%	3%	149
MO	88%	9%	2%	771
NC	91%	9%	0%	112
ND	94%	5%	1%	144
NH	86%	12%	2%	168
NJ	82%	18%	0%	278
OH	92%	7%	1%	654
OK	91%	7%	2%	296
TN	79%	20%	1%	135
WA	86%	12%	2%	695
WI	90%	7%	3%	882
Weighted NCI-AD Average	88%	11%	2%	6,089

Self-Direction module

Table 140. Uses self-directed supports option*Information may only come from existing records.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	24%	608	54%	1%	n/a	n/a	54%	n/a	n/a	n/a
AZ	2%	396	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
CA	90%	1,362	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a
CO	34%	1,258	34%	n/a	n/a	n/a	34%	n/a	42%	n/a
DE	13%	862	30%	0%	n/a	30%	n/a	n/a	n/a	n/a
IN	0%	413	0%	n/a	n/a	0%	n/a	0%	n/a	0%
KY	48%	359	48%	n/a	n/a	n/a	n/a	n/a	54%	2%
MA	2%	503	2%	n/a	n/a	n/a	21%	0%	n/a	n/a
MN	6%	408	6%	n/a	n/a	n/a	n/a	n/a	6%	n/a
MO	61%	2,305	61%	n/a	n/a	n/a	62%	n/a	37%	n/a
NC	17%	296	17%	n/a*	n/a*	n/a	12%	n/a	n/a	0%
ND	1%	398	1%	n/a	n/a	n/a	1%	n/a	n/a	n/a
NE	2%	663	3%	1%	n/a	n/a	3%	n/a	n/a	n/a
NH	3%	410	3%	n/a	n/a	n/a	n/a	3%	n/a	n/a
NJ	20%	727	28%	1%	1%	29%	n/a	n/a	n/a	n/a
NY	68%	402	69%	n/a	n/a*	70%	37%	n/a	n/a	n/a
OH	10%	1,522	10%	n/a	n/a	1%	n/a	26%	0%	n/a
OK	6%	741	6%	n/a	n/a	n/a	9%	n/a	n/a	1%
SD	2%	366	2%	n/a	n/a	n/a	0%	n/a	n/a*	n/a
TN	12%	786	20%	1%	0%	n/a	21%	n/a	n/a	n/a
WA	84%	1,627	99%	1%	n/a	n/a	n/a	n/a	n/a	n/a
WI	33%	1,629	33%	n/a	n/a	0%	99%	n/a	n/a	n/a
Weighted NCI-AD Average	62%	18,052	62%	10%	68%	49%	79%	12%	16%	1%

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: KS, VA. Programs with low response rates of fewer than 20 are denoted with "n/a".*

Makes decisions about services that are self-directed




Table 141. Makes decisions about services that are self-directed

Proxy respondents were allowed for this question.

State	Decisions about what services are received are made by a case manager or another professional employed by the state	Family/friend makes decision, person does not have input	Person has input, and family/friend helps	Person mostly makes decisions	Observed N
AL	4%	31%	21%	43%	280
CO	5%	17%	34%	45%	358
DE	1%	21%	36%	42%	153
KY	1%	21%	43%	34%	81
MO	6%	5%	15%	75%	663
NJ	3%	21%	32%	44%	125
NY	1%	20%	39%	41%	150
OH	1%	4%	28%	67%	111
OK	2%	6%	17%	75%	61
TN	5%	25%	37%	33%	57
WA	3%	10%	19%	69%	32
WI	2%	8%	25%	64%	463
Weighted NCI-AD Average	2%	17%	33%	48%	2,572

Has enough help deciding
how to direct services, like
making decisions about how and
when services are received




Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received

Proxy respondents were allowed for this question.

State	Yes	Sometimes	No	Observed N
AL	93%	1%	6%	192
CO	94%	3%	3%	276
DE	87%	8%	5%	135
KY	97%	0%	3%	69
MO	94%	2%	4%	426
NJ	89%	9%	3%	78
NY	89%	4%	7%	124
OH	95%	4%	1%	94
OK	93%	2%	6%	57
TN	91%	9%	0%	38
WI	97%	1%	2%	419
Weighted NCI-AD Average	91%	4%	6%	1,954

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: WA.

Can make changes to the services and supports you self-direct if needed




Table 143. Can make changes to the services and supports you self-direct if needed

Proxy respondents were allowed for this question.

State	Yes	In-between	No	Observed N
AL	94%	5%	1%	187
CO	94%	4%	2%	273
DE	92%	8%	0%	132
KY	87%	13%	0%	63
MO	94%	5%	1%	421
NJ	87%	13%	0%	78
NY	93%	4%	3%	123
OH	96%	4%	0%	93
OK	85%	11%	4%	57
TN	90%	10%	0%	37
WI	97%	2%	1%	417
Weighted NCI-AD Average	93%	5%	2%	1,925

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: WA.

Has the amount of control wanted with the services that are self-directed




Table 144. Has the amount of control wanted with the services that are self-directed

Proxy respondents were allowed for this question.

State	Yes	In-between	No	Observed N
AL	92%	4%	4%	189
CO	91%	6%	3%	276
DE	81%	14%	5%	131
KY	92%	6%	2%	67
MO	92%	5%	3%	416
NJ	85%	14%	1%	78
NY	86%	7%	7%	120
OH	92%	4%	4%	94
OK	83%	9%	7%	57
TN	89%	8%	3%	37
WI	92%	4%	4%	415
Weighted NCI-AD Average	88%	6%	6%	1,926

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: WA.

Services and supports wanted
to self direct are always
available




Table 145. Services and supports wanted to self direct are always available

Proxy respondents were allowed for this question.

State	Yes	Sometimes	No	Observed N
AL	86%	10%	5%	188
CO	83%	11%	6%	274
DE	76%	17%	7%	129
KY	76%	14%	10%	68
MO	85%	9%	6%	402
NJ	86%	13%	1%	75
NY	72%	19%	10%	116
OH	93%	6%	1%	94
OK	77%	13%	9%	56
TN	80%	19%	1%	38
WI	92%	5%	3%	417
Weighted NCI-AD Average	77%	15%	8%	1,904

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: WA.

Gets information about budget and services from the financial management service (FMS)




Table 146. Gets information about budget and services from the financial management service (FMS)

Proxy respondents were allowed for this question.

State	Yes	Maybe, Not Sure	No	Observed N
AL	33%	1%	65%	177
CO	58%	2%	40%	263
DE	41%	4%	55%	123
KY	46%	9%	46%	58
MO	36%	14%	49%	375
NJ	74%	14%	12%	71
NY	22%	14%	63%	100
OH	50%	13%	37%	79
OK	9%	7%	84%	48
TN	61%	16%	22%	30
WI	88%	0%	12%	404
Weighted NCI-AD Average	35%	12%	53%	1,766

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: WA.

Information received from the FMS is easy to understand




Table 147. Information received from the FMS is easy to understand

Proxy respondents were allowed for this question.

State	Yes, easy to understand on own	Some information is easy to understand or understands with help from others	No, not easy to understand and does not get help to understand	Observed N
AL	96%	4%	0%	60
CO	79%	18%	3%	152
DE	76%	21%	3%	51
KY	67%	21%	13%	24
MO	90%	9%	1%	135
NJ	77%	21%	2%	52
NY	75%	25%	0%	21
OH	91%	9%	0%	39
WI	79%	14%	7%	345
Weighted NCI-AD Average	79%	18%	2%	927

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: OK, TN, WA.

Frequency of receiving information about budget and services from FMS




Table 148. Frequency of receiving information about budget and services from FMS

Proxy respondents were allowed for this question.

State	At least every three months	About twice a year	Once a year or less	Observed N
AL	44%	32%	24%	55
CO	70%	13%	17%	141
DE	46%	38%	16%	49
KY	48%	4%	48%	23
MO	69%	13%	18%	128
NJ	66%	20%	14%	43
OH	61%	19%	20%	33
WI	90%	6%	4%	339
Weighted NCI-AD Average	66%	18%	16%	873

The following states are not included in the table due to low response rates (20 or fewer), their data are included in the Weighted NCI-AD Average: NY, OK, TN, WA




Table 149. Parts of self-direction need help with

Proxy respondents were allowed for this question.

State	Help with planning out service needs and setting up a schedule for staff	Help with getting staff paid	Help finding or keeping the staff you want	Help training staff	Help managing benefits for staff	Help understanding information you get from the FMS	More information about what services and supports you can get	Other	Does not need help with any of these things
AL	3%	3%	10%	3%	1%	9%	41%	0%	51%
CO	5%	6%	11%	6%	4%	9%	32%	8%	53%
DE	0%	3%	3%	1%	0%	8%	25%	5%	62%
KY	0%	0%	0%	0%	0%	4%	7%	3%	86%
MO	2%	4%	4%	2%	4%	8%	12%	5%	69%
NJ	1%	5%	1%	0%	0%	1%	8%	3%	83%
NY	4%	1%	2%	1%	2%	5%	36%	2%	59%
OH	5%	4%	5%	4%	3%	4%	13%	1%	69%
OK	2%	9%	9%	4%	7%	2%	15%	6%	62%
TN	3%	3%	0%	6%	3%	7%	9%	9%	79%
WI	4%	12%	9%	4%	4%	13%	24%	5%	58%
Weighted NCI-AD Average	4%	3%	4%	2%	2%	6%	29%	3%	61%

The following states are not included in the table due to low response rates (20 or fewer), their data are included in the Weighted NCI-AD Average: WA.

Our History

The NCI-AD initiative grew from a desire of state aging and disability staff for quantifiable data on the experiences of people receiving state LTSS and whether those services and systems were helping them achieve valued outcomes such as self-determination, access to the community, satisfaction with home and daily activities.

Since 1997, public managers of state agencies on intellectual and developmental disabilities (IDD) have been collecting data of this type through [National Core Indicators](#)—Intellectual and Developmental Disabilities (NCI-IDD), overseen by the National Association of State Directors of Developmental Disabilities Services (NASDDDS) and the Human Services Research Institute (HSRI). Now, with NCI-AD, this data collection effort extends to aging and disabilities.

In June 2013, ADvancing States and HSRI, partnering with a NCI-AD steering committee (comprised of state directors of aging and disabilities services), began developing performance indicators for NCI-AD's flagship survey – the Adult Consumer Survey (ACS). These indicators, which are regularly tested and refined, reflect priorities of aging and disability service participants as well as public managers of LTSS systems. Funding for the development of the ACS tool was supported by ADvancing States members and, in part, the Administration for Community Living (ACL).

In 2014, Georgia, Minnesota, and Ohio piloted the survey. Based on pilot results and participant feedback the ACS was refined and retested. The survey was finalized in March 2015. By June 2015, the first year of regular data collection began.

In 2022, NCI-AD piloted a State of the Workforce (SotW) survey with five participating states: Missouri, Washington, Colorado, Wisconsin, and Indiana. A first of its kind for the aging and disabilities field, this new effort collects and aggregates statewide information about wages, benefits, and turnover of the direct service workforce—as reported by the agencies that employ them. The first year of SotW-AD data collection occurred in 2023.

NCI-AD Indicators

The NCI-AD Indicators are the standard measures used across states to assess the outcomes of services provided to older adults and people with physical disabilities receiving LTSS. Indicators address key areas of concern, including choice, respect/rights, service coordination, community access, choice, and health and safety. To see the entire list of indicators, please visit https://nci-ad.org/images/uploads/2022-23_Indicators.pdf.

The current set of performance indicators includes approximately 100 outcomes that are important to understanding the overall performance of public developmental disabilities agencies. The indicators have remained generally consistent over the last several years and thus can be used to

analyze system-level trends over time. However, the NCI-AD program is a dynamic effort that allows for measures to be added, dropped, or changed to reflect current and future priorities of participating states.

Measures are regularly refined and tested to ensure they remain valid, reliable and applicable to current issues in the field.

How NCI-AD Data Are Used

The NCI-AD indicators provide information for quality management, research, and to inform policy decision making. The data are intended to be used in conjunction with other state data sources, such as risk management information, regional level performance data, results of provider monitoring processes, and administrative information gathered at the individual service coordination level. States typically use data to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Some states use these data as a source for supplemental performance measures in their home and community-based services (HCBS) waiver quality management systems and include the information in support of evidentiary reports to the Centers for Medicare & Medicaid Services (CMS). Some states are currently in the planning phase to use the data to meet other CMS reporting, such as the HCBS Quality Measure Set. Many states share data with stakeholder groups such as advisory councils, legislators, and advocates. States use feedback to help set priorities and establish policy direction. It is also important to note that states do not use the information in a punitive way to sanction service providers, nor do they use the results to remediate individual issues (unless specifically requested by the participant or required by law as in the case of suspected abuse, neglect, or mistreatment).

Methodology

Administration

A key principle of NCI-AD is the importance of gathering information directly people receiving services. The indicators are meant to apply to all individuals receiving services from state aging and physical disability service systems, regardless of age, disability type, or other demographics. NCI-AD administration protocols dictate that every person selected into the sample is given an opportunity to respond and no one is prescreened or predetermined to be unable to respond.

Information for Adult Consumer Survey is collected via a direct conversation with the person receiving services either face-to-face, secure video conference, or over the phone. Additionally, background information is primarily collected from the individual's record. The main survey includes questions about personal experiences that may only be answered by the individual receiving services. Some questions are more observable about the individual's involvement in the community, their choices, respect and rights, and their access to services. These questions allow for the use of "proxy" or other respondents who know the individual well (such as a family member or friend).

The Adult Consumer Survey includes three main survey sections:

Background Information (BI) Section: The BI Section collects demographic and service-related information about the service recipient. To the extent possible, data for the BI Section are derived from states' existing administrative records. BI items not available from state administrative data sources may be collected by surveyors at the end of the survey meeting. Surveyors may collect any missing BI information with the exception of five BI items that must be completed using administrative data sources (person's primary source of LTSS funding/program, LTSS services received through that program, length of receiving services, participation in a self-directed supports option, and legal guardianship status). Each BI item tracks whether data were derived from existing administrative records or collected by surveyors as part of the survey meetings.

Adult Consumer Survey: The Adult Consumer Survey consists of a total of approximately 90 questions, organized into thematic sub-sections with related questions grouped together (e.g., questions about employment are in the same section; questions about the home are in a separate section, etc.). The Full In-Person Survey is completed face-to-face with the person receiving services. The respondent may ask their proxy (e.g. a family member or a close friend) for assistance with answering some of the questions, if needed. The Full In-Person Survey includes both subjective and objective questions; proxy assistance is only allowed for a subset of more objective items.

A "Proxy Version" of the survey is made available in the limited instances when only a proxy respondent answers survey questions because the person receiving services is unable or unwilling to provide valid responses. This survey includes only the objective, proxy allowed questions.

Surveyor Feedback Form: The Surveyor Feedback Form is completed by surveyors after the survey meeting is concluded. It collects information about the survey meeting itself, such as when and where the meeting took place, how long it took, who was present, the respondent's level of comprehension, etc. Surveyors are also asked to provide any feedback they may have about the survey tool itself or the survey process overall.

Proxy Respondents

The NCI-AD Adult Consumer Survey does allow for the use of proxies in some circumstances. By excluding proxy responses, a certain group of service recipients (most of whom are unable to respond due to cognitive or other types of limitations) would be unrepresented in the data.

Thus, the NCI-AD program protocols stipulate that proxy respondents are allowed, though only for a subset of more objective questions and only in situations where the service recipient themselves either could not provide valid responses or chose to have a proxy respondent assist or answer on their behalf.

Studies have found the greatest discrepancies between service recipient and proxy responses occur when the information being collected is subjective (i.e., related to how the individual feels, which means proxies would be aware of the correct answers only if the service recipient had previously expressed their feelings)¹. Questions relating to observable behaviors tend to have higher levels of agreement.

The use of proxy respondents for the NCI-AD Adult Consumer Survey is limited to a subset of more objective questions, which relate to observable and/or measurable events or circumstances. Questions in the Survey that pertain to personal experiences and that require subjective responses may only be answered by the service recipients themselves and do not allow for proxy responses.

NCI-AD protocols require that surveyors first attempt each interview directly with the individual receiving services. Only after meeting with the service recipient and attempting the interview can the surveyor make the determination that a proxy respondent is needed. That determination is made based on the way the service recipient answers the first set of survey questions. NCI-AD protocols do not allow for a proxy determination to be made based on a phone conversation or relying on someone else's input.

The service recipient may be able to answer most questions in the survey but request the help of a proxy assistant intermittently for some of the survey questions. In this case, the Full In-Person Survey is used. Specific items that allow for proxy assistance are identified through the Full Survey; each of these items tracks whether a proxy provided the answer, as well as the relationship of the proxy to the service recipient. If both the service recipient and the proxy respondent answer a question, the service recipient's answer is recorded so long as that answer is deemed reliable by the interviewer. Non-proxy items in the Full Survey are asked only of the service recipient themselves.

If the surveyor makes the determination that a proxy is needed for the entirety of the survey, a Proxy Version of the Adult Consumer Survey is used to conduct the interview. Figure 3 below indicates how often the Proxy Version was used in 2024-25 data collection cycle in each state.

¹ Magaziner, Jay, Sheryl Zimmerman, Ann L. Gruber-Baldini, J. Richard Hebel, and Kathleen M. Fox. "Proxy Reporting in Five Areas of Functional Status Comparison with Self-Reports and Observations of Performance." *American Journal of Epidemiology* 146.5 (1997): 418-28.

Figure 3. Proxy Version: Frequency of Use by State Proxy Version: Frequency of Use by State

State	Proxy Version	Full Survey	Observed N
AL	49%	51%	608
AZ	44%	56%	396
CA	40%	60%	1,362
CO	19%	81%	1,258
DE	21%	79%	862
IN	28%	72%	413
KS	22%	78%	1,206
KY	28%	72%	409
MA	29%	71%	503
MN	15%	85%	408
MO	27%	73%	2,306
NC	13%	87%	376
ND	21%	79%	404
NE	9%	91%	663
NH	15%	85%	410
NJ	26%	74%	727
NY	47%	53%	402
OH	17%	83%	1,522
OK	22%	78%	832
SD	6%	94%	366
TN	40%	60%	789
VA	22%	78%	407
WA	11%	89%	1,627
WI	23%	77%	1,770
NCI-AD Average	24%	76%	20,026

NCI-AD aims to increase the validity and reliability of proxy responses by training and emphasizing to interviewers that only those people who know the service recipient well (family, friends, certain staff, etc.) should serve as proxy respondents. To avoid conflict of interest, case managers are generally not allowed to respond as proxies.

Surveyor Training

States employ a variety of individuals to conduct the NCI-AD Adult Consumer Survey. To avoid conflict of interest, surveys cannot be administered by the consumer's service provider, their case manager, a relative, or other close contact. Given this constraint, states generally use private contractors or state quality assurance staff to conduct the surveys, though they may in some cases use universities, advocacy organizations, and/or peer interviewers.

HSRI and ADvancing States project staff implements a required, standardized training for NCI-AD surveyors each year. Training includes asynchronous and synchronous trainings that provide an in-depth review of: the NCI-AD program, survey administration protocol and procedures, and the survey tool. The goal of trainings is to provide a standardized training to ensure uniform application of the survey. Returning participating states are asked to identify one or more lead trainers, responsible for ongoing training of returning surveyors and full training of any new surveyor staff. HSRI and ADvancing States train all lead trainers for their role and provide them with all necessary standardized training materials.

An additional session reviews the process for entering survey data in the Online Data Entry Survey Application (ODESA).

Sampling

Each state is instructed to complete a minimum of 400 surveys with a random sample of older adults and adults with a physical disability who are receiving at least one publicly funded service beyond case management. A sample size of 400 ensures a high confidence level and relatively narrow margin of error (approximately 95% confidence level and 5% margin of error) for the state estimate, regardless of how large the service population is in the state. A 95% confidence level and a margin of error of +/-5% is mandatory for each state's sample to be included in this report.

Most states chose to conduct the survey with a sample larger than 400. The oversampling is usually done by funding program to obtain stable results for each program (in addition to the state estimate). This allows the state to draw conclusions about populations within those programs and make comparisons between them. Other sampling strategies have included oversampling by region, managed care organization (MCO), and racial/ethnic group.

The NCI-AD project team works with each state to design and track its sampling strategy and then construct appropriate analysis (including analysis weights). Whether the sampling is done from an overall service population (i.e., simple random) or individually by program, region, or other strata (i.e., stratified random), the state must always adhere to the guidelines of selecting survey participants randomly from among the

pool of eligible service recipients. Furthermore, the NCI-AD project team works with each state to define program populations (or other strata populations) in such a way that they do not overlap.

See detailed state sample information in Appendix A.

Data Analysis

Data Management and Analysis

HSRI coordinates the NCI-AD Adult Consumer Survey data management and analysis. Most states enter data into an online data entry system specifically designed for the purposes of this project (ODESA[®]). HSRI staff subsequently download the data into an SPSS data file. This data file is then “cleaned” (reviewed for completeness and compliance with standard NCI-AD formats) and invalid responses are eliminated. Files from individual states are merged into a single SPSS file. The merged file from 2024-25 data collection cycle was used for all analyses in this report.

Below is a summary of the statistical procedures used to analyze 2024-25 NCI-AD Adult Consumer Survey data.

Collapsing Responses

For many of the outcomes in this report, only “yes” responses are analyzed and reported for state-to-state comparisons. However, there are several items for which the “yes” responses were collapsed with the middle responses (for example, a “sometimes” response, or an “in-between” response) to form binary variables for analysis and subsequent reporting. Appendix A contains the collapsing and recoding rules. Unless otherwise stated, “don’t know” and unclear/refused responses were excluded. Un-collapsed data with all response options, including “don’t know” and unclear/refused/no response categories, shown by state can be found in Appendix A.

Weights

Many of the states proportionally oversampled one or more of their programs—that is, a particular program constituted a larger proportion of the sample than it did as proportion of the population receiving services. To account for some programs being proportionally over-represented in state samples and program categories, statistical weights were developed and applied when estimating state averages and category averages. Weights were developed using the sample proportions and the true population proportions of each program included for analysis within the state.

Similarly, the overall NCI-AD Average and the overall program category averages are also weighted averages—that is, their calculations take into account each state’s sample size as well as the size of the state’s population eligible to be included in the survey sample. The weights that each state contributes to the calculation of the overall NCI-AD and overall program category averages are proportional to the population served eligible to be included in the survey in that state (and taking into account the state’s sample size).

The NCI-AD project team works with each individual state at the onset of data collection to define program populations in such a way that they do not overlap, and to determine and track the size of the population of service recipients in each of the state’s programs who were eligible to be included in the survey. These population numbers, together with corresponding sample numbers, are then used to calculate the various sets of weights for analysis.

For exact calculations of all sets of weights, please contact the project team.

Risk-adjustment

Beginning in 2021-22, there is no risk-adjustment used in ACS analysis.

The basis for risk adjustment review and decisions was the framework developed by NQF in their 2021 technical report, [“Developing and Testing Risk Adjustment Models for Social and Functional Status-Related Risk Within Healthcare Performance Measurement.”](#)

The risk adjustment review and decision process was grounded in the shared belief that best practices in services to people receiving services should incorporate person-centered planning and service provision. By definition, person-centered practices, in general, involve tailoring services to the needs and preferences of service users. For example, services delivered to people whose primary language is not English should include translation services, to ensure that such people are not disadvantaged in their access to services. Put another way, a service system whose non-English speaker users have worse outcomes due to language barriers is not performing at the “best practice” level. The implication is that in measuring most outcomes, language differences in outcomes should reflect poorly on the service system and this should translate into lower values on the measure. Adjusting the measure for primary language to essentially “level the playing field” for those service systems with large populations of non-English speakers would limit our ability to assess the capacity of those systems in accommodating the translation needs of its service users. In short, the measure would fail to assess the person-centeredness of the service systems. Similar arguments can be made for many demographic factors that aging and disability service system should be expected to mitigate if it is to successfully employ person-centered practices. In other words, adjustment for social and functional factors is only rarely defensible in person-centered performance measurement.

This notion is supported by the emerging literature on risk adjustment of HCBS performance measures. For example, a recent scoping review of risk adjusters used in HCBS measures² found no outcome measures in the Person-Centered Planning and Coordination domain that were risk adjusted in any of the reviewed studies.

Criteria for Exclusion of Responses

All consumers selected into the survey sample are given an opportunity to participate in the survey. There are no prescreening procedures. Exclusion of responses occurs at the time of data analysis, based on whether the interviewer indicated that the answers were provided in an invalid and/or inconsistent way (as recorded in the Interviewer Feedback Form). There is no minimum threshold number of answers given for a survey to be included for purposes of analysis.

² Houseworth, J., Kilaberia, T., Ticha, R., & Abery, B. (2022). Risk adjustment in home and community based services outcome measurement. *Frontiers in Rehabilitation Sciences*, 3:830175. <https://doi.org/10.3389/fresc.2022.830175>.

Questions or comments about this report? Contact us:

Stephanie Giordano

Human Services Research Institute

Email: sgiordano@hsri.org

Rosa Plasencia

ADvancing States

Email: rplasencia@Advancingstates.org

Please see appendices for additional information on state samples, rules for collapsing and recoding measures, and un-collapsed outcome measures.

- APPENDIX A: State Samples
- APPENDIX B: Rules for collapsing and recoding
- APPENDIX C: Uncollapsed and unadjusted data