

NATIONAL CORE INDICATORS  
AGING AND DISABILITIES™ **ADULT CONSUMER SURVEY**

**2023 – 2024**

NATIONAL RESULTS | PART 1

**National Core Indicators—Aging and Disabilities™ (NCI-AD™) is a collaboration between Advancing States, Human Services Research Institute, and participating states.**



**Human Services Research Institute (HSRI)  
2336 Massachusetts Avenue  
Cambridge, MA 02140**



**Advancing States  
241 18<sup>th</sup> Street S, Suite 403  
Arlington, VA 22202**

**Updated 6/17/2025**

**Suggested citation:**

National Core Indicators- Aging and Disabilities. 2023-24 NCI-AD Adult Consumer Survey National Report. Human Services Research Institute and ADvancing States. Accessed on National Core Indicators--Aging and Disabilities website: <https://nci-ad.org/upload/reports>

## Acknowledgments

We are sincerely grateful to our participating states for their hard work and dedication to NCI-AD. Importantly, we are also grateful for the thousands of people receiving publicly funded long-term services and supports who are willing to share their experiences.

## List of Abbreviations

AAA – Area Agency on Aging  
A&D – Aged and Disabled  
ADRC – Aging and Disability Resource Center  
ALF – Assisted Living Facility  
BI – Brain Injury  
BI Section – Background Information Section of NCI-AD Adult Consumer Survey  
CAC – Community Alternative Care  
CADI – Community Access for Disability Inclusion  
CDCS – Consumer Directed Community Supports  
CDS – Consumer Directed Services  
CFC – Choices for Care (VT)  
CFC – Community First Choice (WA)  
CHOICE – Community and Home Options to Institutional Care for the Elderly and Disabled  
CIL – Center for Independent Living  
CMHS – Community Mental Health Supports  
CMS – Centers for Medicare & Medicaid Services  
CPAP – Continuous positive airway pressure  
DD – Developmental Disabilities  
E&D – Elderly and Disabled  
EBD – Elderly, Blind, and Disabled  
FE – Frail and Elderly  
FFS – Fee-For-Service  
HC – Home Care  
HCBS – Home and Community-Based Services  
HSRI – Human Services Research Institute  
ICF/DD – Intermediate Care Facility for Persons with Developmental Disabilities  
ID/DD – Intellectual and Developmental Disabilities  
IDT – Interdisciplinary Team  
IRIS – Include, Respect, I-Self Direct  
LOC – Level of Care  
LTSS – Long-Term Services and Supports  
MCO – Managed Care Organization  
MLTSS – Managed Long-Term Services and Supports  
N – Number of respondents  
N/A – Not Applicable  
NASDDDS – National Association of State Directors of Developmental Disabilities Services

NASUAD – National Association of States United for Aging and Disabilities

NCI-AD™ – National Core Indicators for Aging and Disabilities®

NB – Neurobehavioral Hospital

NF – Nursing Facility

NH – Nursing Home

OAA – Older Americans Act

PACE – Program of All-Inclusive Care for the Elderly

PAS – Personal Assistance Services

PCA – Personal Care Assistant

PD – Physical Disability

RCAP – Residential Care Assistance Program

RCF – Residential Care Facility

RUCA – Rural-Urban Commuting Area

SAIL – State of Alabama Independent Living

SMRT – State Medical Review Team

SNF – Skilled Nursing Facility

TA – Technical Assistance

TBI – Traumatic Brain Injury

## Contents

Acknowledgments.....	3
List of Abbreviations .....	4
Introduction.....	13
Adult Consumer Survey .....	13
Presentation of Data.....	14
<b>Participating States.....</b>	<b>14</b>
<b>Collapsing and Weighting.....</b>	<b>14</b>
<b>Program Classification.....</b>	<b>15</b>
Figure 1. Classification of 2023-24 state programs into national buckets.....	17
Figure 2. Margin of error by state and program category at 95% Confidence Level, assuming 0.7 distribution (assuming 0.5 distribution) .....	22
<b>Presentation of Results.....</b>	<b>23</b>
<b>Demographic .....</b>	<b>24</b>
Table 1. Average age (reported for those under 90 years old) .....	25
Table 2. Age category (including those 90 and older) .....	26
Table 3. Gender .....	27
Table 4. Race and ethnicity .....	28
Table 5. Marital status.....	29
Table 6. Preferred language.....	30
Table 7. Preferred means of Communication.....	31
Table 8. Residential designation.....	32
Table 9. Median income (based on zip code) .....	33
Table 10. Type of residence .....	34
Table 11. Who the person lives with.....	35
Table 12. Address changed in the past 6 months .....	36
Table 13. Where people moved from (if moved in the last 6 months) .....	37
Table 14A. Diagnoses .....	38
Table 14B. Diagnoses (continued).....	39
Table 15. Person has chronic psychiatric or mental health diagnosis.....	40
Table 16. Level of mobility .....	41
Table 17. Has history of frequent falls (more than two falls in a six-month period).....	42
Table 18. Receives Medicare .....	43
Table 19. Length of time receiving LTSS services in current program.....	44
Table 20. Person has legal guardian.....	45

Table 21. Amount of paid support person receives.....	46
Table 22. Person has remote supports .....	47
<b>Community Participation.....</b>	<b>48</b>
Table 23. Gets to do things outside of their home as much as they want to .....	50
Table 24. Takes part in activities with others as much as they want to (in-person or virtually) .....	52
Table 25A. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually).....	54
Table 25B. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued).....	56
<b>Access to Community.....</b>	<b>57</b>
Table 26. Has transportation to do the things they want outside of home.....	59
Table 27. Has transportation to get to medical appointments .....	61
<b>Everyday Living .....</b>	<b>62</b>
Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications) .....	64
Table 29. Gets enough support for everyday activities (if needs at least some assistance).....	66
Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home) .....	68
Table 31. Gets enough support for self-care (if needs at least some assistance) .....	70
<b>Work.....</b>	<b>71</b>
Table 32. Has a paid job.....	73
Table 33. Wants a paid job (if they do not currently have one) .....	75
Table 34. Someone talked with them about job options (if they do not currently have a job but want one) .....	77
Table 35. Person volunteers.....	79
Table 36. Wants to volunteer (if they do not currently).....	81
<b>Relationships.....</b>	<b>82</b>
Table 37. Has friends or family they do not live with who are a part of their life.....	84
Table 38. Always able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life) .....	86
Table 39. Reasons cannot always see or talk to friends or family .....	88
<b>Service Coordination .....</b>	<b>89</b>
Table 40A. How first found out about services they can get.....	91
Table 40B. How first found out about services they can get (continued) .....	93
Table 41. Can contact their case manager/care coordinator when needs to.....	95
Table 42. Who helps person most often (if anyone helps on a regular basis) .....	97
Table 43. Additional people who help person on a regular basis .....	99

Table 44. People who are paid to help them come and leave when they are supposed to .....	101
Table 45. Has a backup plan if people who are paid to help them do not show up .....	103
Table 46. Has an emergency plan in place in case of widescale emergency .....	105
Table 47. Knows whom to contact if they have a complaint about their services .....	107
Table 48. Knows whom to contact if they want to make changes to services .....	109
Table 49. Services meet all current needs and goals.....	111
Table 50A. Additional services and supports needed (if all current needs and goals are not being met).....	113
Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued) .....	115
Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued) .....	117
Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager) .....	119
Table 52. Service providers work together to provide support .....	121
<b>Care Coordination.....</b>	<b>122</b>
Table 53. Knows how to manage chronic conditions (if has at least one) .....	124
Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home.....	126
Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home) .....	128
Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home) .....	130
<b>Choice and Control .....</b>	<b>131</b>
Table 57. Feels in control of their life .....	133
Table 58. Able to furnish and decorate their room however they want to (if living in a group setting) .....	135
Table 59. Able to choose their roommate (if living in a group setting and has a roommate)..	137
Table 60. Can get up and go to bed when they want to.....	139
Table 61. Can eat their meals when they want to.....	141
Table 62. Can choose or change their services .....	143
Table 63. Can choose or change when and how often they receive services.....	145
Table 64. Can choose or change the people who provide paid supports if wants .....	147
<b>Satisfaction.....</b>	<b>148</b>
Table 65. Services and supports help them live the life they want.....	150
Table 66. Case manager/care coordinator changes more often than they would like .....	152
Table 67. People who are paid to help them change too often .....	154



Table 68. Likes where they live.....	156
Table 69A. Reasons does not like where they live (if does not always like where they live) ..	158
Table 69B. Reasons does not like where they live (if does not always like where they live) (continued) .....	160
Table 69C. Reasons does not like where they live (if does not always like where they live) (continued) .....	162
Table 70. Wants to live somewhere else .....	164
Table 71. Where person would prefer to live (if wants to live somewhere else) .....	166
Table 72. People who are paid to help them do things the way they want them done .....	168
Table 73. Usually likes how they spend their time during the day .....	170
<b>Technology .....</b>	<b>171</b>
Table 74. Has access to the internet.....	173
Table 75. Frequency with which people use the internet.....	175
Table 76. Always has a stable internet connection.....	177
Table 77. Has talked to health professionals using video conference/telehealth .....	179
Table 78. Liked talking to health care providers using telehealth .....	181
<b>Access to Needed Equipment.....</b>	<b>182</b>
Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them.....	184
Table 80. Needs other bathroom modifications but does not have them .....	186
Table 81. Needs a shower chair but does not have one .....	188
Table 82. Needs a specialized bed but does not have one .....	190
Table 83. Need for a ramp (either inside or outside of their residence) but does not have one.....	192
Table 84. Needs other home modifications in their home but does not have them .....	194
Table 85. Needs a wheelchair but does not have one .....	196
Table 86. Needs a scooter but does not have one.....	198
Table 87. Needs a walker but does not have one.....	200
Table 88. Needs hearing aids but does not have them .....	202
Table 89. Needs glasses but does not have them.....	204
Table 90. Needs personal emergency response system (PERS) but does not have one .....	206
Table 91. Needs an oxygen machine but does not have one .....	208
Table 92. Needs other assistive technology equipment but does not have .....	210
Table 93. Needs other equipment but does not have .....	212
<b>Medications.....</b>	<b>213</b>
Table 94. Knows what prescription medications are for .....	215
Table 95. Takes medication to help feel less sad or depressed .....	217

<b>Health Care.....</b>	<b>218</b>
Table 96. Has access to mental health services if they want them.....	220
Table 97. Can get an appointment to see or talk to their primary care doctor when they need to .....	222
Table 98. Went to the emergency room for any reason in the past 12 months.....	224
Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance.....	226
Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain .....	228
Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician .....	230
Table 102. Had a physical exam/wellness visit in the past 12 months.....	232
Table 103. Had a hearing exam in the past 4 years .....	234
Table 104. Had a vision exam in the past 12 months.....	236
Table 105. Had a dental visit in the past 12 months .....	238
Table 106. Had a flu shot in the past 12 months.....	240
Table 107. Received the COVID-19 Vaccine.....	242
<b>Wellness.....</b>	<b>243</b>
Table 108. Has access to healthy foods when they want them.....	245
Table 109. Overall health.....	247
Table 110. Health is better than 12 months ago .....	249
Table 111. In the past 12 months, forgets things more often than before.....	251
Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months).....	253
Table 113. Amount of physical activity per week.....	255
Table 114. Often feels lonely .....	257
<b>Affordability .....</b>	<b>258</b>
Table 115. Ever has to skip meals due to financial worries .....	260
<b>Safety .....</b>	<b>261</b>
Table 116. They or someone else has concerns about falling or being unstable .....	263
Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable) .....	265
Table 118. Able to get to safety quickly in case of an emergency .....	267
Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others .....	269
Table 120. Are ever worried for the security of their personal belongings .....	271
Table 121. Someone used or took their money without their permission in the past 12 months.....	273
Table 122. Feels safe around the people who are paid to help them .....	275

<b>Rights and Respect .....</b>	<b>276</b>
Table 123. Gets information about services in their preferred language (if preferred language is not English) .....	278
Table 124. Services and supports are delivered in a way that is respectful of their culture....	280
Table 125. People who are paid to help them treat them with respect .....	282
Table 126. Others ask before coming into their home/room (if living in a group setting).....	284
Table 127. Able to lock doors to room (if living in a group setting) .....	286
Table 128. Has enough privacy where lives (if living in a group setting) .....	288
Table 129. Can have visitors at any time (if living in a group setting) .....	290
Table 130. Can get something to eat or grab a snack anytime they want to (if living in a group setting) .....	292
<b>Person-Centered Planning (State Optional Module) .....</b>	<b>293</b>
Table 131. Involvement in making decisions about what is in the service plan .....	295
Table 132. Remember their last service planning meeting.....	297
Table 133. Service planning meeting took place at a time that was good for them.....	299
Table 134. Service planning meeting took place in a location that was good for them.....	301
Table 135. Service planning meeting included the people they wanted to be there .....	303
Table 136. People at the service planning meeting listened to needs and preferences.....	305
Table 137. Received a copy of the service plan after the service planning meeting.....	307
Table 138. Current service plan reflects what was talked about at the service plan meeting.	309
Table 139. Choices and preferences are reflected in current service plan .....	311
<b>Self-Direction module .....</b>	<b>312</b>
Table 140. Uses self-directed supports option.....	314
Table 141. Makes decisions about services that are self directed.....	316
Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received.....	318
Table 143. Can make changes to the services and supports you self-direct if needed .....	320
Table 144. Has the amount of control wanted with the services that are self-directed.....	322
Table 145. Services and supports wanted to self direct are always available.....	324
Table 146. Gets information about budget and services from the financial management service (FMS) .....	326
Table 147. Information received from the FMS is easy to understand.....	328
Table 148. Frequency of receiving information about budget and services from FMS .....	330
Table 149. Parts of self-direction need help with.....	332
<b>Part II: History and Methodology.....</b>	<b>333</b>
Our History.....	334
<b>NCI-AD Indicators .....</b>	<b>334</b>

**How NCI-AD Data Are Used ..... 335**

Methodology..... 335

**Administration ..... 335**

**Proxy Respondents ..... 336**

    Figure 3. Proxy Version: Frequency of Use by State Proxy Version: Frequency of Use by  
    State ..... 337

Surveyor Training..... 338

**Sampling ..... 338**

Data Analysis..... 339

**Data Management and Analysis..... 339**

## Introduction

National Core Indicators—Aging and Disabilities (NCI-AD™) is run collaboratively by two organizations focused on helping states develop innovative service systems: ADvancing States and the Human Services Research Institute.

Using their combined expertise, and with input from state directors, service participants, and leaders in the field, the team developed a standardized survey to **hear directly from people served** by publicly funded long-term services and supports programs—known as LTSS. More recently, NCI-AD launched the State of the Workforce–AD (SotW-AD) survey to **understand the states of LTSS service providers**.

LTSS have a major impact on people’s quality of life. Through NCI-AD, states have a valid tool to understand how their LTSS programs are performing — specifically those serving older adults and people with disabilities. And they can decide when and where quality improvement is needed.

This final report includes all demographic and outcome data collected through the 2023-24 NCI-AD Adult Consumer Survey. These data were collected between July 1, 2023 and June 30, 2024.

## Adult Consumer Survey

A cornerstone of NCI-AD’s mission is to raise the voices of older adults and people with disabilities by collecting data on how publicly funded services and supports impact their quality of life. This is achieved through our flagship survey: the Adult Consumer Survey (ACS). The survey addresses nearly 100 indicators designed to understand overall performance of public aging and physical disability systems; these indicators are grouped by sub-domain (see a full list of sub-domains and indicators [here](#)).

Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person—demographic and service-related data—mainly from service agency records. There are two main survey sections:

**Background Information (BI) Section:** The BI Section collects demographic and service-related information about the service recipient. To the extent possible, data for the BI Section are derived from states’ existing administrative records. Select BI items not available from state administrative data sources may be collected by surveyors at the end of the survey meeting. Each BI item tracks whether data were derived from existing administrative records or collected by surveyors as part of the survey meetings.

**Main Survey:** The main survey section of the Adult Consumer Survey gathers both subjective and objective information from the respondent, and consists of approximately 90 questions organized into thematic sub-sections. The Full In-Person Survey is completed through in-person, secure video meeting, or over-the-phone conversations. The respondent may ask their proxy (e.g., family member or close friend) for assistance with answering a subset of objective questions.

A “Proxy Version” of the survey is made available in the limited instances when only a proxy respondent answers survey questions because the person receiving services is unable or

unwilling to provide valid responses. This survey includes only the objective, proxy allowed questions.

The main section of the survey also includes two state-optional modules:

**Person-Centered Planning Module (state-optional).** This is a state-optional series of questions that ask about the person-centered planning process, including the person's experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: AL, AZ, DE, IN, KS, KY, MN, MO, NE, NJ, OH, OK, OR, TN, TX, WI, and WY.

**Self-direction Module (state-optional).** This state-optional module was added to the 2023-24 ACS. Questions in this section are asked only of those who are using a self-directed supports option and assess experiences specific to self-direction. The following states conducted the Self-direction module: AL, DE, IN, KS, KY, MO, NE, NJ, OH, OK, OR, TN, TX, WI, and WY.

## Presentation of Data

### *Participating States*

Twenty (20) states conducted the NCI-AD Adult Consumer Survey during the 2023-24 data collection cycle and had a valid sample for reporting: Alabama (AL), Arizona (AZ), Delaware (DE), Georgia (GA), Indiana (IN), Kansas (KS), Kentucky (KY), Minnesota (MN), Missouri (MO), Nebraska (NE), New Jersey (NJ), Ohio (OH), Oklahoma (OK), Oregon (OR), Tennessee (TN), Texas (TX), Virginia (VA), Washington (WA), Wisconsin (WI), and Wyoming (WY). To be included in reporting, states are required to meet an overall sample size to reach a 95% confidence level and 5% Margin of Error (MoE), most states oversample in order to allow for comparisons of subgroups in their populations.

There is considerable variation in how states' long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. Therefore, ACS respondents are served in a variety of settings, including their homes and communities as well as institutional settings such as nursing facilities. *See Appendix A for detailed information on State Sample Strategies.*

### *Collapsing and Weighting*

Many questions in the ACS allow respondents to answer a question with a "middle" response, like "maybe," "sometimes," or "in-between." Most tables in this section present collapsed data; this means that two or more response options are grouped together if they are considered to reflect a positive outcome. Table percentages include "yes" responses only, unless otherwise noted. *To see the breakout of responses for each option, please see Appendix B.*

**All state and NCI-AD averages throughout this report are "weighted"** to account for any non-proportional sampling of programs and to "rebalance" the states' sample sizes according to their populations of survey-eligible service recipients. *See more details on weighting in Part II of this report.*

## Program Classification

Outcome tables present overall state averages as well as outcomes by program. Organization of programs into categories allows for more meaningful comparisons between states. A state that surveyed a program or programs in a particular category, for example, may want to compare its NCI-AD results to the results of other states that included programs in the same category. To create program classifications, NCI-AD sorted programs from which states sampling into eight categories. It should be noted that, while different state programs classified into the same category share similarities and common elements, they can also differ on a number of characteristics. As such, **even when making cross-state comparisons within the same category, caution should be exercised.**

Below is a description of each of the eight programmatic categories used for analysis and presentation of results throughout this report:

- Programs of All-Inclusive Care for the Elderly (PACE).** These programs provide comprehensive medical and social services to community-dwelling older adults, most of whom are dually eligible for Medicare and Medicaid benefits. To qualify for PACE, an individual must be age 55 or older, live in the service area of a PACE site, be eligible for nursing home care, and able to live safely in the community. PACE is a program under Medicare, and states can elect to provide PACE services to Medicaid beneficiaries as an optional Medicaid benefit. For enrolled participants, the program serves as their sole source of Medicaid and Medicare benefits. *States included in PACE breakouts: New Jersey and Wisconsin.*
- Managed Long-Term Services and Supports Home and Community-Based Services (MLTSS HCBS).** This category includes programs which use capitated Medicaid managed care organizations (MCOs) to deliver HCBS to eligible members. These programs may be operated under multiple federal Medicaid authorities, including 1915(a), 1915(b), 1915(c) and 1115. Most states designed their MLTSS samples to allow for some comparison between the MCOs in their state. *States included in MLTSS breakouts: Delaware, Kansas, New Jersey, Ohio, Tennessee, Texas, and Wisconsin.*
- Combined Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan) that provide LTSS services to both older adults and adults with disabilities and do not differentiate between them once eligibility is established. **The “Combined Medicaid” category encompasses an especially wide variety of programs; comparisons across states should be made with particular caution.** *States included in Combined Medicaid breakouts: Colorado, Delaware, Indiana, Missouri, Oklahoma, Washington, and Wisconsin.*
- Aging Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan but excluding PACE programs) intended specifically to provide LTSS services to older adults. *States included in Aging Medicaid breakouts: Minnesota and Missouri.*
- Physical Disability (PD) Medicaid.** This category includes Medicaid-funded HCBS programs (waiver or state plan) intended specifically to provide LTSS services to people with physical and other non-intellectual disabilities/developmental disabilities (ID/DD), except for programs specifically serving people with traumatic or acquired brain injury. *States included in PD Medicaid breakouts: Minnesota, Missouri, and Ohio.*

- **Older Americans Act (OAA).** The OAA was established by Congress in 1965 to provide services to seniors age 60 or older. The OAA program supports a range of HCBS, such as Meals on Wheels and other nutrition programs, in-home services, transportation, legal services, elder abuse prevention and caregiver support. These programs help seniors stay as independent as possible in their homes and communities. Generally, beneficiaries of programs in the OAA category are eligible to be included in the NCI-AD survey sample if they receive one or more “Cluster 1” services (such as home-delivered meals, adult day care/adult day health, personal care services and chore or homemaker services) with approximate frequency of at least 2-3 or more times per week. **NOTE: For programs in the OAA category, some states limit their survey samples to recipients of a specific “Cluster 1” service, whereas other states’ samples include recipients of a broader array of services.** *States included in OAA breakouts: Georgia, Indiana, and Michigan.*
- **Nursing Facilities (NFs).** This category includes skilled and intermediate NFs, with consumers receiving services funded by Medicaid and delivered through either the traditional fee-for-service (FFS) or MLTSS model. The NF category includes people being served in institutional settings rather than through HCBS. *States included in NF breakouts: Delaware, Washington, and Wisconsin.*
- **Other.** Programs not fitting into one of the eight categories above, such as state-funded programs or programs providing services to other populations of recipients, are not included as a separate breakout in tables due to the dissimilar nature of programs; however, data from these programs *are included* in overall state and NCI-AD Averages.

State reports display the outcomes from these programs.

**Figure 1** shows classification of 2023-24 state programs into the programmatic categories described above; the number of analyzed surveys in each category by state is also shown.

**Figure 2** contains calculations of margins of error for each state overall and each state’s program categories, under two scenarios: assuming a 0.5 and a 0.7 distribution of responses. Using the 0.5 distribution of responses is the most conservative distribution assumption allowed for calculating margins of error and is usually used when no prior information is available about true population response distributions. When prior information is available, it can be used for calculating less conservative margins of error. Based on distributions observed in previously collected NCI-AD data, it is reasonable to assume a somewhat less conservative population response distribution of 0.7 for calculating margins of error.

Calculations in both scenarios use the total number of analyzed surveys in a given program category. It is important to note that the actual number of valid responses to an individual survey item may be smaller than the total number of analyzed surveys.



**Figure 1. Classification of 2023-24 state programs into national buckets**

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
AL	384	Nursing Facilities N = 88	n/a	n/a	Elderly & Disabled Waiver, State of AL Independent Living (SAIL) Waiver, Alabama Community Transition (ACT) Waiver, Technical Assistance Waiver N = 296	n/a	n/a	n/a	n/a
AZ	402	n/a	n/a	Mercy Care LTC, Banner LTC, United LTC N = 402	n/a	n/a	n/a	n/a	n/a
DE	997	Highmark-NF, AmeriHealth-NF N = 143	n/a	Highmark-HCBS, AmeriHealth-HCBS, DSAAPD-HCBS N = 854	n/a	n/a	n/a	n/a	n/a
GA	501	n/a	n/a	n/a	n/a	n/a	n/a	OAA N = 501	n/a
IN	1231	n/a	n/a	n/a	AD & TBI N = 837	n/a	n/a	Title III N = 213	CHOICE, SSBG N = 181
KS	1237	n/a	n/a	Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI) N = 1237	n/a	n/a	n/a	n/a	n/a
KY	397	n/a	n/a	Medicaid 1915c N = 236	n/a	n/a	n/a	OAA N = 161	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
MN	1422	n/a	n/a	n/a	n/a	State Plan Home Care (Adults age 65+), Alternative Care Program (AC), Elderly Waiver (EW) Fee for Service, Elderly Waiver (EW) Managed Care N = 1012	Community Alternative Care (CAC) Waiver, Brain Injury (BI) Waiver, Community Access for Disability Inclusion (CADI) N = 410	n/a	n/a
MO	2325	n/a	n/a	n/a	Consumer Directed Services (State Plan), Agency Model Services (State Plan), Aged & Disabled Waiver, Residential Care Facility/Assisted Living Facility Personal Care (State Plan), Independent Living Waiver, Structured Family Caregiver Waiver, Brain Injury Waiver, AIDS Waiver, Medically Fragile Adult Waiver N =1988		PD Medicaid N =337	n/a	n/a
NE	856	n/a	n/a	A&D Waiver, TBI N =315	PAS N =276	n/a	n/a	n/a	n/a

## National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
NJ	710	MLTSS/NF N = 134	PACE N = 122	MLTSS/ HCBS: "N", MLTSS /HCBS: "O", MLTSS /HCBS: "P", MLTSS /HCBS: "Q", MLTSS /HCBS: "R" N = 454	n/a	n/a	n/a	n/a	n/a
OH	1480	n/a	n/a	MyCare Ohio Waiver N = 387	Assisted Living Waiver N = 314	PASSPORT Waiver N = 394	Ohio Home Care Waiver N = 385	n/a	n/a
OK	755	n/a	n/a	n/a	ADvantage, State Plan Personal Care, Living Choice, Medically Fragile N = 592	n/a	n/a	OAA (HDM) N = 163	n/a
OR	727	Medicaid LTSS- Intermediate Care Nursing Facilities N = 87	PACE- Providence ElderPlace, PACE-AllCare N = 93	n/a	Medicaid LTSS-In- Home Services, Medicaid LTSS-Adult Foster Homes, Medicaid LTSS- Residential Care Facilities, Medicaid LTSS-Assisted Living Facilities, Medicaid LTSS-Memory Care N = 451	n/a	n/a	OAA- Remote, OAA- Rural, OAA- Urban N = 96	n/a
TN	787	Amerigroup Group 1, BlueCare Group 1, UnitedHealthcare Group 1 N = 213	PACE N = 37	Amerigroup Group 2, Amerigroup Group 3, BlueCare Group 2, BlueCare Group 3, UnitedHealthcare Group 2, UnitedHealthcare Group 3, N = 537	n/a	n/a	n/a	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
TX	1492	n/a	n/a	STAR+PLUS HCBS - Amerigroup, STAR+PLUS HCBS - Molina, STAR+PLUS HCBS - Superior, STAR+PLUS HCBS - United HealthCare N = 1492	n/a	n/a	n/a	n/a	n/a
VA	1000	n/a	n/a	Aetna Better Health, Anthem HealthKeepers Plus, Molina Healthcare, Optima Community Care, United HealthCare Community Plan N = 1000	n/a	n/a	n/a	n/a	n/a
WA	1631	Medicaid - Nursing Home N = 93	n/a	CFC,COPEs, New Freedom - In-home, CFC,COPEs,RSW - Adult Family Home, CFC,COPEs, RSW - Assisted Living, CFC, COPEs, RSW - Adult Residential Care N = 1538	n/a	n/a	n/a	n/a	n/a
WI	2305	Fee-for-service (FFS) Nursing Home N = 331	PACE N = 123	Family Care, Family Care Partnership N = 1184	Include, Respect, I Self-Direct (IRIS) N = 667	n/a	n/a	n/a	n/a

National Core Indicators-Aging and Disabilities

State	Total N	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA	Other
WY	402	n/a	n/a	n/a	Community Choices Waiver N = 402	n/a	n/a	n/a	n/a
Total	21041	1354	375	9636	5823	1406	1132	1134	181

**Figure 2. Margin of error by state and program category at 95% Confidence Level, assuming 0.7 distribution (assuming 0.5 distribution)**

State	Overall	Overall-HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	4.6%(5.0%)	5.2%(5.7%)	9.6%(10.4%)	n/a	n/a	4.6%(5.0%)	n/a	n/a	n/a
AZ	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a	4.5%(4.9%)	n/a	n/a	n/a	n/a
DE	2.8%(3.1%)	3.1%(3.4%)	7.5%(8.2%)	n/a	3.1%(3.4%)	n/a	n/a	n/a	n/a
GA	4.0%(4.4%)	4.0%(4.4%)	n/a	n/a	n/a	n/a	n/a	n/a	4.0%(4.4%)
IN	2.6%(2.8%)	2.6%(2.8%)	n/a	n/a	n/a	3.1%(3.4%)	n/a	n/a	6.2%(6.7%)
KS	2.6%(2.8%)	2.6%(2.8%)	n/a	n/a	2.6%(2.8%)	n/a	n/a	n/a	n/a
KY	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a	5.8%(6.4%)	n/a	n/a	n/a	7.1%(7.7%)
MN	2.4%(2.6%)	2.4%(2.6%)	n/a	n/a	n/a	n/a	2.8%(3.1%)	4.4%(4.8%)	n/a
MO	1.9%(2.0%)	1.9%(2.0%)	n/a	n/a	n/a	2.0%(2.2%)	n/a	4.9%(5.3%)	n/a
NE	3.1%(3.1%)	3.7%(3.7%)	n/a	n/a	5.1%(5.1%)	5.4%(5.4%)	n/a	n/a	n/a
NJ	3.4%(3.7%)	3.7%(4.1%)	7.8%(8.5%)	8.1%(8.9%)	4.2%(4.6%)	n/a	n/a	n/a	n/a
OH	2.3%(2.5%)	2.3%(2.5%)	n/a	n/a	4.6%(5.0%)	5.1%(5.5%)	4.5%(4.9%)	4.6%(5.0%)	n/a
OK	3.3%(3.6%)	3.3%(3.6%)	n/a	n/a	n/a	3.7%(4.0%)	n/a	n/a	7.0%(7.7%)
OR	3.3%(3.6%)	3.6%(3.9%)	9.6%(10.5%)	9.3%(10.2%)	n/a	4.2%(4.6%)	n/a	n/a	9.2%(10.0%)
TN	3.2%(3.5%)	3.7%(4.1%)	6.2%(6.7%)	14.8%(16.1%)	3.9%(4.2%)	n/a	n/a	n/a	n/a
TX	2.3%(2.5%)	2.3%(2.5%)	n/a	n/a	2.3%(2.5%)	n/a	n/a	n/a	n/a
VA	2.8%(3.1%)	2.8%(3.1%)	n/a	n/a	2.8%(3.1%)	n/a	n/a	n/a	n/a
WA	2.2%(2.4%)	2.3%(2.5%)	9.3%(10.2%)	n/a	2.3%(2.5%)	n/a	n/a	n/a	n/a
WI	1.9%(2.0%)	2.0%(2.2%)	4.9%(5.4%)	8.1%(8.8%)	2.1%(2.3%)	3.5%(3.8%)	n/a	n/a	n/a
WY	4.5%(4.9%)	4.5%(4.9%)	n/a	n/a	n/a	4.5%(4.9%)	n/a	n/a	n/a
<b>Total</b>	<b>0.6%(0.7%)</b>	<b>0.6%(0.7%)</b>	<b>2.4%(2.7%)</b>	<b>4.6%(5.1%)</b>	<b>.9%(1.0%)</b>	<b>1.2%(1.3%)</b>	<b>2.4%(2.6%)</b>	<b>2.7%(2.9%)</b>	<b>2.7%(2.9%)</b>

## *Presentation of Results*

All demographic and outcome results for the 2023-24 NCI-AD Adult Consumer Survey are reported. **All state and NCI-AD Averages presented are weighted.** Analysis results are presented in two sections:

**Demographic Characteristics:** Tables show demographic and service-related characteristics of service recipients in each state. Demographic information is un-collapsed.

**Outcome Tables and Comparisons Across States:** Outcomes are grouped by sub-domain. Each outcome is first displayed as a chart depicting the NCI-AD overall and program-level averages followed by a table with states, listed alphabetically, displaying each state's weighted average, each state's observed (unweighted) number of valid responses, as well as the overall weighted "NCI-AD Average" and the overall observed number of valid responses. In addition to displaying weighted state averages, tables in this section also contain weighted results for the eight program categories described in "Classification of Programs" in previous section (PACE, MLTSS HCBS, Combined Medicaid, Aging Medicaid, PD Medicaid, BI Medicaid, OAA, and NFs). Results for the "Other" program category are not presented separately; however, programs in this category are included in calculation of state averages and the overall NCI-AD Average. Tables also contain an "Overall – HCBS only" weighted average for each state and overall across all states. This average includes only HCBS-based program categories (PACE, MLTSS HCBS, Combined Medicaid, Aging Medicaid, PD Medicaid, BI Medicaid, and OAA as well as HCBS programs in the "Other" category); its calculation excludes NFs. For states that did not survey NF residents, the "Overall – HCBS only" average is identical to the state's weighted average.

### **NOTES:**

To protect people's privacy, **we do not show the data when 20 or fewer people from a state or within a program responded** to a question; however, their data are included in the overall state average.

For some items collected in the Background Information section, states had large amounts of missing data or data recorded as "don't know." Where 25% or more of a state's sample had "don't know" or missing responses, we used an asterisk (\*) to indicate that state's data should be interpreted with caution as it may not accurately represent the sample or service population.

*Demographic*



**Table 1. Average age (reported for those under 90 years old)**

State	Age	Observed N
AL	63.8	375
AZ	67.5	366
DE	63.9	938
GA	75.9	453
IN	67.7	1,132
KS	65.2	1,182
KY	67.7	374
MN	63.9	1,295
MO	60.2	2,275
NE	68.0	809
NJ	70.9	643
OH	68.0	1,393
OK	69.2	716
OR	69.6	663
TN	68.3	752
TX	59.9	1,430
VA	54.5	978
WA	67.0	1,562
WI	65.9	2,133
WY	64.3	388
<b>NCI-AD Weighted Average</b>	<b>62.5</b>	<b>19,857</b>

**Table 2. Age category (including those 90 and older)**

State	18-44	45-65	66-89	90+	N
AL	12%	30%	53%	5%	384
AZ	9%	23%	59%	9%	402
DE	12%	31%	51%	6%	997
GA	0%	7%	84%	8%	494
IN	5%	26%	61%	7%	1,217
KS	8%	31%	56%	5%	1,237
KY	8%	22%	64%	7%	397
MN	11%	36%	49%	5%	1,422
MO	13%	47%	38%	1%	2,307
NE	8%	18%	65%	8%	852
NJ	4%	20%	66%	11%	710
OH	6%	26%	62%	5%	1,469
OK	6%	23%	67%	5%	733
OR	5%	20%	69%	6%	727
TN	8%	23%	64%	5%	786
TX	17%	39%	40%	4%	1,490
VA	28%	40%	30%	2%	1,000
WA	6%	29%	61%	4%	1,626
WI	6%	34%	52%	8%	2,304
WY	9%	38%	50%	3%	402
<b>Weighted NCI-AD Average</b>	<b>14%</b>	<b>33%</b>	<b>48%</b>	<b>5%</b>	<b>20,956</b>

**Table 3. Gender**

State	Male	Female	Other	Don't Know or Unclear	N
AL	39%	60%	0%	0%	384
AZ	42%	58%	0%	0%	402
DE	49%	51%	0%	0%	997
GA	32%	68%	0%	0%	500
IN	34%	66%	0%	1%	1,231
KS	32%	68%	0%	0%	1,237
KY	27%	73%	0%	0%	397
MN	35%	65%	0%	0%	1,422
MO	36%	64%	0%	0%	1,591
NE	45%	55%	0%	0%	855
NJ	37%	63%	0%	0%	710
OH	30%	70%	0%	0%	1,479
OK	33%	66%	0%	0%	752
OR	32%	68%	0%	0%	726
TN	32%	68%	0%	0%	787
TX	38%	62%	0%	0%	1,491
VA	41%	59%	0%	0%	1,000
WA	33%	67%	0%	0%	1,631
WI	32%	68%	0%	0%	2,305
WY	36%	64%	0%	0%	402
<b>Weighted NCI-AD Average</b>	<b>37%</b>	<b>63%</b>	<b>0%</b>	<b>0%</b>	<b>20,299</b>

**Table 4. Race and ethnicity***Categories are not mutually exclusive, therefore N is not shown.*

State	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know or Unclear
AL	2%	1%	44%	0%	49%	2%	3%	1%
AZ	2%	3%	8%	0%	60%	23%	3%	2%
DE	0%	1%	38%	2%	58%	0%	0%	0%
GA	0%	1%	49%	0%	49%	0%	1%	1%
IN	1%	1%	27%	0%	65%	2%	2%	2%
KS	2%	2%	19%	0%	73%	3%	1%	3%
KY	0%	1%	13%	0%	87%	1%	0%	0%
MN	4%	6%	19%	1%	67%	4%	2%	1%
MO	2%	1%	36%	0%	49%	1%	2%	0%
NE	5%	4%	19%	0%	71%	7%	2%	0%
NJ	1%	13%	24%	0%	38%	22%	2%	0%
OH	1%	13%	25%	0%	55%	3%	5%	0%
OK	13%	1%	9%	0%	69%	1%	2%	10%
OR	3%	2%	4%	0%	86%	5%	4%	0%
TN	0%	0%	26%	0%	68%	1%	2%	2%
TX	1%	1%	22%	0%	35%	52%	1%	0%
VA	2%	5%	37%	1%	52%	1%	2%	3%
WA	8%	7%	12%	0%	54%	15%	5%	0%
WI	2%	1%	22%	0%	69%	3%	3%	3%
WY	7%	0%	1%	0%	88%	7%	1%	1%
<b>Weighted NCI- AD Average</b>	<b>3%</b>	<b>4%</b>	<b>26%</b>	<b>0%</b>	<b>57%</b>	<b>7%</b>	<b>3%</b>	<b>2%</b>

**Table 5. Marital status**

State	Single, never married	Married or in domestic partnership	Separated or divorced	Widowed	Don't Know or Unclear	N
AL	31%	12%	35%	19%	3%	381
AZ **	0%	8%	0%	5%	87%	402
DE	35%	13%	25%	25%	1%	785
GA	18%	22%	22%	37%	2%	498
IN	25%	19%	29%	26%	1%	1,194
KS	29%	14%	35%	22%	1%	1,118
KY	30%	19%	17%	33%	1%	394
MN	16%	13%	38%	28%	6%	1,012
MO	45%	10%	30%	14%	0%	2,159
NE	35%	16%	22%	23%	4%	766
NJ	34%	18%	17%	31%	0%	703
OH	25%	20%	29%	26%	0%	1,464
OK **	9%	25%	10%	20%	36%	660
OR	21%	19%	27%	32%	1%	659
TN **	22%	12%	19%	18%	29%	720
TX	40%	13%	28%	19%	0%	1,489
VA	48%	13%	21%	10%	8%	959
WA	32%	11%	31%	24%	0%	1,588
WI	21%	16%	23%	20%	20%	2,284
WY	21%	19%	39%	21%	1%	378
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>15%</b>	<b>24%</b>	<b>18%</b>	<b>9%</b>	<b>19,613</b>

States with more than 25% missing or don't know are marked with \*\*

**Table 6. Preferred language**

State	English	Spanish	Other	Don't Know or Unclear	N
AL	97%	1%	1%	0%	380
AZ	95%	4%	1%	0%	402
DE	99%	1%	0%	0%	997
GA	99%	0%	1%	0%	500
IN	90%	1%	2%	6%	1,214
KS	95%	2%	3%	0%	1,151
KY	100%	0%	0%	0%	396
MN	91%	2%	7%	0%	1,422
MO	97%	0%	2%	0%	2,198
NE	97%	2%	1%	0%	823
NJ	65%	17%	18%	0%	706
OH	78%	1%	20%	0%	1,477
OK	96%	0%	0%	3%	704
OR	95%	2%	3%	0%	662
TN	98%	1%	1%	0%	786
TX	80%	19%	1%	0%	1,491
VA	97%	1%	2%	0%	996
WA	81%	16%	3%	0%	1,615
WI	97%	1%	1%	0%	2,282
WY	99%	1%	1%	0%	379
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>4%</b>	<b>4%</b>	<b>1%</b>	<b>20,581</b>

**Table 7. Preferred means of Communication**

State	Spoken	Gestures or body language	Sign language or finger spelling	Communication aid or Device	Other	Don't Know	N
AL	92%	6%	0%	0%	2%	1%	379
AZ	97%	1%	0%	0%	1%	0%	402
DE	99%	0%	0%	0%	0%	1%	997
GA	99%	0%	0%	0%	0%	0%	500
IN	98%	1%	0%	0%	0%	0%	1,067
KS	95%	1%	0%	0%	0%	4%	1,150
KY	97%	2%	0%	0%	0%	0%	394
MN	98%	1%	0%	0%	1%	0%	1,244
MO	98%	1%	0%	0%	0%	0%	2,193
NE	97%	1%	0%	0%	2%	0%	826
NJ	98%	1%	0%	1%	1%	0%	707
OH	97%	2%	0%	0%	1%	0%	1,479
OK	98%	0%	0%	0%	0%	2%	707
OR	96%	2%	0%	0%	2%	0%	664
TN	94%	2%	1%	0%	2%	1%	785
TX	93%	4%	1%	0%	2%	1%	1,492
VA	90%	2%	0%	1%	2%	5%	965
WA	95%	3%	0%	0%	1%	1%	1,613
WI	96%	0%	0%	0%	0%	3%	1,976
WY	96%	0%	0%	1%	3%	0%	380
<b>Weighted NCI-AD Average</b>	<b>95%</b>	<b>2%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>2%</b>	<b>19,920</b>

**Table 8. Residential designation***Categories created using zip codes and corresponding RUCA codes.*

State	Metropolitan	Micropolitan	Rural	Small town	Don't Know	N
AL	64%	17%	8%	10%	0%	381
AZ	93%	5%	1%	1%	0%	402
DE	76%	19%	0%	4%	0%	997
GA	72%	16%	4%	7%	1%	497
IN	78%	14%	2%	5%	0%	1,209
KS	55%	24%	8%	13%	0%	1,219
KY	35%	32%	12%	21%	0%	393
MN	68%	14%	7%	11%	0%	1,422
MO	71%	12%	6%	11%	0%	2,254
NE	54%	18%	15%	13%	0%	807
NJ	98%	1%	0%	0%	0%	707
OH	84%	13%	0%	2%	0%	1,470
OK	37%	23%	13%	9%	17%	702
OR	66%	23%	4%	7%	0%	714
TN	67%	19%	2%	12%	0%	787
TX	85%	12%	0%	3%	0%	1,492
VA	77%	9%	5%	9%	0%	993
WA	90%	7%	2%	1%	0%	1,612
WI	66%	13%	8%	13%	0%	2,283
WY	39%	33%	8%	20%	0%	402
<b>Weighted NCI-AD Average</b>	<b>74%</b>	<b>12%</b>	<b>5%</b>	<b>8%</b>	<b>1%</b>	<b>20,743</b>



**Table 9. Median income (based on zip code)**

State	\$0- \$9,999	\$10,000- \$19,999	\$20,000- \$29,999	\$30,000- \$39,999	\$40,000- \$49,999	\$50,000- \$59,999	\$60,000- \$69,999	\$70,000- \$79,999	\$80,000- \$89,999	\$90,000- \$99,999	\$100,000 and over	N
AL	0%	0%	1%	20%	40%	20%	6%	9%	2%	1%	0%	381
AZ	0%	0%	0%	6%	19%	32%	24%	8%	7%	2%	2%	402
DE	0%	0%	0%	2%	6%	29%	38%	2%	15%	3%	5%	997
GA	1%	0%	0%	10%	34%	25%	12%	10%	5%	3%	1%	494
IN	0%	0%	0%	10%	22%	40%	16%	6%	2%	2%	1%	1,209
KS	1%	0%	1%	8%	33%	31%	14%	6%	4%	1%	2%	1,219
KY	1%	0%	3%	21%	38%	25%	6%	5%	0%	1%	0%	393
MN	0%	0%	0%	2%	11%	45%	17%	11%	8%	4%	2%	1,422
MO	0%	0%	2%	14%	48%	17%	10%	5%	3%	1%	1%	2,244
NE	1%	0%	0%	3%	15%	49%	11%	17%	2%	2%	0%	806
NJ	1%	1%	0%	3%	10%	17%	14%	11%	14%	9%	20%	705
OH	0%	0%	1%	12%	19%	33%	12%	11%	5%	4%	1%	1,465
OK	0%	0%	0%	9%	48%	30%	7%	5%	1%	0%	1%	653
OR	1%	0%	0%	2%	22%	46%	20%	5%	2%	0%	1%	714
TN	1%	0%	1%	10%	45%	20%	13%	6%	2%	1%	0%	787
TX	0%	0%	0%	20%	36%	24%	9%	5%	3%	1%	1%	1,492
VA	1%	0%	1%	5%	25%	18%	16%	10%	8%	4%	12%	993
WA	1%	0%	0%	1%	14%	28%	27%	16%	8%	3%	2%	1,611
WI	0%	0%	0%	5%	20%	40%	18%	10%	4%	2%	0%	2,282
WY	2%	0%	0%	0%	4%	29%	31%	20%	2%	11%	0%	402
<b>Weighted NCI-AD Average</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>7%</b>	<b>25%</b>	<b>27%</b>	<b>15%</b>	<b>9%</b>	<b>6%</b>	<b>3%</b>	<b>5%</b>	<b>20,671</b>

**Table 10. Type of residence**

State	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't Know or Unclear	N
AL	45%	2%	0%	3%	51%	0%	0%	0%	381
AZ	46%	1%	4%	26%	23%	0%	0%	0%	402
DE	90%	4%	1%	3%	1%	0%	0%	1%	799
GA	93%	4%	0%	1%	0%	0%	2%	0%	501
IN	80%	6%	0%	9%	1%	0%	1%	3%	1,230
KS	81%	6%	1%	9%	1%	0%	1%	1%	1,134
KY	94%	5%	0%	0%	0%	0%	1%	0%	391
MN	61%	6%	13%	17%	2%	0%	1%	0%	1,243
MO	86%	6%	1%	5%	0%	0%	1%	0%	2,189
NE	32%	0%	0%	12%	55%	0%	0%	0%	856
NJ	55%	8%	0%	5%	31%	0%	0%	0%	710
OH	81%	3%	0%	15%	0%	0%	0%	0%	1,480
OK	84%	5%	0%	0%	1%	0%	2%	8%	742
OR	63%	3%	8%	18%	3%	0%	5%	0%	663
TN	40%	1%	2%	3%	54%	0%	1%	0%	787
TX	90%	4%	1%	4%	0%	0%	1%	0%	1,492
VA	78%	2%	3%	1%	3%	1%	8%	4%	995
WA	63%	3%	17%	8%	9%	0%	0%	0%	1,628
WI	68%	3%	1%	9%	18%	0%	0%	0%	2,304
WY	69%	18%	2%	7%	0%	1%	3%	0%	379
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>3%</b>	<b>4%</b>	<b>7%</b>	<b>9%</b>	<b>0%</b>	<b>3%</b>	<b>2%</b>	<b>20,306</b>

**Table 11. Who the person lives with***Categories are not mutually exclusive, therefore N is not shown.*

State	No One – Lives Alone	Spouse or Partner	Other Family	Friend(s)	Live-in PCA	Others	Don't Know or Unclear
AL	26%	3%	28%	0%	1%	41%	1%
AZ	22%	13%	30%	1%	15%	38%	1%
DE	34%	12%	45%	1%	2%	6%	1%
GA	50%	21%	30%	1%	0%	1%	1%
IN	44%	16%	34%	1%	1%	2%	4%
KS	60%	12%	23%	2%	1%	2%	2%
KY	53%	18%	26%	0%	0%	1%	1%
MN	62%	8%	18%	1%	1%	10%	0%
MO	49%	9%	30%	3%	1%	5%	0%
NE	30%	7%	12%	0%	1%	56%	0%
NJ	25%	13%	27%	1%	0%	35%	0%
OH	50%	17%	39%	1%	3%	1%	0%
OK	37%	20%	19%	2%	0%	3%	0%
OR	39%	17%	25%	2%	5%	19%	0%
TN	18%	7%	19%	1%	0%	55%	1%
TX	36%	11%	51%	3%	2%	3%	0%
VA	26%	16%	46%	5%	2%	8%	0%
WA	55%	5%	15%	0%	9%	22%	0%
WI	47%	12%	16%	1%	3%	8%	16%
WY	56%	20%	19%	4%	4%	2%	0%
<b>Weighted NCI-AD Average</b>	<b>38%</b>	<b>13%</b>	<b>32%</b>	<b>3%</b>	<b>2%</b>	<b>13%</b>	<b>3%</b>

**Table 12. Address changed in the past 6 months**

State	Yes	No	Don't Know or Unclear	N
AL	8%	92%	1%	381
AZ	6%	94%	0%	402
DE	6%	94%	0%	783
GA	5%	94%	1%	500
IN	5%	95%	0%	1,052
KS	9%	90%	2%	1,125
KY	3%	89%	8%	392
MN	8%	91%	0%	1,243
MO	5%	95%	0%	2,171
NE	11%	88%	1%	822
NJ	2%	97%	1%	706
OH	3%	97%	0%	1,477
OK	3%	92%	4%	688
OR	8%	92%	0%	662
TN	4%	89%	7%	779
TX	5%	95%	0%	1,492
VA	8%	90%	2%	960
WA	10%	90%	0%	1,603
WI	6%	77%	17%	2,229
WY	10%	90%	0%	379
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>91%</b>	<b>2%</b>	<b>19,846</b>

**Table 13. Where people moved from (if moved in the last 6 months)**

State	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't Know or Unclear	N
AL **	37%	9%	0%	0%	23%	0%	5%	26%	24
AZ	83%	0%	4%	9%	0%	0%	4%	0%	23
DE	92%	0%	0%	0%	1%	5%	2%	0%	47
GA	72%	0%	0%	8%	8%	4%	8%	0%	25
IN	72%	3%	0%	14%	3%	0%	8%	0%	50
KS	73%	6%	0%	6%	3%	0%	6%	5%	91
MN	64%	10%	9%	9%	1%	0%	3%	4%	100
MO	64%	6%	1%	4%	5%	5%	11%	3%	101
NE	45%	8%	0%	26%	2%	3%	6%	10%	71
OH	67%	5%	1%	11%	0%	0%	17%	0%	51
OK **	37%	3%	3%	1%	15%	3%	0%	40%	40
OR	51%	6%	10%	12%	4%	3%	14%	2%	61
TN	71%	0%	0%	9%	19%	0%	1%	0%	29
TX	86%	3%	1%	4%	0%	2%	5%	0%	76
VA	58%	5%	1%	2%	1%	11%	19%	3%	73
WA	66%	1%	15%	0%	4%	12%	2%	0%	126
WI	54%	5%	4%	15%	7%	1%	13%	3%	136
WY	78%	8%	0%	3%	5%	3%	3%	0%	37
<b>Weighted NCI-AD Average</b>	<b>61%</b>	<b>5%</b>	<b>4%</b>	<b>5%</b>	<b>4%</b>	<b>6%</b>	<b>11%</b>	<b>4%</b>	<b>1,186</b>

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: KY, NJ. States with more than 25% missing or don't know are marked with \*\*

**Table 14A. Diagnoses***Categories are not mutually exclusive; therefore, N is not shown.*

State	Physical disability	Traumatic brain injury or other acquired brain injury	Intellectual or other developmental disability	Alzheimer's disease or dementia	Heart disease	Cancer
AL	68%	21%	12%	22%	76%	10%
AZ	2%	4%	1%	26%	79%	18%
DE	60%	13%	10%	11%	35%	11%
GA	81%	3%	2%	13%	28%	14%
IN	59%	13%	8%	12%	35%	19%
KS	72%	15%	8%	12%	33%	18%
KY	76%	4%	10%	3%	39%	7%
MN	54%	0%	2%	8%	30%	20%
MO	69%	13%	12%	6%	28%	15%
NE	87%	19%	9%	13%	24%	18%
NJ	60%	3%	3%	27%	44%	14%
OH	70%	11%	6%	19%	38%	18%
OK	61%	8%	8%	5%	39%	22%
OR	64%	15%	7%	16%	37%	19%
TN	75%	5%	6%	35%	37%	7%
TX	82%	18%	18%	14%	34%	12%
VA	1%	8%	12%	5%	26%	4%
WA	71%	13%	12%	10%	30%	19%
WI	42%	4%	1%	21%	56%	10%
WY	70%	16%	10%	5%	28%	17%
<b>Weighted NCI-AD Average</b>	<b>44%</b>	<b>10%</b>	<b>9%</b>	<b>12%</b>	<b>35%</b>	<b>12%</b>

**Table 14B. Diagnoses (continued)***Categories are not mutually exclusive; therefore, N is not shown.*

State	Chronic obstructive pulmonary disease (COPD)	Stroke	Diabetes	Hypertension (or high blood pressure)	Limited or no vision- legally blind	Hearing loss- severe or profound
AL	26%	28%	39%	80%	20%	14%
AZ	17%	19%	38%	57%	4%	7%
DE	21%	24%	45%	64%	9%	12%
GA	15%	13%	31%	55%	18%	14%
IN	30%	26%	44%	71%	14%	15%
KS	29%	21%	39%	58%	30%	16%
KY	25%	17%	33%	55%	15%	7%
MN	20%	19%	34%	60%	13%	15%
MO	30%	17%	39%	66%	27%	10%
NE	22%	16%	25%	47%	6%	7%
NJ	16%	22%	43%	74%	18%	12%
OH	24%	23%	44%	71%	11%	13%
OK	28%	18%	41%	70%	17%	19%
OR	25%	27%	33%	62%	14%	15%
TN	26%	23%	41%	70%	6%	4%
TX	27%	30%	48%	68%	38%	24%
VA	16%	6%	0%	59%	1%	2%
WA	23%	24%	49%	64%	22%	26%
WI	27%	20%	42%	71%	4%	1%
WY	39%	17%	39%	53%	24%	23%
<b>Weighted NCI-AD Average</b>	<b>22%</b>	<b>17%</b>	<b>29%</b>	<b>65%</b>	<b>12%</b>	<b>10%</b>

**Table 15. Person has chronic psychiatric or mental health diagnosis**

State	Yes	No	Don't Know or Unclear	N
AL	54%	45%	1%	376
AZ	65%	35%	0%	402
DE	21%	77%	2%	917
GA	13%	76%	11%	499
IN	18%	59%	23%	1,226
KS	30%	64%	6%	1,110
KY	29%	61%	11%	382
MN	45%	55%	0%	1,012
MO	40%	59%	1%	2,124
NE	54%	44%	2%	851
NJ	46%	54%	1%	706
OH	23%	76%	1%	1,477
OK	22%	77%	1%	695
TN	58%	40%	2%	787
TX	40%	59%	1%	1,492
VA	2%	98%	0%	1,000
WA	37%	62%	2%	1,606
WI	69%	30%	1%	2,305
WY	33%	66%	1%	376
<b>Weighted NCI-AD Average</b>	<b>28%</b>	<b>70%</b>	<b>2%</b>	<b>19,343</b>



**Table 16. Level of mobility**

Categories are not mutually exclusive (except 'Don't know or unclear or Missing').

State	Non-Ambulatory	Moves self with wheelchair	Moves self with other aids	Moves self without aids	Don't Know or Unclear
AL	18%	38%	39%	33%	1%
AZ	0%	77%	23%	0%	0%
DE	15%	31%	48%	26%	0%
GA	6%	10%	62%	62%	3%
IN	2%	21%	51%	25%	24%
KS	3%	22%	66%	40%	1%
KY	8%	14%	45%	24%	8%
MN	34%	45%	45%	20%	0%
MO	3%	15%	57%	41%	0%
NE	3%	36%	61%	27%	0%
NJ	9%	23%	53%	18%	0%
OH	8%	24%	75%	35%	0%
OK	2%	16%	54%	53%	0%
OR	13%	31%	61%	24%	0%
TN	47%	26%	24%	8%	0%
TX	9%	27%	61%	28%	0%
VA	5%	8%	32%	61%	3%
WA	7%	25%	62%	24%	0%
WI	1%	17%	7%	3%	73%
WY	3%	17%	59%	47%	0%
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>19%</b>	<b>46%</b>	<b>38%</b>	<b>7%</b>

**Table 17. Has history of frequent falls (more than two falls in a six-month period)**

State	Yes	No	Don't Know or Unclear	N
AL	29%	69%	2%	378
AZ	7%	93%	0%	402
DE	26%	74%	0%	916
GA	26%	70%	4%	501
IN	29%	71%	1%	969
KS	35%	64%	2%	1,130
KY	18%	72%	10%	378
MN	24%	74%	2%	1,239
MO	32%	67%	0%	2,152
NE	34%	65%	1%	823
NJ	11%	88%	0%	707
OH	21%	79%	0%	1,474
OK	29%	71%	0%	693
OR	31%	68%	1%	654
TN	15%	78%	7%	785
TX	34%	66%	0%	1,491
VA	20%	76%	4%	966
WA	43%	57%	0%	1,597
WI	22%	76%	1%	1,628
WY	37%	63%	0%	378
<b>Weighted NCI-AD Average</b>	<b>25%</b>	<b>73%</b>	<b>2%</b>	<b>19,261</b>

**Table 18. Receives Medicare***Information required to come from administrative records.*

State	Yes	No	Don't Know or Unclear	N
AL	77%	23%	0%	384
AZ	64%	36%	0%	402
DE	93%	6%	1%	280
GA	70%	22%	8%	474
IN	79%	19%	2%	951
KS	76%	17%	6%	1,092
KY	74%	16%	10%	372
MN	94%	6%	0%	1,012
MO	71%	26%	3%	1,637
NE	91%	8%	1%	815
NJ	85%	15%	0%	701
OH	68%	22%	11%	1,479
OK **	48%	9%	43%	476
OR	89%	7%	4%	653
TN	91%	9%	0%	783
TX	65%	35%	0%	1,492
VA	51%	40%	9%	906
WA	85%	7%	7%	1,572
WI	87%	13%	0%	2,281
WY	88%	11%	1%	379
<b>Weighted NCI-AD Average</b>	<b>70%</b>	<b>24%</b>	<b>6%</b>	<b>18,141</b>

*States with more than 25% missing or don't know are marked with \*\**

**Table 19. Length of time receiving LTSS services in current program**

State	0 - 5 months	6 months – less than 1 year	1 year – less than 3 years	3 or more years	Don't Know or Unclear	N
AL	11%	22%	67%	0%	0%	384
DE	5%	10%	14%	70%	0%	997
GA	10%	3%	46%	40%	0%	487
IN	18%	18%	31%	29%	3%	1,205
KS	8%	14%	32%	42%	4%	1,219
KY	4%	14%	31%	38%	13%	382
MN **	4%	3%	12%	46%	35%	1,012
MO	0%	17%	25%	57%	0%	2,211
NE	7%	8%	26%	57%	3%	805
NJ	0%	3%	45%	52%	0%	706
OH **	0%	0%	0%	1%	99%	1,480
OK	14%	11%	43%	31%	1%	484
OR	0%	11%	32%	47%	10%	727
TN	5%	11%	37%	48%	0%	784
TX	0%	0%	32%	68%	0%	1,492
VA **	1%	3%	15%	15%	66%	977
WA	3%	13%	18%	55%	11%	1,611
WI	5%	4%	30%	60%	0%	2,282
WY	1%	10%	27%	61%	0%	402
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>7%</b>	<b>24%</b>	<b>35%</b>	<b>30%</b>	<b>19,647</b>

States with more than 25% missing or don't know are marked with \*\*

**Table 20. Person has legal guardian**

State	Yes	No	Don't Know or Unclear	N
AL **	1%	0%	98%	384
AZ	8%	91%	1%	402
DE	1%	97%	1%	997
GA	5%	78%	17%	453
IN **	0%	0%	100%	1,205
KS **	1%	16%	83%	1,215
KY	10%	77%	14%	355
MN	33%	67%	0%	1,422
MO	6%	94%	0%	2,211
NE	6%	94%	0%	816
NJ	10%	90%	0%	706
OH **	1%	22%	77%	1,466
OK **	5%	41%	54%	473
OR	1%	99%	0%	727
TN	16%	83%	0%	785
TX	12%	88%	0%	1,492
VA **	0%	0%	100%	985
WA	8%	90%	1%	1,605
WI	22%	78%	0%	2,282
WY	3%	97%	0%	402
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>47%</b>	<b>46%</b>	<b>20,383</b>

States with more than 25% missing or don't know are marked with \*\*

**Table 21. Amount of paid support person receives***Information required to come from administrative records.*

State	24-hour support or supervision	Daily support (for a limited number of hours per day, not round-the-clock)	Scheduled, less frequent than daily support	As-needed visitation and phone contact	None of the above	Don't Know	N
AL **	0%	0%	0%	0%	1%	99%	384
AZ	54%	37%	4%	0%	5%	1%	402
DE	25%	1%	30%	44%	0%	0%	997
GA	1%	3%	21%	4%	58%	13%	501
IN **	0%	0%	0%	0%	0%	100%	1,231
KS **	0%	0%	0%	0%	0%	100%	1,237
KY	6%	33%	34%	9%	9%	8%	382
MO	0%	52%	48%	0%	0%	0%	2,325
NE	67%	30%	3%	0%	0%	0%	856
NJ	37%	39%	13%	1%	10%	0%	710
OH **	0%	0%	0%	0%	3%	97%	1,480
OK **	0%	1%	1%	0%	62%	36%	755
OR	89%	0%	0%	0%	9%	1%	727
TN	60%	17%	22%	1%	0%	0%	787
TX **	0%	0%	0%	0%	0%	100%	1,492
VA **	0%	0%	0%	0%	0%	100%	1,000
WA	42%	25%	25%	1%	5%	2%	1,631
WI **	17%	1%	0%	0%	0%	81%	2,232
WY	9%	0%	0%	91%	0%	0%	402
<b>Weighted NCI-AD Average</b>	<b>14%</b>	<b>11%</b>	<b>8%</b>	<b>1%</b>	<b>5%</b>	<b>60%</b>	<b>19,531</b>

*States with more than 25% missing or don't know are marked with \*\***Note: This table has been updated since 5/27/25.*


**Table 22. Person has remote supports***Information required to come from administrative records.*

State	Yes, 24-hour remote supports	Yes, less than 24-hour remote supports	No, none	Don't Know	N
AL **	0%	0%	0%	100%	383
AZ	11%	2%	86%	1%	402
DE	35%	0%	65%	0%	997
GA	0%	0%	84%	16%	501
IN **	0%	0%	0%	100%	1,231
KS **	0%	0%	0%	100%	1,237
KY	10%	1%	78%	11%	380
MO	0%	0%	100%	0%	2,325
NE	62%	0%	37%	1%	856
NJ	12%	3%	84%	1%	710
OH **	0%	0%	1%	99%	1,480
OK **	0%	0%	63%	37%	755
OR **	0%	0%	0%	100%	727
TN	79%	14%	1%	6%	787
TX **	0%	0%	0%	100%	1,492
VA **	0%	0%	0%	100%	1,000
WA	1%	0%	97%	1%	1,631
WI **	0%	0%	1%	98%	2,231
WY	0%	0%	100%	0%	402
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>0%</b>	<b>32%</b>	<b>65%</b>	<b>19,527</b>

*States with more than 25% missing or don't know are marked with \*\***Note: This table has been updated since 5/27/25.*


## *Community Participation*






**Table 23. Gets to do things outside of their home as much as they want to**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	53%	186	46%	65%	n/a	n/a	46%	n/a	n/a	n/a
AZ	58%	202	58%	n/a	n/a	58%	n/a	n/a	n/a	n/a
DE	61%	758	62%	56%	n/a	62%	n/a	n/a	n/a	n/a
GA	65%	381	65%	n/a	n/a	n/a	n/a	n/a	n/a	65%
IN	68%	871	68%	n/a	n/a	n/a	67%	n/a	n/a	72%
KS	72%	947	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
KY	54%	287	54%	n/a	n/a	55%	n/a	n/a	n/a	53%
MN	65%	924	65%	n/a	n/a	n/a	n/a	66%	65%	n/a
MO	62%	1,735	62%	n/a	n/a	n/a	62%	n/a	79%	n/a
NE	76%	775	65%	85%	n/a	65%	59%	n/a	n/a	n/a
NJ	75%	477	78%	65%	71%	78%	n/a	n/a	n/a	n/a
OH	66%	1,157	66%	n/a	n/a	68%	77%	65%	55%	n/a
OK	65%	610	65%	n/a	n/a	n/a	64%	n/a	n/a	66%
OR	62%	494	62%	64%	79%	n/a	61%	n/a	n/a	58%
TN	58%	450	63%	52%	63%	64%	n/a	n/a	n/a	n/a
TX	58%	1,258	58%	n/a	n/a	58%	n/a	n/a	n/a	n/a
VA	68%	730	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
WA	68%	1,342	69%	60%	n/a	69%	n/a	n/a	n/a	n/a
WI	64%	1,641	63%	81%	71%	62%	64%	n/a	n/a	n/a
WY	61%	355	61%	n/a	n/a	n/a	61%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>66%</b>	<b>15,580</b>	<b>66%</b>	<b>68%</b>	<b>74%</b>	<b>67%</b>	<b>61%</b>	<b>65%</b>	<b>64%</b>	<b>66%</b>




**Table 24. Takes part in activities with others as much as they want to (in-person or virtually)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	58%	186	56%	60%	n/a	n/a	56%	n/a	n/a	n/a
AZ	60%	207	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
DE	56%	754	58%	49%	n/a	58%	n/a	n/a	n/a	n/a
GA	60%	383	60%	n/a	n/a	n/a	n/a	n/a	n/a	60%
IN	71%	833	71%	n/a	n/a	n/a	71%	n/a	n/a	76%
KS	73%	943	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
KY	44%	290	44%	n/a	n/a	41%	n/a	n/a	n/a	47%
MN	66%	914	66%	n/a	n/a	n/a	n/a	68%	65%	n/a
MO	63%	1,723	63%	n/a	n/a	n/a	63%	n/a	79%	n/a
NE	64%	778	58%	68%	n/a	59%	54%	n/a	n/a	n/a
NJ	60%	467	61%	55%	71%	61%	n/a	n/a	n/a	n/a
OH	74%	1,163	74%	n/a	n/a	77%	78%	71%	64%	n/a
OK	71%	604	71%	n/a	n/a	n/a	67%	n/a	n/a	74%
OR	59%	487	59%	65%	75%	n/a	57%	n/a	n/a	66%
TN	60%	448	59%	61%	62%	59%	n/a	n/a	n/a	n/a
TX	60%	1,263	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
VA	70%	730	70%	n/a	n/a	70%	n/a	n/a	n/a	n/a
WA	60%	1,340	59%	69%	n/a	59%	n/a	n/a	n/a	n/a
WI	65%	1,650	63%	89%	80%	61%	66%	n/a	n/a	n/a
WY	61%	358	61%	n/a	n/a	n/a	61%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>66%</b>	<b>15,521</b>	<b>66%</b>	<b>65%</b>	<b>73%</b>	<b>66%</b>	<b>62%</b>	<b>70%</b>	<b>65%</b>	<b>71%</b>



**Table 25A. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually)***Categories are not mutually exclusive; therefore N is not shown.*

State	Cost or money	Transportation	Accessibility or lack of equipment	Health limitations	Not enough help, staffing, or personal assistance	Feeling unwelcome in the community
AL	6%	35%	30%	47%	2%	0%
AZ	13%	28%	11%	41%	10%	2%
DE	14%	28%	7%	65%	7%	3%
GA	12%	48%	7%	54%	5%	1%
IN	7%	35%	10%	47%	0%	1%
KS	11%	39%	6%	49%	4%	1%
KY	15%	51%	2%	75%	2%	1%
MN	21%	36%	9%	40%	9%	2%
MO	10%	40%	6%	52%	1%	1%
NE	42%	63%	4%	52%	25%	2%
NJ	9%	26%	12%	65%	5%	1%
OH	8%	37%	13%	65%	2%	1%
OK	7%	29%	8%	40%	2%	1%
OR	16%	40%	15%	52%	11%	7%
TN	8%	38%	15%	58%	13%	5%
TX	13%	37%	5%	77%	6%	1%
VA	16%	25%	5%	42%	5%	3%
WA	2%	23%	13%	44%	11%	0%
WI	4%	31%	12%	54%	2%	2%
WY	26%	44%	13%	57%	11%	10%
<b>Weighted NCI-AD Average</b>	<b>12%</b>	<b>32%</b>	<b>9%</b>	<b>50%</b>	<b>6%</b>	<b>2%</b>




**Table 25B. Reasons cannot always take part in activities with others as much as they want to (in-person or virtually; continued)***Categories are not mutually exclusive; therefore N is not shown.*

State	Feeling unsafe	No community activities outside of home available	Lack of information or doesn't know what type of community activities are available	Does not have technology or equipment	Other
AL	0%	8%	11%	8%	2%
AZ	0%	2%	17%	11%	34%
DE	2%	1%	4%	3%	9%
GA	5%	5%	3%	2%	8%
IN	2%	1%	6%	6%	13%
KS	2%	3%	2%	3%	13%
KY	1%	1%	2%	0%	2%
MN	8%	8%	5%	1%	23%
MO	1%	1%	4%	5%	19%
NE	3%	3%	9%	1%	8%
NJ	2%	0%	6%	7%	12%
OH	0%	2%	2%	0%	8%
OK	0%	4%	11%	7%	11%
OR	5%	7%	6%	8%	17%
TN	3%	4%	3%	5%	5%
TX	3%	3%	4%	4%	8%
VA	3%	5%	7%	5%	20%
WA	5%	5%	12%	2%	21%
WI	3%	3%	2%	3%	27%
WY	9%	6%	14%	5%	19%
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>4%</b>	<b>6%</b>	<b>4%</b>	<b>17%</b>




## *Access to Community*



**Table 26. Has transportation to do the things they want outside of home***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	70%	367	72%	68%	n/a	n/a	72%	n/a	n/a	n/a
AZ	73%	327	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
DE	71%	862	75%	58%	n/a	75%	n/a	n/a	n/a	n/a
GA	73%	484	73%	n/a	n/a	n/a	n/a	n/a	n/a	73%
IN	79%	1,077	79%	n/a	n/a	n/a	80%	n/a	n/a	76%
KS	76%	1,140	76%	n/a	n/a	76%	n/a	n/a	n/a	n/a
KY	71%	357	71%	n/a	n/a	77%	n/a	n/a	n/a	66%
MN	76%	1,259	76%	n/a	n/a	n/a	n/a	73%	78%	n/a
MO	70%	2,213	70%	n/a	n/a	n/a	70%	n/a	77%	n/a
NE	23%	834	49%	2%	n/a	47%	68%	n/a	n/a	n/a
NJ	70%	619	75%	51%	62%	76%	n/a	n/a	n/a	n/a
OH	79%	1,417	79%	n/a	n/a	80%	74%	81%	72%	n/a
OK	76%	729	76%	n/a	n/a	n/a	75%	n/a	n/a	77%
OR	66%	594	66%	53%	65%	n/a	65%	n/a	n/a	71%
TN	61%	673	69%	53%	75%	69%	n/a	n/a	n/a	n/a
TX	72%	1,447	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
VA	73%	959	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
WA	72%	1,535	74%	57%	n/a	74%	n/a	n/a	n/a	n/a
WI	72%	2,050	75%	59%	83%	72%	81%	n/a	n/a	n/a
WY	70%	383	70%	n/a	n/a	n/a	70%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>19,326</b>	<b>74%</b>	<b>49%</b>	<b>67%</b>	<b>72%</b>	<b>76%</b>	<b>76%</b>	<b>77%</b>	<b>76%</b>



**Table 27. Has transportation to get to medical appointments***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	93%	364	91%	95%	n/a	n/a	91%	n/a	n/a	n/a
AZ	93%	321	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
DE	92%	886	92%	95%	n/a	92%	n/a	n/a	n/a	n/a
GA	88%	489	88%	n/a	n/a	n/a	n/a	n/a	n/a	88%
IN	92%	1,169	92%	n/a	n/a	n/a	93%	n/a	n/a	87%
KS	92%	1,160	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
KY	84%	386	84%	n/a	n/a	91%	n/a	n/a	n/a	77%
MN	93%	1,289	93%	n/a	n/a	n/a	n/a	92%	94%	n/a
MO	89%	2,232	89%	n/a	n/a	n/a	89%	n/a	93%	n/a
NE	98%	839	97%	100%	n/a	97%	93%	n/a	n/a	n/a
NJ	93%	616	93%	96%	96%	92%	n/a	n/a	n/a	n/a
OH	95%	1,434	95%	n/a	n/a	95%	94%	96%	92%	n/a
OK	91%	733	91%	n/a	n/a	n/a	90%	n/a	n/a	92%
OR	94%	660	94%	92%	95%	n/a	94%	n/a	n/a	89%
TN	88%	689	87%	90%	100%	87%	n/a	n/a	n/a	n/a
TX	90%	1,468	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
VA	89%	970	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
WA	89%	1,568	89%	88%	n/a	89%	n/a	n/a	n/a	n/a
WI	93%	2,053	92%	99%	96%	92%	91%	n/a	n/a	n/a
WY	87%	395	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>19,721</b>	<b>91%</b>	<b>95%</b>	<b>96%</b>	<b>90%</b>	<b>91%</b>	<b>94%</b>	<b>93%</b>	<b>90%</b>


## *Everyday Living*



**Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	91%	383	93%	90%	n/a	n/a	93%	n/a	n/a	n/a
AZ	92%	396	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
DE	90%	985	90%	91%	n/a	90%	n/a	n/a	n/a	n/a
GA	71%	498	71%	n/a	n/a	n/a	n/a	n/a	n/a	71%
IN	89%	1,216	89%	n/a	n/a	n/a	95%	n/a	n/a	67%
KS	96%	1,198	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
KY	94%	396	94%	n/a	n/a	97%	n/a	n/a	n/a	92%
MN	88%	1,383	88%	n/a	n/a	n/a	n/a	88%	88%	n/a
MO	96%	2,295	96%	n/a	n/a	n/a	96%	n/a	98%	n/a
NE	99%	846	99%	100%	n/a	99%	97%	n/a	n/a	n/a
NJ	95%	690	94%	97%	75%	95%	n/a	n/a	n/a	n/a
OH	97%	1,479	97%	n/a	n/a	97%	92%	99%	98%	n/a
OK	70%	741	70%	n/a	n/a	n/a	82%	n/a	n/a	60%
OR	95%	722	95%	93%	98%	n/a	97%	n/a	n/a	67%
TN	96%	774	97%	95%	81%	97%	n/a	n/a	n/a	n/a
TX	96%	1,490	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
VA	66%	989	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
WA	93%	1,616	93%	92%	n/a	93%	n/a	n/a	n/a	n/a
WI	94%	2,250	94%	98%	88%	91%	99%	n/a	n/a	n/a
WY	87%	398	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>20,745</b>	<b>83%</b>	<b>95%</b>	<b>89%</b>	<b>80%</b>	<b>94%</b>	<b>93%</b>	<b>90%</b>	<b>65%</b>






**Table 29. Gets enough support for everyday activities (if needs at least some assistance)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	349	80%	90%	n/a	n/a	80%	n/a	n/a	n/a
AZ	84%	360	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	87%	873	85%	92%	n/a	85%	n/a	n/a	n/a	n/a
GA	63%	351	63%	n/a	n/a	n/a	n/a	n/a	n/a	63%
IN	85%	1,067	85%	n/a	n/a	n/a	91%	n/a	n/a	66%
KS	83%	1,141	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
KY	64%	372	64%	n/a	n/a	66%	n/a	n/a	n/a	61%
MN	78%	1,221	78%	n/a	n/a	n/a	n/a	80%	76%	n/a
MO	81%	2,155	81%	n/a	n/a	n/a	81%	n/a	87%	n/a
NE	90%	831	94%	87%	n/a	95%	80%	n/a	n/a	n/a
NJ	93%	623	91%	97%	78%	91%	n/a	n/a	n/a	n/a
OH	89%	1,428	89%	n/a	n/a	91%	95%	88%	83%	n/a
OK	74%	569	74%	n/a	n/a	n/a	83%	n/a	n/a	63%
OR	81%	651	81%	86%	82%	n/a	83%	n/a	n/a	48%
TN	84%	723	82%	86%	87%	82%	n/a	n/a	n/a	n/a
TX	80%	1,425	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
VA	77%	640	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
WA	83%	1,504	82%	84%	n/a	82%	n/a	n/a	n/a	n/a
WI	84%	2,103	82%	89%	95%	80%	86%	n/a	n/a	n/a
WY	80%	342	80%	n/a	n/a	n/a	80%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>82%</b>	<b>18,728</b>	<b>81%</b>	<b>89%</b>	<b>83%</b>	<b>81%</b>	<b>84%</b>	<b>84%</b>	<b>77%</b>	<b>62%</b>



**Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	78%	384	71%	84%	n/a	n/a	71%	n/a	n/a	n/a
AZ	85%	396	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
DE	79%	987	76%	87%	n/a	76%	n/a	n/a	n/a	n/a
GA	56%	496	56%	n/a	n/a	n/a	n/a	n/a	n/a	56%
IN	70%	1,211	70%	n/a	n/a	n/a	79%	n/a	n/a	44%
KS	74%	1,196	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
KY	72%	396	72%	n/a	n/a	83%	n/a	n/a	n/a	60%
MN	59%	1,383	59%	n/a	n/a	n/a	n/a	63%	57%	n/a
MO	74%	2,288	74%	n/a	n/a	n/a	74%	n/a	80%	n/a
NE	51%	847	77%	29%	n/a	76%	88%	n/a	n/a	n/a
NJ	90%	685	88%	95%	48%	90%	n/a	n/a	n/a	n/a
OH	83%	1,479	83%	n/a	n/a	83%	65%	85%	91%	n/a
OK	33%	739	33%	n/a	n/a	n/a	47%	n/a	n/a	22%
OR	85%	719	85%	87%	79%	n/a	91%	n/a	n/a	36%
TN	94%	771	94%	93%	70%	95%	n/a	n/a	n/a	n/a
TX	84%	1,487	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
VA	41%	989	41%	n/a	n/a	41%	n/a	n/a	n/a	n/a
WA	79%	1,611	79%	83%	n/a	79%	n/a	n/a	n/a	n/a
WI	80%	2,238	77%	95%	78%	70%	90%	n/a	n/a	n/a
WY	56%	397	56%	n/a	n/a	n/a	56%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>65%</b>	<b>20,699</b>	<b>63%</b>	<b>82%</b>	<b>70%</b>	<b>61%</b>	<b>74%</b>	<b>71%</b>	<b>62%</b>	<b>33%</b>




**Table 31. Gets enough support for self-care (if needs at least some assistance)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	88%	310	84%	90%	n/a	n/a	84%	n/a	n/a	n/a
AZ	84%	332	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	87%	734	87%	88%	n/a	87%	n/a	n/a	n/a	n/a
GA	61%	276	61%	n/a	n/a	n/a	n/a	n/a	n/a	61%
IN	89%	817	89%	n/a	n/a	n/a	94%	n/a	n/a	67%
KS	87%	871	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
KY	65%	288	65%	n/a	n/a	70%	n/a	n/a	n/a	59%
MN	79%	847	79%	n/a	n/a	n/a	n/a	83%	76%	n/a
MO	82%	1,633	82%	n/a	n/a	n/a	82%	n/a	86%	n/a
NE	88%	545	94%	75%	n/a	96%	83%	n/a	n/a	n/a
NJ	92%	561	91%	97%	82%	91%	n/a	n/a	n/a	n/a
OH	92%	1,204	92%	n/a	n/a	93%	98%	92%	84%	n/a
OK	79%	320	79%	n/a	n/a	n/a	81%	n/a	n/a	77%
OR	81%	552	81%	83%	89%	n/a	82%	n/a	n/a	41%
TN	83%	693	83%	83%	85%	83%	n/a	n/a	n/a	n/a
TX	80%	1,245	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
VA	81%	403	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
WA	87%	1,232	88%	85%	n/a	88%	n/a	n/a	n/a	n/a
WI	85%	1,801	84%	88%	92%	81%	89%	n/a	n/a	n/a
WY	82%	221	82%	n/a	n/a	n/a	82%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>14,885</b>	<b>84%</b>	<b>88%</b>	<b>88%</b>	<b>84%</b>	<b>85%</b>	<b>87%</b>	<b>78%</b>	<b>67%</b>

## *Work*


### Has a paid job





**Table 32. Has a paid job***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	1%	379	2%	0%	n/a	n/a	2%	n/a	n/a	n/a
AZ	3%	393	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
DE	3%	960	3%	2%	n/a	3%	n/a	n/a	n/a	n/a
GA	1%	494	1%	n/a	n/a	n/a	n/a	n/a	n/a	1%
IN	2%	1,175	2%	n/a	n/a	n/a	2%	n/a	n/a	4%
KS	2%	1,163	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
KY	1%	395	1%	n/a	n/a	2%	n/a	n/a	n/a	0%
MN	8%	1,310	8%	n/a	n/a	n/a	n/a	1%	12%	n/a
MO	3%	2,223	3%	n/a	n/a	n/a	3%	n/a	2%	n/a
NE	1%	833	2%	0%	n/a	2%	5%	n/a	n/a	n/a
NJ	1%	689	1%	2%	3%	1%	n/a	n/a	n/a	n/a
OH	1%	1,327	1%	n/a	n/a	1%	1%	0%	4%	n/a
OK	5%	729	5%	n/a	n/a	n/a	3%	n/a	n/a	7%
OR	2%	690	2%	2%	1%	n/a	2%	n/a	n/a	3%
TN	4%	740	5%	4%	0%	5%	n/a	n/a	n/a	n/a
TX	1%	1,486	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
VA	10%	968	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
WA	2%	1,585	2%	1%	n/a	2%	n/a	n/a	n/a	n/a
WI	5%	2,072	6%	0%	2%	7%	5%	n/a	n/a	n/a
WY	4%	394	4%	n/a	n/a	n/a	4%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>20,005</b>	<b>5%</b>	<b>1%</b>	<b>2%</b>	<b>6%</b>	<b>3%</b>	<b>1%</b>	<b>11%</b>	<b>5%</b>



**Table 33. Wants a paid job (if they do not currently have one)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	24%	176	24%	23%	n/a	n/a	24%	n/a	n/a	n/a
AZ	21%	195	21%	n/a	n/a	21%	n/a	n/a	n/a	n/a
DE	10%	733	11%	9%	n/a	11%	n/a	n/a	n/a	n/a
GA	3%	376	3%	n/a	n/a	n/a	n/a	n/a	n/a	3%
IN	7%	827	7%	n/a	n/a	n/a	7%	n/a	n/a	4%
KS	5%	918	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
KY	5%	286	5%	n/a	n/a	9%	n/a	n/a	n/a	1%
MN	14%	855	14%	n/a	n/a	n/a	n/a	8%	18%	n/a
MO	3%	1,650	3%	n/a	n/a	n/a	3%	n/a	4%	n/a
NE	2%	757	4%	0%	n/a	3%	4%	n/a	n/a	n/a
NJ	4%	488	4%	5%	19%	3%	n/a	n/a	n/a	n/a
OH	3%	1,014	3%	n/a	n/a	2%	4%	3%	10%	n/a
OK	10%	575	10%	n/a	n/a	n/a	14%	n/a	n/a	7%
OR	8%	470	8%	10%	11%	n/a	8%	n/a	n/a	7%
TN	7%	419	8%	7%	24%	8%	n/a	n/a	n/a	n/a
TX	11%	1,239	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
VA	23%	613	23%	n/a	n/a	23%	n/a	n/a	n/a	n/a
WA	9%	1,304	9%	6%	n/a	9%	n/a	n/a	n/a	n/a
WI	9%	1,466	10%	3%	8%	10%	11%	n/a	n/a	n/a
WY	18%	342	18%	n/a	n/a	n/a	18%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>12%</b>	<b>14,703</b>	<b>12%</b>	<b>7%</b>	<b>14%</b>	<b>15%</b>	<b>9%</b>	<b>6%</b>	<b>16%</b>	<b>6%</b>

Someone talked with them about  
job options (if they do not  
currently have a job but want  
one)




**Table 34. Someone talked with them about job options (if they do not currently have a job but want one)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	26%	41	21%	n/a*	n/a	n/a	21%	n/a	n/a	n/a
AZ	12%	41	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
DE	28%	74	28%	n/a*	n/a	28%	n/a	n/a	n/a	n/a
IN	24%	55	24%	n/a	n/a	n/a	18%	n/a	n/a	n/a*
KS	28%	42	28%	n/a	n/a	28%	n/a	n/a	n/a	n/a
MN	50%	99	50%	n/a	n/a	n/a	n/a	13%	59%	n/a
MO	37%	50	37%	n/a	n/a	n/a	37%	n/a	n/a*	n/a
NJ	11%	36	17%	n/a*	5%	n/a*	n/a	n/a	n/a	n/a
OH	32%	45	32%	n/a	n/a	n/a*	n/a*	n/a*	36%	n/a
OK	27%	67	27%	n/a	n/a	n/a	23%	n/a	n/a	n/a*
OR	6%	43	6%	n/a*	n/a*	n/a	4%	n/a	n/a	n/a*
TN	8%	35	14%	n/a*	n/a*	16%	n/a	n/a	n/a	n/a
TX	24%	137	24%	n/a	n/a	24%	n/a	n/a	n/a	n/a
VA	39%	137	39%	n/a	n/a	39%	n/a	n/a	n/a	n/a
WA	8%	91	9%	n/a*	n/a	9%	n/a	n/a	n/a	n/a
WI	41%	148	42%	n/a*	n/a*	46%	36%	n/a	n/a	n/a
WY	26%	61	26%	n/a	n/a	n/a	26%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>33%</b>	<b>1,248</b>	<b>33%</b>	<b>17%</b>	<b>8%</b>	<b>34%</b>	<b>22%</b>	<b>13%</b>	<b>57%</b>	<b>39%</b>


The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: GA, KY, NE. Programs with low response rates are denoted with "n/a\*".

### Person Volunteers



**Table 35. Person volunteers***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	6%	378	8%	5%	n/a	n/a	8%	n/a	n/a	n/a
AZ	10%	391	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
DE	5%	958	6%	3%	n/a	6%	n/a	n/a	n/a	n/a
GA	4%	493	4%	n/a	n/a	n/a	n/a	n/a	n/a	4%
IN	7%	1,173	7%	n/a	n/a	n/a	7%	n/a	n/a	6%
KS	7%	1,144	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
KY	2%	393	2%	n/a	n/a	2%	n/a	n/a	n/a	3%
MN	8%	1,309	8%	n/a	n/a	n/a	n/a	8%	9%	n/a
MO	6%	2,196	6%	n/a	n/a	n/a	6%	n/a	7%	n/a
NE	4%	834	8%	1%	n/a	8%	9%	n/a	n/a	n/a
NJ	4%	671	5%	2%	16%	5%	n/a	n/a	n/a	n/a
OH	4%	1,330	4%	n/a	n/a	4%	7%	3%	8%	n/a
OK	17%	727	17%	n/a	n/a	n/a	12%	n/a	n/a	21%
OR	10%	691	10%	5%	8%	n/a	10%	n/a	n/a	13%
TN	5%	725	6%	3%	3%	6%	n/a	n/a	n/a	n/a
TX	7%	1,485	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
VA	15%	964	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
WA	7%	1,573	7%	5%	n/a	7%	n/a	n/a	n/a	n/a
WI	10%	2,052	11%	7%	16%	11%	12%	n/a	n/a	n/a
WY	18%	394	18%	n/a	n/a	n/a	18%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>19,881</b>	<b>10%</b>	<b>4%</b>	<b>11%</b>	<b>11%</b>	<b>8%</b>	<b>6%</b>	<b>9%</b>	<b>15%</b>






**Table 36. Wants to volunteer (if they do not currently)**


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	16%	162	13%	22%	n/a	n/a	13%	n/a	n/a	n/a
AZ	16%	168	16%	n/a	n/a	16%	n/a	n/a	n/a	n/a
DE	6%	696	7%	3%	n/a	7%	n/a	n/a	n/a	n/a
GA	7%	355	7%	n/a	n/a	n/a	n/a	n/a	n/a	7%
IN	9%	772	9%	n/a	n/a	n/a	10%	n/a	n/a	6%
KS	5%	837	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
KY	5%	280	5%	n/a	n/a	8%	n/a	n/a	n/a	3%
MN	11%	805	11%	n/a	n/a	n/a	n/a	8%	12%	n/a
MO	3%	1,576	3%	n/a	n/a	n/a	3%	n/a	3%	n/a
NE	1%	724	2%	0%	n/a	2%	4%	n/a	n/a	n/a
NJ	3%	433	3%	2%	12%	3%	n/a	n/a	n/a	n/a
OH	3%	962	3%	n/a	n/a	1%	3%	5%	6%	n/a
OK	13%	506	13%	n/a	n/a	n/a	13%	n/a	n/a	13%
OR	9%	417	9%	9%	9%	n/a	9%	n/a	n/a	11%
TN	7%	401	9%	6%	3%	9%	n/a	n/a	n/a	n/a
TX	10%	1,149	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
VA	14%	578	14%	n/a	n/a	14%	n/a	n/a	n/a	n/a
WA	7%	1,206	7%	3%	n/a	7%	n/a	n/a	n/a	n/a
WI	11%	1,319	12%	5%	14%	12%	10%	n/a	n/a	n/a
WY	19%	288	19%	n/a	n/a	n/a	19%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>9%</b>	<b>13,634</b>	<b>10%</b>	<b>5%</b>	<b>10%</b>	<b>11%</b>	<b>9%</b>	<b>7%</b>	<b>11%</b>	<b>10%</b>

## *Relationships*




**Table 37. Has friends or family they do not live with who are a part of their life**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	93%	190	93%	92%	n/a	n/a	93%	n/a	n/a	n/a
AZ	92%	213	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
DE	91%	790	93%	83%	n/a	93%	n/a	n/a	n/a	n/a
GA	88%	386	88%	n/a	n/a	n/a	n/a	n/a	n/a	88%
IN	94%	898	94%	n/a	n/a	n/a	95%	n/a	n/a	95%
KS	94%	1,010	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
KY	92%	294	92%	n/a	n/a	90%	n/a	n/a	n/a	93%
MN	91%	1,010	91%	n/a	n/a	n/a	n/a	93%	90%	n/a
MO	94%	1,787	94%	n/a	n/a	n/a	94%	n/a	98%	n/a
NE	98%	801	97%	98%	n/a	98%	97%	n/a	n/a	n/a
NJ	90%	504	92%	85%	86%	92%	n/a	n/a	n/a	n/a
OH	95%	1,179	95%	n/a	n/a	95%	93%	95%	92%	n/a
OK	96%	631	96%	n/a	n/a	n/a	95%	n/a	n/a	96%
OR	91%	519	91%	92%	93%	n/a	91%	n/a	n/a	87%
TN	87%	486	89%	86%	94%	89%	n/a	n/a	n/a	n/a
TX	94%	1,275	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
VA	93%	761	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
WA	91%	1,380	91%	91%	n/a	91%	n/a	n/a	n/a	n/a
WI	92%	1,775	92%	84%	92%	91%	95%	n/a	n/a	n/a
WY	94%	367	94%	n/a	n/a	n/a	94%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>16,256</b>	<b>93%</b>	<b>90%</b>	<b>91%</b>	<b>93%</b>	<b>93%</b>	<b>94%</b>	<b>91%</b>	<b>94%</b>



**Table 38. Always able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	92%	177	94%	87%	n/a	n/a	94%	n/a	n/a	n/a
AZ	91%	195	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
DE	91%	728	92%	86%	n/a	92%	n/a	n/a	n/a	n/a
GA	97%	338	97%	n/a	n/a	n/a	n/a	n/a	n/a	97%
IN	96%	839	96%	n/a	n/a	n/a	96%	n/a	n/a	96%
KS	96%	945	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
KY	93%	267	93%	n/a	n/a	99%	n/a	n/a	n/a	89%
MN	90%	927	90%	n/a	n/a	n/a	n/a	93%	89%	n/a
MO	96%	1,650	96%	n/a	n/a	n/a	96%	n/a	97%	n/a
NE	96%	779	97%	95%	n/a	97%	96%	n/a	n/a	n/a
NJ	98%	444	99%	97%	99%	99%	n/a	n/a	n/a	n/a
OH	96%	1,104	96%	n/a	n/a	96%	95%	97%	93%	n/a
OK	95%	601	95%	n/a	n/a	n/a	94%	n/a	n/a	97%
OR	94%	457	94%	89%	82%	n/a	94%	n/a	n/a	94%
TN	92%	408	90%	94%	86%	91%	n/a	n/a	n/a	n/a
TX	98%	1,201	98%	n/a	n/a	98%	n/a	n/a	n/a	n/a
VA	92%	708	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
WA	91%	1,212	91%	89%	n/a	91%	n/a	n/a	n/a	n/a
WI	95%	1,633	95%	95%	97%	95%	95%	n/a	n/a	n/a
WY	92%	346	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>94%</b>	<b>14,959</b>	<b>94%</b>	<b>93%</b>	<b>89%</b>	<b>93%</b>	<b>95%</b>	<b>95%</b>	<b>89%</b>	<b>96%</b>




**Table 39. Reasons cannot always see or talk to friends or family**

State	Availability of transportation	Physical accessibility	Staffing/personal assistance unavailable	Health limitations	Someone prevents from/rules against	No or limited access to a phone	No or limited access to the internet	Other
DE	30%	7%	6%	21%	3%	6%	0%	44%
IN	34%	0%	0%	9%	0%	3%	3%	42%
KS	31%	0%	0%	22%	3%	0%	0%	55%
MN	33%	3%	0%	10%	2%	1%	0%	66%
MO	48%	9%	0%	26%	2%	5%	0%	50%
NE	70%	11%	27%	77%	5%	0%	0%	87%
OH	31%	5%	0%	33%	0%	14%	0%	38%
OK	38%	0%	0%	35%	0%	2%	0%	29%
OR	36%	0%	0%	20%	0%	3%	2%	59%
TN	44%	23%	0%	52%	1%	3%	0%	21%
TX	22%	3%	0%	27%	7%	3%	0%	57%
VA	38%	1%	3%	24%	1%	0%	0%	55%
WA	11%	2%	2%	12%	4%	2%	0%	81%
WI	35%	5%	0%	25%	4%	2%	0%	58%
WY	52%	17%	7%	24%	24%	7%	3%	52%
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>4%</b>	<b>2%</b>	<b>24%</b>	<b>2%</b>	<b>3%</b>	<b>1%</b>	<b>57%</b>

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, AZ, GA, KY, NJ




## *Service Coordination*



**Table 40A. How first found out about services they can get**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*


State	Friend	Family	Aging and disability resource center; area agency on aging; center for independent living	State or county agency	Case manager or care coordinator
AL	15%	23%	4%	8%	19%
AZ	6%	21%	3%	25%	20%
DE	10%	29%	7%	18%	20%
GA	7%	12%	25%	20%	5%
IN	15%	23%	19%	17%	14%
KS	9%	14%	15%	11%	14%
KY	13%	10%	6%	6%	9%
MN	6%	19%	2%	16%	44%
MO	19%	24%	7%	12%	7%
NE	9%	31%	11%	21%	36%
NJ	13%	27%	5%	12%	33%
OH	9%	29%	13%	6%	17%
OK	13%	20%	8%	9%	18%
OR	9%	24%	15%	16%	15%
TN	6%	19%	6%	4%	10%
TX	8%	18%	2%	11%	15%
VA	6%	12%	4%	15%	25%
WA	4%	21%	15%	12%	31%
WI	10%	21%	16%	15%	10%
WY	11%	19%	12%	12%	33%
<b>Weighted NCI- AD Average</b>	<b>10%</b>	<b>21%</b>	<b>9%</b>	<b>13%</b>	<b>21%</b>



**Table 40B. How first found out about services they can get (continued)**


*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

State	Doctor, hospital, clinic	Other provider or provider agency	Media, newspaper, TV, radio, billboard, brochure, flyer, advertisement	Internet or website	Other
AL	25%	14%	2%	3%	7%
AZ	23%	15%	1%	2%	12%
DE	28%	7%	0%	1%	4%
GA	23%	3%	0%	0%	6%
IN	18%	7%	3%	3%	10%
KS	16%	3%	2%	2%	12%
KY	12%	3%	0%	1%	20%
MN	12%	7%	0%	1%	8%
MO	31%	5%	3%	2%	9%
NE	24%	30%	0%	11%	4%
NJ	25%	13%	1%	1%	4%
OH	12%	9%	1%	1%	3%
OK	13%	12%	3%	1%	9%
OR	19%	12%	1%	1%	11%
TN	20%	13%	1%	1%	6%
TX	20%	20%	1%	1%	8%
VA	11%	12%	2%	1%	19%
WA	26%	1%	0%	1%	5%
WI	15%	9%	1%	1%	13%
WY	19%	15%	1%	1%	11%
<b>Weighted NCI-AD Average</b>	<b>19%</b>	<b>10%</b>	<b>1%</b>	<b>2%</b>	<b>10%</b>



**Table 41. Can contact their case manager/care coordinator when needs to***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	96%	305	97%	95%	n/a	n/a	97%	n/a	n/a	n/a
AZ	94%	293	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
DE	98%	780	98%	99%	n/a	98%	n/a	n/a	n/a	n/a
GA	91%	111	91%	n/a	n/a	n/a	n/a	n/a	n/a	91%
IN	93%	897	93%	n/a	n/a	n/a	93%	n/a	n/a	93%
KS	95%	984	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
KY	97%	314	97%	n/a	n/a	98%	n/a	n/a	n/a	96%
MN	89%	1,017	89%	n/a	n/a	n/a	n/a	91%	87%	n/a
MO	93%	1,246	93%	n/a	n/a	n/a	93%	n/a	95%	n/a
NE	98%	634	96%	100%	n/a	96%	85%	n/a	n/a	n/a
NJ	97%	553	97%	93%	98%	97%	n/a	n/a	n/a	n/a
OH	96%	1,217	96%	n/a	n/a	95%	97%	97%	97%	n/a
OK	95%	407	95%	n/a	n/a	n/a	94%	n/a	n/a	97%
OR	92%	474	92%	82%	93%	n/a	92%	n/a	n/a	92%
TN	97%	573	97%	96%	91%	97%	n/a	n/a	n/a	n/a
TX	86%	1,062	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
VA	90%	372	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
WA	93%	1,329	94%	85%	n/a	94%	n/a	n/a	n/a	n/a
WI	94%	1,760	94%	94%	95%	93%	96%	n/a	n/a	n/a
WY	98%	338	98%	n/a	n/a	n/a	98%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>14,666</b>	<b>93%</b>	<b>95%</b>	<b>95%</b>	<b>92%</b>	<b>94%</b>	<b>94%</b>	<b>89%</b>	<b>95%</b>





**Table 42. Who helps person most often (if anyone helps on a regular basis)***Proxy respondents were allowed for this question.*

State	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	Observed N
AL	64%	15%	1%	17%	2%	0%	347
AZ	60%	24%	1%	14%	1%	0%	382
DE	53%	28%	2%	15%	2%	0%	865
GA	24%	1%	1%	69%	5%	1%	310
IN	47%	30%	2%	17%	3%	2%	1,010
KS	50%	28%	5%	13%	3%	1%	1,061
KY	63%	13%	1%	21%	2%	0%	348
MN	71%	16%	2%	10%	1%	1%	1,123
MO	58%	28%	4%	9%	1%	1%	2,083
NE	91%	7%	1%	1%	0%	0%	771
NJ	66%	18%	1%	14%	1%	1%	602
OH	52%	24%	2%	20%	2%	1%	1,419
OK	29%	8%	1%	53%	9%	1%	597
OR	61%	22%	0%	15%	1%	0%	610
TN	71%	5%	1%	20%	2%	2%	633
TX	39%	41%	4%	14%	2%	0%	1,377
VA	22%	11%	1%	58%	8%	0%	689
WA	75%	17%	3%	5%	0%	0%	1,528
WI	61%	24%	3%	9%	2%	1%	2,009
WY	47%	14%	1%	28%	7%	2%	347
<b>Weighted NCI-AD Average</b>	<b>50%</b>	<b>19%</b>	<b>2%</b>	<b>25%</b>	<b>3%</b>	<b>1%</b>	<b>18,111</b>




**Table 43. Additional people who help person on a regular basis**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

State	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	No one else provides additional support
AL	19%	3%	0%	43%	12%	0%	30%
AZ	19%	4%	0%	46%	10%	2%	29%
DE	16%	6%	0%	37%	9%	1%	37%
GA	15%	0%	0%	35%	7%	2%	42%
IN	20%	7%	1%	48%	12%	2%	24%
KS	15%	4%	1%	42%	11%	2%	29%
KY	15%	4%	1%	42%	10%	3%	28%
MN	23%	7%	1%	39%	8%	2%	33%
MO	19%	7%	1%	38%	10%	2%	35%
NE	2%	2%	0%	32%	7%	0%	51%
NJ	29%	5%	0%	49%	7%	1%	15%
OH	13%	4%	1%	59%	10%	0%	22%
OK	14%	3%	2%	44%	15%	1%	24%
OR	22%	4%	2%	42%	10%	3%	27%
TN	27%	2%	0%	42%	5%	1%	26%
TX	12%	14%	1%	47%	7%	1%	26%
VA	13%	5%	0%	51%	9%	1%	26%
WA	18%	4%	0%	41%	5%	1%	35%
WI	24%	8%	1%	30%	9%	8%	31%
WY	37%	3%	1%	41%	21%	2%	19%
<b>Weighted NCI-AD Average</b>	<b>17%</b>	<b>5%</b>	<b>1%</b>	<b>45%</b>	<b>9%</b>	<b>2%</b>	<b>28%</b>


People who are paid to help  
them come and leave when they  
are supposed to



**Table 44. People who are paid to help them come and leave when they are supposed to***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	162	96%	74%	n/a	n/a	96%	n/a	n/a	n/a
AZ	83%	204	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
DE	88%	370	89%	85%	n/a	89%	n/a	n/a	n/a	n/a
GA	92%	75	92%	n/a	n/a	n/a	n/a	n/a	n/a	92%
IN	91%	532	91%	n/a	n/a	n/a	92%	n/a	n/a	90%
KS	92%	692	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
KY	83%	271	83%	n/a	n/a	88%	n/a	n/a	n/a	79%
MN	85%	624	85%	n/a	n/a	n/a	n/a	83%	86%	n/a
MO	91%	1,264	91%	n/a	n/a	n/a	91%	n/a	98%	n/a
NE	68%	580	77%	63%	n/a	77%	84%	n/a	n/a	n/a
NJ	94%	316	95%	91%	91%	95%	n/a	n/a	n/a	n/a
OH	91%	731	91%	n/a	n/a	90%	92%	91%	93%	n/a
OK	88%	260	88%	n/a	n/a	n/a	90%	n/a	n/a	n/a*
OR	92%	308	92%	81%	83%	n/a	94%	n/a	n/a	n/a*
TN	82%	347	86%	77%	n/a*	86%	n/a	n/a	n/a	n/a
TX	93%	773	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
VA	86%	166	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
WA	86%	1,033	88%	69%	n/a	88%	n/a	n/a	n/a	n/a
WI	91%	1,415	91%	88%	87%	90%	95%	n/a	n/a	n/a
WY	87%	225	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>10,348</b>	<b>89%</b>	<b>76%</b>	<b>87%</b>	<b>89%</b>	<b>91%</b>	<b>86%</b>	<b>87%</b>	<b>83%</b>


*Programs with low response rates are denoted with "n/a\*".*



**Table 45. Has a backup plan if people who are paid to help them do not show up***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	80%	170	65%	91%	n/a	n/a	65%	n/a	n/a	n/a
AZ	83%	173	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
DE	75%	372	75%	75%	n/a	75%	n/a	n/a	n/a	n/a
GA	61%	74	61%	n/a	n/a	n/a	n/a	n/a	n/a	61%
IN	71%	541	71%	n/a	n/a	n/a	73%	n/a	n/a	69%
KS	75%	683	75%	n/a	n/a	75%	n/a	n/a	n/a	n/a
KY	54%	273	54%	n/a	n/a	58%	n/a	n/a	n/a	50%
MN	69%	594	69%	n/a	n/a	n/a	n/a	70%	69%	n/a
MO	68%	1,279	68%	n/a	n/a	n/a	68%	n/a	77%	n/a
NE	92%	574	79%	100%	n/a	80%	67%	n/a	n/a	n/a
NJ	86%	302	87%	84%	86%	87%	n/a	n/a	n/a	n/a
OH	74%	744	74%	n/a	n/a	75%	72%	72%	80%	n/a
OK	66%	260	66%	n/a	n/a	n/a	64%	n/a	n/a	n/a*
OR	64%	296	64%	81%	65%	n/a	64%	n/a	n/a	n/a*
TN	73%	319	74%	72%	n/a*	74%	n/a	n/a	n/a	n/a
TX	67%	740	67%	n/a	n/a	67%	n/a	n/a	n/a	n/a
VA	76%	167	76%	n/a	n/a	76%	n/a	n/a	n/a	n/a
WA	73%	995	74%	62%	n/a	74%	n/a	n/a	n/a	n/a
WI	75%	1,387	71%	90%	83%	66%	80%	n/a	n/a	n/a
WY	68%	221	68%	n/a	n/a	n/a	68%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>73%</b>	<b>10,164</b>	<b>72%</b>	<b>87%</b>	<b>74%</b>	<b>74%</b>	<b>67%</b>	<b>71%</b>	<b>71%</b>	<b>63%</b>


*Programs with low response rates are denoted with "n/a\*".*





**Table 46. Has an emergency plan in place in case of widescale emergency***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	89%	366	82%	94%	n/a	n/a	82%	n/a	n/a	n/a
AZ	84%	342	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	82%	925	82%	84%	n/a	82%	n/a	n/a	n/a	n/a
GA	66%	483	66%	n/a	n/a	n/a	n/a	n/a	n/a	66%
IN	80%	1,141	80%	n/a	n/a	n/a	82%	n/a	n/a	79%
KS	86%	1,148	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
KY	68%	382	68%	n/a	n/a	74%	n/a	n/a	n/a	61%
MN	82%	1,252	82%	n/a	n/a	n/a	n/a	82%	81%	n/a
MO	81%	2,187	81%	n/a	n/a	n/a	81%	n/a	87%	n/a
NE	94%	834	88%	99%	n/a	89%	82%	n/a	n/a	n/a
NJ	89%	651	87%	93%	71%	87%	n/a	n/a	n/a	n/a
OH	86%	1,402	86%	n/a	n/a	89%	95%	83%	83%	n/a
OK	79%	723	79%	n/a	n/a	n/a	79%	n/a	n/a	79%
OR	75%	645	74%	85%	84%	n/a	75%	n/a	n/a	67%
TN	91%	698	85%	97%	68%	86%	n/a	n/a	n/a	n/a
TX	72%	1,432	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
VA	76%	920	76%	n/a	n/a	76%	n/a	n/a	n/a	n/a
WA	67%	1,486	65%	80%	n/a	65%	n/a	n/a	n/a	n/a
WI	82%	2,037	80%	92%	86%	79%	81%	n/a	n/a	n/a
WY	66%	378	66%	n/a	n/a	n/a	66%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>79%</b>	<b>19,432</b>	<b>78%</b>	<b>93%</b>	<b>79%</b>	<b>77%</b>	<b>80%</b>	<b>82%</b>	<b>82%</b>	<b>76%</b>



**Table 47. Knows whom to contact if they have a complaint about their services**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	158	88%	n/a*	n/a	n/a	88%	n/a	n/a	n/a
AZ	78%	153	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
DE	86%	693	85%	88%	n/a	85%	n/a	n/a	n/a	n/a
GA	94%	156	94%	n/a	n/a	n/a	n/a	n/a	n/a	94%
IN	89%	744	89%	n/a	n/a	n/a	89%	n/a	n/a	90%
KS	91%	878	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
KY	90%	251	90%	n/a	n/a	85%	n/a	n/a	n/a	94%
MN	82%	802	82%	n/a	n/a	n/a	n/a	82%	82%	n/a
MO	89%	1,609	89%	n/a	n/a	n/a	89%	n/a	91%	n/a
NE	96%	714	91%	100%	n/a	92%	87%	n/a	n/a	n/a
NJ	96%	434	97%	93%	90%	97%	n/a	n/a	n/a	n/a
OH	93%	1,046	93%	n/a	n/a	94%	94%	92%	91%	n/a
OK	84%	428	84%	n/a	n/a	n/a	82%	n/a	n/a	85%
OR	83%	438	84%	72%	84%	n/a	84%	n/a	n/a	78%
TN	84%	411	85%	84%	66%	86%	n/a	n/a	n/a	n/a
TX	68%	1,180	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
VA	73%	314	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
WA	77%	1,270	77%	81%	n/a	77%	n/a	n/a	n/a	n/a
WI	90%	1,618	90%	96%	94%	90%	91%	n/a	n/a	n/a
WY	88%	318	88%	n/a	n/a	n/a	88%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>13,615</b>	<b>83%</b>	<b>90%</b>	<b>86%</b>	<b>79%</b>	<b>87%</b>	<b>87%</b>	<b>83%</b>	<b>87%</b>


Programs with low response rates are denoted with "n/a\*".



**Table 48. Knows whom to contact if they want to make changes to services**


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	80%	161	88%	n/a*	n/a	n/a	88%	n/a	n/a	n/a
AZ	80%	152	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
DE	83%	684	86%	70%	n/a	86%	n/a	n/a	n/a	n/a
GA	79%	160	79%	n/a	n/a	n/a	n/a	n/a	n/a	79%
IN	88%	738	88%	n/a	n/a	n/a	89%	n/a	n/a	88%
KS	87%	866	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
KY	80%	244	80%	n/a	n/a	79%	n/a	n/a	n/a	80%
MN	84%	790	84%	n/a	n/a	n/a	n/a	82%	85%	n/a
MO	88%	1,586	88%	n/a	n/a	n/a	88%	n/a	93%	n/a
NE	96%	716	91%	99%	n/a	91%	79%	n/a	n/a	n/a
NJ	89%	431	92%	74%	83%	92%	n/a	n/a	n/a	n/a
OH	90%	1,022	90%	n/a	n/a	91%	85%	90%	89%	n/a
OK	76%	429	76%	n/a	n/a	n/a	81%	n/a	n/a	72%
OR	84%	428	84%	64%	77%	n/a	86%	n/a	n/a	68%
TN	80%	412	90%	67%	82%	90%	n/a	n/a	n/a	n/a
TX	76%	1,183	76%	n/a	n/a	76%	n/a	n/a	n/a	n/a
VA	80%	319	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
WA	79%	1,271	81%	63%	n/a	81%	n/a	n/a	n/a	n/a
WI	89%	1,624	89%	86%	94%	87%	93%	n/a	n/a	n/a
WY	88%	322	88%	n/a	n/a	n/a	88%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>13,538</b>	<b>84%</b>	<b>78%</b>	<b>81%</b>	<b>83%</b>	<b>86%</b>	<b>86%</b>	<b>85%</b>	<b>76%</b>

Programs with low response rates are denoted with "n/a\*".



**Table 49. Services meet all current needs and goals***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	74%	334	58%	88%	n/a	n/a	58%	n/a	n/a	n/a
AZ	72%	308	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
DE	74%	846	73%	80%	n/a	73%	n/a	n/a	n/a	n/a
GA	54%	206	54%	n/a	n/a	n/a	n/a	n/a	n/a	54%
IN	81%	1,000	81%	n/a	n/a	n/a	84%	n/a	n/a	76%
KS	81%	1,007	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
KY	58%	342	58%	n/a	n/a	59%	n/a	n/a	n/a	56%
MN	72%	1,036	72%	n/a	n/a	n/a	n/a	76%	69%	n/a
MO	73%	2,114	73%	n/a	n/a	n/a	73%	n/a	84%	n/a
NE	56%	749	70%	46%	n/a	70%	67%	n/a	n/a	n/a
NJ	83%	601	81%	89%	73%	81%	n/a	n/a	n/a	n/a
OH	81%	1,380	81%	n/a	n/a	81%	91%	81%	72%	n/a
OK	82%	475	82%	n/a	n/a	n/a	75%	n/a	n/a	88%
OR	65%	583	65%	61%	79%	n/a	66%	n/a	n/a	53%
TN	78%	657	78%	79%	80%	78%	n/a	n/a	n/a	n/a
TX	64%	1,409	64%	n/a	n/a	64%	n/a	n/a	n/a	n/a
VA	61%	460	61%	n/a	n/a	61%	n/a	n/a	n/a	n/a
WA	63%	1,536	63%	60%	n/a	63%	n/a	n/a	n/a	n/a
WI	80%	1,849	77%	91%	89%	76%	79%	n/a	n/a	n/a
WY	75%	336	75%	n/a	n/a	n/a	75%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>71%</b>	<b>17,228</b>	<b>71%</b>	<b>76%</b>	<b>78%</b>	<b>68%</b>	<b>73%</b>	<b>78%</b>	<b>70%</b>	<b>78%</b>






**Table 50A. Additional services and supports needed (if all current needs and goals are not being met)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*


State	Skilled nursing facility, nursing home services	Personal care assistance, personal care services	Homemaker/chore services	Companion services	Healthcare home services, home health	Home delivered meals
AL	5%	25%	28%	29%	22%	17%
AZ	15%	27%	21%	24%	14%	12%
DE	9%	18%	16%	9%	9%	11%
GA	7%	33%	54%	16%	4%	22%
IN	3%	28%	38%	6%	10%	9%
KS	1%	22%	33%	12%	7%	11%
KY	2%	18%	18%	31%	27%	25%
MN	4%	26%	30%	8%	7%	15%
MO	1%	30%	36%	8%	15%	13%
NE	6%	5%	5%	15%	4%	3%
NJ	0%	11%	9%	5%	6%	8%
OH	3%	29%	18%	2%	3%	2%
OK	7%	26%	19%	11%	10%	11%
OR	6%	28%	18%	16%	13%	8%
TN	12%	37%	18%	22%	10%	7%
TX	5%	18%	12%	7%	7%	8%
VA	3%	17%	20%	14%	13%	17%
WA	1%	21%	20%	21%	6%	12%
WI	3%	27%	27%	7%	11%	13%
WY	6%	27%	42%	27%	30%	23%
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>22%</b>	<b>22%</b>	<b>13%</b>	<b>10%</b>	<b>12%</b>



**Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

State	Adult day services	Transportation	Respite/family caregiver support	Health care	Mental health care	Dental care
AL	30%	29%	21%	13%	8%	28%
AZ	13%	19%	6%	9%	14%	25%
DE	11%	17%	5%	8%	9%	16%
GA	10%	26%	6%	0%	0%	15%
IN	3%	27%	2%	8%	4%	10%
KS	3%	29%	2%	4%	4%	6%
KY	16%	27%	11%	5%	14%	34%
MN	7%	20%	3%	4%	7%	6%
MO	6%	27%	7%	2%	4%	12%
NE	8%	60%	2%	12%	8%	16%
NJ	1%	13%	4%	3%	0%	10%
OH	4%	16%	1%	3%	2%	18%
OK	8%	28%	1%	6%	4%	2%
OR	8%	20%	7%	9%	11%	10%
TN	9%	19%	9%	9%	4%	13%
TX	5%	14%	4%	7%	5%	9%
VA	12%	29%	9%	20%	20%	22%
WA	5%	34%	0%	21%	6%	10%
WI	1%	25%	2%	6%	6%	7%
WY	11%	38%	10%	18%	21%	31%
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>26%</b>	<b>5%</b>	<b>11%</b>	<b>9%</b>	<b>14%</b>




**Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

State	Housing assistance	Heating/Cooling assistance	Hospice	Funeral planning	Other
AL	43%	26%	2%	0%	29%
AZ	13%	5%	1%	5%	47%
DE	15%	6%	0%	8%	29%
GA	9%	8%	0%	3%	19%
IN	7%	2%	0%	1%	32%
KS	4%	1%	0%	1%	25%
KY	17%	19%	0%	8%	6%
MN	16%	6%	0%	0%	39%
MO	12%	10%	0%	1%	32%
NE	18%	1%	1%	16%	48%
NJ	15%	6%	0%	0%	53%
OH	7%	2%	0%	0%	48%
OK	6%	2%	1%	1%	30%
OR	18%	8%	0%	4%	32%
TN	11%	0%	0%	2%	23%
TX	14%	13%	2%	1%	46%
VA	25%	10%	3%	4%	25%
WA	16%	1%	0%	0%	36%
WI	13%	2%	0%	1%	38%
WY	27%	14%	0%	6%	18%
<b>Weighted NCI-AD Average</b>	<b>17%</b>	<b>7%</b>	<b>1%</b>	<b>2%</b>	<b>34%</b>

Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)




**Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	44%	85	49%	n/a*	n/a	n/a	49%	n/a	n/a	n/a
AZ	42%	52	42%	n/a	n/a	42%	n/a	n/a	n/a	n/a
DE	57%	173	59%	n/a*	n/a	59%	n/a	n/a	n/a	n/a
GA	44%	50	44%	n/a	n/a	n/a	n/a	n/a	n/a	44%
IN	51%	158	51%	n/a	n/a	n/a	52%	n/a	n/a	57%
KS	53%	151	53%	n/a	n/a	53%	n/a	n/a	n/a	n/a
KY	34%	126	34%	n/a	n/a	43%	n/a	n/a	n/a	25%
MN	56%	232	56%	n/a	n/a	n/a	n/a	71%	48%	n/a
MO	39%	227	39%	n/a	n/a	n/a	39%	n/a	55%	n/a
NE	86%	179	77%	91%	n/a	77%	75%	n/a	n/a	n/a
NJ	72%	94	76%	n/a*	73%	77%	n/a	n/a	n/a	n/a
OH	73%	226	73%	n/a	n/a	79%	n/a*	71%	58%	n/a
OK	40%	82	40%	n/a	n/a	n/a	45%	n/a	n/a	n/a*
OR	60%	117	61%	30%	n/a*	n/a	62%	n/a	n/a	n/a*
TN	64%	102	66%	n/a*	n/a*	67%	n/a	n/a	n/a	n/a
TX	44%	371	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
VA	45%	138	45%	n/a	n/a	45%	n/a	n/a	n/a	n/a
WA	44%	407	45%	29%	n/a	45%	n/a	n/a	n/a	n/a
WI	60%	289	60%	n/a*	n/a*	61%	56%	n/a	n/a	n/a
WY	57%	76	57%	n/a	n/a	n/a	57%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>51%</b>	<b>3,335</b>	<b>51%</b>	<b>56%</b>	<b>65%</b>	<b>50%</b>	<b>52%</b>	<b>71%</b>	<b>50%</b>	<b>37%</b>

*Programs with low response rates are denoted with "n/a\*".*

Service providers work  
together to provide support






**Table 52. Service providers work together to provide support**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	84%	294	74%	91%	n/a	n/a	74%	n/a	n/a	n/a
AZ	70%	243	70%	n/a	n/a	70%	n/a	n/a	n/a	n/a
DE	56%	232	49%	73%	n/a	49%	n/a	n/a	n/a	n/a
GA	84%	153	84%	n/a	n/a	n/a	n/a	n/a	n/a	84%
IN	84%	773	84%	n/a	n/a	n/a	86%	n/a	n/a	83%
KS	86%	834	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
KY	85%	312	85%	n/a	n/a	90%	n/a	n/a	n/a	79%
MN	70%	752	70%	n/a	n/a	n/a	n/a	74%	67%	n/a
MO	82%	1,547	82%	n/a	n/a	n/a	81%	n/a	91%	n/a
NE	59%	754	70%	50%	n/a	70%	73%	n/a	n/a	n/a
NJ	81%	519	80%	84%	79%	80%	n/a	n/a	n/a	n/a
OH	93%	1,046	93%	n/a	n/a	93%	90%	94%	88%	n/a
OK	83%	424	83%	n/a	n/a	n/a	87%	n/a	n/a	77%
OR	69%	421	69%	82%	83%	n/a	68%	n/a	n/a	56%
TN	87%	608	87%	86%	91%	87%	n/a	n/a	n/a	n/a
TX	74%	1,098	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
VA	80%	353	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
WA	77%	1,368	78%	69%	n/a	78%	n/a	n/a	n/a	n/a
WI	87%	1,858	86%	91%	95%	85%	89%	n/a	n/a	n/a
WY	76%	272	76%	n/a	n/a	n/a	76%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>80%</b>	<b>13,861</b>	<b>80%</b>	<b>79%</b>	<b>84%</b>	<b>80%</b>	<b>80%</b>	<b>83%</b>	<b>71%</b>	<b>78%</b>


## *Care Coordination*



**Table 53. Knows how to manage chronic conditions (if has at least one)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	89%	178	87%	92%	n/a	n/a	87%	n/a	n/a	n/a
AZ	84%	185	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	89%	713	88%	90%	n/a	88%	n/a	n/a	n/a	n/a
GA	97%	369	97%	n/a	n/a	n/a	n/a	n/a	n/a	97%
IN	89%	744	89%	n/a	n/a	n/a	89%	n/a	n/a	93%
KS	91%	882	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
KY	89%	279	89%	n/a	n/a	87%	n/a	n/a	n/a	91%
MN	82%	819	82%	n/a	n/a	n/a	n/a	86%	79%	n/a
MO	88%	1,568	88%	n/a	n/a	n/a	88%	n/a	87%	n/a
NE	82%	755	61%	98%	n/a	61%	60%	n/a	n/a	n/a
NJ	76%	480	87%	46%	91%	87%	n/a	n/a	n/a	n/a
OH	76%	1,128	76%	n/a	n/a	76%	76%	75%	82%	n/a
OK	89%	579	89%	n/a	n/a	n/a	89%	n/a	n/a	89%
OR	82%	431	82%	73%	79%	n/a	82%	n/a	n/a	88%
TN	81%	417	86%	76%	74%	86%	n/a	n/a	n/a	n/a
TX	74%	1,223	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
VA	88%	677	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
WA	82%	1,297	84%	65%	n/a	84%	n/a	n/a	n/a	n/a
WI	91%	1,454	92%	90%	97%	91%	93%	n/a	n/a	n/a
WY	89%	339	89%	n/a	n/a	n/a	89%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>14,517</b>	<b>85%</b>	<b>77%</b>	<b>84%</b>	<b>85%</b>	<b>86%</b>	<b>81%</b>	<b>80%</b>	<b>91%</b>


Stayed overnight in a hospital  
or rehab/nursing facility in  
the past 12 months and was  
discharged to go home



**Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	31%	376	30%	31%	n/a	n/a	30%	n/a	n/a	n/a
AZ	35%	381	35%	n/a	n/a	35%	n/a	n/a	n/a	n/a
DE	26%	937	28%	23%	n/a	28%	n/a	n/a	n/a	n/a
GA	25%	487	25%	n/a	n/a	n/a	n/a	n/a	n/a	25%
IN	32%	1,115	32%	n/a	n/a	n/a	34%	n/a	n/a	29%
KS	30%	1,129	30%	n/a	n/a	30%	n/a	n/a	n/a	n/a
KY	35%	393	35%	n/a	n/a	33%	n/a	n/a	n/a	38%
MN	27%	1,266	27%	n/a	n/a	n/a	n/a	31%	25%	n/a
MO	29%	2,134	29%	n/a	n/a	n/a	30%	n/a	21%	n/a
NE	20%	805	25%	16%	n/a	25%	24%	n/a	n/a	n/a
NJ	24%	683	28%	15%	36%	27%	n/a	n/a	n/a	n/a
OH	29%	1,453	29%	n/a	n/a	27%	30%	31%	32%	n/a
OK	29%	713	29%	n/a	n/a	n/a	33%	n/a	n/a	27%
OR	29%	675	28%	47%	24%	n/a	29%	n/a	n/a	27%
TN	30%	690	29%	31%	50%	29%	n/a	n/a	n/a	n/a
TX	27%	1,472	27%	n/a	n/a	27%	n/a	n/a	n/a	n/a
VA	22%	954	22%	n/a	n/a	22%	n/a	n/a	n/a	n/a
WA	31%	1,574	28%	56%	n/a	28%	n/a	n/a	n/a	n/a
WI	30%	1,995	30%	29%	34%	32%	26%	n/a	n/a	n/a
WY	32%	384	32%	n/a	n/a	n/a	32%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>27%</b>	<b>19,616</b>	<b>27%</b>	<b>28%</b>	<b>31%</b>	<b>25%</b>	<b>31%</b>	<b>31%</b>	<b>26%</b>	<b>28%</b>

Felt comfortable and supported  
enough to go home after stay  
in a hospital or rehab/nursing  
facility (if had an overnight  
stay in the past 12 months and  
was discharged to go home)




**Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	88%	50	88%	n/a*	n/a	n/a	88%	n/a	n/a	n/a
AZ	77%	69	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
DE	84%	205	85%	79%	n/a	85%	n/a	n/a	n/a	n/a
GA	90%	90	90%	n/a	n/a	n/a	n/a	n/a	n/a	90%
IN	88%	259	88%	n/a	n/a	n/a	89%	n/a	n/a	87%
KS	89%	271	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
KY	77%	106	77%	n/a	n/a	84%	n/a	n/a	n/a	71%
MN	86%	250	86%	n/a	n/a	n/a	n/a	82%	88%	n/a
MO	87%	507	87%	n/a	n/a	n/a	87%	n/a	94%	n/a
NE	78%	162	72%	85%	n/a	72%	75%	n/a	n/a	n/a
NJ	92%	124	94%	n/a*	90%	94%	n/a	n/a	n/a	n/a
OH	92%	356	92%	n/a	n/a	93%	95%	92%	84%	n/a
OK	86%	188	86%	n/a	n/a	n/a	85%	n/a	n/a	86%
OR	96%	125	96%	83%	n/a*	n/a	98%	n/a	n/a	87%
TN	82%	134	85%	77%	n/a*	85%	n/a	n/a	n/a	n/a
TX	85%	371	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
VA	87%	166	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
WA	80%	406	82%	68%	n/a	82%	n/a	n/a	n/a	n/a
WI	84%	483	84%	92%	95%	82%	86%	n/a	n/a	n/a
WY	81%	110	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>4,432</b>	<b>87%</b>	<b>78%</b>	<b>88%</b>	<b>86%</b>	<b>88%</b>	<b>87%</b>	<b>87%</b>	<b>86%</b>

Programs with low response rates are denoted with "n/a\*".



Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)




**Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	108	74%	96%	n/a	n/a	74%	n/a	n/a	n/a
AZ	77%	124	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
DE	86%	242	83%	96%	n/a	83%	n/a	n/a	n/a	n/a
GA	91%	117	91%	n/a	n/a	n/a	n/a	n/a	n/a	91%
IN	88%	337	88%	n/a	n/a	n/a	89%	n/a	n/a	87%
KS	86%	319	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
KY	74%	128	74%	n/a	n/a	82%	n/a	n/a	n/a	67%
MN	87%	343	87%	n/a	n/a	n/a	n/a	88%	86%	n/a
MO	83%	590	83%	n/a	n/a	n/a	83%	n/a	87%	n/a
NE	92%	169	85%	100%	n/a	85%	87%	n/a	n/a	n/a
NJ	89%	164	89%	n/a*	82%	90%	n/a	n/a	n/a	n/a
OH	90%	414	90%	n/a	n/a	93%	88%	89%	84%	n/a
OK	82%	220	82%	n/a	n/a	n/a	81%	n/a	n/a	84%
OR	95%	169	96%	72%	95%	n/a	97%	n/a	n/a	87%
TN	81%	188	84%	79%	n/a*	84%	n/a	n/a	n/a	n/a
TX	79%	397	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
VA	78%	213	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
WA	76%	433	75%	80%	n/a	75%	n/a	n/a	n/a	n/a
WI	88%	587	88%	89%	94%	89%	87%	n/a	n/a	n/a
WY	81%	117	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>5,379</b>	<b>83%</b>	<b>88%</b>	<b>88%</b>	<b>80%</b>	<b>85%</b>	<b>88%</b>	<b>86%</b>	<b>84%</b>


*Programs with low response rates are denoted with "n/a\*".*

## *Choice and Control*



**Table 57. Feels in control of their life**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	68%	185	71%	64%	n/a	n/a	71%	n/a	n/a	n/a
AZ	67%	204	67%	n/a	n/a	67%	n/a	n/a	n/a	n/a
DE	60%	734	65%	46%	n/a	65%	n/a	n/a	n/a	n/a
GA	79%	377	79%	n/a	n/a	n/a	n/a	n/a	n/a	79%
IN	78%	782	78%	n/a	n/a	n/a	79%	n/a	n/a	78%
KS	74%	887	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
KY	68%	288	68%	n/a	n/a	62%	n/a	n/a	n/a	72%
MN	73%	857	73%	n/a	n/a	n/a	n/a	74%	73%	n/a
MO	79%	1,581	79%	n/a	n/a	n/a	79%	n/a	86%	n/a
NE	79%	760	67%	88%	n/a	67%	64%	n/a	n/a	n/a
NJ	66%	501	68%	61%	76%	68%	n/a	n/a	n/a	n/a
OH	71%	1,163	71%	n/a	n/a	72%	75%	72%	66%	n/a
OK	81%	568	81%	n/a	n/a	n/a	78%	n/a	n/a	83%
OR	63%	474	63%	63%	62%	n/a	63%	n/a	n/a	67%
TN	66%	442	74%	56%	90%	74%	n/a	n/a	n/a	n/a
TX	68%	1,249	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
VA	74%	722	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
WA	59%	1,330	60%	46%	n/a	60%	n/a	n/a	n/a	n/a
WI	76%	1,449	77%	65%	92%	75%	81%	n/a	n/a	n/a
WY	71%	350	71%	n/a	n/a	n/a	71%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>14,903</b>	<b>73%</b>	<b>64%</b>	<b>71%</b>	<b>71%</b>	<b>75%</b>	<b>73%</b>	<b>72%</b>	<b>80%</b>




**Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	55%	21	51%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	91%	86	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
DE	100%	23	100%	n/a	n/a	100%	n/a	n/a	n/a	n/a
IN	95%	62	95%	n/a	n/a	n/a	95%	n/a	n/a	n/a*
KS	100%	50	100%	n/a	n/a	100%	n/a	n/a	n/a	n/a
MN	93%	196	93%	n/a	n/a	n/a	n/a	96%	92%	n/a
MO	75%	249	75%	n/a	n/a	n/a	75%	n/a	n/a*	n/a
NE	100%	347	100%	100%	n/a	100%	n/a	n/a	n/a	n/a
NJ	79%	104	92%	76%	n/a*	92%	n/a	n/a	n/a	n/a
OH	100%	306	100%	n/a	n/a	100%	99%	n/a*	n/a	n/a
OR	95%	250	97%	73%	100%	n/a	96%	n/a	n/a	n/a
TN	88%	109	90%	88%	n/a*	91%	n/a	n/a	n/a	n/a
TX	91%	75	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
VA	66%	31	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
WA	76%	326	80%	69%	n/a	80%	n/a	n/a	n/a	n/a
WI	90%	222	95%	85%	n/a*	94%	n/a*	n/a	n/a	n/a
WY	97%	34	97%	n/a	n/a	n/a	97%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>2,500</b>	<b>87%</b>	<b>82%</b>	<b>98%</b>	<b>84%</b>	<b>91%</b>	<b>96%</b>	<b>92%</b>	<b>n/a*</b>

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: GA, KY, OK. Programs with low response rates are denoted with "n/a\*".

Able to choose their roommate  
(if living in a group setting  
and has a roommate)






**Table 59. Able to choose their roommate (if living in a group setting and has a roommate)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AZ	17%	40	17%	n/a	n/a	17%	n/a	n/a	n/a	n/a
MN	29%	55	29%	n/a	n/a	n/a	n/a	32%	29%	n/a
MO	22%	194	22%	n/a	n/a	n/a	22%	n/a	n/a	n/a
NE	96%	278	99%	95%	n/a	99%	n/a	n/a	n/a	n/a
NJ	21%	44	25%	20%	n/a*	n/a*	n/a	n/a	n/a	n/a
OH	76%	65	76%	n/a	n/a	n/a*	60%	n/a*	n/a	n/a
OR	41%	49	44%	n/a*	n/a*	n/a	51%	n/a	n/a	n/a
TN	18%	73	37%	16%	n/a*	n/a*	n/a	n/a	n/a	n/a
TX	n/a*	16	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a
VA	21%	22	21%	n/a	n/a	21%	n/a	n/a	n/a	n/a
WA	13%	165	12%	13%	n/a	12%	n/a	n/a	n/a	n/a
WI	33%	58	34%	32%	n/a*	34%	n/a	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>1,106</b>	<b>29%</b>	<b>44%</b>	<b>n/a*</b>	<b>29%</b>	<b>31%</b>	<b>39%</b>	<b>29%</b>	<b>n/a*</b>


The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: AL, DE, GA, IN, KS, OK, TX, WY. Programs with low response rates are denoted with "n/a\*".



**Table 60. Can get up and go to bed when they want to**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	77%	30	80%	76%	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	89%	96	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
DE	99%	55	99%	n/a	n/a	99%	n/a	n/a	n/a	n/a
IN	97%	138	97%	n/a	n/a	n/a	97%	n/a	n/a	n/a*
KS	95%	110	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
MN	91%	276	91%	n/a	n/a	n/a	n/a	92%	91%	n/a
MO	94%	377	94%	n/a	n/a	n/a	94%	n/a	n/a*	n/a
NE	95%	365	96%	95%	n/a	96%	n/a*	n/a	n/a	n/a
NJ	81%	199	86%	78%	100%	85%	n/a	n/a	n/a	n/a
OH	97%	346	97%	n/a	n/a	96%	97%	n/a*	n/a*	n/a
OK	98%	56	98%	n/a	n/a	n/a	98%	n/a	n/a	n/a*
OR	88%	276	87%	89%	91%	n/a	86%	n/a	n/a	n/a*
TN	71%	139	87%	70%	n/a*	86%	n/a	n/a	n/a	n/a
TX	93%	125	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
VA	79%	42	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
WA	91%	393	95%	81%	n/a	95%	n/a	n/a	n/a	n/a
WI	93%	263	92%	96%	n/a*	92%	n/a*	n/a	n/a	n/a
WY	97%	96	97%	n/a	n/a	n/a	97%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>89%</b>	<b>3,415</b>	<b>91%</b>	<b>83%</b>	<b>94%</b>	<b>90%</b>	<b>93%</b>	<b>92%</b>	<b>91%</b>	<b>100%</b>


The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: GA, KY. Programs with low response rates are denoted with "n/a\*".



**Table 61. Can eat their meals when they want to**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	69%	30	81%	67%	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	53%	96	53%	n/a	n/a	53%	n/a	n/a	n/a	n/a
DE	79%	55	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
IN	79%	139	79%	n/a	n/a	n/a	76%	n/a	n/a	n/a*
KS	85%	110	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
MN	63%	275	63%	n/a	n/a	n/a	n/a	60%	65%	n/a
MO	62%	381	62%	n/a	n/a	n/a	62%	n/a	n/a*	n/a
NE	83%	364	86%	82%	n/a	86%	n/a*	n/a	n/a	n/a
NJ	79%	192	89%	73%	93%	89%	n/a	n/a	n/a	n/a
OH	74%	344	74%	n/a	n/a	73%	72%	n/a*	n/a*	n/a
OK	100%	56	100%	n/a	n/a	n/a	100%	n/a	n/a	n/a*
OR	63%	275	64%	46%	67%	n/a	63%	n/a	n/a	n/a*
TN	58%	140	73%	57%	n/a*	73%	n/a	n/a	n/a	n/a
TX	77%	124	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
VA	60%	42	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
WA	61%	392	66%	51%	n/a	66%	n/a	n/a	n/a	n/a
WI	64%	266	63%	64%	n/a*	64%	n/a*	n/a	n/a	n/a
WY	83%	96	83%	n/a	n/a	n/a	83%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>68%</b>	<b>3,410</b>	<b>68%</b>	<b>67%</b>	<b>73%</b>	<b>68%</b>	<b>68%</b>	<b>63%</b>	<b>66%</b>	<b>96%</b>


The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: GA, KY. Programs with low response rates are denoted with "n/a\*".



**Table 62. Can choose or change their services***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	74%	300	82%	67%	n/a	n/a	82%	n/a	n/a	n/a
AZ	89%	283	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
DE	90%	772	92%	85%	n/a	92%	n/a	n/a	n/a	n/a
GA	82%	191	82%	n/a	n/a	n/a	n/a	n/a	n/a	82%
IN	88%	917	88%	n/a	n/a	n/a	91%	n/a	n/a	84%
KS	93%	944	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
KY	82%	246	82%	n/a	n/a	90%	n/a	n/a	n/a	71%
MN	88%	993	88%	n/a	n/a	n/a	n/a	87%	89%	n/a
MO	90%	1,923	90%	n/a	n/a	n/a	90%	n/a	96%	n/a
NE	94%	751	93%	95%	n/a	93%	91%	n/a	n/a	n/a
NJ	91%	540	96%	71%	95%	96%	n/a	n/a	n/a	n/a
OH	93%	1,161	93%	n/a	n/a	95%	74%	93%	90%	n/a
OK	83%	442	83%	n/a	n/a	n/a	90%	n/a	n/a	77%
OR	84%	522	84%	81%	83%	n/a	85%	n/a	n/a	76%
TN	89%	622	93%	86%	76%	93%	n/a	n/a	n/a	n/a
TX	89%	1,239	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
VA	86%	406	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
WA	86%	1,239	87%	80%	n/a	87%	n/a	n/a	n/a	n/a
WI	90%	1,893	93%	76%	90%	92%	94%	n/a	n/a	n/a
WY	92%	306	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>15,690</b>	<b>89%</b>	<b>80%</b>	<b>87%</b>	<b>89%</b>	<b>88%</b>	<b>89%</b>	<b>89%</b>	<b>78%</b>


Can choose or change when  
and how often they receive  
services





**Table 63. Can choose or change when and how often they receive services***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	58%	296	66%	49%	n/a	n/a	66%	n/a	n/a	n/a
AZ	74%	276	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
DE	50%	483	49%	51%	n/a	49%	n/a	n/a	n/a	n/a
GA	62%	188	62%	n/a	n/a	n/a	n/a	n/a	n/a	62%
IN	75%	876	75%	n/a	n/a	n/a	78%	n/a	n/a	69%
KS	83%	910	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
KY	66%	264	66%	n/a	n/a	78%	n/a	n/a	n/a	51%
MN	72%	983	72%	n/a	n/a	n/a	n/a	68%	76%	n/a
MO	81%	1,910	81%	n/a	n/a	n/a	80%	n/a	93%	n/a
NE	31%	750	53%	14%	n/a	53%	60%	n/a	n/a	n/a
NJ	61%	534	70%	25%	80%	69%	n/a	n/a	n/a	n/a
OH	74%	1,168	74%	n/a	n/a	75%	65%	74%	77%	n/a
OK	75%	451	75%	n/a	n/a	n/a	80%	n/a	n/a	70%
OR	60%	513	61%	49%	59%	n/a	61%	n/a	n/a	53%
TN	70%	628	78%	62%	69%	78%	n/a	n/a	n/a	n/a
TX	66%	1,223	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
VA	70%	396	70%	n/a	n/a	70%	n/a	n/a	n/a	n/a
WA	63%	1,250	64%	46%	n/a	64%	n/a	n/a	n/a	n/a
WI	76%	1,854	80%	56%	81%	78%	84%	n/a	n/a	n/a
WY	75%	307	75%	n/a	n/a	n/a	75%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>70%</b>	<b>15,260</b>	<b>72%</b>	<b>42%</b>	<b>68%</b>	<b>70%</b>	<b>74%</b>	<b>70%</b>	<b>76%</b>	<b>67%</b>




**Table 64. Can choose or change the people who provide paid supports if wants***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	57%	176	80%	38%	n/a	n/a	80%	n/a	n/a	n/a
AZ	58%	243	58%	n/a	n/a	58%	n/a	n/a	n/a	n/a
DE	61%	374	74%	24%	n/a	74%	n/a	n/a	n/a	n/a
GA	88%	68	88%	n/a	n/a	n/a	n/a	n/a	n/a	88%
IN	88%	589	88%	n/a	n/a	n/a	90%	n/a	n/a	85%
KS	89%	691	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
KY	69%	205	69%	n/a	n/a	83%	n/a	n/a	n/a	50%
MN	63%	628	63%	n/a	n/a	n/a	n/a	50%	72%	n/a
MO	91%	1,279	91%	n/a	n/a	n/a	90%	n/a	95%	n/a
NE	32%	582	46%	24%	n/a	45%	60%	n/a	n/a	n/a
NJ	74%	300	84%	43%	69%	85%	n/a	n/a	n/a	n/a
OH	78%	786	78%	n/a	n/a	77%	27%	84%	96%	n/a
OK	91%	257	91%	n/a	n/a	n/a	90%	n/a	n/a	n/a*
OR	70%	334	71%	46%	70%	n/a	70%	n/a	n/a	n/a*
TN	59%	341	82%	37%	n/a*	83%	n/a	n/a	n/a	n/a
TX	90%	852	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
VA	81%	166	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
WA	77%	1,094	80%	56%	n/a	80%	n/a	n/a	n/a	n/a
WI	75%	1,475	81%	52%	67%	74%	95%	n/a	n/a	n/a
WY	81%	224	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>76%</b>	<b>10,664</b>	<b>80%</b>	<b>40%</b>	<b>66%</b>	<b>79%</b>	<b>84%</b>	<b>64%</b>	<b>77%</b>	<b>78%</b>

*Programs with low response rates are denoted with "n/a\*".*

## *Satisfaction*




**Table 65. Services and supports help them live the life they want**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	158	89%	n/a*	n/a	n/a	89%	n/a	n/a	n/a
AZ	84%	147	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	86%	639	88%	79%	n/a	88%	n/a	n/a	n/a	n/a
GA	90%	157	90%	n/a	n/a	n/a	n/a	n/a	n/a	90%
IN	92%	699	92%	n/a	n/a	n/a	93%	n/a	n/a	90%
KS	92%	819	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
KY	88%	249	88%	n/a	n/a	87%	n/a	n/a	n/a	88%
MN	89%	705	89%	n/a	n/a	n/a	n/a	91%	88%	n/a
MO	86%	1,621	86%	n/a	n/a	n/a	86%	n/a	89%	n/a
NE	95%	695	95%	95%	n/a	95%	94%	n/a	n/a	n/a
NJ	97%	430	97%	97%	95%	97%	n/a	n/a	n/a	n/a
OH	91%	1,076	91%	n/a	n/a	91%	93%	92%	88%	n/a
OK	88%	393	88%	n/a	n/a	n/a	88%	n/a	n/a	89%
OR	83%	387	84%	71%	89%	n/a	85%	n/a	n/a	70%
TN	90%	378	95%	85%	93%	95%	n/a	n/a	n/a	n/a
TX	90%	1,194	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
VA	87%	302	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
WA	79%	1,287	80%	77%	n/a	80%	n/a	n/a	n/a	n/a
WI	91%	1,370	91%	87%	97%	90%	92%	n/a	n/a	n/a
WY	88%	305	88%	n/a	n/a	n/a	88%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>13,011</b>	<b>88%</b>	<b>87%</b>	<b>92%</b>	<b>88%</b>	<b>92%</b>	<b>92%</b>	<b>88%</b>	<b>88%</b>

Programs with low response rates are denoted with "n/a\*".

Case manager/care coordinator  
changes more often than they  
would like




**Table 66. Case manager/care coordinator changes more often than they would like**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	17%	147	18%	n/a*	n/a	n/a	18%	n/a	n/a	n/a
AZ	28%	141	28%	n/a	n/a	28%	n/a	n/a	n/a	n/a
DE	29%	591	29%	27%	n/a	29%	n/a	n/a	n/a	n/a
GA	38%	81	38%	n/a	n/a	n/a	n/a	n/a	n/a	38%
IN	31%	623	31%	n/a	n/a	n/a	29%	n/a	n/a	39%
KS	22%	802	22%	n/a	n/a	22%	n/a	n/a	n/a	n/a
KY	21%	238	21%	n/a	n/a	25%	n/a	n/a	n/a	17%
MN	40%	710	40%	n/a	n/a	n/a	n/a	30%	44%	n/a
MO	26%	926	26%	n/a	n/a	n/a	26%	n/a	32%	n/a
NE	21%	589	22%	20%	n/a	21%	40%	n/a	n/a	n/a
NJ	26%	383	25%	30%	21%	25%	n/a	n/a	n/a	n/a
OH	32%	947	32%	n/a	n/a	33%	39%	26%	39%	n/a
OK	21%	329	21%	n/a	n/a	n/a	17%	n/a	n/a	32%
OR	33%	314	33%	29%	20%	n/a	34%	n/a	n/a	17%
TN	34%	358	35%	32%	34%	35%	n/a	n/a	n/a	n/a
TX	39%	907	39%	n/a	n/a	39%	n/a	n/a	n/a	n/a
VA	27%	232	27%	n/a	n/a	27%	n/a	n/a	n/a	n/a
WA	36%	1,076	36%	30%	n/a	36%	n/a	n/a	n/a	n/a
WI	27%	1,437	27%	32%	17%	30%	21%	n/a	n/a	n/a
WY	15%	313	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>11,144</b>	<b>30%</b>	<b>25%</b>	<b>21%</b>	<b>31%</b>	<b>26%</b>	<b>28%</b>	<b>43%</b>	<b>31%</b>

Programs with low response rates are denoted with "n/a\*".






**Table 67. People who are paid to help them change too often**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	32%	93	21%	n/a*	n/a	n/a	21%	n/a	n/a	n/a
AZ	41%	118	41%	n/a	n/a	41%	n/a	n/a	n/a	n/a
DE	34%	332	24%	59%	n/a	24%	n/a	n/a	n/a	n/a
GA	10%	52	10%	n/a	n/a	n/a	n/a	n/a	n/a	10%
IN	26%	418	26%	n/a	n/a	n/a	24%	n/a	n/a	28%
KS	15%	605	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
KY	27%	220	27%	n/a	n/a	19%	n/a	n/a	n/a	34%
MN	33%	477	33%	n/a	n/a	n/a	n/a	30%	35%	n/a
MO	21%	1,094	21%	n/a	n/a	n/a	21%	n/a	13%	n/a
NE	74%	571	54%	85%	n/a	55%	46%	n/a	n/a	n/a
NJ	20%	252	13%	38%	31%	12%	n/a	n/a	n/a	n/a
OH	32%	655	32%	n/a	n/a	35%	34%	30%	22%	n/a
OK	16%	197	16%	n/a	n/a	n/a	17%	n/a	n/a	n/a*
OR	30%	228	29%	61%	38%	n/a	29%	n/a	n/a	n/a*
TN	43%	239	34%	52%	n/a*	33%	n/a	n/a	n/a	n/a
TX	18%	595	18%	n/a	n/a	18%	n/a	n/a	n/a	n/a
VA	20%	104	20%	n/a	n/a	20%	n/a	n/a	n/a	n/a
WA	31%	999	30%	40%	n/a	30%	n/a	n/a	n/a	n/a
WI	20%	1,105	19%	36%	24%	23%	12%	n/a	n/a	n/a
WY	25%	215	25%	n/a	n/a	n/a	25%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>28%</b>	<b>8,569</b>	<b>25%</b>	<b>60%</b>	<b>35%</b>	<b>26%</b>	<b>24%</b>	<b>30%</b>	<b>32%</b>	<b>27%</b>


Programs with low response rates are denoted with "n/a\*".

### Likes where they live




**Table 68. Likes where they live**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	188	93%	73%	n/a	n/a	93%	n/a	n/a	n/a
AZ	91%	213	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
DE	90%	791	91%	86%	n/a	91%	n/a	n/a	n/a	n/a
GA	95%	380	95%	n/a	n/a	n/a	n/a	n/a	n/a	95%
IN	94%	889	94%	n/a	n/a	n/a	93%	n/a	n/a	94%
KS	92%	1,001	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
KY	92%	292	92%	n/a	n/a	90%	n/a	n/a	n/a	93%
MN	89%	1,013	89%	n/a	n/a	n/a	n/a	89%	88%	n/a
MO	91%	1,780	91%	n/a	n/a	n/a	91%	n/a	92%	n/a
NE	91%	793	91%	92%	n/a	90%	94%	n/a	n/a	n/a
NJ	93%	510	94%	90%	88%	94%	n/a	n/a	n/a	n/a
OH	92%	1,172	92%	n/a	n/a	94%	94%	92%	87%	n/a
OK	92%	630	92%	n/a	n/a	n/a	90%	n/a	n/a	93%
OR	90%	515	90%	78%	96%	n/a	90%	n/a	n/a	87%
TN	90%	481	92%	88%	97%	92%	n/a	n/a	n/a	n/a
TX	90%	1,269	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
VA	89%	761	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
WA	87%	1,377	90%	62%	n/a	90%	n/a	n/a	n/a	n/a
WI	90%	1,783	90%	90%	94%	90%	90%	n/a	n/a	n/a
WY	92%	367	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>90%</b>	<b>16,205</b>	<b>90%</b>	<b>83%</b>	<b>93%</b>	<b>90%</b>	<b>91%</b>	<b>91%</b>	<b>88%</b>	<b>93%</b>



**Table 69A. Reasons does not like where they live (if does not always like where they live)***Categories are not mutually exclusive, therefore N is not shown.*


State	Accessibility of house/ building	Feels unsafe in/dislikes neighborhood	Feels unsafe in residence	Residence/ building needs repair/upkeep	Doesn't feel like home
AL	17%	8%	12%	12%	42%
AZ	7%	7%	5%	14%	23%
DE	9%	11%	10%	13%	21%
GA	10%	6%	3%	13%	19%
IN	9%	17%	5%	8%	9%
KS	6%	15%	7%	18%	11%
KY	13%	21%	4%	8%	17%
MN	14%	19%	14%	14%	7%
MO	7%	26%	15%	14%	9%
NE	7%	1%	0%	21%	19%
NJ	24%	7%	7%	8%	29%
OH	6%	14%	3%	19%	11%
OK	5%	11%	3%	15%	14%
OR	9%	11%	11%	26%	10%
TN	9%	1%	1%	7%	33%
TX	8%	25%	11%	27%	9%
VA	7%	14%	7%	14%	14%
WA	1%	16%	20%	14%	11%
WI	15%	19%	11%	19%	12%
WY	22%	17%	9%	21%	21%
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>15%</b>	<b>9%</b>	<b>15%</b>	<b>14%</b>



**Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)***Categories are not mutually exclusive, therefore N is not shown.*

State	Layout/size of residence/ building	Problems with neighbors/ housemates/other residents	Problems with staff	Insufficient amount/type of staff	Wants more independence/ control
AL	12%	12%	15%	22%	35%
AZ	9%	10%	14%	9%	19%
DE	8%	6%	9%	5%	13%
GA	13%	3%	10%	3%	3%
IN	6%	7%	4%	3%	7%
KS	13%	5%	5%	1%	3%
KY	11%	4%	5%	0%	2%
MN	11%	18%	7%	2%	6%
MO	20%	14%	2%	0%	2%
NE	7%	18%	6%	32%	11%
NJ	9%	4%	9%	3%	19%
OH	19%	18%	6%	0%	5%
OK	8%	6%	2%	0%	1%
OR	8%	18%	18%	3%	7%
TN	1%	8%	19%	16%	16%
TX	18%	11%	10%	2%	5%
VA	12%	14%	5%	1%	13%
WA	13%	4%	21%	8%	15%
WI	7%	13%	6%	6%	7%
WY	23%	22%	12%	3%	12%
<b>Weighted NCI-AD Average</b>	<b>12%</b>	<b>12%</b>	<b>8%</b>	<b>4%</b>	<b>10%</b>






**Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)***Categories are not mutually exclusive, therefore N is not shown.*


State	Wants more privacy	Wants to be closer to family/friends	Feels isolated from community/ feels lonely	Affordability/Cost of housing	Other
AL	37%	28%	15%	10%	37%
AZ	12%	7%	11%	7%	26%
DE	7%	8%	4%	6%	31%
GA	6%	3%	10%	13%	48%
IN	3%	1%	5%	6%	20%
KS	5%	6%	7%	4%	20%
KY	0%	5%	4%	0%	50%
MN	7%	7%	6%	4%	41%
MO	5%	2%	3%	7%	21%
NE	36%	42%	19%	3%	18%
NJ	9%	15%	7%	4%	41%
OH	3%	3%	4%	6%	16%
OK	9%	5%	7%	2%	25%
OR	3%	4%	4%	12%	43%
TN	8%	12%	6%	2%	27%
TX	7%	7%	6%	5%	26%
VA	11%	4%	6%	6%	29%
WA	14%	5%	4%	7%	20%
WI	4%	5%	4%	8%	48%
WY	14%	13%	13%	17%	36%
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>7%</b>	<b>6%</b>	<b>6%</b>	<b>29%</b>

### Wants to live somewhere else




**Table 70. Wants to live somewhere else**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	53%	188	43%	72%	n/a	n/a	43%	n/a	n/a	n/a
AZ	49%	211	49%	n/a	n/a	49%	n/a	n/a	n/a	n/a
DE	42%	777	42%	41%	n/a	42%	n/a	n/a	n/a	n/a
GA	18%	383	18%	n/a	n/a	n/a	n/a	n/a	n/a	18%
IN	27%	861	27%	n/a	n/a	n/a	29%	n/a	n/a	25%
KS	28%	987	28%	n/a	n/a	28%	n/a	n/a	n/a	n/a
KY	37%	287	37%	n/a	n/a	47%	n/a	n/a	n/a	29%
MN	43%	1,001	43%	n/a	n/a	n/a	n/a	35%	47%	n/a
MO	32%	1,738	32%	n/a	n/a	n/a	32%	n/a	29%	n/a
NE	45%	790	41%	48%	n/a	40%	44%	n/a	n/a	n/a
NJ	23%	500	20%	29%	45%	19%	n/a	n/a	n/a	n/a
OH	31%	1,169	31%	n/a	n/a	30%	32%	28%	36%	n/a
OK	34%	628	34%	n/a	n/a	n/a	39%	n/a	n/a	31%
OR	39%	509	39%	53%	31%	n/a	40%	n/a	n/a	34%
TN	36%	476	22%	49%	20%	23%	n/a	n/a	n/a	n/a
TX	34%	1,264	34%	n/a	n/a	34%	n/a	n/a	n/a	n/a
VA	46%	750	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
WA	35%	1,358	31%	75%	n/a	31%	n/a	n/a	n/a	n/a
WI	35%	1,756	35%	30%	22%	33%	38%	n/a	n/a	n/a
WY	44%	364	44%	n/a	n/a	n/a	44%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>38%</b>	<b>15,997</b>	<b>38%</b>	<b>50%</b>	<b>34%</b>	<b>39%</b>	<b>35%</b>	<b>32%</b>	<b>45%</b>	<b>29%</b>



**Table 71. Where person would prefer to live (if wants to live somewhere else)***Categories are not mutually exclusive, therefore N is not shown*

State	Different kind of home	Live independently	With or closer to family	In a different neighborhood	A different type of geography or climate	Other
AL	40%	41%	37%	36%	20%	19%
AZ	30%	25%	17%	11%	17%	28%
DE	31%	20%	17%	20%	14%	23%
GA	24%	9%	6%	15%	13%	43%
IN	36%	11%	4%	24%	23%	15%
KS	34%	6%	12%	28%	24%	7%
KY	46%	8%	8%	27%	13%	12%
MN	35%	14%	12%	24%	18%	29%
MO	44%	6%	9%	28%	23%	8%
NE	41%	13%	41%	14%	50%	3%
NJ	22%	21%	25%	11%	12%	24%
OH	49%	10%	8%	22%	16%	7%
OK	23%	7%	15%	20%	38%	9%
OR	44%	19%	21%	12%	19%	19%
TN	26%	24%	27%	6%	12%	12%
TX	40%	17%	11%	21%	12%	23%
VA	35%	23%	10%	27%	36%	12%
WA	21%	23%	12%	24%	11%	20%
WI	51%	20%	14%	28%	15%	42%
WY	45%	21%	24%	19%	38%	36%
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>18%</b>	<b>13%</b>	<b>24%</b>	<b>25%</b>	<b>17%</b>




**Table 72. People who are paid to help them do things the way they want them done**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	81%	100	87%	n/a*	n/a	n/a	87%	n/a	n/a	n/a
AZ	79%	141	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
DE	79%	366	81%	74%	n/a	81%	n/a	n/a	n/a	n/a
GA	88%	51	88%	n/a	n/a	n/a	n/a	n/a	n/a	88%
IN	92%	482	92%	n/a	n/a	n/a	94%	n/a	n/a	89%
KS	88%	630	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
KY	80%	223	80%	n/a	n/a	81%	n/a	n/a	n/a	78%
MN	78%	487	78%	n/a	n/a	n/a	n/a	81%	77%	n/a
MO	89%	1,131	89%	n/a	n/a	n/a	88%	n/a	98%	n/a
NE	86%	566	81%	88%	n/a	81%	84%	n/a	n/a	n/a
NJ	80%	253	89%	56%	79%	89%	n/a	n/a	n/a	n/a
OH	87%	715	87%	n/a	n/a	85%	76%	91%	94%	n/a
OK	87%	200	87%	n/a	n/a	n/a	91%	n/a	n/a	n/a*
OR	82%	257	82%	63%	76%	n/a	83%	n/a	n/a	n/a*
TN	77%	245	90%	65%	n/a*	90%	n/a	n/a	n/a	n/a
TX	91%	789	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
VA	90%	109	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
WA	88%	1,112	91%	66%	n/a	91%	n/a	n/a	n/a	n/a
WI	86%	1,200	87%	79%	86%	84%	93%	n/a	n/a	n/a
WY	82%	228	82%	n/a	n/a	n/a	82%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>9,285</b>	<b>87%</b>	<b>73%</b>	<b>78%</b>	<b>88%</b>	<b>87%</b>	<b>86%</b>	<b>80%</b>	<b>76%</b>

Programs with low response rates are denoted with "n/a\*".






**Table 73. Usually likes how they spend their time during the day**


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	48%	188	48%	48%	n/a	n/a	48%	n/a	n/a	n/a
AZ	64%	207	64%	n/a	n/a	64%	n/a	n/a	n/a	n/a
DE	55%	762	60%	42%	n/a	60%	n/a	n/a	n/a	n/a
GA	64%	380	64%	n/a	n/a	n/a	n/a	n/a	n/a	64%
IN	71%	832	71%	n/a	n/a	n/a	71%	n/a	n/a	73%
KS	63%	929	63%	n/a	n/a	63%	n/a	n/a	n/a	n/a
KY	45%	289	45%	n/a	n/a	44%	n/a	n/a	n/a	46%
MN	66%	903	66%	n/a	n/a	n/a	n/a	70%	65%	n/a
MO	67%	1,713	67%	n/a	n/a	n/a	67%	n/a	83%	n/a
NE	65%	783	59%	70%	n/a	59%	57%	n/a	n/a	n/a
NJ	59%	499	61%	54%	75%	61%	n/a	n/a	n/a	n/a
OH	67%	1,169	67%	n/a	n/a	67%	80%	68%	61%	n/a
OK	66%	601	66%	n/a	n/a	n/a	63%	n/a	n/a	67%
OR	62%	486	62%	58%	73%	n/a	62%	n/a	n/a	58%
TN	55%	456	64%	45%	80%	63%	n/a	n/a	n/a	n/a
TX	63%	1,259	63%	n/a	n/a	63%	n/a	n/a	n/a	n/a
VA	65%	735	65%	n/a	n/a	65%	n/a	n/a	n/a	n/a
WA	51%	1,348	52%	48%	n/a	52%	n/a	n/a	n/a	n/a
WI	65%	1,610	65%	74%	79%	65%	64%	n/a	n/a	n/a
WY	61%	358	61%	n/a	n/a	n/a	61%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>63%</b>	<b>15,507</b>	<b>64%</b>	<b>56%</b>	<b>75%</b>	<b>63%</b>	<b>64%</b>	<b>69%</b>	<b>64%</b>	<b>66%</b>

## *Technology*




**Table 74. Has access to the internet***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	82%	379	79%	85%	n/a	n/a	79%	n/a	n/a	n/a
AZ	86%	385	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	77%	951	82%	64%	n/a	82%	n/a	n/a	n/a	n/a
GA	73%	485	73%	n/a	n/a	n/a	n/a	n/a	n/a	73%
IN	75%	1,128	75%	n/a	n/a	n/a	79%	n/a	n/a	69%
KS	74%	1,168	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
KY	70%	395	70%	n/a	n/a	81%	n/a	n/a	n/a	60%
MN	72%	1,294	72%	n/a	n/a	n/a	n/a	62%	78%	n/a
MO	72%	2,141	72%	n/a	n/a	n/a	72%	n/a	73%	n/a
NE	96%	830	90%	100%	n/a	91%	88%	n/a	n/a	n/a
NJ	72%	661	80%	51%	77%	80%	n/a	n/a	n/a	n/a
OH	78%	1,455	78%	n/a	n/a	74%	65%	82%	93%	n/a
OK	79%	732	79%	n/a	n/a	n/a	81%	n/a	n/a	78%
OR	80%	683	80%	75%	75%	n/a	83%	n/a	n/a	60%
TN	72%	705	78%	67%	56%	78%	n/a	n/a	n/a	n/a
TX	72%	1,484	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
VA	80%	972	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
WA	75%	1,575	76%	65%	n/a	76%	n/a	n/a	n/a	n/a
WI	71%	2,114	75%	54%	76%	71%	84%	n/a	n/a	n/a
WY	87%	393	87%	n/a	n/a	n/a	87%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>77%</b>	<b>19,930</b>	<b>77%</b>	<b>71%</b>	<b>74%</b>	<b>78%</b>	<b>77%</b>	<b>70%</b>	<b>81%</b>	<b>73%</b>



**Table 75. Frequency with which people use the internet***Proxy respondents were allowed for this question.*

State	Daily	Several times a week	Several times a month	Several times a year	Don't use	Observed N
AL	45%	3%	4%	2%	46%	321
AZ	52%	9%	2%	3%	34%	329
DE	51%	12%	6%	2%	30%	747
GA	48%	17%	7%	4%	24%	351
IN	66%	9%	3%	2%	21%	829
KS	67%	11%	5%	2%	16%	861
KY	59%	15%	6%	1%	18%	280
MN	67%	11%	5%	2%	15%	866
MO	67%	17%	5%	1%	10%	1,499
NE	40%	37%	15%	1%	6%	753
NJ	49%	13%	4%	2%	32%	478
OH	62%	12%	2%	1%	23%	1,154
OK	72%	11%	4%	1%	13%	590
OR	63%	8%	6%	1%	22%	493
TN	51%	10%	4%	2%	33%	495
TX	63%	8%	4%	1%	23%	1,067
VA	73%	10%	6%	3%	8%	778
WA	59%	13%	6%	4%	19%	1,200
WI	61%	13%	4%	2%	21%	1,519
WY	78%	6%	6%	2%	8%	341
<b>Weighted NCI-AD Average</b>	<b>65%</b>	<b>11%</b>	<b>5%</b>	<b>2%</b>	<b>17%</b>	<b>14,951</b>






**Table 76. Always has a stable internet connection***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	88%	312	76%	97%	n/a	n/a	76%	n/a	n/a	n/a
AZ	86%	261	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	90%	667	88%	98%	n/a	88%	n/a	n/a	n/a	n/a
GA	93%	347	93%	n/a	n/a	n/a	n/a	n/a	n/a	93%
IN	87%	715	87%	n/a	n/a	n/a	87%	n/a	n/a	88%
KS	89%	807	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
KY	87%	276	87%	n/a	n/a	88%	n/a	n/a	n/a	85%
MN	85%	779	85%	n/a	n/a	n/a	n/a	87%	83%	n/a
MO	87%	1,386	87%	n/a	n/a	n/a	87%	n/a	91%	n/a
NE	81%	716	88%	77%	n/a	87%	88%	n/a	n/a	n/a
NJ	94%	458	95%	85%	98%	95%	n/a	n/a	n/a	n/a
OH	93%	1,000	93%	n/a	n/a	94%	80%	94%	91%	n/a
OK	86%	557	86%	n/a	n/a	n/a	86%	n/a	n/a	86%
OR	89%	411	89%	79%	90%	n/a	89%	n/a	n/a	89%
TN	92%	442	90%	93%	n/a*	91%	n/a	n/a	n/a	n/a
TX	83%	1,027	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
VA	82%	765	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
WA	80%	1,098	80%	80%	n/a	80%	n/a	n/a	n/a	n/a
WI	81%	1,319	81%	81%	89%	80%	83%	n/a	n/a	n/a
WY	78%	318	78%	n/a	n/a	n/a	78%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>13,661</b>	<b>85%</b>	<b>88%</b>	<b>92%</b>	<b>84%</b>	<b>86%</b>	<b>91%</b>	<b>85%</b>	<b>87%</b>

*Programs with low response rates are denoted with "n/a\*".*



**Table 77. Has talked to health professionals using video conference/telehealth***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	30%	370	46%	16%	n/a	n/a	46%	n/a	n/a	n/a
AZ	49%	370	49%	n/a	n/a	49%	n/a	n/a	n/a	n/a
DE	43%	941	54%	13%	n/a	54%	n/a	n/a	n/a	n/a
GA	18%	491	18%	n/a	n/a	n/a	n/a	n/a	n/a	18%
IN	37%	1,073	37%	n/a	n/a	n/a	42%	n/a	n/a	25%
KS	37%	1,123	37%	n/a	n/a	37%	n/a	n/a	n/a	n/a
KY	47%	388	47%	n/a	n/a	56%	n/a	n/a	n/a	38%
MN	43%	1,260	43%	n/a	n/a	n/a	n/a	31%	52%	n/a
MO	38%	2,095	38%	n/a	n/a	n/a	39%	n/a	32%	n/a
NE	33%	820	47%	23%	n/a	46%	55%	n/a	n/a	n/a
NJ	33%	665	43%	7%	21%	44%	n/a	n/a	n/a	n/a
OH	34%	1,461	34%	n/a	n/a	30%	17%	33%	64%	n/a
OK	46%	717	46%	n/a	n/a	n/a	54%	n/a	n/a	40%
OR	46%	667	46%	43%	38%	n/a	48%	n/a	n/a	37%
TN	34%	688	49%	20%	25%	49%	n/a	n/a	n/a	n/a
TX	56%	1,481	56%	n/a	n/a	56%	n/a	n/a	n/a	n/a
VA	50%	957	50%	n/a	n/a	50%	n/a	n/a	n/a	n/a
WA	43%	1,571	43%	35%	n/a	43%	n/a	n/a	n/a	n/a
WI	36%	1,996	39%	21%	16%	36%	47%	n/a	n/a	n/a
WY	45%	386	45%	n/a	n/a	n/a	45%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>43%</b>	<b>19,520</b>	<b>45%</b>	<b>19%</b>	<b>29%</b>	<b>47%</b>	<b>43%</b>	<b>32%</b>	<b>53%</b>	<b>35%</b>



**Table 78. Liked talking to health care providers using telehealth**


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	72%	81	81%	n/a*	n/a	n/a	81%	n/a	n/a	n/a
AZ	61%	110	61%	n/a	n/a	61%	n/a	n/a	n/a	n/a
DE	52%	365	54%	n/a*	n/a	54%	n/a	n/a	n/a	n/a
GA	72%	64	72%	n/a	n/a	n/a	n/a	n/a	n/a	72%
IN	63%	280	63%	n/a	n/a	n/a	62%	n/a	n/a	71%
KS	61%	373	61%	n/a	n/a	61%	n/a	n/a	n/a	n/a
KY	63%	147	63%	n/a	n/a	62%	n/a	n/a	n/a	63%
MN	57%	355	57%	n/a	n/a	n/a	n/a	49%	60%	n/a
MO	63%	629	63%	n/a	n/a	n/a	63%	n/a	72%	n/a
NE	53%	315	57%	47%	n/a	56%	65%	n/a	n/a	n/a
NJ	55%	173	58%	n/a*	65%	58%	n/a	n/a	n/a	n/a
OH	64%	458	64%	n/a	n/a	65%	55%	54%	76%	n/a
OK	52%	300	52%	n/a	n/a	n/a	62%	n/a	n/a	44%
OR	57%	197	57%	41%	42%	n/a	58%	n/a	n/a	52%
TN	57%	175	57%	57%	n/a*	56%	n/a	n/a	n/a	n/a
TX	65%	727	65%	n/a	n/a	65%	n/a	n/a	n/a	n/a
VA	63%	393	63%	n/a	n/a	63%	n/a	n/a	n/a	n/a
WA	57%	622	58%	40%	n/a	58%	n/a	n/a	n/a	n/a
WI	60%	634	61%	55%	n/a*	61%	60%	n/a	n/a	n/a
WY	55%	162	55%	n/a	n/a	n/a	55%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>61%</b>	<b>6,560</b>	<b>61%</b>	<b>42%</b>	<b>52%</b>	<b>62%</b>	<b>62%</b>	<b>52%</b>	<b>63%</b>	<b>51%</b>

Programs with low response rates are denoted with "n/a\*".

## *Access to Needed Equipment*

Note: This section has been updated since 5/27/25.


Needs grab bars in the  
bathroom or elsewhere in their  
home but does not have them



**Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	14%	380	27%	3%	n/a	n/a	27%	n/a	n/a	n/a
AZ	8%	390	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
DE	9%	968	11%	3%	n/a	11%	n/a	n/a	n/a	n/a
GA	19%	494	19%	n/a	n/a	n/a	n/a	n/a	n/a	19%
IN	12%	1,206	12%	n/a	n/a	n/a	13%	n/a	n/a	12%
KS	12%	1,188	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
KY	10%	394	10%	n/a	n/a	11%	n/a	n/a	n/a	9%
MN	7%	1,333	7%	n/a	n/a	n/a	n/a	5%	9%	n/a
MO	14%	2,245	14%	n/a	n/a	n/a	14%	n/a	15%	n/a
NE	0%	841	1%	0%	n/a	1%	2%	n/a	n/a	n/a
NJ	4%	699	5%	0%	2%	5%	n/a	n/a	n/a	n/a
OH	8%	1,470	8%	n/a	n/a	5%	0%	12%	16%	n/a
OK	12%	725	12%	n/a	n/a	n/a	14%	n/a	n/a	11%
OR	7%	705	7%	0%	1%	n/a	7%	n/a	n/a	9%
TN	4%	745	7%	2%	5%	7%	n/a	n/a	n/a	n/a
TX	19%	1,485	19%	n/a	n/a	19%	n/a	n/a	n/a	n/a
VA	15%	970	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
WA	8%	1,594	9%	2%	n/a	9%	n/a	n/a	n/a	n/a
WI	8%	2,180	9%	0%	1%	7%	13%	n/a	n/a	n/a
WY	12%	395	12%	n/a	n/a	n/a	12%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>20,407</b>	<b>12%</b>	<b>1%</b>	<b>2%</b>	<b>12%</b>	<b>12%</b>	<b>8%</b>	<b>11%</b>	<b>11%</b>






**Table 80. Needs other bathroom modifications but does not have them***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	17%	377	30%	7%	n/a	n/a	30%	n/a	n/a	n/a
AZ	9%	380	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
DE	10%	960	13%	1%	n/a	13%	n/a	n/a	n/a	n/a
GA	12%	456	12%	n/a	n/a	n/a	n/a	n/a	n/a	12%
IN	11%	1,149	11%	n/a	n/a	n/a	12%	n/a	n/a	8%
KS	13%	1,165	13%	n/a	n/a	13%	n/a	n/a	n/a	n/a
KY	23%	378	23%	n/a	n/a	25%	n/a	n/a	n/a	22%
MN	6%	1,323	6%	n/a	n/a	n/a	n/a	7%	5%	n/a
MO	16%	2,096	16%	n/a	n/a	n/a	16%	n/a	13%	n/a
NE	0%	829	0%	0%	n/a	0%	1%	n/a	n/a	n/a
NJ	1%	632	1%	0%	4%	1%	n/a	n/a	n/a	n/a
OH	5%	1,461	5%	n/a	n/a	2%	1%	8%	10%	n/a
OK	7%	649	7%	n/a	n/a	n/a	11%	n/a	n/a	4%
OR	14%	687	15%	8%	5%	n/a	16%	n/a	n/a	10%
TN	4%	717	7%	1%	8%	7%	n/a	n/a	n/a	n/a
TX	16%	1,475	16%	n/a	n/a	16%	n/a	n/a	n/a	n/a
VA	13%	957	13%	n/a	n/a	13%	n/a	n/a	n/a	n/a
WA	10%	1,576	10%	1%	n/a	10%	n/a	n/a	n/a	n/a
WI	10%	2,129	12%	1%	4%	10%	17%	n/a	n/a	n/a
WY	21%	394	21%	n/a	n/a	n/a	21%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>19,790</b>	<b>11%</b>	<b>2%</b>	<b>5%</b>	<b>11%</b>	<b>15%</b>	<b>7%</b>	<b>6%</b>	<b>7%</b>



**Table 81. Needs a shower chair but does not have one***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	7%	376	13%	2%	n/a	n/a	13%	n/a	n/a	n/a
AZ	4%	389	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
DE	6%	967	8%	2%	n/a	8%	n/a	n/a	n/a	n/a
GA	11%	492	11%	n/a	n/a	n/a	n/a	n/a	n/a	11%
IN	8%	1,197	8%	n/a	n/a	n/a	9%	n/a	n/a	8%
KS	8%	1,177	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
KY	4%	391	4%	n/a	n/a	5%	n/a	n/a	n/a	3%
MN	5%	1,332	5%	n/a	n/a	n/a	n/a	4%	6%	n/a
MO	10%	2,245	10%	n/a	n/a	n/a	10%	n/a	18%	n/a
NE	0%	839	0%	0%	n/a	0%	1%	n/a	n/a	n/a
NJ	2%	691	2%	0%	0%	2%	n/a	n/a	n/a	n/a
OH	2%	1,476	2%	n/a	n/a	1%	1%	3%	7%	n/a
OK	5%	725	5%	n/a	n/a	n/a	7%	n/a	n/a	3%
OR	5%	699	5%	4%	2%	n/a	5%	n/a	n/a	4%
TN	3%	746	7%	1%	3%	7%	n/a	n/a	n/a	n/a
TX	11%	1,478	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
VA	10%	975	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
WA	5%	1,590	5%	2%	n/a	5%	n/a	n/a	n/a	n/a
WI	5%	2,151	6%	1%	2%	5%	9%	n/a	n/a	n/a
WY	6%	396	6%	n/a	n/a	n/a	6%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>20,332</b>	<b>8%</b>	<b>1%</b>	<b>2%</b>	<b>8%</b>	<b>8%</b>	<b>4%</b>	<b>7%</b>	<b>5%</b>



**Table 82. Needs a specialized bed but does not have one***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	4%	378	8%	1%	n/a	n/a	8%	n/a	n/a	n/a
AZ	6%	393	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
DE	6%	971	8%	1%	n/a	8%	n/a	n/a	n/a	n/a
GA	6%	492	6%	n/a	n/a	n/a	n/a	n/a	n/a	6%
IN	9%	1,195	9%	n/a	n/a	n/a	9%	n/a	n/a	11%
KS	9%	1,178	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
KY	11%	390	11%	n/a	n/a	10%	n/a	n/a	n/a	12%
MN	7%	1,337	7%	n/a	n/a	n/a	n/a	6%	8%	n/a
MO	13%	2,225	13%	n/a	n/a	n/a	13%	n/a	9%	n/a
NE	0%	834	1%	0%	n/a	1%	1%	n/a	n/a	n/a
NJ	2%	666	3%	0%	4%	3%	n/a	n/a	n/a	n/a
OH	1%	1,473	1%	n/a	n/a	1%	0%	2%	4%	n/a
OK	6%	720	6%	n/a	n/a	n/a	11%	n/a	n/a	1%
OR	8%	704	8%	4%	1%	n/a	8%	n/a	n/a	9%
TN	4%	751	6%	2%	6%	6%	n/a	n/a	n/a	n/a
TX	14%	1,469	14%	n/a	n/a	14%	n/a	n/a	n/a	n/a
VA	9%	970	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
WA	10%	1,592	11%	1%	n/a	11%	n/a	n/a	n/a	n/a
WI	10%	2,173	11%	1%	7%	10%	14%	n/a	n/a	n/a
WY	13%	391	13%	n/a	n/a	n/a	13%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>20,302</b>	<b>9%</b>	<b>1%</b>	<b>3%</b>	<b>9%</b>	<b>10%</b>	<b>5%</b>	<b>8%</b>	<b>5%</b>

Need for a ramp (either inside  
or outside of their residence)  
but does not have one




**Table 83. Need for a ramp (either inside or outside of their residence) but does not have one***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	6%	379	12%	1%	n/a	n/a	12%	n/a	n/a	n/a
AZ	7%	381	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
DE	7%	973	9%	1%	n/a	9%	n/a	n/a	n/a	n/a
GA	9%	494	9%	n/a	n/a	n/a	n/a	n/a	n/a	9%
IN	9%	1,190	9%	n/a	n/a	n/a	10%	n/a	n/a	8%
KS	8%	1,179	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
KY	8%	392	8%	n/a	n/a	9%	n/a	n/a	n/a	8%
MN	4%	1,341	4%	n/a	n/a	n/a	n/a	3%	5%	n/a
MO	8%	2,225	8%	n/a	n/a	n/a	8%	n/a	4%	n/a
NE	0%	835	0%	0%	n/a	0%	2%	n/a	n/a	n/a
NJ	2%	678	3%	0%	2%	3%	n/a	n/a	n/a	n/a
OH	5%	1,476	5%	n/a	n/a	5%	0%	5%	6%	n/a
OK	9%	722	9%	n/a	n/a	n/a	8%	n/a	n/a	10%
OR	10%	698	10%	4%	2%	n/a	11%	n/a	n/a	12%
TN	3%	733	5%	1%	3%	5%	n/a	n/a	n/a	n/a
TX	12%	1,480	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
VA	6%	967	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
WA	6%	1,588	6%	2%	n/a	6%	n/a	n/a	n/a	n/a
WI	6%	2,166	7%	1%	1%	6%	9%	n/a	n/a	n/a
WY	11%	393	11%	n/a	n/a	n/a	11%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>20,290</b>	<b>7%</b>	<b>1%</b>	<b>2%</b>	<b>6%</b>	<b>9%</b>	<b>4%</b>	<b>5%</b>	<b>10%</b>




Needs other home modifications  
that does not have




**Table 84. Needs other home modifications in their home but does not have them***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	16%	329	31%	5%	n/a	n/a	31%	n/a	n/a	n/a
AZ	50%	36	50%	n/a	n/a	50%	n/a	n/a	n/a	n/a
DE	57%	104	57%	n/a	n/a	57%	n/a	n/a	n/a	n/a
GA	4%	449	4%	n/a	n/a	n/a	n/a	n/a	n/a	4%
IN	8%	887	8%	n/a	n/a	n/a	8%	n/a	n/a	8%
KS	10%	934	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
KY	5%	171	5%	n/a	n/a	5%	n/a	n/a	n/a	4%
MN	20%	74	20%	n/a	n/a	n/a	n/a	22%	n/a*	n/a
MO	4%	1,695	4%	n/a	n/a	n/a	4%	n/a	4%	n/a
NE	0%	788	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	2%	447	3%	0%	4%	3%	n/a	n/a	n/a	n/a
OH	2%	1,015	2%	n/a	n/a	1%	1%	2%	5%	n/a
OK	7%	517	7%	n/a	n/a	n/a	11%	n/a	n/a	3%
OR	37%	49	37%	n/a*	n/a*	n/a	35%	n/a	n/a	n/a*
TN	4%	557	8%	0%	0%	9%	n/a	n/a	n/a	n/a
TX	12%	1,336	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
VA	7%	698	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
WA	7%	1,207	8%	2%	n/a	8%	n/a	n/a	n/a	n/a
WI	7%	1,853	9%	0%	0%	9%	11%	n/a	n/a	n/a
WY	57%	60	57%	n/a	n/a	n/a	57%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>13,206</b>	<b>8%</b>	<b>2%</b>	<b>4%</b>	<b>8%</b>	<b>11%</b>	<b>4%</b>	<b>7%</b>	<b>5%</b>




**Table 85. Needs a wheelchair but does not have one***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	5%	381	12%	0%	n/a	n/a	12%	n/a	n/a	n/a
AZ	4%	392	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
DE	4%	960	5%	2%	n/a	5%	n/a	n/a	n/a	n/a
GA	7%	492	7%	n/a	n/a	n/a	n/a	n/a	n/a	7%
IN	7%	1,185	7%	n/a	n/a	n/a	7%	n/a	n/a	8%
KS	4%	1,177	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
KY	4%	394	4%	n/a	n/a	5%	n/a	n/a	n/a	3%
MN	3%	1,313	3%	n/a	n/a	n/a	n/a	4%	2%	n/a
MO	7%	2,219	7%	n/a	n/a	n/a	7%	n/a	5%	n/a
NE	0%	832	0%	0%	n/a	0%	1%	n/a	n/a	n/a
NJ	2%	691	3%	0%	1%	3%	n/a	n/a	n/a	n/a
OH	2%	1,475	2%	n/a	n/a	1%	1%	2%	4%	n/a
OK	6%	727	6%	n/a	n/a	n/a	8%	n/a	n/a	5%
OR	8%	698	8%	6%	0%	n/a	9%	n/a	n/a	2%
TN	3%	753	4%	2%	0%	4%	n/a	n/a	n/a	n/a
TX	11%	1,482	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
VA	5%	972	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	5%	1,602	5%	2%	n/a	5%	n/a	n/a	n/a	n/a
WI	7%	2,158	8%	2%	4%	7%	10%	n/a	n/a	n/a
WY	6%	394	6%	n/a	n/a	n/a	6%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>20,297</b>	<b>5%</b>	<b>1%</b>	<b>1%</b>	<b>5%</b>	<b>8%</b>	<b>3%</b>	<b>2%</b>	<b>5%</b>



**Table 86. Needs a scooter but does not have one***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	14%	378	25%	5%	n/a	n/a	25%	n/a	n/a	n/a
AZ	9%	389	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
DE	10%	950	14%	1%	n/a	14%	n/a	n/a	n/a	n/a
GA	12%	487	12%	n/a	n/a	n/a	n/a	n/a	n/a	12%
IN	11%	1,174	11%	n/a	n/a	n/a	13%	n/a	n/a	7%
KS	8%	1,178	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
KY	15%	386	15%	n/a	n/a	17%	n/a	n/a	n/a	14%
MN	7%	1,308	7%	n/a	n/a	n/a	n/a	6%	7%	n/a
MO	10%	2,191	10%	n/a	n/a	n/a	10%	n/a	8%	n/a
NE	1%	820	1%	2%	n/a	1%	2%	n/a	n/a	n/a
NJ	2%	683	2%	2%	8%	2%	n/a	n/a	n/a	n/a
OH	2%	1,469	2%	n/a	n/a	1%	1%	3%	6%	n/a
OK	12%	728	12%	n/a	n/a	n/a	15%	n/a	n/a	9%
OR	13%	692	13%	10%	8%	n/a	14%	n/a	n/a	10%
TN	5%	736	8%	3%	11%	8%	n/a	n/a	n/a	n/a
TX	16%	1,471	16%	n/a	n/a	16%	n/a	n/a	n/a	n/a
VA	8%	955	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
WA	9%	1,594	9%	4%	n/a	9%	n/a	n/a	n/a	n/a
WI	14%	2,148	16%	2%	5%	14%	22%	n/a	n/a	n/a
WY	18%	392	18%	n/a	n/a	n/a	18%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>9%</b>	<b>20,129</b>	<b>9%</b>	<b>3%</b>	<b>8%</b>	<b>9%</b>	<b>14%</b>	<b>5%</b>	<b>7%</b>	<b>9%</b>



**Table 87. Needs a walker but does not have one***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	4%	381	4%	5%	n/a	n/a	4%	n/a	n/a	n/a
AZ	3%	392	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
DE	2%	959	3%	2%	n/a	3%	n/a	n/a	n/a	n/a
GA	4%	491	4%	n/a	n/a	n/a	n/a	n/a	n/a	4%
IN	3%	1,178	3%	n/a	n/a	n/a	3%	n/a	n/a	1%
KS	3%	1,178	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
KY	1%	392	1%	n/a	n/a	1%	n/a	n/a	n/a	1%
MN	2%	1,312	2%	n/a	n/a	n/a	n/a	2%	2%	n/a
MO	4%	2,215	4%	n/a	n/a	n/a	4%	n/a	4%	n/a
NE	0%	824	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	1%	686	2%	1%	2%	2%	n/a	n/a	n/a	n/a
OH	1%	1,478	1%	n/a	n/a	1%	1%	2%	3%	n/a
OK	3%	733	3%	n/a	n/a	n/a	3%	n/a	n/a	2%
OR	3%	698	3%	3%	0%	n/a	4%	n/a	n/a	1%
TN	1%	741	2%	0%	0%	2%	n/a	n/a	n/a	n/a
TX	7%	1,480	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
VA	4%	973	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
WA	2%	1,606	2%	2%	n/a	2%	n/a	n/a	n/a	n/a
WI	4%	2,156	4%	1%	3%	3%	7%	n/a	n/a	n/a
WY	3%	393	3%	n/a	n/a	n/a	3%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>20,266</b>	<b>3%</b>	<b>2%</b>	<b>1%</b>	<b>4%</b>	<b>3%</b>	<b>2%</b>	<b>2%</b>	<b>2%</b>





**Table 88. Needs hearing aids but does not have them***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	9%	376	11%	7%	n/a	n/a	11%	n/a	n/a	n/a
AZ	12%	386	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
DE	8%	953	7%	11%	n/a	7%	n/a	n/a	n/a	n/a
GA	10%	488	10%	n/a	n/a	n/a	n/a	n/a	n/a	10%
IN	7%	1,165	7%	n/a	n/a	n/a	8%	n/a	n/a	2%
KS	7%	1,159	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
KY	10%	391	10%	n/a	n/a	10%	n/a	n/a	n/a	11%
MN	5%	1,311	5%	n/a	n/a	n/a	n/a	7%	4%	n/a
MO	4%	2,199	4%	n/a	n/a	n/a	4%	n/a	3%	n/a
NE	0%	834	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	2%	684	2%	0%	1%	2%	n/a	n/a	n/a	n/a
OH	5%	1,476	5%	n/a	n/a	5%	4%	5%	3%	n/a
OK	8%	725	8%	n/a	n/a	n/a	8%	n/a	n/a	8%
OR	12%	693	12%	7%	5%	n/a	12%	n/a	n/a	12%
TN	4%	735	5%	4%	11%	4%	n/a	n/a	n/a	n/a
TX	12%	1,466	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
VA	8%	957	8%	n/a	n/a	8%	n/a	n/a	n/a	n/a
WA	5%	1,585	5%	8%	n/a	5%	n/a	n/a	n/a	n/a
WI	7%	2,127	7%	5%	11%	7%	7%	n/a	n/a	n/a
WY	15%	386	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>20,096</b>	<b>7%</b>	<b>4%</b>	<b>5%</b>	<b>7%</b>	<b>8%</b>	<b>6%</b>	<b>4%</b>	<b>7%</b>



**Table 89. Needs glasses but does not have them***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	7%	375	8%	7%	n/a	n/a	8%	n/a	n/a	n/a
AZ	5%	389	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
DE	3%	956	3%	3%	n/a	3%	n/a	n/a	n/a	n/a
GA	8%	489	8%	n/a	n/a	n/a	n/a	n/a	n/a	8%
IN	3%	1,171	3%	n/a	n/a	n/a	3%	n/a	n/a	3%
KS	2%	1,163	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
KY	3%	394	3%	n/a	n/a	3%	n/a	n/a	n/a	4%
MN	3%	1,311	3%	n/a	n/a	n/a	n/a	3%	4%	n/a
MO	3%	2,209	3%	n/a	n/a	n/a	3%	n/a	5%	n/a
NE	0%	832	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	1%	675	1%	1%	2%	1%	n/a	n/a	n/a	n/a
OH	1%	1,471	1%	n/a	n/a	0%	1%	2%	3%	n/a
OK	6%	732	6%	n/a	n/a	n/a	8%	n/a	n/a	4%
OR	5%	692	5%	12%	1%	n/a	5%	n/a	n/a	4%
TN	5%	733	7%	4%	11%	7%	n/a	n/a	n/a	n/a
TX	7%	1,468	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
VA	5%	962	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	5%	1,602	5%	2%	n/a	5%	n/a	n/a	n/a	n/a
WI	4%	2,140	5%	1%	3%	5%	6%	n/a	n/a	n/a
WY	4%	390	4%	n/a	n/a	n/a	4%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>20,154</b>	<b>4%</b>	<b>3%</b>	<b>2%</b>	<b>5%</b>	<b>4%</b>	<b>2%</b>	<b>4%</b>	<b>4%</b>

Needs personal emergency  
response system (PERS) but do  
not have one



**Table 90. Needs personal emergency response system (PERS) but does not have one***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	14%	375	26%	5%	n/a	n/a	26%	n/a	n/a	n/a
AZ	9%	384	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
DE	4%	956	5%	2%	n/a	5%	n/a	n/a	n/a	n/a
GA	31%	490	31%	n/a	n/a	n/a	n/a	n/a	n/a	31%
IN	8%	1,168	8%	n/a	n/a	n/a	7%	n/a	n/a	9%
KS	4%	1,157	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
KY	17%	371	17%	n/a	n/a	17%	n/a	n/a	n/a	18%
MN	5%	1,306	5%	n/a	n/a	n/a	n/a	6%	5%	n/a
MO	14%	2,182	14%	n/a	n/a	n/a	14%	n/a	15%	n/a
NE	0%	831	1%	0%	n/a	0%	4%	n/a	n/a	n/a
NJ	3%	686	4%	0%	4%	4%	n/a	n/a	n/a	n/a
OH	1%	1,476	1%	n/a	n/a	1%	1%	2%	3%	n/a
OK	9%	731	9%	n/a	n/a	n/a	16%	n/a	n/a	4%
OR	9%	693	9%	11%	7%	n/a	8%	n/a	n/a	16%
TN	6%	725	8%	4%	3%	8%	n/a	n/a	n/a	n/a
TX	12%	1,472	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
VA	18%	959	18%	n/a	n/a	18%	n/a	n/a	n/a	n/a
WA	6%	1,596	6%	7%	n/a	6%	n/a	n/a	n/a	n/a
WI	11%	2,107	13%	1%	4%	11%	19%	n/a	n/a	n/a
WY	5%	393	5%	n/a	n/a	n/a	5%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>20,058</b>	<b>11%</b>	<b>3%</b>	<b>5%</b>	<b>13%</b>	<b>12%</b>	<b>4%</b>	<b>5%</b>	<b>9%</b>



**Table 91. Needs an oxygen machine but does not have one***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	1%	376	3%	0%	n/a	n/a	3%	n/a	n/a	n/a
AZ	2%	389	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
DE	1%	958	1%	1%	n/a	1%	n/a	n/a	n/a	n/a
GA	2%	488	2%	n/a	n/a	n/a	n/a	n/a	n/a	2%
IN	1%	1,169	1%	n/a	n/a	n/a	2%	n/a	n/a	1%
KS	1%	1,154	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
KY	3%	390	3%	n/a	n/a	3%	n/a	n/a	n/a	3%
MN	2%	1,315	2%	n/a	n/a	n/a	n/a	2%	2%	n/a
MO	2%	2,191	2%	n/a	n/a	n/a	2%	n/a	1%	n/a
NE	0%	829	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	0%	688	1%	0%	0%	1%	n/a	n/a	n/a	n/a
OH	0%	1,474	0%	n/a	n/a	0%	1%	1%	1%	n/a
OK	1%	730	1%	n/a	n/a	n/a	3%	n/a	n/a	0%
OR	2%	697	2%	2%	0%	n/a	2%	n/a	n/a	2%
TN	1%	737	2%	0%	0%	2%	n/a	n/a	n/a	n/a
TX	5%	1,471	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
VA	1%	956	1%	n/a	n/a	1%	n/a	n/a	n/a	n/a
WA	3%	1,601	3%	1%	n/a	3%	n/a	n/a	n/a	n/a
WI	2%	2,116	2%	0%	2%	2%	4%	n/a	n/a	n/a
WY	2%	393	2%	n/a	n/a	n/a	2%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>1%</b>	<b>20,122</b>	<b>2%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>2%</b>	<b>2%</b>	<b>2%</b>	<b>1%</b>






**Table 92. Needs other assistive technology equipment but does not have***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	7%	364	14%	2%	n/a	n/a	14%	n/a	n/a	n/a
AZ	38%	58	38%	n/a	n/a	38%	n/a	n/a	n/a	n/a
DE	25%	125	25%	n/a*	n/a	25%	n/a	n/a	n/a	n/a
GA	3%	447	3%	n/a	n/a	n/a	n/a	n/a	n/a	3%
IN	2%	862	2%	n/a	n/a	n/a	2%	n/a	n/a	1%
KS	2%	1,010	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
KY	7%	178	7%	n/a	n/a	9%	n/a	n/a	n/a	5%
MN	16%	101	16%	n/a	n/a	n/a	n/a	18%	14%	n/a
MO	2%	1,696	2%	n/a	n/a	n/a	2%	n/a	1%	n/a
NE	0%	756	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	1%	477	1%	0%	0%	1%	n/a	n/a	n/a	n/a
OH	0%	1,045	0%	n/a	n/a	1%	0%	0%	0%	n/a
OK	1%	539	1%	n/a	n/a	n/a	2%	n/a	n/a	0%
OR	9%	52	9%	n/a*	n/a*	n/a	9%	n/a	n/a	n/a*
TN	2%	569	4%	1%	3%	4%	n/a	n/a	n/a	n/a
TX	4%	1,329	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
VA	5%	857	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	1%	1,343	1%	0%	n/a	1%	n/a	n/a	n/a	n/a
WI	2%	1,767	3%	0%	1%	2%	5%	n/a	n/a	n/a
WY	20%	95	20%	n/a	n/a	n/a	20%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>13,670</b>	<b>4%</b>	<b>1%</b>	<b>1%</b>	<b>4%</b>	<b>4%</b>	<b>3%</b>	<b>3%</b>	<b>1%</b>

*Programs with low response rates are denoted with "n/a\*".*




**Table 93. Needs other equipment but does not have***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	16%	325	28%	7%	n/a	n/a	28%	n/a	n/a	n/a
AZ	41%	29	41%	n/a	n/a	41%	n/a	n/a	n/a	n/a
DE	30%	62	29%	n/a*	n/a	29%	n/a	n/a	n/a	n/a
GA	2%	450	2%	n/a	n/a	n/a	n/a	n/a	n/a	2%
IN	8%	929	8%	n/a	n/a	n/a	9%	n/a	n/a	5%
KS	4%	991	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
KY	3%	171	3%	n/a	n/a	1%	n/a	n/a	n/a	4%
MN	18%	70	18%	n/a	n/a	n/a	n/a	18%	17%	n/a
MO	4%	1,827	4%	n/a	n/a	n/a	4%	n/a	4%	n/a
NE	0%	790	0%	0%	n/a	0%	0%	n/a	n/a	n/a
NJ	2%	463	2%	0%	0%	2%	n/a	n/a	n/a	n/a
OH	2%	1,118	2%	n/a	n/a	2%	1%	1%	4%	n/a
OK	3%	523	3%	n/a	n/a	n/a	6%	n/a	n/a	0%
OR	21%	47	21%	n/a*	n/a*	n/a	21%	n/a	n/a	n/a*
TN	2%	526	3%	0%	n/a*	4%	n/a	n/a	n/a	n/a
TX	11%	1,366	11%	n/a	n/a	11%	n/a	n/a	n/a	n/a
VA	6%	784	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
WA	1%	1,241	1%	3%	n/a	1%	n/a	n/a	n/a	n/a
WI	7%	1,893	8%	1%	4%	7%	10%	n/a	n/a	n/a
WY	26%	109	26%	n/a	n/a	n/a	26%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>13,714</b>	<b>6%</b>	<b>2%</b>	<b>1%</b>	<b>5%</b>	<b>9%</b>	<b>3%</b>	<b>7%</b>	<b>2%</b>


*Programs with low response rates are denoted with "n/a\*".*

## *Medications*



**Table 94. Knows what prescription medications are for**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	94%	186	96%	92%	n/a	n/a	96%	n/a	n/a	n/a
AZ	87%	195	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
DE	85%	736	90%	67%	n/a	90%	n/a	n/a	n/a	n/a
GA	97%	377	97%	n/a	n/a	n/a	n/a	n/a	n/a	97%
IN	92%	768	92%	n/a	n/a	n/a	91%	n/a	n/a	95%
KS	89%	897	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
KY	89%	290	89%	n/a	n/a	87%	n/a	n/a	n/a	90%
MN	84%	862	84%	n/a	n/a	n/a	n/a	82%	85%	n/a
MO	90%	1,633	90%	n/a	n/a	n/a	90%	n/a	92%	n/a
NE	82%	764	61%	98%	n/a	61%	62%	n/a	n/a	n/a
NJ	75%	499	85%	46%	72%	86%	n/a	n/a	n/a	n/a
OH	73%	1,149	73%	n/a	n/a	74%	53%	69%	85%	n/a
OK	90%	581	90%	n/a	n/a	n/a	88%	n/a	n/a	92%
OR	84%	464	85%	69%	79%	n/a	85%	n/a	n/a	87%
TN	79%	430	89%	67%	52%	90%	n/a	n/a	n/a	n/a
TX	75%	1,262	75%	n/a	n/a	75%	n/a	n/a	n/a	n/a
VA	93%	707	93%	n/a	n/a	93%	n/a	n/a	n/a	n/a
WA	87%	1,337	89%	69%	n/a	89%	n/a	n/a	n/a	n/a
WI	90%	1,486	91%	86%	83%	88%	97%	n/a	n/a	n/a
WY	81%	348	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>14,971</b>	<b>88%</b>	<b>75%</b>	<b>75%</b>	<b>88%</b>	<b>87%</b>	<b>76%</b>	<b>85%</b>	<b>92%</b>






**Table 95. Takes medication to help feel less sad or depressed***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	38%	363	30%	45%	n/a	n/a	30%	n/a	n/a	n/a
AZ	44%	365	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
DE	42%	934	40%	49%	n/a	40%	n/a	n/a	n/a	n/a
GA	26%	477	26%	n/a	n/a	n/a	n/a	n/a	n/a	26%
IN	38%	1,107	38%	n/a	n/a	n/a	41%	n/a	n/a	33%
KS	44%	1,112	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
KY	44%	372	44%	n/a	n/a	47%	n/a	n/a	n/a	41%
MN	51%	1,217	51%	n/a	n/a	n/a	n/a	42%	57%	n/a
MO	50%	2,139	50%	n/a	n/a	n/a	50%	n/a	45%	n/a
NE	63%	808	57%	68%	n/a	58%	56%	n/a	n/a	n/a
NJ	38%	626	36%	43%	47%	36%	n/a	n/a	n/a	n/a
OH	44%	1,391	44%	n/a	n/a	45%	56%	39%	48%	n/a
OK	35%	702	35%	n/a	n/a	n/a	44%	n/a	n/a	28%
OR	43%	644	43%	44%	59%	n/a	43%	n/a	n/a	33%
TN	48%	650	43%	53%	42%	43%	n/a	n/a	n/a	n/a
TX	48%	1,462	48%	n/a	n/a	48%	n/a	n/a	n/a	n/a
VA	40%	930	40%	n/a	n/a	40%	n/a	n/a	n/a	n/a
WA	53%	1,517	53%	51%	n/a	53%	n/a	n/a	n/a	n/a
WI	47%	1,952	48%	41%	25%	51%	43%	n/a	n/a	n/a
WY	50%	376	50%	n/a	n/a	n/a	50%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>44%</b>	<b>19,144</b>	<b>43%</b>	<b>50%</b>	<b>51%</b>	<b>43%</b>	<b>45%</b>	<b>41%</b>	<b>56%</b>	<b>30%</b>

## *Health Care*



**Table 96. Has access to mental health services if they want them**


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	77%	177	72%	88%	n/a	n/a	72%	n/a	n/a	n/a
AZ	92%	185	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
DE	92%	687	93%	90%	n/a	93%	n/a	n/a	n/a	n/a
GA	90%	355	90%	n/a	n/a	n/a	n/a	n/a	n/a	90%
IN	88%	767	88%	n/a	n/a	n/a	91%	n/a	n/a	85%
KS	94%	860	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
KY	86%	211	86%	n/a	n/a	88%	n/a	n/a	n/a	84%
MN	93%	843	93%	n/a	n/a	n/a	n/a	89%	94%	n/a
MO	90%	1,624	90%	n/a	n/a	n/a	90%	n/a	89%	n/a
NE	96%	704	96%	95%	n/a	96%	96%	n/a	n/a	n/a
NJ	89%	443	87%	95%	98%	87%	n/a	n/a	n/a	n/a
OH	94%	1,002	94%	n/a	n/a	95%	94%	92%	93%	n/a
OK	95%	557	95%	n/a	n/a	n/a	93%	n/a	n/a	96%
OR	91%	440	91%	93%	92%	n/a	91%	n/a	n/a	90%
TN	89%	382	90%	87%	85%	90%	n/a	n/a	n/a	n/a
TX	79%	1,154	79%	n/a	n/a	79%	n/a	n/a	n/a	n/a
VA	85%	683	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
WA	91%	1,222	91%	89%	n/a	91%	n/a	n/a	n/a	n/a
WI	91%	1,504	91%	90%	92%	91%	92%	n/a	n/a	n/a
WY	91%	331	91%	n/a	n/a	n/a	91%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>89%</b>	<b>14,131</b>	<b>89%</b>	<b>91%</b>	<b>94%</b>	<b>87%</b>	<b>89%</b>	<b>90%</b>	<b>94%</b>	<b>92%</b>



**Table 97. Can get an appointment to see or talk to their primary care doctor when they need to***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	90%	373	89%	90%	n/a	n/a	89%	n/a	n/a	n/a
AZ	86%	376	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	84%	927	84%	85%	n/a	84%	n/a	n/a	n/a	n/a
GA	91%	490	91%	n/a	n/a	n/a	n/a	n/a	n/a	91%
IN	92%	1,112	92%	n/a	n/a	n/a	93%	n/a	n/a	89%
KS	86%	1,124	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
KY	80%	391	80%	n/a	n/a	81%	n/a	n/a	n/a	79%
MN	82%	1,241	82%	n/a	n/a	n/a	n/a	83%	81%	n/a
MO	88%	2,170	88%	n/a	n/a	n/a	88%	n/a	93%	n/a
NE	43%	814	65%	26%	n/a	65%	70%	n/a	n/a	n/a
NJ	85%	687	88%	78%	88%	88%	n/a	n/a	n/a	n/a
OH	92%	1,444	92%	n/a	n/a	92%	92%	92%	93%	n/a
OK	87%	716	87%	n/a	n/a	n/a	87%	n/a	n/a	86%
OR	79%	649	79%	80%	86%	n/a	79%	n/a	n/a	75%
TN	87%	697	88%	85%	88%	88%	n/a	n/a	n/a	n/a
TX	81%	1,460	81%	n/a	n/a	81%	n/a	n/a	n/a	n/a
VA	78%	929	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
WA	83%	1,575	84%	78%	n/a	84%	n/a	n/a	n/a	n/a
WI	83%	1,936	81%	96%	90%	81%	81%	n/a	n/a	n/a
WY	78%	386	78%	n/a	n/a	n/a	78%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>19,497</b>	<b>83%</b>	<b>77%</b>	<b>87%</b>	<b>81%</b>	<b>86%</b>	<b>87%</b>	<b>83%</b>	<b>86%</b>

Went to the emergency room  
for any reason in the past 12  
months




**Table 98. Went to the emergency room for any reason in the past 12 months***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	43%	376	47%	40%	n/a	n/a	47%	n/a	n/a	n/a
AZ	46%	385	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
DE	34%	939	37%	26%	n/a	37%	n/a	n/a	n/a	n/a
GA	34%	485	34%	n/a	n/a	n/a	n/a	n/a	n/a	34%
IN	46%	1,116	46%	n/a	n/a	n/a	48%	n/a	n/a	37%
KS	44%	1,129	44%	n/a	n/a	44%	n/a	n/a	n/a	n/a
KY	46%	390	46%	n/a	n/a	47%	n/a	n/a	n/a	45%
MN	45%	1,263	45%	n/a	n/a	n/a	n/a	48%	44%	n/a
MO	44%	2,156	44%	n/a	n/a	n/a	44%	n/a	35%	n/a
NE	43%	821	46%	41%	n/a	46%	45%	n/a	n/a	n/a
NJ	29%	694	35%	16%	44%	34%	n/a	n/a	n/a	n/a
OH	47%	1,451	47%	n/a	n/a	43%	42%	53%	53%	n/a
OK	43%	718	43%	n/a	n/a	n/a	51%	n/a	n/a	36%
OR	50%	675	50%	49%	38%	n/a	52%	n/a	n/a	46%
TN	35%	715	39%	31%	60%	39%	n/a	n/a	n/a	n/a
TX	47%	1,479	47%	n/a	n/a	47%	n/a	n/a	n/a	n/a
VA	40%	955	40%	n/a	n/a	40%	n/a	n/a	n/a	n/a
WA	45%	1,576	43%	60%	n/a	43%	n/a	n/a	n/a	n/a
WI	49%	2,011	51%	41%	47%	53%	46%	n/a	n/a	n/a
WY	48%	383	48%	n/a	n/a	n/a	48%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>43%</b>	<b>19,717</b>	<b>43%</b>	<b>36%</b>	<b>42%</b>	<b>42%</b>	<b>47%</b>	<b>50%</b>	<b>45%</b>	<b>37%</b>




Has gone to the emergency room  
in the past 12 months due to  
falling or losing balances



**Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	31%	164	32%	31%	n/a	n/a	32%	n/a	n/a	n/a
AZ	27%	173	27%	n/a	n/a	27%	n/a	n/a	n/a	n/a
DE	33%	341	31%	42%	n/a	31%	n/a	n/a	n/a	n/a
GA	34%	162	34%	n/a	n/a	n/a	n/a	n/a	n/a	34%
IN	27%	499	27%	n/a	n/a	n/a	27%	n/a	n/a	26%
KS	34%	494	34%	n/a	n/a	34%	n/a	n/a	n/a	n/a
KY	35%	180	35%	n/a	n/a	28%	n/a	n/a	n/a	42%
MN	28%	583	28%	n/a	n/a	n/a	n/a	35%	23%	n/a
MO	26%	881	26%	n/a	n/a	n/a	27%	n/a	19%	n/a
NE	43%	358	26%	59%	n/a	26%	23%	n/a	n/a	n/a
NJ	21%	221	21%	20%	44%	21%	n/a	n/a	n/a	n/a
OH	26%	692	26%	n/a	n/a	29%	38%	20%	22%	n/a
OK	31%	339	31%	n/a	n/a	n/a	30%	n/a	n/a	32%
OR	33%	310	33%	24%	13%	n/a	34%	n/a	n/a	32%
TN	30%	271	30%	29%	38%	30%	n/a	n/a	n/a	n/a
TX	27%	694	27%	n/a	n/a	27%	n/a	n/a	n/a	n/a
VA	22%	403	22%	n/a	n/a	22%	n/a	n/a	n/a	n/a
WA	22%	767	19%	44%	n/a	19%	n/a	n/a	n/a	n/a
WI	32%	985	31%	39%	14%	32%	27%	n/a	n/a	n/a
WY	34%	185	34%	n/a	n/a	n/a	34%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>26%</b>	<b>8,702</b>	<b>26%</b>	<b>38%</b>	<b>25%</b>	<b>24%</b>	<b>30%</b>	<b>29%</b>	<b>23%</b>	<b>32%</b>


Has gone to the emergency room  
in the past 12 months due to  
tooth or mouth pain



**Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	2%	165	4%	0%	n/a	n/a	4%	n/a	n/a	n/a
AZ	3%	176	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
DE	1%	343	2%	0%	n/a	2%	n/a	n/a	n/a	n/a
GA	1%	162	1%	n/a	n/a	n/a	n/a	n/a	n/a	1%
IN	3%	496	3%	n/a	n/a	n/a	4%	n/a	n/a	3%
KS	2%	490	2%	n/a	n/a	2%	n/a	n/a	n/a	n/a
KY	0%	177	0%	n/a	n/a	0%	n/a	n/a	n/a	0%
MN	2%	583	2%	n/a	n/a	n/a	n/a	1%	2%	n/a
MO	3%	871	3%	n/a	n/a	n/a	3%	n/a	4%	n/a
NE	1%	359	2%	0%	n/a	1%	2%	n/a	n/a	n/a
NJ	1%	223	1%	0%	2%	1%	n/a	n/a	n/a	n/a
OH	2%	697	2%	n/a	n/a	2%	0%	2%	4%	n/a
OK	2%	337	2%	n/a	n/a	n/a	3%	n/a	n/a	2%
OR	3%	312	3%	3%	3%	n/a	4%	n/a	n/a	0%
TN	1%	270	3%	0%	10%	2%	n/a	n/a	n/a	n/a
TX	3%	694	3%	n/a	n/a	3%	n/a	n/a	n/a	n/a
VA	5%	399	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
WA	1%	758	0%	6%	n/a	0%	n/a	n/a	n/a	n/a
WI	4%	979	4%	1%	4%	4%	5%	n/a	n/a	n/a
WY	3%	184	3%	n/a	n/a	n/a	3%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>8,675</b>	<b>3%</b>	<b>1%</b>	<b>4%</b>	<b>4%</b>	<b>3%</b>	<b>2%</b>	<b>2%</b>	<b>2%</b>

Has gone to the emergency room  
in the past 12 months due to  
not being able to see their  
primary care physician



**Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	18%	161	14%	22%	n/a	n/a	14%	n/a	n/a	n/a
AZ	10%	175	10%	n/a	n/a	10%	n/a	n/a	n/a	n/a
DE	7%	341	6%	10%	n/a	6%	n/a	n/a	n/a	n/a
GA	4%	159	4%	n/a	n/a	n/a	n/a	n/a	n/a	4%
IN	7%	496	7%	n/a	n/a	n/a	7%	n/a	n/a	7%
KS	7%	490	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
KY	1%	179	1%	n/a	n/a	1%	n/a	n/a	n/a	1%
MN	8%	584	8%	n/a	n/a	n/a	n/a	8%	8%	n/a
MO	6%	875	6%	n/a	n/a	n/a	6%	n/a	5%	n/a
NE	7%	357	15%	1%	n/a	14%	19%	n/a	n/a	n/a
NJ	2%	216	3%	0%	4%	3%	n/a	n/a	n/a	n/a
OH	5%	696	5%	n/a	n/a	6%	0%	4%	7%	n/a
OK	7%	336	7%	n/a	n/a	n/a	11%	n/a	n/a	2%
OR	10%	310	10%	10%	10%	n/a	9%	n/a	n/a	15%
TN	10%	265	15%	4%	5%	15%	n/a	n/a	n/a	n/a
TX	12%	690	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
VA	13%	398	13%	n/a	n/a	13%	n/a	n/a	n/a	n/a
WA	18%	758	20%	6%	n/a	20%	n/a	n/a	n/a	n/a
WI	17%	977	19%	6%	17%	19%	21%	n/a	n/a	n/a
WY	19%	184	19%	n/a	n/a	n/a	19%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>8,647</b>	<b>11%</b>	<b>8%</b>	<b>8%</b>	<b>13%</b>	<b>9%</b>	<b>6%</b>	<b>7%</b>	<b>4%</b>



**Table 102. Had a physical exam/wellness visit in the past 12 months***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	83%	368	77%	87%	n/a	n/a	77%	n/a	n/a	n/a
AZ	80%	368	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
DE	85%	938	88%	77%	n/a	88%	n/a	n/a	n/a	n/a
GA	92%	487	92%	n/a	n/a	n/a	n/a	n/a	n/a	92%
IN	86%	1,092	86%	n/a	n/a	n/a	87%	n/a	n/a	82%
KS	86%	1,085	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
KY	84%	389	84%	n/a	n/a	84%	n/a	n/a	n/a	84%
MN	83%	1,232	83%	n/a	n/a	n/a	n/a	87%	81%	n/a
MO	86%	2,116	86%	n/a	n/a	n/a	85%	n/a	90%	n/a
NE	96%	817	90%	100%	n/a	91%	86%	n/a	n/a	n/a
NJ	97%	692	97%	97%	88%	97%	n/a	n/a	n/a	n/a
OH	93%	1,439	93%	n/a	n/a	94%	81%	93%	91%	n/a
OK	81%	708	81%	n/a	n/a	n/a	79%	n/a	n/a	82%
OR	84%	653	84%	78%	91%	n/a	84%	n/a	n/a	78%
TN	83%	696	87%	80%	88%	87%	n/a	n/a	n/a	n/a
TX	83%	1,453	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
VA	78%	957	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
WA	72%	1,549	72%	69%	n/a	72%	n/a	n/a	n/a	n/a
WI	87%	1,949	87%	90%	97%	85%	90%	n/a	n/a	n/a
WY	81%	376	81%	n/a	n/a	n/a	81%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>19,364</b>	<b>82%</b>	<b>88%</b>	<b>91%</b>	<b>81%</b>	<b>84%</b>	<b>89%</b>	<b>83%</b>	<b>83%</b>






**Table 103. Had a hearing exam in the past 4 years***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	41%	295	40%	43%	n/a	n/a	40%	n/a	n/a	n/a
AZ	46%	284	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
DE	41%	802	41%	42%	n/a	41%	n/a	n/a	n/a	n/a
GA	55%	407	55%	n/a	n/a	n/a	n/a	n/a	n/a	55%
IN	48%	881	48%	n/a	n/a	n/a	47%	n/a	n/a	48%
KS	38%	790	38%	n/a	n/a	38%	n/a	n/a	n/a	n/a
KY	34%	301	34%	n/a	n/a	29%	n/a	n/a	n/a	40%
MN	52%	914	52%	n/a	n/a	n/a	n/a	61%	45%	n/a
MO	31%	1,568	31%	n/a	n/a	n/a	31%	n/a	30%	n/a
NE	62%	761	53%	70%	n/a	55%	38%	n/a	n/a	n/a
NJ	54%	443	54%	54%	63%	54%	n/a	n/a	n/a	n/a
OH	36%	1,037	36%	n/a	n/a	35%	54%	41%	24%	n/a
OK	42%	582	42%	n/a	n/a	n/a	33%	n/a	n/a	48%
OR	45%	481	45%	46%	84%	n/a	43%	n/a	n/a	46%
TN	51%	427	50%	51%	57%	50%	n/a	n/a	n/a	n/a
TX	39%	1,389	39%	n/a	n/a	39%	n/a	n/a	n/a	n/a
VA	46%	754	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
WA	46%	1,152	46%	35%	n/a	46%	n/a	n/a	n/a	n/a
WI	52%	1,352	50%	62%	60%	50%	50%	n/a	n/a	n/a
WY	45%	340	45%	n/a	n/a	n/a	45%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>45%</b>	<b>14,960</b>	<b>44%</b>	<b>53%</b>	<b>74%</b>	<b>45%</b>	<b>41%</b>	<b>53%</b>	<b>41%</b>	<b>48%</b>




**Table 104. Had a vision exam in the past 12 months***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	60%	361	56%	64%	n/a	n/a	56%	n/a	n/a	n/a
AZ	58%	368	58%	n/a	n/a	58%	n/a	n/a	n/a	n/a
DE	67%	925	66%	70%	n/a	66%	n/a	n/a	n/a	n/a
GA	72%	479	72%	n/a	n/a	n/a	n/a	n/a	n/a	72%
IN	62%	1,094	62%	n/a	n/a	n/a	62%	n/a	n/a	63%
KS	66%	1,106	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
KY	59%	383	59%	n/a	n/a	62%	n/a	n/a	n/a	57%
MN	66%	1,222	66%	n/a	n/a	n/a	n/a	69%	64%	n/a
MO	64%	2,123	64%	n/a	n/a	n/a	64%	n/a	68%	n/a
NE	75%	812	61%	86%	n/a	62%	57%	n/a	n/a	n/a
NJ	74%	665	69%	88%	87%	68%	n/a	n/a	n/a	n/a
OH	59%	1,440	59%	n/a	n/a	58%	63%	63%	52%	n/a
OK	55%	713	55%	n/a	n/a	n/a	50%	n/a	n/a	59%
OR	56%	648	56%	51%	78%	n/a	55%	n/a	n/a	55%
TN	54%	685	52%	57%	85%	51%	n/a	n/a	n/a	n/a
TX	56%	1,475	56%	n/a	n/a	56%	n/a	n/a	n/a	n/a
VA	52%	948	52%	n/a	n/a	52%	n/a	n/a	n/a	n/a
WA	54%	1,555	55%	49%	n/a	55%	n/a	n/a	n/a	n/a
WI	64%	1,923	64%	60%	75%	64%	64%	n/a	n/a	n/a
WY	52%	383	52%	n/a	n/a	n/a	52%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>58%</b>	<b>19,308</b>	<b>58%</b>	<b>68%</b>	<b>81%</b>	<b>55%</b>	<b>59%</b>	<b>66%</b>	<b>62%</b>	<b>61%</b>



**Table 105. Had a dental visit in the past 12 months***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	46%	370	30%	59%	n/a	n/a	30%	n/a	n/a	n/a
AZ	45%	350	45%	n/a	n/a	45%	n/a	n/a	n/a	n/a
DE	44%	925	47%	36%	n/a	47%	n/a	n/a	n/a	n/a
GA	51%	471	51%	n/a	n/a	n/a	n/a	n/a	n/a	51%
IN	48%	1,051	48%	n/a	n/a	n/a	49%	n/a	n/a	42%
KS	39%	1,048	39%	n/a	n/a	39%	n/a	n/a	n/a	n/a
KY	31%	374	31%	n/a	n/a	31%	n/a	n/a	n/a	31%
MN	50%	1,198	50%	n/a	n/a	n/a	n/a	48%	52%	n/a
MO	45%	2,099	45%	n/a	n/a	n/a	45%	n/a	57%	n/a
NE	69%	782	53%	82%	n/a	54%	50%	n/a	n/a	n/a
NJ	57%	639	52%	70%	76%	51%	n/a	n/a	n/a	n/a
OH	37%	1,387	37%	n/a	n/a	39%	41%	31%	39%	n/a
OK	44%	701	44%	n/a	n/a	n/a	39%	n/a	n/a	49%
OR	44%	636	44%	39%	67%	n/a	44%	n/a	n/a	37%
TN	40%	673	35%	44%	79%	34%	n/a	n/a	n/a	n/a
TX	49%	1,474	49%	n/a	n/a	49%	n/a	n/a	n/a	n/a
VA	47%	909	47%	n/a	n/a	47%	n/a	n/a	n/a	n/a
WA	42%	1,515	42%	44%	n/a	42%	n/a	n/a	n/a	n/a
WI	50%	1,918	47%	62%	70%	46%	49%	n/a	n/a	n/a
WY	38%	361	38%	n/a	n/a	n/a	38%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>46%</b>	<b>18,881</b>	<b>46%</b>	<b>59%</b>	<b>71%</b>	<b>46%</b>	<b>43%</b>	<b>41%</b>	<b>50%</b>	<b>46%</b>




**Table 106. Had a flu shot in the past 12 months***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	68%	358	57%	77%	n/a	n/a	57%	n/a	n/a	n/a
AZ	70%	369	70%	n/a	n/a	70%	n/a	n/a	n/a	n/a
DE	71%	926	64%	91%	n/a	64%	n/a	n/a	n/a	n/a
GA	78%	485	78%	n/a	n/a	n/a	n/a	n/a	n/a	78%
IN	66%	1,074	66%	n/a	n/a	n/a	64%	n/a	n/a	73%
KS	68%	1,090	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
KY	65%	381	65%	n/a	n/a	59%	n/a	n/a	n/a	70%
MN	71%	1,216	71%	n/a	n/a	n/a	n/a	80%	64%	n/a
MO	57%	2,103	57%	n/a	n/a	n/a	57%	n/a	60%	n/a
NE	89%	815	75%	100%	n/a	76%	69%	n/a	n/a	n/a
NJ	81%	690	76%	92%	88%	76%	n/a	n/a	n/a	n/a
OH	71%	1,429	71%	n/a	n/a	74%	79%	72%	51%	n/a
OK	62%	704	62%	n/a	n/a	n/a	55%	n/a	n/a	68%
OR	70%	629	70%	78%	91%	n/a	69%	n/a	n/a	72%
TN	72%	688	64%	80%	92%	63%	n/a	n/a	n/a	n/a
TX	63%	1,464	63%	n/a	n/a	63%	n/a	n/a	n/a	n/a
VA	56%	939	56%	n/a	n/a	56%	n/a	n/a	n/a	n/a
WA	64%	1,557	65%	58%	n/a	65%	n/a	n/a	n/a	n/a
WI	74%	1,945	70%	88%	83%	72%	66%	n/a	n/a	n/a
WY	55%	375	55%	n/a	n/a	n/a	55%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>65%</b>	<b>19,237</b>	<b>63%</b>	<b>84%</b>	<b>89%</b>	<b>62%</b>	<b>63%</b>	<b>77%</b>	<b>62%</b>	<b>70%</b>




### Received the COVID-19 Vaccine



**Table 107. Received the COVID-19 Vaccine**


State	Fully vaccinated and received at least one booster	Fully vaccinated, but not received a booster	Partially vaccinated	Not vaccinated at all	Observed N
AL	59%	18%	1%	22%	367
AZ	72%	7%	4%	17%	382
DE	71%	11%	4%	14%	931
GA	54%	26%	3%	16%	482
IN	62%	9%	4%	25%	1,093
KS	58%	14%	4%	24%	1,074
KY	60%	12%	2%	26%	379
MN	68%	8%	6%	18%	1,244
MO	47%	12%	11%	30%	2,116
NE	82%	5%	3%	9%	814
NJ	79%	7%	2%	11%	672
OH	62%	14%	3%	20%	1,452
OK	60%	9%	5%	25%	707
OR	68%	10%	5%	17%	650
TN	55%	18%	6%	22%	673
TX	58%	19%	4%	20%	1,472
VA	60%	15%	3%	23%	944
WA	69%	16%	1%	13%	1,562
WI	65%	13%	4%	18%	1,935
WY	48%	14%	6%	32%	382
<b>Weighted NCI-AD Average</b>	<b>62%</b>	<b>13%</b>	<b>4%</b>	<b>21%</b>	<b>19,331</b>

## *Wellness*




**Table 108. Has access to healthy foods when they want them***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	82%	359	78%	86%	n/a	n/a	78%	n/a	n/a	n/a
AZ	86%	382	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	87%	952	85%	92%	n/a	85%	n/a	n/a	n/a	n/a
GA	85%	495	85%	n/a	n/a	n/a	n/a	n/a	n/a	85%
IN	89%	1,150	89%	n/a	n/a	n/a	89%	n/a	n/a	88%
KS	85%	1,155	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
KY	82%	391	82%	n/a	n/a	84%	n/a	n/a	n/a	80%
MN	84%	1,299	84%	n/a	n/a	n/a	n/a	88%	82%	n/a
MO	86%	2,199	86%	n/a	n/a	n/a	86%	n/a	87%	n/a
NE	95%	824	91%	99%	n/a	92%	78%	n/a	n/a	n/a
NJ	84%	690	91%	67%	94%	91%	n/a	n/a	n/a	n/a
OH	94%	1,460	94%	n/a	n/a	96%	92%	96%	87%	n/a
OK	84%	700	84%	n/a	n/a	n/a	83%	n/a	n/a	85%
OR	82%	682	82%	83%	81%	n/a	82%	n/a	n/a	78%
TN	86%	733	87%	85%	85%	87%	n/a	n/a	n/a	n/a
TX	87%	1,458	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
VA	85%	967	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
WA	86%	1,594	87%	80%	n/a	87%	n/a	n/a	n/a	n/a
WI	87%	2,096	85%	93%	95%	85%	85%	n/a	n/a	n/a
WY	80%	395	80%	n/a	n/a	n/a	80%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>19,981</b>	<b>86%</b>	<b>85%</b>	<b>87%</b>	<b>86%</b>	<b>85%</b>	<b>91%</b>	<b>83%</b>	<b>85%</b>



**Table 109. Overall health***Proxy respondents were allowed for this question.*

State	Excellent	Very Good	Good	Fair	Poor	Observed N
AL	3%	10%	30%	38%	19%	380
AZ	4%	14%	33%	30%	19%	391
DE	4%	11%	32%	39%	13%	948
GA	0%	8%	40%	35%	16%	491
IN	3%	8%	26%	44%	19%	1,144
KS	2%	7%	29%	43%	19%	1,147
KY	1%	10%	28%	37%	25%	393
MN	4%	13%	29%	37%	17%	1,278
MO	2%	7%	26%	44%	21%	2,204
NE	2%	12%	38%	41%	7%	827
NJ	2%	7%	31%	48%	12%	695
OH	2%	7%	29%	43%	19%	1,472
OK	4%	14%	34%	35%	14%	723
OR	2%	12%	27%	38%	21%	685
TN	1%	7%	31%	36%	25%	733
TX	5%	7%	26%	40%	22%	1,473
VA	5%	14%	33%	36%	13%	964
WA	3%	8%	32%	37%	20%	1,594
WI	3%	10%	28%	39%	20%	2,072
WY	2%	10%	30%	36%	21%	389
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>11%</b>	<b>31%</b>	<b>39%</b>	<b>17%</b>	<b>20,003</b>






**Table 110. Health is better than 12 months ago***Proxy respondents were allowed for this question.*

State	Much Better	Somewhat Better	About the same	Somewhat worse	Much worse	Observed N
AL	11%	14%	47%	22%	6%	381
AZ	10%	13%	43%	25%	9%	387
DE	6%	15%	55%	19%	6%	948
GA	3%	9%	56%	25%	7%	489
IN	6%	15%	46%	27%	5%	1,142
KS	5%	12%	48%	28%	6%	1,142
KY	3%	11%	53%	24%	9%	392
MN	7%	16%	43%	25%	9%	1,287
MO	4%	15%	49%	26%	6%	2,207
NE	9%	19%	59%	9%	5%	825
NJ	4%	15%	61%	17%	3%	700
OH	3%	13%	53%	25%	6%	1,474
OK	6%	16%	43%	29%	5%	727
OR	4%	8%	54%	25%	9%	685
TN	3%	13%	52%	21%	10%	721
TX	9%	14%	40%	24%	13%	1,479
VA	9%	15%	49%	20%	7%	966
WA	5%	17%	41%	27%	9%	1,586
WI	6%	14%	49%	22%	8%	2,069
WY	12%	16%	40%	22%	10%	389
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>15%</b>	<b>48%</b>	<b>23%</b>	<b>7%</b>	<b>19,996</b>


In the past 12 months, forgets things more often than before



**Table 111. In the past 12 months, forgets things more often than before***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	43%	371	46%	40%	n/a	n/a	46%	n/a	n/a	n/a
AZ	59%	383	59%	n/a	n/a	59%	n/a	n/a	n/a	n/a
DE	42%	933	43%	39%	n/a	43%	n/a	n/a	n/a	n/a
GA	44%	481	44%	n/a	n/a	n/a	n/a	n/a	n/a	44%
IN	43%	1,128	43%	n/a	n/a	n/a	44%	n/a	n/a	37%
KS	46%	1,106	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
KY	45%	380	45%	n/a	n/a	39%	n/a	n/a	n/a	51%
MN	52%	1,261	52%	n/a	n/a	n/a	n/a	57%	49%	n/a
MO	42%	2,133	42%	n/a	n/a	n/a	42%	n/a	30%	n/a
NE	28%	800	32%	24%	n/a	31%	41%	n/a	n/a	n/a
NJ	39%	660	43%	28%	42%	43%	n/a	n/a	n/a	n/a
OH	54%	1,434	54%	n/a	n/a	54%	47%	59%	48%	n/a
OK	49%	687	49%	n/a	n/a	n/a	46%	n/a	n/a	51%
OR	49%	675	49%	48%	56%	n/a	49%	n/a	n/a	47%
TN	44%	710	41%	47%	64%	40%	n/a	n/a	n/a	n/a
TX	56%	1,427	56%	n/a	n/a	56%	n/a	n/a	n/a	n/a
VA	48%	947	48%	n/a	n/a	48%	n/a	n/a	n/a	n/a
WA	52%	1,558	53%	44%	n/a	53%	n/a	n/a	n/a	n/a
WI	52%	2,010	53%	52%	46%	52%	54%	n/a	n/a	n/a
WY	58%	379	58%	n/a	n/a	n/a	58%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>48%</b>	<b>19,463</b>	<b>49%</b>	<b>39%</b>	<b>51%</b>	<b>49%</b>	<b>46%</b>	<b>58%</b>	<b>48%</b>	<b>47%</b>

Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)



**Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	62%	122	55%	70%	n/a	n/a	55%	n/a	n/a	n/a
AZ	73%	219	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
DE	71%	407	70%	75%	n/a	70%	n/a	n/a	n/a	n/a
GA	58%	207	58%	n/a	n/a	n/a	n/a	n/a	n/a	58%
IN	73%	476	73%	n/a	n/a	n/a	80%	n/a	n/a	48%
KS	73%	496	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
KY	72%	165	72%	n/a	n/a	69%	n/a	n/a	n/a	75%
MN	64%	687	64%	n/a	n/a	n/a	n/a	70%	58%	n/a
MO	63%	776	63%	n/a	n/a	n/a	63%	n/a	65%	n/a
NE	88%	250	78%	97%	n/a	79%	71%	n/a	n/a	n/a
NJ	85%	257	85%	85%	48%	86%	n/a	n/a	n/a	n/a
OH	77%	743	77%	n/a	n/a	84%	64%	72%	64%	n/a
OK	50%	307	50%	n/a	n/a	n/a	62%	n/a	n/a	42%
OR	67%	333	67%	67%	57%	n/a	69%	n/a	n/a	50%
TN	69%	285	72%	67%	50%	73%	n/a	n/a	n/a	n/a
TX	62%	783	62%	n/a	n/a	62%	n/a	n/a	n/a	n/a
VA	61%	439	61%	n/a	n/a	61%	n/a	n/a	n/a	n/a
WA	73%	828	73%	64%	n/a	73%	n/a	n/a	n/a	n/a
WI	76%	1,000	74%	85%	60%	74%	76%	n/a	n/a	n/a
WY	55%	216	55%	n/a	n/a	n/a	55%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>67%</b>	<b>8,996</b>	<b>66%</b>	<b>76%</b>	<b>54%</b>	<b>67%</b>	<b>69%</b>	<b>71%</b>	<b>59%</b>	<b>48%</b>



**Table 113. Amount of physical activity per week**

State	Does not exercise	Less than one hour	One to two hours	More than two hours	Observed N
AL	37%	24%	19%	20%	379
AZ	33%	20%	21%	26%	379
DE	37%	20%	23%	19%	945
GA	42%	26%	21%	11%	489
IN	37%	20%	18%	25%	1,114
KS	32%	26%	21%	21%	1,132
KY	56%	13%	18%	13%	388
MN	26%	21%	25%	29%	1,280
MO	27%	23%	22%	27%	2,181
NE	11%	8%	43%	38%	821
NJ	33%	30%	22%	14%	645
OH	44%	22%	20%	15%	1,465
OK	26%	21%	18%	34%	720
OR	34%	19%	24%	23%	672
TN	62%	16%	13%	10%	722
TX	30%	26%	20%	24%	1,468
VA	24%	22%	19%	36%	958
WA	28%	18%	30%	23%	1,572
WI	37%	18%	20%	25%	1,989
WY	25%	12%	25%	39%	382
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>21%</b>	<b>21%</b>	<b>27%</b>	<b>19,701</b>

### Often feels lonely






**Table 114. Often feels lonely**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	16%	188	16%	15%	n/a	n/a	16%	n/a	n/a	n/a
AZ	14%	205	14%	n/a	n/a	14%	n/a	n/a	n/a	n/a
DE	21%	757	20%	27%	n/a	20%	n/a	n/a	n/a	n/a
GA	13%	379	13%	n/a	n/a	n/a	n/a	n/a	n/a	13%
IN	19%	777	19%	n/a	n/a	n/a	19%	n/a	n/a	18%
KS	15%	920	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
KY	14%	284	14%	n/a	n/a	14%	n/a	n/a	n/a	14%
MN	28%	879	28%	n/a	n/a	n/a	n/a	23%	31%	n/a
MO	16%	1,486	16%	n/a	n/a	n/a	16%	n/a	11%	n/a
NE	8%	754	16%	2%	n/a	16%	21%	n/a	n/a	n/a
NJ	6%	505	6%	6%	12%	6%	n/a	n/a	n/a	n/a
OH	17%	1,172	17%	n/a	n/a	17%	15%	16%	21%	n/a
OK	25%	596	25%	n/a	n/a	n/a	22%	n/a	n/a	28%
OR	25%	483	25%	29%	18%	n/a	25%	n/a	n/a	28%
TN	18%	442	15%	20%	7%	15%	n/a	n/a	n/a	n/a
TX	22%	1,269	22%	n/a	n/a	22%	n/a	n/a	n/a	n/a
VA	21%	735	21%	n/a	n/a	21%	n/a	n/a	n/a	n/a
WA	27%	1,345	27%	31%	n/a	27%	n/a	n/a	n/a	n/a
WI	21%	1,555	21%	17%	5%	23%	18%	n/a	n/a	n/a
WY	27%	353	27%	n/a	n/a	n/a	27%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>21%</b>	<b>15,084</b>	<b>21%</b>	<b>14%</b>	<b>14%</b>	<b>21%</b>	<b>21%</b>	<b>20%</b>	<b>29%</b>	<b>24%</b>

## *Affordability*


### Ever has to skip meals due to financial worries



**Table 115. Ever has to skip meals due to financial worries***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	10%	359	16%	5%	n/a	n/a	16%	n/a	n/a	n/a
AZ	7%	387	7%	n/a	n/a	7%	n/a	n/a	n/a	n/a
DE	8%	956	10%	1%	n/a	10%	n/a	n/a	n/a	n/a
GA	10%	490	10%	n/a	n/a	n/a	n/a	n/a	n/a	10%
IN	11%	1,146	11%	n/a	n/a	n/a	10%	n/a	n/a	15%
KS	12%	1,154	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
KY	13%	386	13%	n/a	n/a	13%	n/a	n/a	n/a	13%
MN	14%	1,303	14%	n/a	n/a	n/a	n/a	8%	18%	n/a
MO	18%	2,198	18%	n/a	n/a	n/a	18%	n/a	16%	n/a
NE	5%	824	11%	0%	n/a	10%	21%	n/a	n/a	n/a
NJ	4%	688	5%	1%	5%	5%	n/a	n/a	n/a	n/a
OH	7%	1,455	7%	n/a	n/a	6%	5%	6%	14%	n/a
OK	14%	697	14%	n/a	n/a	n/a	16%	n/a	n/a	13%
OR	12%	689	12%	2%	12%	n/a	12%	n/a	n/a	17%
TN	4%	735	8%	0%	8%	8%	n/a	n/a	n/a	n/a
TX	14%	1,455	14%	n/a	n/a	14%	n/a	n/a	n/a	n/a
VA	15%	970	15%	n/a	n/a	15%	n/a	n/a	n/a	n/a
WA	14%	1,589	15%	3%	n/a	15%	n/a	n/a	n/a	n/a
WI	13%	2,089	15%	3%	3%	13%	20%	n/a	n/a	n/a
WY	16%	395	16%	n/a	n/a	n/a	16%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>13%</b>	<b>19,965</b>	<b>14%</b>	<b>2%</b>	<b>9%</b>	<b>13%</b>	<b>14%</b>	<b>8%</b>	<b>18%</b>	<b>13%</b>

## *Safety*



**Table 116. They or someone else has concerns about falling or being unstable***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	40%	380	50%	33%	n/a	n/a	50%	n/a	n/a	n/a
AZ	60%	392	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
DE	57%	966	60%	47%	n/a	60%	n/a	n/a	n/a	n/a
GA	49%	496	49%	n/a	n/a	n/a	n/a	n/a	n/a	49%
IN	54%	1,202	54%	n/a	n/a	n/a	54%	n/a	n/a	52%
KS	60%	1,190	60%	n/a	n/a	60%	n/a	n/a	n/a	n/a
KY	64%	393	64%	n/a	n/a	56%	n/a	n/a	n/a	73%
MN	56%	1,345	56%	n/a	n/a	n/a	n/a	62%	52%	n/a
MO	54%	2,251	54%	n/a	n/a	n/a	55%	n/a	43%	n/a
NE	59%	836	65%	54%	n/a	65%	64%	n/a	n/a	n/a
NJ	45%	703	49%	35%	60%	49%	n/a	n/a	n/a	n/a
OH	56%	1,475	56%	n/a	n/a	54%	46%	65%	52%	n/a
OK	58%	735	58%	n/a	n/a	n/a	64%	n/a	n/a	54%
OR	68%	712	68%	57%	62%	n/a	68%	n/a	n/a	69%
TN	50%	746	56%	44%	59%	56%	n/a	n/a	n/a	n/a
TX	64%	1,483	64%	n/a	n/a	64%	n/a	n/a	n/a	n/a
VA	45%	980	45%	n/a	n/a	45%	n/a	n/a	n/a	n/a
WA	66%	1,605	66%	67%	n/a	66%	n/a	n/a	n/a	n/a
WI	52%	2,193	55%	41%	53%	54%	57%	n/a	n/a	n/a
WY	68%	395	68%	n/a	n/a	n/a	68%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>53%</b>	<b>20,478</b>	<b>54%</b>	<b>43%</b>	<b>60%</b>	<b>52%</b>	<b>58%</b>	<b>63%</b>	<b>52%</b>	<b>56%</b>






**Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	86%	141	84%	89%	n/a	n/a	84%	n/a	n/a	n/a
AZ	86%	230	86%	n/a	n/a	86%	n/a	n/a	n/a	n/a
DE	87%	577	86%	89%	n/a	86%	n/a	n/a	n/a	n/a
GA	82%	242	82%	n/a	n/a	n/a	n/a	n/a	n/a	82%
IN	86%	642	86%	n/a	n/a	n/a	88%	n/a	n/a	81%
KS	90%	698	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
KY	89%	242	89%	n/a	n/a	90%	n/a	n/a	n/a	88%
MN	86%	800	86%	n/a	n/a	n/a	n/a	85%	87%	n/a
MO	82%	1,034	82%	n/a	n/a	n/a	82%	n/a	85%	n/a
NE	99%	493	98%	99%	n/a	98%	98%	n/a	n/a	n/a
NJ	92%	327	94%	85%	95%	94%	n/a	n/a	n/a	n/a
OH	88%	799	88%	n/a	n/a	90%	90%	86%	83%	n/a
OK	71%	428	71%	n/a	n/a	n/a	75%	n/a	n/a	68%
OR	84%	443	84%	90%	89%	n/a	84%	n/a	n/a	76%
TN	86%	393	87%	85%	90%	87%	n/a	n/a	n/a	n/a
TX	75%	935	75%	n/a	n/a	75%	n/a	n/a	n/a	n/a
VA	70%	450	70%	n/a	n/a	70%	n/a	n/a	n/a	n/a
WA	91%	997	92%	83%	n/a	92%	n/a	n/a	n/a	n/a
WI	88%	1,147	87%	94%	90%	87%	86%	n/a	n/a	n/a
WY	79%	267	79%	n/a	n/a	n/a	79%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>11,285</b>	<b>81%</b>	<b>89%</b>	<b>91%</b>	<b>80%</b>	<b>83%</b>	<b>86%</b>	<b>86%</b>	<b>74%</b>



**Table 118. Able to get to safety quickly in case of an emergency***Proxy respondents were allowed for this question.*


State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	91%	366	85%	95%	n/a	n/a	85%	n/a	n/a	n/a
AZ	80%	361	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
DE	90%	914	90%	90%	n/a	90%	n/a	n/a	n/a	n/a
GA	75%	467	75%	n/a	n/a	n/a	n/a	n/a	n/a	75%
IN	92%	1,128	92%	n/a	n/a	n/a	92%	n/a	n/a	91%
KS	90%	1,120	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
KY	81%	373	81%	n/a	n/a	84%	n/a	n/a	n/a	78%
MN	90%	1,286	90%	n/a	n/a	n/a	n/a	89%	91%	n/a
MO	93%	2,168	93%	n/a	n/a	n/a	93%	n/a	95%	n/a
NE	65%	803	80%	52%	n/a	79%	88%	n/a	n/a	n/a
NJ	83%	664	82%	85%	92%	82%	n/a	n/a	n/a	n/a
OH	90%	1,371	90%	n/a	n/a	92%	97%	86%	86%	n/a
OK	90%	719	90%	n/a	n/a	n/a	90%	n/a	n/a	90%
OR	85%	664	85%	81%	96%	n/a	84%	n/a	n/a	91%
TN	82%	680	81%	84%	86%	81%	n/a	n/a	n/a	n/a
TX	74%	1,390	74%	n/a	n/a	74%	n/a	n/a	n/a	n/a
VA	91%	944	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
WA	85%	1,498	86%	79%	n/a	86%	n/a	n/a	n/a	n/a
WI	91%	2,054	90%	95%	89%	89%	93%	n/a	n/a	n/a
WY	86%	376	86%	n/a	n/a	n/a	86%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>19,346</b>	<b>88%</b>	<b>84%</b>	<b>94%</b>	<b>87%</b>	<b>90%</b>	<b>88%</b>	<b>91%</b>	<b>88%</b>



**Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	81%	189	77%	88%	n/a	n/a	77%	n/a	n/a	n/a
AZ	84%	204	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	82%	759	84%	77%	n/a	84%	n/a	n/a	n/a	n/a
GA	64%	384	64%	n/a	n/a	n/a	n/a	n/a	n/a	64%
IN	87%	872	87%	n/a	n/a	n/a	89%	n/a	n/a	80%
KS	87%	950	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
KY	83%	288	83%	n/a	n/a	88%	n/a	n/a	n/a	78%
MN	83%	926	83%	n/a	n/a	n/a	n/a	79%	85%	n/a
MO	82%	1,717	82%	n/a	n/a	n/a	82%	n/a	87%	n/a
NE	92%	786	82%	99%	n/a	84%	69%	n/a	n/a	n/a
NJ	80%	492	78%	86%	80%	78%	n/a	n/a	n/a	n/a
OH	84%	1,160	84%	n/a	n/a	85%	89%	82%	85%	n/a
OK	83%	600	83%	n/a	n/a	n/a	87%	n/a	n/a	81%
OR	83%	495	83%	82%	87%	n/a	82%	n/a	n/a	83%
TN	74%	453	70%	77%	90%	70%	n/a	n/a	n/a	n/a
TX	66%	1,252	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
VA	80%	728	80%	n/a	n/a	80%	n/a	n/a	n/a	n/a
WA	75%	1,324	74%	81%	n/a	74%	n/a	n/a	n/a	n/a
WI	89%	1,670	88%	96%	91%	87%	91%	n/a	n/a	n/a
WY	83%	356	83%	n/a	n/a	n/a	83%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>15,605</b>	<b>81%</b>	<b>88%</b>	<b>85%</b>	<b>79%</b>	<b>84%</b>	<b>80%</b>	<b>85%</b>	<b>79%</b>


Are ever worried for the  
security of their personal  
belongings



**Table 120. Are ever worried for the security of their personal belongings**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	17%	188	18%	16%	n/a	n/a	18%	n/a	n/a	n/a
AZ	24%	208	24%	n/a	n/a	24%	n/a	n/a	n/a	n/a
DE	12%	762	10%	18%	n/a	10%	n/a	n/a	n/a	n/a
GA	6%	383	6%	n/a	n/a	n/a	n/a	n/a	n/a	6%
IN	11%	877	11%	n/a	n/a	n/a	11%	n/a	n/a	11%
KS	9%	965	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
KY	9%	290	9%	n/a	n/a	11%	n/a	n/a	n/a	7%
MN	16%	937	16%	n/a	n/a	n/a	n/a	15%	16%	n/a
MO	10%	1,743	10%	n/a	n/a	n/a	10%	n/a	8%	n/a
NE	36%	789	26%	43%	n/a	27%	17%	n/a	n/a	n/a
NJ	11%	502	10%	13%	11%	10%	n/a	n/a	n/a	n/a
OH	12%	1,170	12%	n/a	n/a	12%	16%	12%	13%	n/a
OK	12%	611	12%	n/a	n/a	n/a	13%	n/a	n/a	12%
OR	15%	501	15%	37%	14%	n/a	14%	n/a	n/a	19%
TN	20%	459	12%	29%	10%	12%	n/a	n/a	n/a	n/a
TX	18%	1,266	18%	n/a	n/a	18%	n/a	n/a	n/a	n/a
VA	12%	746	12%	n/a	n/a	12%	n/a	n/a	n/a	n/a
WA	23%	1,352	21%	39%	n/a	21%	n/a	n/a	n/a	n/a
WI	13%	1,705	13%	11%	9%	16%	9%	n/a	n/a	n/a
WY	15%	358	15%	n/a	n/a	n/a	15%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>14%</b>	<b>15,812</b>	<b>13%</b>	<b>27%</b>	<b>12%</b>	<b>14%</b>	<b>13%</b>	<b>14%</b>	<b>16%</b>	<b>11%</b>


Someone used or took their  
money without their permission  
in the past 12 months





**Table 121. Someone used or took their money without their permission in the past 12 months**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	5%	190	6%	4%	n/a	n/a	6%	n/a	n/a	n/a
AZ	9%	205	9%	n/a	n/a	9%	n/a	n/a	n/a	n/a
DE	6%	760	7%	4%	n/a	7%	n/a	n/a	n/a	n/a
GA	3%	382	3%	n/a	n/a	n/a	n/a	n/a	n/a	3%
IN	7%	880	7%	n/a	n/a	n/a	6%	n/a	n/a	9%
KS	5%	947	5%	n/a	n/a	5%	n/a	n/a	n/a	n/a
KY	4%	293	4%	n/a	n/a	6%	n/a	n/a	n/a	2%
MN	5%	932	5%	n/a	n/a	n/a	n/a	4%	5%	n/a
MO	5%	1,740	5%	n/a	n/a	n/a	5%	n/a	5%	n/a
NE	5%	785	8%	2%	n/a	7%	11%	n/a	n/a	n/a
NJ	3%	509	1%	6%	4%	1%	n/a	n/a	n/a	n/a
OH	4%	1,171	4%	n/a	n/a	2%	8%	5%	6%	n/a
OK	6%	612	6%	n/a	n/a	n/a	7%	n/a	n/a	5%
OR	8%	499	8%	8%	7%	n/a	9%	n/a	n/a	5%
TN	6%	456	5%	7%	6%	5%	n/a	n/a	n/a	n/a
TX	4%	1,265	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
VA	6%	748	6%	n/a	n/a	6%	n/a	n/a	n/a	n/a
WA	9%	1,354	8%	13%	n/a	8%	n/a	n/a	n/a	n/a
WI	6%	1,685	7%	3%	6%	8%	5%	n/a	n/a	n/a
WY	9%	355	9%	n/a	n/a	n/a	9%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>15,768</b>	<b>6%</b>	<b>6%</b>	<b>6%</b>	<b>6%</b>	<b>6%</b>	<b>4%</b>	<b>5%</b>	<b>5%</b>




**Table 122. Feels safe around the people who are paid to help them**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	96%	100	98%	n/a*	n/a	n/a	98%	n/a	n/a	n/a
AZ	94%	141	94%	n/a	n/a	94%	n/a	n/a	n/a	n/a
DE	98%	366	99%	92%	n/a	99%	n/a	n/a	n/a	n/a
GA	100%	51	100%	n/a	n/a	n/a	n/a	n/a	n/a	100%
IN	99%	485	99%	n/a	n/a	n/a	99%	n/a	n/a	100%
KS	99%	631	99%	n/a	n/a	99%	n/a	n/a	n/a	n/a
KY	98%	224	98%	n/a	n/a	98%	n/a	n/a	n/a	98%
MN	96%	488	96%	n/a	n/a	n/a	n/a	97%	95%	n/a
MO	98%	1,133	98%	n/a	n/a	n/a	98%	n/a	100%	n/a
NE	98%	572	95%	100%	n/a	95%	93%	n/a	n/a	n/a
NJ	98%	254	99%	97%	100%	99%	n/a	n/a	n/a	n/a
OH	99%	717	99%	n/a	n/a	99%	99%	99%	100%	n/a
OK	98%	199	98%	n/a	n/a	n/a	98%	n/a	n/a	n/a*
OR	95%	255	95%	90%	100%	n/a	94%	n/a	n/a	n/a*
TN	95%	245	97%	93%	n/a*	97%	n/a	n/a	n/a	n/a
TX	98%	793	98%	n/a	n/a	98%	n/a	n/a	n/a	n/a
VA	100%	109	100%	n/a	n/a	100%	n/a	n/a	n/a	n/a
WA	98%	1,115	99%	90%	n/a	99%	n/a	n/a	n/a	n/a
WI	99%	1,199	99%	99%	100%	98%	100%	n/a	n/a	n/a
WY	97%	228	97%	n/a	n/a	n/a	97%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>98%</b>	<b>9,305</b>	<b>98%</b>	<b>95%</b>	<b>100%</b>	<b>98%</b>	<b>97%</b>	<b>98%</b>	<b>96%</b>	<b>99%</b>

Programs with low response rates are denoted with "n/a\*".


## *Rights and Respect*



**Table 123. Gets information about services in their preferred language (if preferred language is not English)***Proxy respondents were allowed for this question.*

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	n/a*	5	n/a*	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	n/a*	17	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a
DE	n/a*	5	n/a*	n/a*	n/a	n/a*	n/a	n/a	n/a	n/a
GA	n/a*	3	n/a*	n/a	n/a	n/a	n/a	n/a	n/a	n/a*
IN	85%	36	85%	n/a	n/a	n/a	84%	n/a	n/a	n/a*
KS	57%	37	57%	n/a	n/a	57%	n/a	n/a	n/a	n/a
MN	82%	184	82%	n/a	n/a	n/a	n/a	79%	n/a*	n/a
MO	86%	30	86%	n/a	n/a	n/a	86%	n/a	n/a*	n/a
NE	92%	41	100%	n/a*	n/a	n/a*	100%	n/a	n/a	n/a
NJ	82%	201	81%	n/a*	n/a*	81%	n/a	n/a	n/a	n/a
OH	76%	247	76%	n/a	n/a	76%	n/a*	79%	59%	n/a
OK	n/a*	13	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
OR	n/a*	15	n/a*	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a*
TN	n/a*	10	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a
TX	96%	245	96%	n/a	n/a	96%	n/a	n/a	n/a	n/a
VA	n/a*	9	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a
WA	92%	248	92%	n/a*	n/a	92%	n/a	n/a	n/a	n/a
WI	89%	64	89%	n/a	n/a*	97%	80%	n/a	n/a	n/a
WY	n/a*	3	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>1,413</b>	<b>85%</b>	<b>88%</b>	<b>n/a*</b>	<b>87%</b>	<b>79%</b>	<b>79%</b>	<b>76%</b>	<b>n/a*</b>

*Programs with low response rates are denoted with "n/a\*".*




**Table 124. Services and supports are delivered in a way that is respectful of their culture**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	98%	161	100%	n/a*	n/a	n/a	100%	n/a	n/a	n/a
AZ	97%	155	97%	n/a	n/a	97%	n/a	n/a	n/a	n/a
DE	98%	693	98%	97%	n/a	98%	n/a	n/a	n/a	n/a
GA	100%	161	100%	n/a	n/a	n/a	n/a	n/a	n/a	100%
IN	99%	756	99%	n/a	n/a	n/a	99%	n/a	n/a	97%
KS	99%	881	99%	n/a	n/a	99%	n/a	n/a	n/a	n/a
KY	100%	250	100%	n/a	n/a	100%	n/a	n/a	n/a	100%
MN	99%	823	99%	n/a	n/a	n/a	n/a	98%	99%	n/a
MO	99%	1,673	99%	n/a	n/a	n/a	99%	n/a	100%	n/a
NE	98%	727	97%	99%	n/a	97%	98%	n/a	n/a	n/a
NJ	99%	446	100%	98%	98%	100%	n/a	n/a	n/a	n/a
OH	100%	1,082	100%	n/a	n/a	100%	99%	100%	100%	n/a
OK	99%	429	99%	n/a	n/a	n/a	98%	n/a	n/a	99%
OR	99%	436	99%	98%	98%	n/a	99%	n/a	n/a	100%
TN	97%	417	99%	96%	100%	99%	n/a	n/a	n/a	n/a
TX	99%	1,207	99%	n/a	n/a	99%	n/a	n/a	n/a	n/a
VA	97%	321	97%	n/a	n/a	97%	n/a	n/a	n/a	n/a
WA	96%	1,290	96%	99%	n/a	96%	n/a	n/a	n/a	n/a
WI	97%	1,639	97%	100%	100%	96%	99%	n/a	n/a	n/a
WY	99%	327	99%	n/a	n/a	n/a	99%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>98%</b>	<b>13,874</b>	<b>98%</b>	<b>98%</b>	<b>98%</b>	<b>97%</b>	<b>99%</b>	<b>99%</b>	<b>99%</b>	<b>99%</b>

Programs with low response rates are denoted with "n/a\*".






**Table 125. People who are paid to help them treat them with respect**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	95%	100	100%	n/a*	n/a	n/a	100%	n/a	n/a	n/a
AZ	84%	142	84%	n/a	n/a	84%	n/a	n/a	n/a	n/a
DE	92%	366	94%	86%	n/a	94%	n/a	n/a	n/a	n/a
GA	100%	49	100%	n/a	n/a	n/a	n/a	n/a	n/a	100%
IN	96%	481	96%	n/a	n/a	n/a	97%	n/a	n/a	93%
KS	95%	630	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
KY	93%	224	93%	n/a	n/a	95%	n/a	n/a	n/a	91%
MN	91%	489	91%	n/a	n/a	n/a	n/a	92%	90%	n/a
MO	94%	1,131	94%	n/a	n/a	n/a	94%	n/a	100%	n/a
NE	84%	571	81%	86%	n/a	81%	86%	n/a	n/a	n/a
NJ	91%	256	96%	76%	99%	95%	n/a	n/a	n/a	n/a
OH	94%	717	94%	n/a	n/a	91%	92%	97%	98%	n/a
OK	94%	200	94%	n/a	n/a	n/a	94%	n/a	n/a	n/a*
OR	88%	257	88%	73%	93%	n/a	88%	n/a	n/a	n/a*
TN	85%	246	94%	77%	n/a*	94%	n/a	n/a	n/a	n/a
TX	95%	787	95%	n/a	n/a	95%	n/a	n/a	n/a	n/a
VA	91%	109	91%	n/a	n/a	91%	n/a	n/a	n/a	n/a
WA	96%	1,115	98%	81%	n/a	98%	n/a	n/a	n/a	n/a
WI	94%	1,202	94%	88%	100%	92%	99%	n/a	n/a	n/a
WY	95%	228	95%	n/a	n/a	n/a	95%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>9,300</b>	<b>94%</b>	<b>82%</b>	<b>96%</b>	<b>93%</b>	<b>94%</b>	<b>94%</b>	<b>92%</b>	<b>92%</b>


Programs with low response rates are denoted with "n/a\*".



**Table 126. Others ask before coming into their home/room (if living in a group setting)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	65%	23	98%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	68%	91	68%	n/a	n/a	68%	n/a	n/a	n/a	n/a
DE	61%	128	74%	58%	n/a	74%	n/a	n/a	n/a	n/a
GA	n/a*	5	n/a*	n/a	n/a	n/a	n/a	n/a	n/a	n/a*
IN	80%	75	80%	n/a	n/a	n/a	79%	n/a	n/a	n/a*
KS	89%	66	89%	n/a	n/a	89%	n/a	n/a	n/a	n/a
KY	n/a*	5	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a*
MN	79%	226	79%	n/a	n/a	n/a	n/a	77%	79%	n/a
MO	80%	309	80%	n/a	n/a	n/a	80%	n/a	n/a*	n/a
NE	91%	351	95%	91%	n/a	95%	n/a*	n/a	n/a	n/a
NJ	48%	122	84%	40%	n/a*	84%	n/a	n/a	n/a	n/a
OH	86%	334	86%	n/a	n/a	88%	84%	n/a*	n/a	n/a
OK	n/a*	11	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
OR	75%	288	75%	76%	84%	n/a	74%	n/a	n/a	n/a
TN	64%	123	77%	62%	n/a*	78%	n/a	n/a	n/a	n/a
TX	69%	77	69%	n/a	n/a	69%	n/a	n/a	n/a	n/a
VA	73%	38	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
WA	79%	337	85%	68%	n/a	85%	n/a	n/a	n/a	n/a
WI	79%	300	78%	80%	86%	77%	n/a*	n/a	n/a	n/a
WY	84%	38	84%	n/a	n/a	n/a	84%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>75%</b>	<b>2,947</b>	<b>79%</b>	<b>66%</b>	<b>84%</b>	<b>79%</b>	<b>79%</b>	<b>78%</b>	<b>79%</b>	<b>n/a*</b>


Programs with low response rates are denoted with "n/a\*".



**Table 127. Able to lock doors to room (if living in a group setting)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	5%	22	4%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	46%	87	46%	n/a	n/a	46%	n/a	n/a	n/a	n/a
DE	26%	124	76%	13%	n/a	76%	n/a	n/a	n/a	n/a
GA	n/a*	5	n/a*	n/a	n/a	n/a	n/a	n/a	n/a	n/a*
IN	93%	73	93%	n/a	n/a	n/a	93%	n/a	n/a	n/a
KS	88%	65	88%	n/a	n/a	88%	n/a	n/a	n/a	n/a
KY	n/a*	5	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a*
MN	87%	226	87%	n/a	n/a	n/a	n/a	91%	86%	n/a
MO	37%	306	37%	n/a	n/a	n/a	37%	n/a	n/a*	n/a
NE	2%	350	6%	2%	n/a	6%	n/a*	n/a	n/a	n/a
NJ	38%	91	81%	25%	n/a*	81%	n/a	n/a	n/a	n/a
OH	98%	330	98%	n/a	n/a	98%	98%	n/a*	n/a	n/a
OK	n/a*	11	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
OR	89%	282	93%	33%	88%	n/a	93%	n/a	n/a	n/a
TN	16%	114	73%	9%	n/a*	72%	n/a	n/a	n/a	n/a
TX	78%	76	78%	n/a	n/a	78%	n/a	n/a	n/a	n/a
VA	57%	38	57%	n/a	n/a	57%	n/a	n/a	n/a	n/a
WA	46%	319	63%	13%	n/a	63%	n/a	n/a	n/a	n/a
WI	55%	280	77%	15%	63%	76%	n/a*	n/a	n/a	n/a
WY	95%	37	95%	n/a	n/a	n/a	95%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>53%</b>	<b>2,841</b>	<b>72%</b>	<b>11%</b>	<b>85%</b>	<b>64%</b>	<b>79%</b>	<b>91%</b>	<b>86%</b>	<b>n/a*</b>

Programs with low response rates are denoted with "n/a\*".




**Table 128. Has enough privacy where lives (if living in a group setting)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	60%	22	52%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	73%	92	73%	n/a	n/a	73%	n/a	n/a	n/a	n/a
DE	64%	130	76%	61%	n/a	76%	n/a	n/a	n/a	n/a
GA	n/a*	5	n/a*	n/a	n/a	n/a	n/a	n/a	n/a	n/a*
IN	96%	74	96%	n/a	n/a	n/a	96%	n/a	n/a	n/a*
KS	97%	65	97%	n/a	n/a	97%	n/a	n/a	n/a	n/a
KY	n/a*	5	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a*
MN	89%	227	89%	n/a	n/a	n/a	n/a	85%	90%	n/a
MO	77%	311	77%	n/a	n/a	n/a	77%	n/a	n/a*	n/a
NE	48%	348	48%	47%	n/a	48%	n/a*	n/a	n/a	n/a
NJ	64%	121	81%	59%	n/a*	81%	n/a	n/a	n/a	n/a
OH	92%	333	92%	n/a	n/a	91%	95%	n/a*	n/a	n/a
OK	n/a*	11	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
OR	90%	292	91%	73%	96%	n/a	90%	n/a	n/a	n/a
TN	64%	118	94%	61%	n/a*	95%	n/a	n/a	n/a	n/a
TX	83%	78	83%	n/a	n/a	83%	n/a	n/a	n/a	n/a
VA	62%	39	62%	n/a	n/a	62%	n/a	n/a	n/a	n/a
WA	81%	334	89%	66%	n/a	89%	n/a	n/a	n/a	n/a
WI	86%	301	87%	84%	95%	86%	n/a*	n/a	n/a	n/a
WY	92%	38	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>75%</b>	<b>2,944</b>	<b>82%</b>	<b>60%</b>	<b>94%</b>	<b>78%</b>	<b>89%</b>	<b>85%</b>	<b>90%</b>	<b>n/a*</b>

Programs with low response rates are denoted with "n/a\*".






**Table 129. Can have visitors at any time (if living in a group setting)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	90%	22	100%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	82%	88	82%	n/a	n/a	82%	n/a	n/a	n/a	n/a
DE	89%	126	92%	88%	n/a	92%	n/a	n/a	n/a	n/a
GA	n/a*	5	n/a*	n/a	n/a	n/a	n/a	n/a	n/a	n/a*
IN	74%	71	74%	n/a	n/a	n/a	74%	n/a	n/a	n/a*
KS	90%	63	90%	n/a	n/a	90%	n/a	n/a	n/a	n/a
KY	n/a*	5	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a*
MN	78%	220	78%	n/a	n/a	n/a	n/a	93%	73%	n/a
MO	70%	292	70%	n/a	n/a	n/a	70%	n/a	n/a*	n/a
NE	99%	345	98%	100%	n/a	98%	n/a*	n/a	n/a	n/a
NJ	51%	111	80%	43%	n/a*	81%	n/a	n/a	n/a	n/a
OH	92%	324	92%	n/a	n/a	92%	92%	n/a*	n/a	n/a
OK	n/a*	11	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
OR	88%	284	88%	88%	94%	n/a	87%	n/a	n/a	n/a
TN	91%	121	90%	91%	n/a*	90%	n/a	n/a	n/a	n/a
TX	85%	74	85%	n/a	n/a	85%	n/a	n/a	n/a	n/a
VA	66%	38	66%	n/a	n/a	66%	n/a	n/a	n/a	n/a
WA	81%	321	86%	72%	n/a	86%	n/a	n/a	n/a	n/a
WI	85%	280	83%	89%	90%	84%	n/a*	n/a	n/a	n/a
WY	92%	37	92%	n/a	n/a	n/a	92%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>2,838</b>	<b>81%</b>	<b>79%</b>	<b>91%</b>	<b>81%</b>	<b>81%</b>	<b>93%</b>	<b>73%</b>	<b>n/a*</b>

Programs with low response rates are denoted with "n/a\*".




**Table 130. Can get something to eat or grab a snack anytime they want to (if living in a group setting)**

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	85%	22	100%	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a
AZ	72%	90	72%	n/a	n/a	72%	n/a	n/a	n/a	n/a
DE	89%	125	88%	89%	n/a	88%	n/a	n/a	n/a	n/a
GA	n/a*	5	n/a*	n/a	n/a	n/a	n/a	n/a	n/a	n/a*
IN	90%	73	90%	n/a	n/a	n/a	90%	n/a	n/a	n/a*
KS	92%	64	92%	n/a	n/a	92%	n/a	n/a	n/a	n/a
KY	n/a*	5	n/a*	n/a	n/a	n/a*	n/a	n/a	n/a	n/a*
MN	86%	219	86%	n/a	n/a	n/a	n/a	86%	86%	n/a
MO	88%	304	88%	n/a	n/a	n/a	88%	n/a	n/a*	n/a
NE	100%	351	100%	100%	n/a	100%	n/a*	n/a	n/a	n/a
NJ	89%	116	95%	87%	n/a*	97%	n/a	n/a	n/a	n/a
OH	91%	327	91%	n/a	n/a	92%	90%	n/a*	n/a	n/a
OK	n/a*	11	n/a*	n/a	n/a	n/a	n/a*	n/a	n/a	n/a
OR	87%	285	88%	83%	82%	n/a	88%	n/a	n/a	n/a
TN	94%	122	90%	94%	n/a*	91%	n/a	n/a	n/a	n/a
TX	87%	77	87%	n/a	n/a	87%	n/a	n/a	n/a	n/a
VA	77%	38	77%	n/a	n/a	77%	n/a	n/a	n/a	n/a
WA	82%	332	82%	80%	n/a	82%	n/a	n/a	n/a	n/a
WI	88%	290	86%	91%	94%	85%	n/a*	n/a	n/a	n/a
WY	100%	34	100%	n/a	n/a	n/a	100%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>2,890</b>	<b>85%</b>	<b>90%</b>	<b>81%</b>	<b>83%</b>	<b>90%</b>	<b>86%</b>	<b>86%</b>	<b>n/a*</b>


Programs with low response rates are denoted with "n/a\*".

*Person-Centered Planning (State Optional Module)*



**Table 131. Involvement in making decisions about what is in the service plan**


State	Very or fully involved	Somewhat	Very little	Not at all	Observed N
AL	91%	9%	0%	0%	83
AZ	79%	19%	2%	0%	42
DE	80%	16%	4%	0%	381
IN	83%	13%	2%	2%	271
KS	88%	10%	1%	1%	554
KY	80%	16%	5%	0%	103
MN	83%	14%	3%	1%	429
MO	84%	14%	2%	1%	860
NE	94%	6%	0%	0%	126
NJ	78%	19%	3%	1%	283
OH	92%	7%	1%	0%	552
OK	88%	10%	1%	1%	143
OR	77%	20%	3%	1%	213
TN	83%	15%	2%	1%	153
TX	82%	15%	2%	1%	493
WI	81%	14%	3%	1%	914
WY	89%	9%	1%	0%	202
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>14%</b>	<b>2%</b>	<b>1%</b>	<b>5,802</b>






**Table 132. Remember their last service planning meeting**

State	Yes	No	Observed N
AL	46%	54%	153
AZ	83%	17%	145
DE	63%	37%	635
IN	63%	37%	561
KS	72%	28%	747
KY	61%	39%	236
MN	66%	34%	664
MO	49%	51%	1,342
NE	68%	32%	261
NJ	68%	32%	403
OH	70%	30%	942
OK	46%	54%	312
OR	65%	35%	312
TN	39%	61%	339
TX	55%	45%	1,172
WI	81%	19%	1,179
WY	65%	35%	291
<b>Weighted NCI-AD Average</b>	<b>62%</b>	<b>38%</b>	<b>9,694</b>




**Table 133. Service planning meeting took place at a time that was good for them**

State	Yes	No	Observed N
AL	100%	0%	84
AZ	98%	2%	121
DE	99%	1%	397
IN	99%	1%	346
KS	100%	0%	538
KY	100%	0%	144
MN	99%	1%	433
MO	99%	1%	661
NE	100%	0%	135
NJ	100%	0%	261
OH	99%	1%	639
OK	99%	1%	176
OR	96%	4%	189
TN	100%	0%	160
TX	99%	1%	645
WI	99%	1%	941
WY	99%	1%	185
<b>Weighted NCI-AD Average</b>	<b>99%</b>	<b>1%</b>	<b>6,055</b>



**Table 134. Service planning meeting took place in a location that was good for them**


State	Yes	No	Observed N
AL	100%	0%	82
AZ	99%	1%	121
DE	99%	1%	399
IN	99%	1%	347
KS	99%	1%	537
KY	100%	0%	142
MN	99%	1%	433
MO	99%	1%	663
NE	100%	0%	137
NJ	100%	0%	263
OH	100%	0%	636
OK	100%	0%	175
OR	98%	2%	191
TN	100%	0%	161
TX	99%	1%	645
WI	99%	1%	941
WY	100%	0%	187
<b>Weighted NCI-AD Average</b>	<b>99%</b>	<b>1%</b>	<b>6,060</b>



**Table 135. Service planning meeting included the people they wanted to be there**

State	Yes	Some People	No	Observed N
AL	94%	0%	5%	84
AZ	90%	3%	7%	120
DE	95%	1%	4%	393
IN	98%	0%	2%	344
KS	98%	1%	1%	531
KY	98%	1%	1%	141
MN	95%	2%	3%	433
MO	96%	1%	3%	650
NE	95%	1%	4%	137
NJ	99%	0%	0%	264
OH	99%	1%	1%	632
OK	95%	2%	3%	171
OR	90%	7%	3%	187
TN	94%	3%	3%	159
TX	96%	1%	4%	639
WI	96%	1%	2%	937
WY	96%	3%	1%	188
<b>Weighted NCI-AD Average</b>	<b>96%</b>	<b>1%</b>	<b>3%</b>	<b>6,010</b>


People at the service planning  
meeting listened to needs and  
preferences






**Table 136. People at the service planning meeting listened to needs and preferences**

State	Completely	Mostly	Somewhat	Very little	Not at all	Observed N
AL	81%	10%	3%	5%	0%	83
AZ	77%	14%	6%	2%	1%	121
DE	72%	21%	5%	1%	1%	396
IN	75%	17%	6%	1%	1%	346
KS	77%	18%	4%	1%	0%	530
KY	66%	24%	8%	0%	2%	143
MN	82%	9%	6%	1%	2%	431
MO	87%	9%	3%	1%	0%	659
NE	43%	27%	31%	0%	0%	138
NJ	74%	23%	3%	0%	0%	269
OH	83%	14%	2%	1%	0%	630
OK	83%	11%	3%	2%	2%	176
OR	56%	33%	6%	4%	0%	190
TN	78%	11%	8%	2%	1%	157
TX	74%	19%	5%	2%	1%	641
WI	76%	16%	5%	2%	1%	947
WY	84%	13%	3%	1%	0%	188
<b>Weighted NCI-AD Average</b>	<b>77%</b>	<b>16%</b>	<b>5%</b>	<b>2%</b>	<b>1%</b>	<b>6,045</b>




**Table 137. Received a copy of the service plan after the service planning meeting**

State	Yes	No	Observed N
AL	90%	10%	69
AZ	90%	10%	40
DE	89%	11%	314
IN	85%	15%	236
KS	91%	9%	437
KY	75%	25%	84
MN	96%	4%	355
MO	86%	14%	553
NE	99%	1%	106
NJ	96%	4%	228
OH	96%	4%	491
OK	82%	18%	122
OR	95%	5%	158
TN	70%	30%	97
TX	85%	15%	422
WI	91%	9%	796
WY	81%	19%	134
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>9%</b>	<b>4,642</b>



**Table 138. Current service plan reflects what was talked about at the service plan meeting**

State	Yes, completely	Yes, in part	No	Observed N
AL	77%	18%	5%	70
AZ	90%	0%	10%	41
DE	86%	13%	1%	326
IN	85%	11%	4%	239
KS	89%	10%	1%	458
KY	82%	14%	4%	88
MN	95%	4%	1%	346
MO	94%	6%	0%	550
NE	40%	60%	0%	112
NJ	92%	8%	0%	222
OH	93%	7%	1%	466
OK	93%	1%	6%	123
OR	90%	9%	1%	162
TN	77%	17%	6%	97
TX	90%	7%	3%	408
WI	89%	10%	1%	802
WY	97%	1%	2%	148
<b>Weighted NCI-AD Average</b>	<b>90%</b>	<b>8%</b>	<b>2%</b>	<b>4,658</b>




**Table 139. Choices and preferences are reflected in current service plan**

State	Yes, all/completely	Yes, some/In Part	No	Observed N
AL	84%	15%	0%	81
AZ	86%	9%	5%	43
DE	84%	15%	2%	359
IN	86%	12%	2%	264
KS	86%	13%	2%	545
KY	77%	21%	2%	100
MN	90%	8%	3%	409
MO	86%	13%	1%	849
NE	69%	31%	0%	127
NJ	87%	12%	1%	262
OH	91%	8%	1%	509
OK	95%	4%	1%	139
OR	84%	15%	1%	207
TN	81%	17%	2%	148
TX	88%	11%	2%	467
WI	85%	13%	2%	895
WY	89%	9%	2%	190
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>11%</b>	<b>2%</b>	<b>5,594</b>

## *Self-Direction module*

*Note: all but one item in this section- 'Uses self-directed supports option' (Table 140) is part of a state option module.*






**Table 140. Uses self-directed supports option**

Information may only come from existing records; this differs from previous years as those indicated as “Don’t Know” are **not included** in the reporting of the measure.

State	State Average	Observed N	HCBS Only	Nursing Facility	PACE	MLTSS HCBS	Combined Medicaid	Aging Medicaid	PD Medicaid	OAA
AL	28%	384	60%	2%	n/a	n/a	60%	n/a	n/a	n/a
DE	32%	997	44%	0%	n/a	44%	n/a	n/a	n/a	n/a
GA	0%	428	0%	n/a	n/a	n/a	n/a	n/a	n/a	0%
IN	2%	85	2%	n/a	n/a	n/a	0%	n/a	n/a	n/a*
KY	25%	382	25%	n/a	n/a	46%	n/a	n/a	n/a	2%
MN	2%	1,422	2%	n/a	n/a	n/a	n/a	2%	2%	n/a
MO	49%	2,325	49%	n/a	n/a	n/a	50%	n/a	0%	n/a
NE	1%	855	3%	0%	n/a	3%	4%	n/a	n/a	n/a
NJ	26%	709	37%	0%	2%	38%	n/a	n/a	n/a	n/a
OH	0%	1,185	0%	n/a	n/a	0%	1%	0%	0%	n/a
OK	6%	749	6%	n/a	n/a	n/a	14%	n/a	n/a	0%
OR	43%	727	44%	0%	0%	n/a	52%	n/a	n/a	0%
TN	8%	785	17%	0%	0%	18%	n/a	n/a	n/a	n/a
TX	4%	1,491	4%	n/a	n/a	4%	n/a	n/a	n/a	n/a
WA	88%	1,630	98%	0%	n/a	98%	n/a	n/a	n/a	n/a
WI	48%	1,923	48%	n/a*	22%	24%	96%	n/a	n/a	n/a
WY	24%	402	24%	n/a	n/a	n/a	24%	n/a	n/a	n/a
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>16,483</b>	<b>33%</b>	<b>1%</b>	<b>3%</b>	<b>42%</b>	<b>32%</b>	<b>2%</b>	<b>2%</b>	<b>0%</b>

The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: VA. Programs with low response rates are denoted with “n/a\*”.

Note: This table has been updated since 5/27/25.




**Table 141. Makes decisions about services that are self directed***Proxy respondents were allowed for this question.*

State	Decisions about what services are received are made by a case manager or another professional employed by the state	Family/friend makes decision, person does not have input	Person has input, and family/friend helps	Person mostly makes decisions	Observed N
AL	7%	24%	22%	48%	169
DE	3%	21%	32%	44%	304
KY	1%	15%	43%	41%	103
MO	1%	3%	17%	79%	306
NJ	1%	22%	38%	39%	163
OR	6%	4%	30%	61%	54
TN	3%	14%	30%	53%	72
TX	6%	7%	20%	67%	52
WI	1%	4%	22%	73%	455
WY	2%	8%	24%	65%	84
<b>Weighted NCI-AD Average</b>	<b>2%</b>	<b>9%</b>	<b>25%</b>	<b>64%</b>	<b>1,787</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: NE, OH, OK.*


Has enough help deciding  
how to direct services, like  
making decisions about how and  
when services are received



**Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received***Proxy respondents were allowed for this question.*

State	Yes	Sometimes	No	Observed N
AL	96%	4%	0%	123
DE	92%	5%	3%	244
KY	95%	4%	1%	77
MO	92%	1%	7%	234
NJ	96%	2%	2%	110
OR	92%	3%	5%	37
TN	93%	7%	0%	39
TX	95%	5%	0%	40
WI	92%	4%	4%	370
WY	95%	2%	3%	63
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>2%</b>	<b>5%</b>	<b>1,354</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: NE, OH, OK*




**Table 143. Can make changes to the services and supports you self-direct if needed***Proxy respondents were allowed for this question.*

State	Yes	In-between	No	Observed N
AL	94%	6%	0%	124
DE	92%	6%	2%	240
KY	91%	6%	3%	70
MO	93%	4%	3%	232
NJ	94%	5%	1%	111
OR	97%	0%	3%	37
TN	91%	9%	0%	38
TX	91%	9%	0%	39
WI	94%	3%	3%	372
WY	95%	3%	2%	61
<b>Weighted NCI-AD Average</b>	<b>94%</b>	<b>4%</b>	<b>3%</b>	<b>1,341</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: NE, OH, OK*






**Table 144. Has the amount of control wanted with the services that are self-directed***Proxy respondents were allowed for this question.*

State	Yes	In-between	No	Observed N
AL	89%	0%	10%	124
DE	89%	7%	4%	244
KY	91%	7%	3%	76
MO	91%	6%	3%	234
NJ	93%	5%	2%	112
OR	92%	5%	3%	38
TN	91%	9%	0%	37
TX	87%	7%	6%	39
WI	92%	5%	3%	376
WY	94%	3%	3%	62
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>5%</b>	<b>4%</b>	<b>1,359</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: NE, OH, OK,*




**Table 145. Services and supports wanted to self direct are always available***Proxy respondents were allowed for this question.*

State	Yes	Sometimes	No	Observed N
AL	93%	6%	1%	122
DE	86%	9%	5%	241
KY	75%	12%	13%	76
MO	81%	10%	9%	230
NJ	90%	10%	1%	111
OR	83%	6%	11%	35
TN	89%	7%	5%	38
TX	83%	15%	2%	38
WI	87%	9%	4%	366
WY	77%	11%	11%	61
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>9%</b>	<b>7%</b>	<b>1,335</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: NE, OH, OK*


Gets information about  
budget and services from the  
financial management service  
(FMS)



**Table 146. Gets information about budget and services from the financial management service (FMS)***Proxy respondents were allowed for this question.*

State	Yes	Maybe, Not sure	No	Observed N
AL	45%	14%	41%	113
DE	31%	12%	57%	225
IN	17%	2%	81%	36
KY	51%	5%	44%	75
MO	37%	18%	46%	216
NJ	80%	11%	8%	98
OK	24%	7%	69%	63
OR	22%	9%	69%	32
TN	56%	19%	25%	29
TX	65%	22%	13%	36
WI	80%	3%	17%	352
WY	83%	4%	13%	54
<b>Weighted NCI-AD Average</b>	<b>48%</b>	<b>13%</b>	<b>39%</b>	<b>1,230</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: NE, OH, OK*




**Table 147. Information received from the FMS is easy to understand***Proxy respondents were allowed for this question.*

State	Yes, easy to understand on own	Some information is easy to understand or understands with help from others	No, not easy to understand and does not get help to understand	Observed N
AL	68%	31%	0%	59
DE	80%	18%	1%	67
KY	77%	21%	3%	38
MO	83%	14%	3%	76
NJ	82%	18%	0%	78
TX	92%	8%	0%	24
WI	82%	14%	5%	284
WY	69%	24%	7%	45
<b>Weighted NCI-AD Average</b>	<b>80%</b>	<b>17%</b>	<b>2%</b>	<b>697</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: IN, NE, OK, OR, TN*






**Table 148. Frequency of receiving information about budget and services from FMS***Proxy respondents were allowed for this question.*

State	At least every three months	About twice a year	Once a year or less	Observed N
AL	56%	10%	34%	49
DE	45%	40%	15%	63
KY	44%	26%	30%	27
MO	64%	17%	20%	66
NJ	70%	22%	9%	69
WI	84%	10%	6%	262
WY	60%	15%	25%	40
<b>Weighted NCI-AD Average</b>	<b>67%</b>	<b>17%</b>	<b>16%</b>	<b>619</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: IN, NE, OK, OR, TN, TX*



**Table 149. Parts of self-direction need help with***Proxy respondents were allowed for this question.*

State	Help with planning out service needs and setting up a schedule for staff	Help with getting staff paid	Help finding or keeping the staff you want	Help training staff	Help managing benefits for staff	Help understanding information you get from the FMS	More information about what services and supports you can get	Other	Does not need help with any of these things
AL	11%	16%	6%	8%	8%	21%	54%	5%	37%
KY	0%	1%	0%	1%	0%	1%	5%	1%	85%
MO	4%	5%	5%	3%	3%	6%	11%	3%	79%
NJ	2%	4%	2%	1%	2%	6%	13%	1%	79%
OR	5%	0%	5%	0%	0%	3%	18%	0%	71%
TN	9%	14%	17%	0%	7%	7%	12%	0%	65%
TX	5%	4%	2%	0%	33%	17%	20%	0%	37%
WI	5%	7%	9%	3%	3%	11%	23%	4%	63%
WY	8%	10%	22%	8%	11%	22%	24%	8%	38%
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>5%</b>	<b>5%</b>	<b>2%</b>	<b>3%</b>	<b>8%</b>	<b>18%</b>	<b>2%</b>	<b>71%</b>

*The following states are not included in the table due to low response rates (fewer than 20), their data are included in the Weighted NCI-AD Average: DE, NE, OH, OK*

**Part II: History and Methodology**

## Our History

The NCI-AD initiative grew from a desire of state aging and disability staff for quantifiable data on the experiences of people receiving state LTSS and whether those services and systems were helping them achieve valued outcomes such as self-determination, access to the community, satisfaction with home and daily activities.

Since 1997, public managers of state agencies on intellectual and developmental disabilities (IDD) have been collecting data of this type through [National Core Indicators](#)—Intellectual and Developmental Disabilities (NCI-IDD), overseen by the National Association of State Directors of Developmental Disabilities Services (NASDDDS) and the Human Services Research Institute (HSRI). Now, with NCI-AD, this data collection effort extends to aging and disabilities. In June 2013, ADvancing States and HSRI, partnering with a NCI-AD steering committee (comprised of state directors of aging and disabilities services), began developing performance indicators for NCI-AD's flagship survey – the Adult Consumer Survey (ACS). These indicators, which are regularly tested and refined, reflect priorities of aging and disability service participants as well as public managers of LTSS systems. Funding for the development of the ACS tool was supported by ADvancing States members and, in part, the Administration for Community Living (ACL).

In 2014, Georgia, Minnesota, and Ohio piloted the survey. Based on pilot results and participant feedback the ACS was refined and retested. The survey was finalized in March 2015. By June 2015, the first year of regular data collection began.

In 2022, NCI-AD piloted a State of the Workforce (SotW) survey with five participating states: Missouri, Washington, Colorado, Wisconsin, and Indiana. A first of its kind for the aging and disabilities field, this new effort collects and aggregates statewide information about wages, benefits, and turnover of the direct service workforce—as reported by the agencies that employ them. The first year of SotW-AD data collection occurred in 2023.

### *NCI-AD Indicators*

The NCI-AD Indicators are the standard measures used across states to assess the outcomes of services provided to older adults and people with physical disabilities receiving LTSS. Indicators address key areas of concern, including choice, respect/rights, service coordination, community access, choice, and health and safety. To see the entire list of indicators, please visit [https://nci-ad.org/images/uploads/2022-23\\_Indicators.pdf](https://nci-ad.org/images/uploads/2022-23_Indicators.pdf).

The current set of performance indicators includes approximately 100 outcomes that are important to understanding the overall performance of public developmental disabilities agencies. The indicators have remained generally consistent over the last several years and thus can be used to analyze system-level trends over time. However, the NCI-AD program is a dynamic effort that allows for measures to be added, dropped, or changed to reflect current and future priorities of participating states.

Measures are regularly refined and tested to ensure they remain valid, reliable and applicable to current issues in the field.

## How NCI-AD Data Are Used

The NCI-AD indicators provide information for quality management, research, and to inform policy decision making. The data are intended to be used in conjunction with other state data sources, such as risk management information, regional level performance data, results of provider monitoring processes, and administrative information gathered at the individual service coordination level. States typically use data to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Some states use these data as a source for supplemental performance measures in their home and community-based services (HCBS) waiver quality management systems and include the information in support of evidentiary reports to the Centers for Medicare & Medicaid Services (CMS). Some states are currently in the planning phase to use the data to meet other CMS reporting, such as the HCBS Quality Measure Set. Many states share data with stakeholder groups such as advisory councils, legislators, and advocates. States use feedback to help set priorities and establish policy direction. It is also important to note that states do not use the information in a punitive way to sanction service providers, nor do they use the results to remediate individual issues (unless specifically requested by the participant or required by law as in the case of suspected abuse, neglect, or mistreatment).

## Methodology

### Administration

A key principle of NCI-AD is the importance of gathering information directly from people receiving services. The indicators are meant to apply to all individuals receiving services from state aging and physical disability service systems, regardless of age, disability type, or other demographics. NCI-AD administration protocols dictate that every person selected into the sample is given an opportunity to respond and no one is prescreened or predetermined to be unable to respond. Information for Adult Consumer Survey is collected via a direct conversation with the person receiving services either face-to-face, secure video conference, or over the phone. Additionally, background information is primarily collected from the individual's record. The main survey includes questions about personal experiences that may only be answered by the individual receiving services. Some questions are more observable about the individual's involvement in the community, their choices, respect and rights, and their access to services. These questions allow for the use of "proxy" or other respondents who know the individual well (such as a family member or friend).

The Adult Consumer Survey includes three main survey sections:

**Background Information (BI) Section:** The BI Section collects demographic and service-related information about the service recipient. To the extent possible, data for the BI Section are derived from states' existing administrative records. BI items not available from state administrative data sources may be collected by surveyors at the end of the survey meeting. Surveyors may collect any missing BI information with the exception of five BI items that must be completed using administrative data sources (person's primary source of LTSS funding/program, LTSS services received through that program, length of receiving services, participation in a self-directed supports option, and legal guardianship status). Each BI item tracks whether data were derived from existing administrative records or collected by surveyors as part of the survey meetings.

**In-Person Survey:** The Full In-Person Survey consists of a total of approximately 90 questions, organized into thematic sub-sections with related questions grouped together (e.g., questions about employment are in the same section; questions about the home are in a separate section, etc.). The Full In-Person Survey is completed face-to-face with the person receiving services. The respondent may ask their proxy (e.g. a family member or a close friend) for assistance with answering some of the questions, if needed. The Full In-Person Survey includes both subjective and objective questions; proxy assistance is only allowed for a subset of more objective items. A “Proxy Version” of the survey is made available in the limited instances when only a proxy respondent answers survey questions because the person receiving services is unable or unwilling to provide valid responses. This survey includes only the objective, proxy allowed questions.

**Surveyor Feedback Form:** The Surveyor Feedback Form is completed by surveyors after the survey meeting is concluded. It collects information about the survey meeting itself, such as when and where the meeting took place, how long it took, who was present, the respondent’s level of comprehension, etc. Surveyors are also asked to provide any feedback they may have about the survey tool itself or the survey process overall.

## *Proxy Respondents*

The NCI-AD Adult Consumer Survey does allow for the use of proxies in some circumstances. By excluding proxy responses, a certain group of service recipients (most of whom are unable to respond due to cognitive or other types of limitations) would be unrepresented in the data. Thus, the NCI-AD program protocols stipulate that proxy respondents are allowed, though only for a subset of more objective questions and only in situations where the service recipient themselves either could not provide valid responses or chose to have a proxy respondent assist or answer on their behalf.

Studies have found the greatest discrepancies between service recipient and proxy responses occur when the information being collected is subjective (i.e., related to how the individual feels, which means proxies would be aware of the correct answers only if the service recipient had previously expressed their feelings)<sup>1</sup>. Questions relating to observable behaviors tend to have higher levels of agreement.

The use of proxy respondents for the NCI-AD Adult Consumer Survey is limited to a subset of more objective questions, which relate to observable and/or measurable events or circumstances. Questions in the Survey that pertain to personal experiences and that require subjective responses may only be answered by the service recipients themselves and do not allow for proxy responses.

NCI-AD protocols require that surveyors first attempt each interview directly with the individual receiving services. Only after meeting with the service recipient and attempting the interview can the surveyor make the determination that a proxy respondent is needed. That determination is made based on the way the service recipient answers the first set of survey questions. NCI-AD protocols do not allow for a proxy determination to be made based on a phone conversation or relying on someone else’s input.

The service recipient may be able to answer most questions in the survey but request the help of a proxy assistant intermittently for some of the survey questions. In this case, the Full In-Person

---

<sup>1</sup> Magaziner, Jay, Sheryl Zimmerman, Ann L. Gruber-Baldini, J. Richard Hebel, and Kathleen M. Fox. "Proxy Reporting in Five Areas of Functional Status Comparison with Self-Reports and Observations of Performance." *American Journal of Epidemiology* 146.5 (1997): 418-28.



Survey is used. Specific items that allow for proxy assistance are identified through the Full Survey; each of these items tracks whether a proxy provided the answer, as well as the relationship of the proxy to the service recipient. If both the service recipient and the proxy respondent answer a question, the service recipient's answer is recorded so long as that answer is deemed reliable by the interviewer. Non-proxy items in the Full Survey are asked only of the service recipient themselves.

If the surveyor makes the determination that a proxy is needed for the entirety of the survey, a Proxy Version of the Adult Consumer Survey is used to conduct the interview. Figure 5 below indicates how often the Proxy Version was used in 2023-24 data collection cycle in each state.

**Figure 3. Proxy Version: Frequency of Use by State Proxy Version: Frequency of Use by State**

State	Proxy Version	Full Survey	Observed N
AL	51%	49%	384
AZ	47%	53%	402
DE	21%	79%	997
GA	23%	77%	501
IN	26%	74%	1,231
KS	18%	82%	1,237
KY	26%	74%	397
MN	29%	71%	1,422
MO	21%	79%	2,325
NE	6%	94%	856
NJ	27%	73%	710
OH	20%	80%	1,480
OK	16%	84%	755
OR	28%	72%	727
TN	38%	62%	787
TX	14%	86%	1,492
VA	23%	77%	1,000
WA	15%	85%	1,631
WI	22%	78%	2,305
WY	9%	91%	402
<b>NCI-AD Average</b>	<b>22%</b>	<b>78%</b>	<b>21,041</b>

NCI-AD aims to increase the validity and reliability of proxy responses by training and emphasizing to interviewers that only those people who know the service recipient well (family, friends, certain staff, etc.) should serve as proxy respondents. To avoid conflict of interest, case managers are generally not allowed to respond as proxies.

## Surveyor Training

States employ a variety of individuals to conduct the NCI-AD Adult Consumer Survey. To avoid conflict of interest, surveys cannot be administered by the consumer's service provider, their case manager, a relative, or other close contact. Given this constraint, states generally use private contractors or state quality assurance staff to conduct the surveys, though they may in some cases use universities, advocacy organizations, and/or peer interviewers.

HSRI and ADvancing States project staff implements a required, standardized training for NCI-AD surveyors each year. Training includes asynchronous and synchronous trainings that includes an in-depth review of: the NCI-AD program, survey administration protocol and procedures, and the survey tool. The goal of trainings is to provide a standardized training to ensure uniform application of the survey. Returning participating states are asked to identify one or more lead trainers, responsible for ongoing training of returning surveyors and full training of any new surveyor staff. HSRI and ADvancing States train all lead trainers for their role and provide them with all necessary standardized training materials.

An additional session reviews the process for entering survey data in the Online Data Entry Survey Application (ODESA).

## Sampling

Each state is instructed to complete a minimum of 400 surveys with a random sample of older adults and adults with a physical disability who are receiving at least one publicly funded service beyond case management. A sample size of 400 ensures a high confidence level and relatively narrow margin of error (approximately 95% confidence level and 5% margin of error) for the state estimate, regardless of how large the service population is in the state. A 95% confidence level and a margin of error of +/-5% is mandatory for each state's sample to be included in this report.

Most states chose to conduct the survey with a sample larger than 400. The oversampling is usually done by funding program to obtain stable results for each program (in addition to the state estimate). This allows the state to draw conclusions about populations within those programs and make comparisons between them. Other sampling strategies have included oversampling by region, managed care organization (MCO), and racial/ethnic group.

The NCI-AD project team works with each state to design and track its sampling strategy and then construct appropriate analysis (including analysis weights). Whether the sampling is done from an overall service population (i.e., simple random) or individually by program, region, or other strata (i.e., stratified random), the state must always adhere to the guidelines of selecting survey participants randomly from among the pool of eligible service recipients. Furthermore, the NCI-AD project team works with each state to define program populations (or other strata populations) in such a way that they do not overlap.

See detailed state sample information in Appendix A.

## Data Analysis

### *Data Management and Analysis*

HSRI coordinates the NCI-AD Adult Consumer Survey data management and analysis. Most states enter data into an online data entry system specifically designed for the purposes of this project (ODESA®). HSRI staff subsequently download the data into an SPSS data file. This data file is then “cleaned” (reviewed for completeness and compliance with standard NCI-AD formats) and invalid responses are eliminated. Files from individual states are merged into a single SPSS file. The merged file from 2023-24 data collection cycle was used for all analyses in this report. Below is a summary of the statistical procedures used to analyze 2023-24 NCI-AD Adult Consumer Survey data.

#### **Collapsing Responses**

For many of the outcomes in this report, only “yes” responses are analyzed and reported for state-to-state comparisons. However, there are several items for which the “yes” responses were collapsed with the middle responses (for example, a “sometimes” response, or an “in-between” response) to form binary variables for analysis and subsequent reporting. Appendix A contains the collapsing and recoding rules. Unless otherwise stated, “don’t know” and unclear/refused responses were excluded. Un-collapsed data with all response options, including “don’t know” and unclear/refused/no response categories, shown by state can be found in Appendix A.

#### **Weights**

Many of the states proportionally oversampled one or more of their programs—that is, a particular program constituted a larger proportion of the sample than it did as proportion of the population receiving services. To account for some programs being proportionally over-represented in state samples and program categories, statistical weights were developed and applied when estimating state averages and category averages. Weights were developed using the sample proportions and the true population proportions of each program included for analysis within the state.

Similarly, the overall NCI-AD Average and the overall program category averages are also weighted averages—that is, their calculations take into account each state’s sample size as well as the size of the state’s population eligible to be included in the survey sample. The weights that each state contributes to the calculation of the overall NCI-AD and overall program category averages are proportional to the population served eligible to be included in the survey in that state (and taking into account the state’s sample size).

The NCI-AD project team works with each individual state at the onset of data collection to define program populations in such a way that they do not overlap, and to determine and track the size of the population of service recipients in each of the state’s programs who were eligible to be included in the survey. These population numbers, together with corresponding sample numbers, are then used to calculate the various sets of weights for analysis.

For exact calculations of all sets of weights, please contact the project team.

#### **Risk-adjustment**

Beginning in 2021-22, there is no risk-adjustment used in ACS analysis. As this is the first full round of NCI-AD reporting since 2018-19, we took this opportunity to review risk adjustment methodology.

The basis for risk adjustment review and decisions was the framework developed by NQF in their 2021 technical report, [“Developing and Testing Risk Adjustment Models for Social and Functional Status-Related Risk Within Healthcare Performance Measurement.”](#)

The risk adjustment review and decision process was grounded in the shared belief that best practices in services to people with IDD should incorporate person-centered planning and service provision. By definition, person-centered practices, in general, involve tailoring services to the needs and preferences of service users. For example, services delivered to people whose primary language is not English should include translation services, to ensure that such people are not disadvantaged in their access to services. Put another way, a service system whose non-English speaker users have worse outcomes due to language barriers is not performing at the “best practice” level. The implication is that in measuring most outcomes, language differences in outcomes should reflect poorly on the service system and this should translate into lower values on the measure. Adjusting the measure for primary language to essentially “level the playing field” for those service systems with large populations of non-English speakers would limit our ability to assess the capacity of those systems in accommodating the translation needs of its service users. In short, the measure would fail to assess the person-centeredness of the service systems. Similar arguments can be made for many demographic factors that aging and disability service system should be expected to mitigate if it is to successfully employ person-centered practices. In other words, adjustment for social and functional factors is only rarely defensible in person-centered performance measurement.

This notion is supported by the emerging literature on risk adjustment of HCBS performance measures. For example, a recent scoping review of risk adjusters used in HCBS measures<sup>2</sup> found no outcome measures in the Person-Centered Planning and Coordination domain that were risk adjusted in any of the reviewed studies.

### **Criteria for Exclusion of Responses**

All consumers selected into the survey sample are given an opportunity to participate in the survey. There are no prescreening procedures. Exclusion of responses occurs at the time of data analysis, based on whether the interviewer indicated that the answers were provided in an invalid and/or inconsistent way (as recorded in the Interviewer Feedback Form). There is no minimum threshold number of answers given for a survey to be included for purposes of analysis.

---

<sup>2</sup> Houseworth, J., Kilabera, T., Ticha, R., & Abery, B. (2022). Risk adjustment in home and community based services outcome measurement. *Frontiers in Rehabilitation Sciences*, 3:830175. <https://doi.org/10.3389/fresc.2022.830175>.

**Questions or comments about this report? Contact us:**

**Stephanie Giordano**

Human Services Research Institute

Email: [sgiordano@hsri.org](mailto:sgiordano@hsri.org)

**Rosa Plasencia**

ADvancing States

Email: [rplasencia@ADvancingstates.org](mailto:rplasencia@ADvancingstates.org)

*Please see appendices for additional information on state samples, rules for collapsing and recoding measures, and un-collapsed outcome measures.*

- APPENDIX A: State Samples
- APPENDIX B: Rules for collapsing and recoding
- APPENDIX C: Uncollapsed and unadjusted data