

National Core Indicators- Aging and Disabilities (NCI-AD) Adult Consumer Survey State Results

Delaware

Table of Contents: Delaware NCI-AD State Report

Introduction	
Adult Consumer Survey	
Delaware Sample	
Table A. Statewide Sample	
Table B. Classification of 2022-23 State programs	
What is included in this report?	
Presentation of Data	
Accessibility Statement	
Demographics	
Table 1. Average age (reported for those under 90 years old)	
Table 2. Age Category (including those 90 and older)	
Table 3. Gender	
Table 4. Race and ethnicity	
Table 5. Marital status	
Table 6. Preferred language	
Table 7. Preferred means of communication	
Table 8. Residential designation	
Table 9. Median area income (based on zip code)	
Table 10. Type of Residence	
Table 11. Who the person lives with	
Table 12. Address changed in the past 6 months	
Table 13. Where people moved from (if moved in the last 6 months)	
Table 14A. Diagnoses	

Table 14B. Diagnoses (continued)	28
Table 15. Person has chronic psychiatric or mental health diagnosis	29
Table 16. Level of Mobility	
Table 17. Has history of frequent falls (more than two falls in a six-month period)	31
Table 18. Receives Medicare	32
Table 19. Length of time receiving LTSS services in current program	33
Table 20. Person has legal guardian	34
Table 21. Amount of paid supports received	35
Table 22. Person has remote supports	36
Outcome Tables	37
Community Participation	
Table 23. Gets to do things outside of their home as much as they want to	40
Table 24. Takes part in activities with others as much as they want to (in-person or virtually)	42
Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually	44
Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (cont	inued)46
Access to the Community	47
Table 26. Has transportation to do the things they want outside of home	49
Table 27. Has transportation to get to medical appointments	51
Everyday Living	52
Table 28. Needs assistance with everyday activities (such as preparing meals, housework, shopping or taking their medio	cations)54
Table 29. Always gets enough support for everyday activities (if needs at least some assistance)	56
Table 30. Needs assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around the	ir home)58
Table 31. Always gets enough support for self-care (if needs at least some assistance)	60
Work	61
Table 32. Has a paid job	63

Table 33. Wants a paid job (if they do not currently have one)	65
Table 34. Someone talked with them about job options (if they do not currently have a job but want one)	67
Table 35. Person volunteers	
Table 36. Wants to volunteer (if they do not currently)	71
Relationships	72
Table 37. Has friends or family they do not live with who are a part of their life	74
Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with wh of their life)	
Table 39. Reasons not always able to see or talk to their friends and family when they want	
Service Coordination	
Table 40A. How first found out about services they can get	
Table 40B. How first found out about services they can get (continued)	
Table 41. Can contact their case manager or care coordinator when needs to	
Table 42. Who helps person most often (if anyone helps on a regular basis)	
Table 43. Additional people who help person on a regular basis	
Table 44. People who are paid to help them come and leave when they are supposed to	
Table 45. Has a backup plan if their people who are paid to help them do not show up	
Table 46. Has an emergency plan in place in case of widescale emergency	
Table 47. Knows whom to contact if they have a complaint about their services	
Table 48. Knows whom to contact if they want to make changes to services	
Table 49. Services meet all current needs	
Table 50A. Additional services and supports needed (if all current needs and goals are not being met)	
Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)	
Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)	

Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals an being met and has a case manager)	
Table 52. Service providers work together to provide support	111
Care Coordination	112
Table 53. Knows how to manage chronic conditions (if has at least one)	114
Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home	116
Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overni stay in the past 12 months and was discharged to go home)	0
Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing (if had an overnight stay in the past 12 months and was discharged to go home)	
Choice and Control	121
Table 57. Feels in control of their life	123
Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)	125
Table 59. Can choose or change their roommate (if living in a group setting and has a roommate)	127
Table 60. Can get up and go to bed when they want to	129
Table 61. Can eat their meals when they want to	131
Table 62. Can choose or change their services	133
Table 63. Can choose or change when and how often they receive services	135
Table 64. Can choose or change the people who provide paid supports if wants	137
Satisfaction	138
Table 65. Services help them live the life they want	140
Table 66. Case manager/care coordinator changes too often	142
Table 67. People who are paid to help them change too often	144
Table 68. Likes where they live	146
Table 69A. Reasons does not like where they live (if does not always like where they live)	148

Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)	
Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)	
Table 70. Wants to live somewhere else	
Table 71. Where person would prefer to live (if wants to live somewhere else)	
Table 72. People who are paid to help them do things the way they want them done	
Table 73. Usually likes how they spend their time during the day	
Technology	
Table 74. Has access to the internet	
Table 75. Frequency with which people use the internet	
Table 76. Always has a stable internet connection	
Table 77. Has talked to health professionals using video conference/telehealth	
Table 78. Liked talking to health care providers using telehealth	
Access to Needed Equipment	
Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them	
Table 80. Needs other bathroom modifications but does not have them	
Table 81. Needs a shower chair but does not have one	
Table 82. Needs a specialized bed but does not have one	
Table 83. Need for a ramp (either inside or outside of their residence) but does not have one	
Table 84. Needs other home modifications that does not have	
Table 85. Needs a wheelchair but does not have one	
Table 86. Needs a scooter but does not have one	
Table 87. Needs a walker but does not have one	
Table 88. Needs hearing aids but does not have them	
Table 89. Needs glasses but does not have them	
Table 90. Needs personal emergency response system (PERS) but does not have one	

Table 91. Needs an oxygen machine but does not have one	
Table 92. Needs other assistive technology equipment but does not have	
Table 93. Needs other equipment but does not have	
Medications	203
Table 94. Knows what prescription medications are for	205
Table 95. Takes medication to help feel less sad or depressed	
Health care	
Table 96. Has access to mental health services if they want them	
Table 97. Can get an appointment to see or talk to their primary care doctor when they need to	
Table 98. Went to the emergency room for any reason in the past 12 months	
Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance	
Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain	
Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care $_{ m D}$	physician 220
Table 102. Had a physical exam or wellness visit in the past 12 months	
Table 103. Had a hearing exam in the past 4 years	
Table 104. Had a vision exam in the past year	
Table 105. Had a dental visit in the past 12 months	
Table 106. Had a flu shot in the past 12 months	230
Table 107. Received the COVID-19 Vaccine	
Wellness	
Table 108. Has access to healthy foods when they want them	
Table 109. Overall Health	
Table 110. Health compared to 12 months ago	
Table 111. In the past 12 months, forgets things more often than before	241

Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the pas	
months)	
Table 113. Amount of physical activity per week	
Table 114. Often feels lonely	
Affordability	
Table 115. Ever has to skip meals due to financial worries	
Safety	251
Table 116. They or someone else has concerns about falling or being unstable	253
Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)	255
Table 118. Able to get to safety quickly in case of an emergency	257
Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others	259
Table 120. Are ever worried for the security of their personal belongings	261
Table 121. Someone used or took their money without their permission in the past 12 months	
Table 122. Feels safe around people who are paid to help them	
Rights and Respect	
Table 123. Gets information about services in their preferred language (if preferred language is not English)	
Table 124. Services and supports are delivered in a way that is respectful of their culture	270
Table 125. People who are paid to help them treat them with respect	272
Table 126. Others ask before coming into their home/room (if living in a group setting)	274
Table 127. Able to lock doors to room (if living in a group setting)	
Table 128. Has enough privacy where lives (if living in a group setting)	
Table 129. Can have visitors at any time (if living in a group setting)	
Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting)	
Person-Centered Planning	
Table 131. Involvement in making decisions about what is in the service plan	

able 132. Remembers their last service planning meeting	
able 133. Service planning meeting took place at a time that was good for them	
able 134. Service planning meeting took place in a place that was good for them	291
able 135. Service planning meeting included the people they wanted to be there	
able 136. People at the service planning meeting listened to needs and preferences	295
able 137. Received a copy of the service plan after the service planning meeting	
able 138. Current service plan reflects what was talked about at the service plan meeting	
able 139. Choices and preferences are reflected in current service plan	
Direction	
able 140. Uses self-directed supports option	
able 141. Makes decisions about services that are self directed	
able 142. Has enough help deciding how to direct services, like making decisions about how and when services are rece	vived 307
able 143. Can make changes to the services and supports you self-direct if needed	
able 144. Has the amount of control wanted with the services that are self-directed	
able 145. Services and supports wanted to self direct are always available	
able 146. Gets information about budget and services from the financial management service (FMS)	
able 147. Information received from the FMS is easy to understand	
able 148. Frequency of receiving information about budget and services from FMS	
able 149. Parts of self-direction need help with	

Introduction

Established in 2015, National Core Indicators—Aging and Disabilities[™] (NCI-AD[™]) is a voluntary effort by state aging and physical disability agencies to measure and track their performance using a standardized set of nationally validated measures. The effort is coordinated by Advancing States and Human Services Research Institute (HSRI). Learn more about our history <u>here</u>.

In 2022-23 a total of 18 states participated in NCI-AD. Not all participating states do all surveys every year.

Adult Consumer Survey

The NCI-AD Adult Consumer Survey (ACS), is standardized survey conducted with a person receiving long term services and supports (LTSS) through state aging and physical disability systems. Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person –demographic and service-related data – mainly from service agency records. In 2022-23, the survey included two state-optional modules:

Person-Centered Planning Module (state-optional). This is a state-optional series of questions that ask about the person-centered planning process, including the person's experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: AL, CO, DE, GA, IN, KS, KY, MN, MO, ND, NE, NJ, OH, OK, TN, WA, and WI.

Self-direction Module (state-optional). This state-optional module was added to the 2022-23 ACS. Questions in this section are asked only of those who are using a self-directed supports option and assess experiences specific to self-direction. The following states conducted the Self-direction module: AL, CO, DE, GA, IN, KS, KY, MI, MN, MO, ND, NE, NJ, OH, OK, TN, WA, and WI.

Delaware Sample

There is considerable variation in how states' long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. The NCI-AD project team works closely with each participating NCI-AD state to advise and track which LTSS program populations and sub-populations are included in the state's sampling strategy, how that sample is designed and how many surveys are targeted for completion. See detailed information on state sample frames <u>here</u>.

Table A. Statewide Sample

Total Sample Frame	Total Surveys Completed	Overall Margin of Error
8,524	734	3.62%

Table B. Classification of 2022-23 State programs

Program	Funding Source	Description of Program	Total Population Eligible for NCI-AD	Total Usable Surveys Collected	MoE (95%Confidence, 0.5 Distribution)	MoE (95%Confidence, 0.7 Distribution)
Highmark- HCBS	Medicaid administrative funds and state Medicaid funds	Sample drawn from a population of Medicaid- enrolled HCBS recipients and stratified by two MCOs — AmeriHealth and Highmark.	3,618	280	5.9%	5.4%
Highmark-NF	Medicaid administrative funds and state Medicaid funds	Sample drawn from a population of Medicaid- enrolled skilled nursing facility recipients and stratified by two MCOs — AmeriHealth and Highmark.	1,494	100	9.8%	9.0%
AmeriHealth- HCBS	Medicaid administrative funds and state Medicaid funds	Sample drawn from a population of Medicaid- enrolled skilled nursing facility recipients and stratified by two MCOs — AmeriHealth and Highmark.	2,276	274	5.9%	5.4%
AmeriHealth- NF	Medicaid administrative funds and	Sample drawn from a population of Medicaid- enrolled skilled nursing	1,136	80	11.0%	10.0%

Program	Funding Source	Description of Program	Total Population Eligible for NCI-AD	Total Usable Surveys Collected	MoE (95%Confidence, 0.5 Distribution)	MoE (95%Confidence, 0.7 Distribution)
	state Medicaid funds	facility recipients and stratified by two MCOs — AmeriHealth and Highmark.				

What is included in this report?

This report presents Delaware's 2022-23 ACS demographics and outcomes results. Data are shown for the overall statewide average, broken out by program sampled, and include the weighted NCI-AD Average.

<u>Please note</u>: Extreme caution should be used when interpreting results where the number of valid responses is small. Each program's valid number of responses (valid Ns) is shown in every chart and table in this report. To protect people's privacy we do not show the data when 20 or fewer people from a state or within a program responded to a question, however their data are included in the overall state average.

Presentation of Data

Data may be viewed as bar charts or in tables by clicking the appropriate tab for each outcome. Data presented in charts are "collapsed" meaning that data grouped by response options to what is considered to reflect a positive outcome and all other responses. Tables represent the un-collapsed data outcomes. All NCI-AD data are collapsed "yes" responses only, unless otherwise noted.

All state and NCI-AD averages throughout this report are "weighted" to account for any non-proportional sampling of programs and to "rebalance" the states' sample sizes according to their populations of survey-eligible service recipients. See more details on weighting in Part II of this report.

Accessibility Statement

National Core Indicators strives to develop accessible resources to support equitable access to information about quality of services. While all charts in this report have been marked as decorative, the data from the charts is all represented in the tables which have been reviewed for accessibility. Should you require other accommodations to make this report accessible for you, please reach out to us at <u>nci@nationalcoreindicators.org</u>.

Demographics

Table 1. Average age (reported for those under 90 years old)

Program	Age	Ν
Highmark-HCBS	58.6	264
Highmark-NF	72.1	87
AmeriHealth-HCBS	59.6	262
AmeriHealth-NF	75.6	78
Overall DE Average	63.4	691
Weighted NCI-AD Average	67.2	14,414

Table 2. Age Category (including those 90 and older)

Program	18-44	45-65	66-89	90+	N
Highmark-HCBS	19%	41%	34%	6%	280
Highmark-NF	2%	17%	68%	13%	100
AmeriHealth-HCBS	19%	40%	37%	4%	274
AmeriHealth-NF	1%	15%	81%	3%	80
Overall DE Average	14%	33%	47%	6%	734
Weighted NCI-AD Average	7%	30%	56%	6%	15,167

Table 3. Gender

Program	Male	Female	Other	Don't know or unclear	Ν
Highmark-HCBS	53%	47%	0%	0%	280
Highmark-NF	48%	52%	0%	0%	100
AmeriHealth-HCBS	50%	50%	0%	0%	274
AmeriHealth-NF	51%	49%	0%	0%	80
Overall DE Average	51%	49%	0%	0%	734
Weighted NCI-AD Average	34%	65%	0%	0%	15,349

Table 4. Race and ethnicity

Categories are not mutually exclusive, therefore N is not shown.

Program	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't know or unclear
Highmark-HCBS	0%	1%	17%	0%	20%	2%	1%	0%
Highmark-NF	0%	0%	6%	0%	11%	1%	0%	0%
AmeriHealth-HCBS	1%	1%	12%	0%	11%	2%	1%	0%
AmeriHealth-NF	0%	0%	3%	0%	10%	0%	0%	0%
Overall DE Average	1%	3%	38%	1%	52%	5%	2%	0%
Weighted NCI-AD Average	2%	4%	24%	0%	65%	4%	1%	2%

Table 5. Marital status

Program	Single, never married	Married or in domestic partnership	Separated or divorced	Widowed	Don't know or unclear	Ν
Highmark-HCBS	48%	15%	20%	17%	0%	240
Highmark-NF	15%	14%	22%	44%	6%	96
AmeriHealth-HCBS	46%	17%	17%	21%	0%	232
AmeriHealth-NF	13%	18%	27%	39%	3%	77
Overall DE Average	36%	16%	20%	26%	2%	645
Weighted NCI-AD Average	27%	17%	28%	25%	4%	14,363

Table 6. Preferred language

Program	English	Spanish	Other	Don't know or unclear	Ν
Highmark-HCBS	99%	1%	0%	0%	280
Highmark-NF	98%	2%	0%	0%	100
AmeriHealth-HCBS	97%	3%	0%	0%	274
AmeriHealth-NF	100%	0%	0%	0%	80
Overall DE Average	98%	2%	0%	0%	734
Weighted NCI-AD Average	90%	2%	5%	2%	15,005

Table 7. Preferred means of communication

New Question in 2022-23

Program	Spoken	Gestures or body language	Sign language or finger spelling	Communication aid or device	Other	Don't Know	Ν
Highmark-HCBS	100%	0%	0%	0%	0%	0%	280
Highmark-NF	100%	0%	0%	0%	0%	0%	100
AmeriHealth-HCBS	100%	0%	0%	0%	0%	0%	274
AmeriHealth-NF	100%	0%	0%	0%	0%	0%	80
Overall DE Average	100%	0%	0%	0%	0%	0%	734
Weighted NCI-AD Average	95%	2%	0%	0%	1%	2%	14,370

Table 8. Residential designation

Categories created using zip codes and corresponding RUCA codes.

Program	Metropolitan	Micropolitan	Rural	Small town	Don't Know	N
Highmark-HCBS	80%	15%	0%	5%	0%	280
Highmark-NF	83%	9%	0%	8%	0%	100
AmeriHealth-HCBS	85%	13%	0%	2%	0%	274
AmeriHealth-NF	85%	14%	0%	1%	0%	80
Overall DE Average	83%	13%	0%	4%	0%	734
Weighted NCI-AD Average	72%	14%	5%	9%	1%	14,726

Table 9. Median area income (based on zip code)

Program	\$0- \$9,999	\$10,000- \$19,999	\$20,000- \$29,999	\$30,000- \$39,999	\$40,000- \$49,999	\$50,000- \$59,999	\$60,000- \$69,999	\$70,000- \$79,999	\$80,000- \$89,999	\$90,000- \$99,999	\$100,000 and over	N
Highmark-HCBS	0%	0%	0%	4%	6%	28%	41%	2%	13%	5%	1%	280
Highmark-NF	0%	0%	0%	0%	0%	25%	33%	0%	20%	6%	16%	100
AmeriHealth- HCBS	0%	0%	0%	6%	9%	21%	36%	3%	18%	6%	1%	274
AmeriHealth-NF	0%	0%	0%	0%	0%	19%	33%	6%	15%	19%	9%	80
Overall DE Average	0%	0%	0%	3%	5%	24%	37%	2%	16%	7%	5%	734
Weighted NCI- AD Average	1%	0%	1%	9%	25%	29%	15%	9%	6%	3%	3%	14,656

Table 10. Type of Residence

Program	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't know or unclear	Ν
Highmark- HCBS	78%	6%	4%	5%	5%	1%	1%	0%	241
Highmark-NF	0%	0%	0%	0%	100%	0%	0%	0%	100
AmeriHealth- HCBS	80%	9%	2%	4%	4%	0%	0%	0%	233
AmeriHealth- NF	0%	0%	0%	0%	100%	0%	0%	0%	80
Overall DE Average	52%	5%	2%	3%	37%	0%	0%	0%	654
Weighted NCI- AD Average	73%	6%	2%	8%	10%	0%	1%	1%	14,995

Table 11. Who the person lives with

Categories are not mutually exclusive, therefore N is not shown.

Program	No One – Lives Alone	Spouse or Partner	Other Family	Friend(s)	Live-in PCA	Others	Don't Know or unclear
Highmark-HCBS	13%	6%	18%	1%	1%	4%	0%
Highmark-NF	0%	0%	0%	0%	0%	19%	0%
AmeriHealth-HCBS	8%	4%	12%	0%	1%	2%	0%
AmeriHealth-NF	0%	0%	0%	0%	0%	15%	0%
Overall DE Average	21%	10%	30%	1%	2%	40%	0%
Weighted NCI-AD Average	48%	14%	24%	1%	2%	10%	4%

Table 12. Address changed in the past 6 months

Program	Yes	No	Don't Know or Unclear	Ν
Highmark-HCBS	3%	97%	0%	241
Highmark-NF	0%	100%	0%	100
AmeriHealth-HCBS	3%	97%	0%	234
AmeriHealth-NF	0%	100%	0%	80
Overall DE Average	2%	98%	0%	655
Weighted NCI-AD Average	5%	91%	3%	13,850

Table 13. Where people moved from (if moved in the last 6 months)

Program	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't know or unclear	Ν
Weighted NCI-AD Average	58%	4%	3%	7%	10%	2%	10%	7%	701

Table 14A. Diagnoses

Categories are not mutually exclusive; therefore, N is not shown.

Program	Physical Disability	Traumatic brain injury or other acquired brain injury	Intellectual or other developmental disability	Alzheimer's disease or other dementia	Heart Disease	Cancer
Highmark-HCBS	28%	6%	7%	6%	12%	3%
Highmark-NF	13%	1%	1%	6%	8%	2%
AmeriHealth-HCBS	17%	4%	4%	3%	8%	2%
AmeriHealth-NF	7%	1%	0%	5%	6%	2%
Overall DE Average	65%	12%	11%	20%	34%	8%
Weighted NCI-AD Average	63%	11%	6%	14%	36%	13%

Table 14B. Diagnoses (continued)

Categories are not mutually exclusive; therefore, N is not shown.

Limited or no vision and hearing loss were newly added in 2022-23.

Program	Chronic Obstructive pulmonary disease (COPD)	Stroke	Diabetes	Hypertension (or high blood pressure)	Limited or no vision- legally blind	Hearing loss- severe or profound
Highmark-HCBS	6%	7%	12%	25%	7%	6%
Highmark-NF	3%	7%	7%	15%	2%	3%
AmeriHealth- HCBS	3%	5%	10%	15%	3%	3%
AmeriHealth-NF	2%	4%	5%	11%	2%	4%
Overall DE Average	14%	22%	34%	66%	14%	16%
Weighted NCI-AD Average	24%	18%	38%	60%	15%	11%

Table 15. Person has chronic psychiatric or mental health diagnosis

Program	Yes	No	Don't Know or Unclear	N
Highmark-HCBS	31%	67%	2%	235
Highmark-NF	21%	77%	2%	96
AmeriHealth-HCBS	16%	82%	2%	230
AmeriHealth-NF	18%	81%	1%	78
Overall DE Average	23%	75%	2%	639
Weighted NCI-AD Average	36%	62%	2%	13,515

Table 16. Level of Mobility

Categories are not mutually exclusive (except 'Don't know or unclear').

Program	Non- Ambulatory	Moves self with wheelchair	Moves self with other aids	Moves self without aids	Don't Know or unclear
Highmark-HCBS	6%	8%	21%	12%	0%
Highmark-NF	7%	9%	6%	3%	0%
AmeriHealth-HCBS	4%	7%	12%	7%	0%
AmeriHealth-NF	4%	8%	3%	3%	0%
Overall DE Average	20%	31%	43%	24%	0%
Weighted NCI-AD Average	8%	22%	58%	24%	4%

Table 17. Has history of frequent falls (more than two falls in a six-month period)

Program	Yes	No	Don't Know or Unclear	N
Highmark-HCBS	28%	72%	0%	236
Highmark-NF	34%	65%	1%	95
AmeriHealth-HCBS	26%	74%	0%	230
AmeriHealth-NF	32%	68%	0%	78
Overall DE Average	29%	71%	0%	639
Weighted NCI-AD Average	29%	66%	5%	13,727

Table 18. Receives Medicare

information required to come from administrative records

Program	Yes	No	Don't Know or Unclear	Ν
Highmark-HCBS	76%	24%	0%	280
Highmark-NF	92%	8%	0%	100
AmeriHealth-HCBS	79%	21%	0%	274
AmeriHealth-NF	93%	8%	0%	80
Overall DE Average	82%	18%	0%	734
Weighted NCI-AD Average	76%	17%	7%	13,432

Table 19. Length of time receiving LTSS services in current program

information required to come from administrative records

Program	0 - 5 months	6 months – less than 1 year	1 year – less than 3 years	3 or more years	Don't know or unclear	N
Highmark-HCBS	0%	0%	0%	100%	0%	280
Highmark-NF	0%	0%	6%	94%	0%	100
AmeriHealth-HCBS	1%	9%	47%	42%	0%	274
AmeriHealth-NF	23%	34%	28%	16%	0%	80
Overall DE Average	3%	7%	17%	72%	0%	734
Weighted NCI-AD Average	2%	6%	35%	37%	20%	13,937

Table 20. Person has legal guardian

information required to come from administrative records

Program	Yes	No	Don't Know or Unclear	N
Highmark-HCBS	2%	98%	0%	280
Highmark-NF	3%	97%	0%	100
AmeriHealth-HCBS	3%	97%	0%	274
AmeriHealth-NF	3%	98%	0%	80
Overall DE Average	2%	98%	0%	734
Weighted NCI-AD Average	6%	68%	26%	12,761

Table 21. Amount of paid supports received

Newly added question in 2022-23. Information required to come from administrative records.

Program	24-hour support or supervision	Daily support (for a limited number of hours per day, not round-the-clock)	Scheduled, less frequent than daily support	As-needed visitation and phone contact	None of the above	Don't know	Ν
Highmark-HCBS	11%	2%	84%	3%	0%	0%	280
Highmark-NF	0%	0%	4%	96%	0%	0%	100
AmeriHealth- HCBS	4%	56%	0%	40%	0%	0%	274
AmeriHealth-NF	99%	0%	0%	1%	0%	0%	80
Overall DE Average	19%	16%	36%	29%	0%	0%	734
Weighted NCI- AD Average	15%	15%	30%	2%	8%	30%	11,979

Table 22. Person has remote supports

Newly added question in 2022-23. Information required to come from administrative records.

Program	Yes, 24-hour remote supports	Yes, less than 24-hour remote supports	No, none	Don't know	N
Highmark-HCBS	6%	0%	94%	0%	280
Highmark-NF	0%	0%	100%	0%	100
AmeriHealth-HCBS	83%	0%	17%	0%	274
AmeriHealth-NF	14%	0%	86%	0%	80
Overall DE Average	26%	0%	74%	0%	734
Weighted NCI-AD Average	8%	1%	58%	33%	12,242

Outcome Tables

Community Participation

Gets to do things outside of their home as much as they want to





Table 23. Gets to do things outside of their home as much as they want to

Program	Yes	No	N
Highmark-HCBS	65%	35%	201
Highmark-NF	43%	57%	60
AmeriHealth-HCBS	67%	33%	204
AmeriHealth-NF	48%	52%	48
Overall DE Average	60%	40%	513
Weighted NCI-AD Average	62%	38%	11,081



Takes part in activities with others as much as they want to (in-person or virtually)

Table 24. Takes part in activities with others as much as they want to (in-person or virtually)

Program	Yes	Maybe	No	Ν
Highmark-HCBS	63%	18%	19%	203
Highmark-NF	54%	10%	36%	59
AmeriHealth-HCBS	60%	18%	22%	204
AmeriHealth-NF	47%	9%	45%	47
Overall DE Average	59%	16%	25%	513
Weighted NCI-AD Average	61%	12%	27%	10,991




Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually

Categories are not mutually exclusive, therefore N is not shown.

Program	Cost or money	Transportation	Accessibility or lack of equipment	Health limitations	Not enough help, staffing, or personal assistance	Feeling unwelcome in the community
Highmark-HCBS	15%	18%	12%	27%	11%	1%
Highmark-NF	1%	3%	2%	9%	3%	1%
AmeriHealth- HCBS	8%	9%	7%	16%	6%	1%
AmeriHealth-NF	2%	3%	1%	9%	1%	0%
Overall DE Average	26%	33%	22%	60%	21%	3%
Weighted NCI-AD Average	13%	37%	10%	55%	8%	1%




Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued)

Categories are not mutually exclusive, therefore N is not shown.

Program	Feeling unsafe	No community activities outside of home available	Lack of information or doesn't know what type of community activities are available	Does not have technology or equipment	Other
Highmark-HCBS	3%	4%	10%	2%	3%
Highmark-NF	1%	1%	2%	1%	4%
AmeriHealth-HCBS	2%	2%	5%	1%	2%
AmeriHealth-NF	0%	0%	1%	1%	1%
Overall DE Average	5%	7%	17%	5%	10%
Weighted NCI-AD Average	3%	3%	8%	7%	8%

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average. 2022-23 Adult Consumer Survey National Results | 46 Access to the Community

Has transportation to do the things they want outside of home





Table 26. Has transportation to do the things they want outside of home

Program	Yes	Maybe	No	N
Highmark-HCBS	69%	21%	9%	258
Highmark-NF	58%	22%	21%	73
AmeriHealth-HCBS	73%	14%	13%	251
AmeriHealth-NF	57%	25%	19%	53
Overall DE Average	67%	20%	13%	635
Weighted NCI-AD Average	68%	16%	16%	14,095




Has transportation to get to medical appointments

Table 27. Has transportation to get to medical appointments

Program	Yes	Maybe	No	N
Highmark-HCBS	89%	9%	2%	270
Highmark-NF	97%	3%	0%	73
AmeriHealth-HCBS	88%	8%	4%	264
AmeriHealth-NF	88%	8%	3%	60
Overall DE Average	90%	8%	2%	667
Weighted NCI-AD Average	89%	8%	3%	14,547

Everyday Living







Table 28. Needs assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)


Program	A Lot	Some	None	N
Highmark-HCBS	53%	38%	8%	277
Highmark-NF	68%	31%	1%	98
AmeriHealth-HCBS	55%	37%	7%	270
AmeriHealth-NF	69%	27%	4%	78
Overall DE Average	59%	35%	6%	723
Weighted NCI-AD Average	53%	38%	9%	15,170



Always gets enough support for everyday activities (if needs at least some assistance)

Table 29. Always gets enough support for everyday activities (if needs at least some assistance)

Program	Yes	No	N
Highmark-HCBS	83%	17%	251
Highmark-NF	79%	21%	96
AmeriHealth-HCBS	83%	17%	248
AmeriHealth-NF	85%	15%	73
Overall DE Average	82%	18%	668
Weighted NCI-AD Average	79%	21%	13,902







Table 30. Needs assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)

Program	A Lot	Some	None	N
Highmark-HCBS	41%	41%	18%	276
Highmark-NF	61%	31%	8%	98
AmeriHealth-HCBS	38%	49%	14%	272
AmeriHealth-NF	55%	31%	14%	77
Overall DE Average	45%	40%	15%	723
Weighted NCI-AD Average	36%	36%	27%	15,127




Always gets enough support for self-care (if needs at least some assistance)

Table 31. Always gets enough support for self-care (if needs at least some assistance)

Program	Yes	No	N
Highmark-HCBS	86%	14%	224
Highmark-NF	81%	19%	90
AmeriHealth-HCBS	86%	14%	234
AmeriHealth-NF	83%	17%	66
Overall DE Average	85%	15%	614
Weighted NCI-AD Average	81%	19%	11,165

Work



Has a paid job

Table 32. Has a paid job

Program	Yes	No	N
Highmark-HCBS	4%	96%	268
Highmark-NF	0%	100%	98
AmeriHealth-HCBS	6%	94%	267
AmeriHealth-NF	0%	100%	77
Overall DE Average	3%	97%	710
Weighted NCI-AD Average	3%	97%	14,451

Wants a paid job (if they do not currently have one)




Table 33. Wants a paid job (if they do not currently have one)

Program	Yes	Maybe, not sure	No	N
Highmark-HCBS	16%	13%	71%	197
Highmark-NF	17%	10%	73%	59
AmeriHealth-HCBS	20%	7%	73%	192
AmeriHealth-NF	15%	2%	83%	48
Overall DE Average	17%	10%	73%	496
Weighted NCI-AD Average	9%	5%	87%	10,424

Someone talked with them about job options (if they do not currently have a job but want one)




Table 34. Someone talked with them about job options (if they do not currently have a job but want one)

Program	Yes	No	N
Highmark-HCBS	22%	78%	32
AmeriHealth-HCBS	32%	68%	38
Overall DE Average	19%	81%	87
Weighted NCI-AD Average	34%	66%	887

Person Volunteers




Table 35. Person volunteers

Program	Yes	No	N
Highmark-HCBS	9%	91%	264
Highmark-NF	7%	93%	98
AmeriHealth-HCBS	9%	91%	267
AmeriHealth-NF	4%	96%	77
Overall DE Average	8%	92%	706
Weighted NCI-AD Average	7%	93%	14,217

Wants to volunteer (if they do not currently)





Table 36. Wants to volunteer (if they do not currently)

Program	Yes	Maybe, not sure	No	N
Highmark-HCBS	9%	15%	76%	176
Highmark-NF	9%	17%	74%	53
AmeriHealth-HCBS	11%	10%	79%	183
AmeriHealth-NF	7%	16%	77%	44
Overall DE Average	9%	14%	77%	456
Weighted NCI-AD Average	7%	9%	85%	9,606


Relationships



Has friends or family they do not live with who are a part of their life

Table 37. Has friends or family they do not live with who are a part of their life

Program	Yes	No	N
Highmark-HCBS	95%	5%	212
Highmark-NF	89%	11%	63
AmeriHealth-HCBS	93%	7%	210
AmeriHealth-NF	73%	27%	52
Overall DE Average	91%	9%	537
Weighted NCI-AD Average	92%	8%	11,665



Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of

Program	Yes	Maybe	No	Ν
Highmark-HCBS	77%	14%	8%	201
Highmark-NF	64%	27%	9%	56
AmeriHealth-HCBS	82%	14%	4%	196
AmeriHealth-NF	66%	29%	5%	38
Overall DE Average	75%	18%	7%	491
Weighted NCI-AD Average	81%	13%	6%	10,659

Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)




Table 39. Reasons not always able to see or talk to their friends and family when they want

Categories are not mutually exclusive, therefore N is not shown.

Program	Availability of transportation	Accessibility	Staffing or personal assistance unavailable	Health limitations	Someone prevents from or rules against	No or limited access to a phone	No or limited access to the internet	Other
Overall DE Average	65%	28%	28%	60%	8%	0%	0%	0%
Weighted NCI-AD Average	57%	14%	4%	45%	2%	3%	3%	3%

Service Coordination




Table 40A. How first found out about services they can get

Proxy respondents were allowed for this question. Categories are not mutually exclusive, therefore N is not shown.

Program	Friend	Family	Aging and disability resource center; area agency on aging; center for independent living	State or county agency	Case manager or care coordinator
Highmark-HCBS	5%	10%	4%	9%	16%
Highmark-NF	1%	6%	1%	2%	4%
AmeriHealth-HCBS	5%	7%	4%	9%	10%
AmeriHealth-NF	1%	5%	1%	2%	3%
Overall DE Average	11%	29%	10%	22%	33%
Weighted NCI-AD Average	11%	21%	14%	17%	17%





Table 40B. How first found out about services they can get (continued)

Program	Doctor, hospital, clinic	Other provider or provider agency	Media, newspaper, TV, radio, billboard, brochure, flyer, advertisement	Internet or website	Other
Highmark-HCBS	10%	7%	0%	0%	2%
Highmark-NF	7%	3%	0%	0%	1%
AmeriHealth-HCBS	6%	3%	0%	0%	1%
AmeriHealth-NF	5%	3%	0%	0%	0%
Overall DE Average	28%	16%	0%	1%	4%
Weighted NCI-AD Average	21%	11%	1%	1%	5%



Can contact their case manager or care coordinator when needs to

Table 41. Can contact their case manager or care coordinator when needs to

Program	Yes, always	Most of the time, usually	No	N
Highmark-HCBS	79%	18%	4%	226
Highmark-NF	80%	17%	3%	69
AmeriHealth-HCBS	77%	19%	5%	220
AmeriHealth-NF	79%	17%	4%	52
Overall DE Average	78%	18%	4%	567
Weighted NCI-AD Average	80%	13%	6%	10,426




Table 42. Who helps person most often (if anyone helps on a regular basis)

Program	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	Ν
Highmark-HCBS	45%	32%	2%	18%	2%	1%	256
Highmark-NF	94%	0%	0%	3%	2%	0%	88
AmeriHealth-HCBS	37%	35%	2%	24%	2%	1%	248
AmeriHealth-NF	91%	0%	0%	5%	3%	1%	77
Overall DE Average	57%	23%	1%	15%	2%	1%	669
Weighted NCI-AD Average	54%	17%	2%	23%	3%	2%	13,048




Table 43. Additional people who help person on a regular basis

Proxy respondents were allowed for this question. Categories are not mutually exclusive, therefore N is not shown.

Program	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	No one else provides additional support
Highmark-HCBS	13%	4%	0%	23%	4%	0%	8%
Highmark-NF	5%	0%	0%	6%	1%	0%	6%
AmeriHealth- HCBS	6%	4%	0%	11%	2%	0%	8%
Overall DE Average	27%	9%	0%	44%	8%	1%	28%
Weighted NCI- AD Average	17%	4%	1%	42%	10%	2%	32%

People who are paid to help them come and leave when they are supposed to





Table 44. People who are paid to help them come and leave when they are supposed to

Program	Yes, all paid support workers, always or almost always	Some, or usually	No, never or rarely	N
Highmark-HCBS	87%	13%	0%	113
Highmark-NF	71%	21%	7%	42
AmeriHealth-HCBS	86%	13%	1%	88
AmeriHealth-NF	71%	26%	2%	42
Overall DE Average	81%	17%	2%	285
Weighted NCI-AD Average	88%	9%	2%	6,758



, AmeriHealth

HCBS

N = 93

AmeriHealth

NF

N = 37

ا Highmark

NF

N = 36

100%

80%

60%

40%

20%

0%

Highmark

HCBS

N = 110

Has a backup plan if the people who are paid to help them do not show


overall DE

Average N = 276 Weighted

NCI-AD Average N = 6627

Table 45. Has a backup plan if their people who are paid to help them do not show up

Program	Yes	No	Ν
Highmark-HCBS	81%	19%	110
Highmark-NF	78%	22%	36
AmeriHealth-HCBS	84%	16%	93
AmeriHealth-NF	76%	24%	37
Overall DE Average	80%	20%	276
Weighted NCI-AD Average	67%	33%	6,627



Has an emergency plan in place in case of widescale emergency

Table 46. Has an emergency plan in place in case of widescale emergency

Program	Yes	No	N
Highmark-HCBS	90%	10%	253
Highmark-NF	86%	14%	84
AmeriHealth-HCBS	86%	14%	253
AmeriHealth-NF	83%	17%	71
Overall DE Average	87%	13%	661
Weighted NCI-AD Average	78%	22%	14,071

Knows whom to contact if they have a complaint about their services




Table 47. Knows whom to contact if they have a complaint about their services

Program	Yes	Maybe, not sure	No	N
Highmark-HCBS	82%	8%	10%	186
Highmark-NF	71%	18%	12%	51
AmeriHealth-HCBS	84%	7%	10%	182
AmeriHealth-NF	63%	12%	26%	43
Overall DE Average	78%	9%	12%	462
Weighted NCI-AD Average	81%	7%	12%	9,582

Knows whom to contact if they want to make changes to services





Table 48. Knows whom to contact if they want to make changes to services

Program	Yes	Maybe, not sure	No	N
Highmark-HCBS	86%	8%	6%	187
Highmark-NF	53%	18%	29%	49
AmeriHealth-HCBS	89%	7%	4%	181
AmeriHealth-NF	59%	25%	16%	44
Overall DE Average	79%	11%	10%	461
Weighted NCI-AD Average	83%	8%	8%	9,438



Services meet all needs and current goals

Table 49. Services meet all current needs

Program	Yes, completely, all needs and goals	Some needs and goals	No, not at all, needs and goals are not met	N
Highmark-HCBS	61%	35%	4%	233
Highmark-NF	58%	27%	15%	88
AmeriHealth-HCBS	72%	22%	6%	233
AmeriHealth-NF	64%	30%	6%	70
Overall DE Average	64%	29%	7%	624
Weighted NCI-AD Average	71%	24%	6%	12,225




Table 50A. Additional services and supports needed (if all current needs and goals are not being met)

Program	Skilled nursing facility, nursing home services	Personal care assistance, personal care services	Homemaker or chore services	Companion services	Healthcare home services, home health	Home delivered meals
Highmark-HCBS	2%	18%	19%	18%	12%	20%
Highmark-NF	2%	2%	1%	2%	2%	2%
AmeriHealth- HCBS	1%	7%	6%	4%	6%	5%
AmeriHealth-NF	2%	2%	2%	2%	1%	1%
Overall DE Average	7%	28%	27%	26%	21%	28%
Weighted NCI- AD Average	4%	29%	32%	14%	10%	15%

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.




Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

Program	Adult day services	Transportation	Respite or family caregiver support	Health care	Mental health care	Dental care
Highmark-HCBS	20%	23%	6%	11%	13%	19%
Highmark-NF	1%	2%	1%	1%	1%	4%
AmeriHealth-HCBS	7%	7%	3%	3%	3%	6%
AmeriHealth-NF	1%	1%	0%	2%	0%	2%
Overall DE Average	28%	33%	9%	18%	17%	30%
Weighted NCI-AD Average	9%	28%	6%	7%	9%	14%




Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)

Housing assistance Heating or cooling assistance **Funeral planning** Other Program Hospice Highmark-HCBS 16% 0% 13% 1% 10% 1% 0% 0% Highmark-NF 3% 5% AmeriHealth-HCBS 6% 3% 0% 1% 6% AmeriHealth-NF 2% 0% 0% 1% 3% **Overall DE Average** 25% 16% 0% 9% 23% Weighted NCI-AD Average 17% 9% 1% 4% 28%

Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.

Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)




Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)

Proxy respondents were allowed for this question.

Program	Yes	No	Ν
Highmark-HCBS	59%	41%	75
Highmark-NF	42%	58%	24
AmeriHealth-HCBS	61%	39%	54
Overall DE Average	54%	46%	164
Weighted NCI-AD Average	56%	44%	2,536

Service providers work together to provide support





Table 52. Service providers work together to provide support

New question in 2022-2023.

Program	Yes, all service providers	Sometimes, or some service providers	No	N
Highmark-HCBS	65%	25%	10%	229
Highmark-NF	84%	3%	14%	79
AmeriHealth-HCBS	67%	20%	13%	232
AmeriHealth-NF	72%	22%	6%	65
Overall DE Average	70%	19%	11%	605
Weighted NCI-AD Average	79%	12%	9%	10,771

Care Coordination



Knows how to manage chronic conditions (if has at least one)

Table 53. Knows how to manage chronic conditions (if has at least one)

Program	Yes	In-between, or some conditions	No	N
Highmark-HCBS	86%	6%	8%	189
Highmark-NF	76%	7%	16%	55
AmeriHealth-HCBS	84%	9%	7%	190
AmeriHealth-NF	84%	8%	8%	38
Overall DE Average	84%	8%	9%	472
Weighted NCI-AD Average	85%	10%	5%	10,269

Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home




Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home

Proxy respondents were allowed for this question.

Program	Yes	No	N
Highmark-HCBS	27%	73%	265
Highmark-NF	33%	67%	94
AmeriHealth-HCBS	24%	76%	262
AmeriHealth-NF	30%	70%	76
Overall DE Average	28%	72%	697
Weighted NCI-AD Average	29%	71%	14,099

Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)




Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

Program	Yes	In-between	No	N
Highmark-HCBS	89%	2%	9%	54
AmeriHealth-HCBS	90%	4%	6%	52
Overall DE Average	84%	7%	9%	136
Weighted NCI-AD Average	86%	7%	8%	3,056

Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)




Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

Proxy respondents were allowed for this question.

Program	Yes	No	N
Highmark-HCBS	86%	14%	69
Highmark-NF	77%	23%	30
AmeriHealth-HCBS	92%	8%	59
Overall DE Average	85%	15%	178
Weighted NCI-AD Average	85%	15%	3,735

Choice and Control

Always feels in control of their life





Table 57. Feels in control of their life

Program	Yes, almost always, always	In-between, sometimes	No, rarely, never	N
Highmark-HCBS	67%	22%	11%	197
Highmark-NF	40%	30%	30%	60
AmeriHealth-HCBS	68%	24%	8%	201
AmeriHealth-NF	48%	28%	24%	50
Overall DE Average	61%	24%	15%	508
Weighted NCI-AD Average	69%	24%	7%	10,647



Able to furnish and decorate their room however they want to (if living in a group setting)

Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)

Program	In all ways	In most ways	Only in some ways, or not at all	N
Highmark-NF	40%	33%	27%	55
AmeriHealth-NF	38%	33%	29%	45
Overall DE Average	48%	29%	23%	137
Weighted NCI-AD Average	53%	29%	18%	1,263

Can choose or change their roommate (if living in a group setting and has a roommate)





Table 59. Can choose or change their roommate (if living in a group setting and has a roommate)


Program	Yes	No	Ν
Highmark-NF	20%	80%	50
AmeriHealth-NF	12%	88%	41
Overall DE Average	16%	84%	107
Weighted NCI-AD Average	31%	69%	601



Can always get up and go to bed when they want to

Table 60. Can get up and go to bed when they want to

Program	Yes, always, or almost always	Some days, sometimes	No, never	N
Highmark-HCBS	92%	5%	3%	37
Highmark-NF	77%	10%	13%	61
AmeriHealth-HCBS	94%	3%	3%	36
AmeriHealth-NF	75%	15%	10%	48
Overall DE Average	82%	9%	9%	182
Weighted NCI-AD Average	89%	9%	3%	2,339



Can always eat their meals when they want to

Table 61. Can eat their meals when they want to

Program	Yes, always, or almost always	Some days, sometimes	No, never	Ν
Highmark-HCBS	49%	5%	46%	37
Highmark-NF	23%	16%	61%	61
AmeriHealth-HCBS	71%	11%	17%	35
AmeriHealth-NF	43%	14%	43%	49
Overall DE Average	40%	13%	47%	182
Weighted NCI-AD Average	74%	11%	15%	2,326

Can choose or change their services




Table 62. Can choose or change their services

Proxy respondents were allowed for this question

Program	Yes, all services	Sometimes, or some services	No	N
Highmark-HCBS	71%	23%	5%	227
Highmark-NF	55%	19%	25%	83
AmeriHealth-HCBS	73%	19%	8%	232
AmeriHealth-NF	56%	26%	18%	61
Overall DE Average	67%	22%	11%	603
Weighted NCI-AD Average	72%	14%	14%	11,076

Can choose or change when and how often they receive services




Table 63. Can choose or change when and how often they receive services

Proxy respondents were allowed for this question

Program	Yes, all services	Sometimes, or some services	No	Ν
Highmark-HCBS	68%	25%	7%	222
Highmark-NF	52%	15%	33%	79
AmeriHealth-HCBS	73%	20%	7%	229
AmeriHealth-NF	63%	24%	14%	59
Overall DE Average	66%	22%	13%	589
Weighted NCI-AD Average	66%	15%	19%	11,038

Can choose or change the people who provide paid supports if wants




Table 64. Can choose or change the people who provide paid supports if wants

Proxy respondents were allowed for this question

Program	Yes, all services	Sometimes, or some services	No	N
Highmark-HCBS	76%	10%	14%	118
Highmark-NF	33%	7%	60%	42
AmeriHealth-HCBS	79%	6%	15%	95
AmeriHealth-NF	28%	5%	67%	39
Overall DE Average	62%	8%	30%	294
Weighted NCI-AD Average	77%	7%	16%	6,837

Satisfaction

Services help them live the life they want




Table 65. Services help them live the life they want

Program	Yes	No	N
Highmark-HCBS	88%	12%	176
Highmark-NF	49%	51%	47
AmeriHealth-HCBS	84%	16%	173
AmeriHealth-NF	73%	28%	40
Overall DE Average	80%	20%	436
Weighted NCI-AD Average	87%	13%	9,108

Case manager/care coordinator changes too often




Table 66. Case manager/care coordinator changes too often

Program	Yes	No	Ν
Highmark-HCBS	41%	59%	169
Highmark-NF	21%	79%	33
AmeriHealth-HCBS	39%	61%	163
AmeriHealth-NF	30%	70%	27
Overall DE Average	37%	63%	392
Weighted NCI-AD Average	32%	68%	7,781

People who are paid to help them change too often





Table 67. People who are paid to help them change too often

Program	Yes, all paid support workers, always or almost always	Some or usually	No, never or rarely	Ν
Highmark-HCBS	16%	15%	69%	113
Highmark-NF	44%	23%	33%	43
AmeriHealth-HCBS	17%	11%	73%	95
AmeriHealth-NF	38%	17%	45%	42
Overall DE Average	25%	16%	59%	293
Weighted NCI-AD Average	18%	15%	68%	6,863



Likes where they live

Table 68. Likes where they live

Program	Yes	In between, most of the time	No	N
Highmark-HCBS	82%	8%	10%	212
Highmark-NF	49%	30%	21%	63
AmeriHealth-HCBS	82%	11%	7%	211
AmeriHealth-NF	69%	12%	20%	51
Overall DE Average	75%	13%	12%	537
Weighted NCI-AD Average	83%	9%	9%	11,612




Table 69A. Reasons does not like where they live (if does not always like where they live)

Categories are not mutually exclusive, therefore N is not shown.

Program	Accessibility of house or building	Feels unsafe in or dislikes neighborhood	Feels unsafe in residence	Residence or building needs repair or upkeep	Doesn't feel like home
Highmark-HCBS	4%	9%	1%	6%	8%
Highmark-NF	1%	1%	2%	1%	12%
AmeriHealth-HCBS	2%	3%	1%	2%	4%
Overall DE Average	6%	13%	4%	9%	28%
Weighted NCI-AD Average	10%	15%	9%	16%	14%




Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)

Categories are not mutually exclusive, therefore N is not shown.

Program	Layout or size of residence or building	Problems with neighbors or housemates/other residents	Problems with staff	Insufficient amount or type of staff	Wants more independence or control
Highmark-HCBS	4%	7%	2%	1%	4%
Highmark-NF	2%	5%	10%	9%	6%
AmeriHealth- HCBS	3%	3%	2%	1%	2%
Overall DE Average	9%	17%	19%	11%	15%
Weighted NCI-AD Average	11%	12%	8%	4%	10%




Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)

Categories are not mutually exclusive, therefore N is not shown.

Program	Wants more privacy	Wants to be closer to family or friends	Feels isolated from community or feels lonely	Affordability or cost of housing	Other
Highmark-HCBS	4%	4%	2%	4%	4%
Highmark-NF	1%	7%	2%	0%	8%
AmeriHealth-HCBS	1%	2%	2%	1%	3%
Overall DE Average	7%	19%	7%	7%	17%
Weighted NCI-AD Average	10%	9%	8%	8%	10%

Wants to live somewhere else




Table 70. Wants to live somewhere else

Program	Yes	Maybe	No	N
Highmark-HCBS	29%	7%	64%	209
Highmark-NF	56%	8%	36%	61
AmeriHealth-HCBS	27%	7%	65%	208
AmeriHealth-NF	38%	12%	50%	50
Overall DE Average	33%	8%	59%	528
Weighted NCI-AD Average	22%	9%	70%	11,463





Table 71. Where person would prefer to live (if wants to live somewhere else)

Program	Different kind of home	Live independently	With or closer to family	In a different neighborhood	A different type of geography or climate	Other
Highmark-HCBS	14%	8%	7%	11%	9%	2%
Highmark-NF	5%	11%	8%	0%	2%	1%
AmeriHealth-HCBS	7%	5%	3%	6%	4%	0%
AmeriHealth-NF	1%	6%	9%	0%	1%	0%
Overall DE Average	28%	30%	27%	17%	16%	2%
Weighted NCI-AD Average	39%	18%	15%	21%	22%	1%



AmeriHealth

HCBS

N = 90

AmeriHealth

NF

N = 33

ہ Highmark

NF

N = 38

100%

80%

60%

40%

20%

0%

Highmark

HCBS

N = 97

People who are paid to help them always do things the way they want them done

overall DE


Average N = 258 85%

Weighted

NCI-AD Average N = 6020

Table 72. People who are paid to help them do things the way they want them done

Program	Yes, all paid support workers, always or almost always	Some or usually	No, never or rarely	N
Highmark-HCBS	77%	23%	0%	97
Highmark-NF	47%	39%	13%	38
AmeriHealth-HCBS	77%	21%	2%	90
AmeriHealth-NF	52%	45%	3%	33
Overall DE Average	68%	29%	3%	258
Weighted NCI-AD Average	85%	12%	3%	6,020




Usually likes how they spend their time during the day

Table 73. Usually likes how they spend their time during the day

Program	Yes, always, or almost always	Sometimes	No, never or rarely	Ν
Highmark-HCBS	51%	41%	8%	203
Highmark-NF	46%	39%	15%	61
AmeriHealth-HCBS	63%	33%	4%	203
AmeriHealth-NF	58%	28%	14%	50
Overall DE Average	55%	37%	9%	517
Weighted NCI-AD Average	60%	31%	9%	11,029

Technology







Table 74. Has access to the internet

Proxy respondents were allowed for this question

Program	Yes	Sometimes	No	N
Highmark-HCBS	84%	2%	14%	266
Highmark-NF	88%	1%	11%	95
AmeriHealth-HCBS	87%	3%	10%	265
AmeriHealth-NF	81%	0%	19%	74
Overall DE Average	85%	2%	13%	700
Weighted NCI-AD Average	69%	2%	29%	14,369




Frequency of internet use

Table 75. Frequency with which people use the internet

Proxy respondents were allowed for this question

Program	Daily	Several times a week	Several times a month	Several times a year	Don't use it at all	Ν
Highmark-HCBS	53%	14%	7%	2%	24%	227
Highmark-NF	36%	1%	4%	1%	58%	84
AmeriHealth-HCBS	55%	15%	8%	1%	21%	236
AmeriHealth-NF	17%	10%	3%	3%	67%	60
Overall DE Average	46%	11%	6%	2%	34%	607
Weighted NCI-AD Average	56%	14%	6%	2%	22%	10,198



Always has a stable internet connection

Table 76. Always has a stable internet connection

Proxy respondents were allowed for this question

Program	Always works	Sometimes works	Rarely or never works	Ν
Highmark-HCBS	92%	8%	0%	214
Highmark-NF	80%	20%	0%	51
AmeriHealth-HCBS	87%	13%	0%	217
AmeriHealth-NF	86%	14%	0%	35
Overall DE Average	88%	12%	0%	517
Weighted NCI-AD Average	86%	13%	1%	9,485

Has talked to health professionals using video conference/telehealth





Table 77. Has talked to health professionals using video conference/telehealth

Proxy respondents were allowed for this question

Program	Yes	No	N
Highmark-HCBS	59%	41%	259
Highmark-NF	31%	69%	95
AmeriHealth-HCBS	48%	52%	265
AmeriHealth-NF	19%	81%	74
Overall DE Average	46%	54%	693
Weighted NCI-AD Average	36%	64%	13,967



Liked talking to health care providers using telehealth

Table 78. Liked talking to health care providers using telehealth

New question in 2022-2023.

Program	Yes, completely	Yes, in part	No	N
Highmark-HCBS	58%	28%	14%	122
Highmark-NF	24%	24%	52%	21
AmeriHealth-HCBS	51%	31%	18%	107
Overall DE Average	51%	28%	21%	259
Weighted NCI-AD Average	58%	24%	18%	4,298

Access to Needed Equipment

Needs grab bars in the bathroom or elsewhere in their home but do not have them




Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them

Proxy respondents were allowed for this question.

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	5%	9%	70%	15%	273
Highmark-NF	1%	5%	85%	8%	95
AmeriHealth-HCBS	7%	9%	64%	20%	267
AmeriHealth-NF	1%	1%	87%	11%	76
Overall DE Average	5%	7%	73%	15%	711
Weighted NCI-AD Average	8%	6%	69%	17%	14,922

Needs other bathroom modifications but does not have them




Table 80. Needs other bathroom modifications but does not have them

Proxy respondents were allowed for this question.

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	13%	5%	35%	47%	270
Highmark-NF	1%	3%	75%	21%	97
AmeriHealth-HCBS	10%	7%	34%	48%	267
AmeriHealth-NF	1%	1%	74%	24%	76
Overall DE Average	9%	5%	47%	40%	710
Weighted NCI-AD Average	10%	3%	32%	55%	14,280

Needs a shower chair but does not have one




Table 81. Needs a shower chair but does not have one

Proxy respondents were allowed for this question.

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	6%	7%	68%	18%	272
Highmark-NF	1%	4%	78%	17%	96
AmeriHealth-HCBS	6%	10%	65%	20%	268
AmeriHealth-NF	1%	1%	83%	15%	75
Overall DE Average	4%	7%	71%	18%	711
Weighted NCI-AD Average	6%	5%	69%	19%	14,766

Needs a specialized bed but does not have one




Table 82. Needs a specialized bed but does not have one

Proxy respondents were allowed for this question.

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	7%	6%	28%	60%	272
Highmark-NF	0%	12%	85%	3%	98
AmeriHealth-HCBS	9%	6%	34%	52%	267
AmeriHealth-NF	0%	8%	83%	9%	78
Overall DE Average	5%	7%	47%	41%	715
Weighted NCI-AD Average	8%	4%	29%	60%	14,597

Need for a ramp (either inside or outside of their residence) but does not have one




Table 83. Need for a ramp (either inside or outside of their residence) but does not have one

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	6%	4%	38%	51%	272
Highmark-NF	0%	1%	56%	43%	93
AmeriHealth-HCBS	7%	6%	41%	47%	268
AmeriHealth-NF	0%	1%	49%	49%	77
Overall DE Average	5%	4%	43%	48%	710
Weighted NCI-AD Average	6%	3%	35%	56%	14,547

Needs other home modifications that does not have




Table 84. Needs other home modifications that does not have

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	3%	1%	3%	93%	273
Highmark-NF	1%	1%	2%	96%	97
AmeriHealth-HCBS	5%	4%	6%	85%	267
AmeriHealth-NF	0%	1%	1%	97%	78
Overall DE Average	3%	2%	3%	92%	715
Weighted NCI-AD Average	6%	2%	12%	80%	9,777

Needs a wheelchair but does not have one




Table 85. Needs a wheelchair but does not have one

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	3%	9%	41%	47%	268
Highmark-NF	2%	9%	75%	13%	97
AmeriHealth-HCBS	6%	12%	38%	44%	268
AmeriHealth-NF	0%	9%	78%	13%	78
Overall DE Average	3%	10%	51%	35%	711
Weighted NCI-AD Average	5%	6%	39%	50%	14,745

Needs a scooter but does not have one




Table 86. Needs a scooter but does not have one

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	12%	3%	7%	79%	264
Highmark-NF	2%	1%	4%	93%	95
AmeriHealth-HCBS	15%	1%	12%	72%	268
AmeriHealth-NF	0%	0%	3%	97%	77
Overall DE Average	9%	2%	7%	82%	704
Weighted NCI-AD Average	8%	2%	9%	81%	14,494

Needs a walker but does not have one




Table 87. Needs a walker but does not have one

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	3%	8%	46%	44%	268
Highmark-NF	3%	1%	52%	44%	98
AmeriHealth-HCBS	3%	5%	57%	34%	268
AmeriHealth-NF	0%	3%	55%	42%	78
Overall DE Average	2%	5%	51%	41%	712
Weighted NCI-AD Average	3%	6%	55%	37%	14,706

Needs hearing aids but does not have them




Table 88. Needs hearing aids but does not have them

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	9%	4%	9%	77%	265
Highmark-NF	8%	4%	7%	80%	95
AmeriHealth-HCBS	8%	4%	10%	78%	263
AmeriHealth-NF	8%	8%	15%	69%	75
Overall DE Average	9%	5%	10%	77%	698
Weighted NCI-AD Average	7%	4%	13%	77%	14,387

Needs glasses but does not have them




Table 89. Needs glasses but does not have them

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	5%	14%	59%	21%	266
Highmark-NF	5%	10%	70%	15%	96
AmeriHealth-HCBS	3%	18%	56%	23%	265
AmeriHealth-NF	5%	8%	73%	14%	78
Overall DE Average	5%	14%	62%	20%	705
Weighted NCI-AD Average	4%	14%	62%	19%	14,441

Needs personal emergency response system (PERS) but does not have one




Table 90. Needs personal emergency response system (PERS) but does not have one

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	2%	4%	67%	26%	269
Highmark-NF	1%	5%	77%	17%	98
AmeriHealth-HCBS	6%	3%	61%	30%	264
AmeriHealth-NF	3%	3%	72%	23%	78
Overall DE Average	3%	4%	68%	25%	709
Weighted NCI-AD Average	10%	3%	51%	36%	14,408

Needs an oxygen machine but does not have one




Table 91. Needs an oxygen machine but does not have one

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	1%	1%	9%	88%	270
Highmark-NF	0%	2%	19%	79%	98
AmeriHealth-HCBS	1%	2%	9%	89%	266
AmeriHealth-NF	1%	1%	18%	79%	78
Overall DE Average	1%	2%	12%	85%	712
Weighted NCI-AD Average	1%	1%	18%	79%	14,354

Needs other assistive technology equipment but does not have




Table 92. Needs other assistive technology equipment but does not have

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	Ν
Highmark-HCBS	1%	3%	9%	88%	270
Highmark-NF	1%	0%	8%	91%	98
AmeriHealth-HCBS	3%	1%	11%	85%	266
AmeriHealth-NF	0%	0%	5%	95%	78
Overall DE Average	1%	1%	9%	89%	712
Weighted NCI-AD Average	3%	1%	16%	79%	10,552

Needs other equipment but does not have





Table 93. Needs other equipment but does not have

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
Highmark-HCBS	0%	1%	4%	94%	270
Highmark-NF	0%	0%	2%	98%	98
AmeriHealth-HCBS	1%	1%	4%	93%	267
AmeriHealth-NF	0%	0%	5%	95%	78
Overall DE Average	1%	1%	4%	94%	713
Weighted NCI-AD Average	4%	2%	19%	75%	9,890

Medications







Table 94. Knows what prescription medications are for

Program	Yes	Maybe, not sure	No	N
Highmark-HCBS	90%	5%	5%	199
Highmark-NF	54%	25%	20%	59
AmeriHealth-HCBS	91%	7%	3%	200
AmeriHealth-NF	61%	29%	10%	49
Overall DE Average	81%	11%	7%	507
Weighted NCI-AD Average	87%	9%	4%	10,661




Takes medication to help feel less sad or depressed

Table 95. Takes medication to help feel less sad or depressed

Program	Yes	No	N
Highmark-HCBS	45%	55%	258
Highmark-NF	49%	51%	86
AmeriHealth-HCBS	37%	63%	263
AmeriHealth-NF	44%	56%	70
Overall DE Average	43%	57%	677
Weighted NCI-AD Average	43%	57%	13,532


Health care



Has access to mental health services if they want them

Table 96. Has access to mental health services if they want them

Program	Yes, always	Usually	No, only sometimes or rarely	N
Highmark-HCBS	90%	1%	9%	190
Highmark-NF	88%	2%	10%	48
AmeriHealth-HCBS	91%	1%	8%	195
AmeriHealth-NF	85%	0%	15%	33
Overall DE Average	90%	1%	9%	466
Weighted NCI-AD Average	90%	2%	7%	9,898






Table 97. Can get an appointment to see or talk to their primary care doctor when they need to

Program	Yes, always	Usually	No, only sometimes or rarely	Ν
Highmark-HCBS	85%	12%	3%	264
Highmark-NF	76%	14%	10%	90
AmeriHealth-HCBS	79%	18%	3%	262
AmeriHealth-NF	75%	13%	12%	69
Overall DE Average	81%	14%	5%	685
Weighted NCI-AD Average	85%	10%	5%	14,215

reason in the past 12 months

100%

80%

60%

Went to the emergency room for any




Table 98. Went to the emergency room for any reason in the past 12 months

Program	Yes	No	N
Highmark-HCBS	35%	65%	263
Highmark-NF	30%	70%	93
AmeriHealth-HCBS	31%	69%	264
AmeriHealth-NF	26%	74%	78
Overall DE Average	32%	68%	698
Weighted NCI-AD Average	41%	59%	14,212

Has gone to the emergency room in the past 12 months due to falling or losing balance




Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance

Program	Yes	No	N
Highmark-HCBS	33%	67%	92
Highmark-NF	18%	82%	28
AmeriHealth-HCBS	30%	70%	82
Overall DE Average	30%	70%	221
Weighted NCI-AD Average	30%	70%	5,720

Has gone to the emergency room in the past 12 months due to tooth or mouth pain




Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain

Program	Yes	No	N
Highmark-HCBS	1%	99%	92
Highmark-NF	7%	93%	28
AmeriHealth-HCBS	5%	95%	82
Overall DE Average	4%	96%	222
Weighted NCI-AD Average	2%	98%	5,667

Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician




Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician

Program	Yes	No	N
Highmark-HCBS	9%	91%	92
Highmark-NF	14%	86%	28
AmeriHealth-HCBS	11%	89%	82
Overall DE Average	9%	91%	222
Weighted NCI-AD Average	8%	92%	5,630

Had a physical exam or wellness visit in the past 12 months




Table 102. Had a physical exam or wellness visit in the past 12 months

Program	Yes	No	N
Highmark-HCBS	87%	13%	262
Highmark-NF	73%	27%	91
AmeriHealth-HCBS	89%	11%	263
AmeriHealth-NF	72%	28%	76
Overall DE Average	83%	17%	692
Weighted NCI-AD Average	86%	14%	13,914

Had a hearing exam in the past 4 years




Table 103. Had a hearing exam in the past 4 years

Program	5 years ago or more	3-4 years ago	1-2 years ago	Past Year	Has not had one	Ν
Highmark-HCBS	27%	7%	13%	32%	21%	195
Highmark-NF	20%	2%	21%	44%	13%	61
AmeriHealth-HCBS	21%	8%	19%	28%	23%	201
AmeriHealth-NF	20%	4%	10%	48%	18%	50
Overall DE Average	23%	6%	16%	35%	20%	507
Weighted NCI-AD Average	21%	10%	18%	20%	32%	10,464

Had a vision exam in the past year





Table 104. Had a vision exam in the past year


Program	Yes	No	N
Highmark-HCBS	69%	31%	263
Highmark-NF	73%	27%	93
AmeriHealth-HCBS	64%	36%	258
AmeriHealth-NF	70%	30%	69
Overall DE Average	68%	32%	683
Weighted NCI-AD Average	61%	39%	13,693



Had a dental visit in the past 12 months

Table 105. Had a dental visit in the past 12 months


Program	Yes	No	N
Highmark-HCBS	60%	40%	262
Highmark-NF	57%	43%	92
AmeriHealth-HCBS	54%	46%	260
AmeriHealth-NF	45%	55%	74
Overall DE Average	56%	44%	688
Weighted NCI-AD Average	46%	54%	13,430



Had a flu shot in the past 12 months

Table 106. Had a flu shot in the past 12 months

Program	Yes	No	N
Highmark-HCBS	79%	21%	258
Highmark-NF	86%	14%	95
AmeriHealth-HCBS	78%	22%	257
AmeriHealth-NF	95%	5%	76
Overall DE Average	82%	18%	686
Weighted NCI-AD Average	72%	28%	13,794



Received the COVID-19 Vaccine

Table 107. Received the COVID-19 Vaccine

Program	Fully vaccinated and received at least one booster	Fully vaccinated, but not received a booster	Partially vaccinated	Not vaccinated at all	N
Highmark-HCBS	76%	9%	2%	13%	262
Highmark-NF	93%	2%	2%	3%	97
AmeriHealth-HCBS	74%	10%	2%	14%	265
AmeriHealth-NF	87%	7%	1%	5%	75
Overall DE Average	80%	8%	2%	10%	699
Weighted NCI-AD Average	66%	13%	4%	16%	13,987

Wellness

Has access to healthy foods when they want them





Table 108. Has access to healthy foods when they want them


Program	Yes, often	Sometimes	No	N
Highmark-HCBS	77%	18%	5%	266
Highmark-NF	70%	17%	13%	94
AmeriHealth-HCBS	82%	15%	4%	266
AmeriHealth-NF	77%	19%	4%	77
Overall DE Average	77%	17%	6%	703
Weighted NCI-AD Average	85%	11%	5%	14,425



Overall Health

Table 109. Overall Health

Program	Excellent	Very Good	Good	Fair	Poor	N
Highmark-HCBS	8%	13%	30%	40%	10%	264
Highmark-NF	4%	7%	37%	44%	7%	97
AmeriHealth-HCBS	2%	10%	35%	39%	13%	266
AmeriHealth-NF	6%	15%	35%	40%	4%	78
Overall DE Average	5%	11%	33%	40%	9%	705
Weighted NCI-AD Average	3%	9%	30%	41%	18%	14,550



Health compared to 12 months ago

Table 110. Health compared to 12 months ago

Program	Much Better	Somewhat Better	About the same	Somewhat worse	Much worse	Ν
Highmark-HCBS	9%	19%	54%	15%	3%	267
Highmark-NF	6%	21%	47%	16%	9%	97
AmeriHealth-HCBS	9%	17%	55%	15%	3%	267
AmeriHealth-NF	6%	18%	58%	14%	4%	78
Overall DE Average	8%	19%	54%	15%	4%	709
Weighted NCI-AD Average	5%	14%	49%	25%	7%	14,458

In the past 12 months, forgets things more often than before




Table 111. In the past 12 months, forgets things more often than before

Program	Yes	No	N
Highmark-HCBS	43%	57%	258
Highmark-NF	57%	43%	94
AmeriHealth-HCBS	42%	58%	257
AmeriHealth-NF	55%	45%	74
Overall DE Average	47%	53%	683
Weighted NCI-AD Average	46%	54%	13,846

Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)





Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)

Program	Yes	No	N
Highmark-HCBS	76%	24%	109
Highmark-NF	64%	36%	53
AmeriHealth-HCBS	72%	28%	105
AmeriHealth-NF	68%	33%	40
Overall DE Average	71%	29%	307
Weighted NCI-AD Average	70%	30%	5,961



Amount of physical activity per week

Table 113. Amount of physical activity per week

New Question in 2022-2023. Proxy respondents were allowed for this question.

Program	Does not exercise	Less than one hour	One to two hours	More than two hours	N
Highmark-HCBS	29%	25%	22%	25%	265
Highmark-NF	39%	35%	15%	10%	97
AmeriHealth-HCBS	36%	24%	22%	18%	265
AmeriHealth-NF	43%	32%	18%	6%	77
Overall DE Average	35%	27%	20%	18%	704
Weighted NCI-AD Average	34%	23%	22%	21%	14,049

Often feels lonely




Table 114. Often feels lonely

Program	Yes, often	Sometimes	Not often, never or almost never	N
Highmark-HCBS	18%	38%	45%	200
Highmark-NF	26%	34%	39%	61
AmeriHealth-HCBS	17%	29%	54%	203
AmeriHealth-NF	21%	44%	35%	48
Overall DE Average	19%	35%	46%	512
Weighted NCI-AD Average	19%	36%	45%	10,781

Affordability

Ever has to skip meals due to financial worries




Table 115. Ever has to skip meals due to financial worries

Program	Yes, often	Sometimes	No	N
Highmark-HCBS	3%	11%	86%	266
Highmark-NF	4%	0%	96%	97
AmeriHealth-HCBS	4%	8%	88%	265
AmeriHealth-NF	0%	1%	99%	77
Overall DE Average	3%	7%	90%	705
Weighted NCI-AD Average	6%	6%	88%	14,416

Safety

They or someone else has concerns about falling or being unstable





Table 116. They or someone else has concerns about falling or being unstable

Proxy respondents were allowed for this question.

Program	Yes, often	Sometimes	No	N
Highmark-HCBS	32%	23%	44%	271
Highmark-NF	48%	20%	32%	96
AmeriHealth-HCBS	29%	26%	44%	268
AmeriHealth-NF	47%	16%	37%	76
Overall DE Average	36%	23%	41%	711
Weighted NCI-AD Average	35%	21%	44%	14,825







Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)

Proxy respondents were allowed for this question.

Program	Yes	No	N
Highmark-HCBS	89%	11%	150
Highmark-NF	91%	9%	64
AmeriHealth-HCBS	87%	13%	149
AmeriHealth-NF	87%	13%	47
Overall DE Average	89%	11%	410
Weighted NCI-AD Average	86%	14%	8,130




Able to get to safety quickly in case of an emergency

Table 118. Able to get to safety quickly in case of an emergency

Proxy respondents were allowed for this question.

Program	Yes	No	N
Highmark-HCBS	91%	9%	257
Highmark-NF	86%	14%	87
AmeriHealth-HCBS	89%	11%	255
AmeriHealth-NF	92%	8%	73
Overall DE Average	90%	10%	672
Weighted NCI-AD Average	86%	14%	13,669



Knows who to talk to if they are mistreated, hurt, disrespected by others

Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others

Program	Yes	Maybe, not sure	No	N
Highmark-HCBS	87%	4%	9%	206
Highmark-NF	83%	10%	7%	59
AmeriHealth-HCBS	84%	2%	13%	204
AmeriHealth-NF	69%	15%	17%	48
Overall DE Average	83%	6%	11%	517
Weighted NCI-AD Average	82%	5%	13%	11,135

Are ever worried for the security of their personal belongings




Table 120. Are ever worried for the security of their personal belongings

Program	Yes at least sometimes	No, never	N
Highmark-HCBS	21%	79%	205
Highmark-NF	32%	68%	60
AmeriHealth-HCBS	16%	84%	207
AmeriHealth-NF	29%	71%	49
Overall DE Average	22%	78%	521
Weighted NCI-AD Average	13%	87%	11,310

Someone used or took their money without their permission in the past 12 months





Table 121. Someone used or took their money without their permission in the past 12 months

Program	Yes	No	N
Highmark-HCBS	9%	91%	206
Highmark-NF	17%	83%	59
AmeriHealth-HCBS	5%	95%	204
AmeriHealth-NF	8%	92%	50
Overall DE Average	9%	91%	519
Weighted NCI-AD Average	6%	94%	11,240



Feels safe around people who are paid to help them

Table 122. Feels safe around people who are paid to help them

Program	Yes, all paid support workers, always	No, not all workers, or not always	N
Highmark-HCBS	95%	5%	97
Highmark-NF	84%	16%	37
AmeriHealth-HCBS	100%	0%	90
AmeriHealth-NF	76%	24%	34
Overall DE Average	91%	9%	258
Weighted NCI-AD Average	97%	3%	6,036

Rights and Respect

Gets information about services in their preferred language (if preferred language is not English)





Table 123. Gets information about services in their preferred language (if preferred language is not English)

Proxy respondents were allowed for this question.

Program	Yes, all information	Some Information	No	Ν
Weighted NCI-AD Average	51%	29%	20%	971



Services and supports are delivered in a way that is respectful of their culture

Table 124. Services and supports are delivered in a way that is respectful of their culture

Program	Yes	Sometimes, or some services	No	N
Highmark-HCBS	96%	3%	1%	188
Highmark-NF	69%	19%	12%	52
AmeriHealth-HCBS	94%	4%	2%	183
AmeriHealth-NF	82%	14%	5%	44
Overall DE Average	90%	7%	3%	467
Weighted NCI-AD Average	96%	3%	2%	9,700

People who are paid to help them treat them with respect




Table 125. People who are paid to help them treat them with respect

Program	Yes, all paid support workers, always or almost always	Some, or usually	No, never or rarely	N
Highmark-HCBS	90%	10%	0%	97
Highmark-NF	63%	32%	5%	38
AmeriHealth-HCBS	91%	8%	1%	90
AmeriHealth-NF	55%	42%	3%	33
Overall DE Average	80%	19%	2%	258
Weighted NCI-AD Average	93%	6%	1%	6,046

Others ask before coming into their home/room (if living in a group setting)




Table 126. Others ask before coming into their home/room (if living in a group sett	ing)
---	------

Program	Yes, always	Usually, but not always	Sometimes, rarely, or never	Ν
Highmark-HCBS	50%	33%	17%	24
Highmark-NF	42%	37%	20%	59
AmeriHealth-HCBS	71%	19%	10%	21
AmeriHealth-NF	35%	41%	24%	46
Overall DE Average	44%	36%	20%	150
Weighted NCI-AD Average	70%	20%	9%	1,506

Able to lock doors to room (if living in a group setting)




Table 127. Able to lock doors to room (if living in a group setting)

Program	Yes	No	N
Highmark-HCBS	75%	25%	24
Highmark-NF	2%	98%	56
AmeriHealth-NF	4%	96%	46
Overall DE Average	20%	80%	146
Weighted NCI-AD Average	52%	48%	1,462

Has enough privacy where lives (if living in a group setting)




Table 128. Has enough privacy where lives (if living in a group setting)

Program	Yes, always	Usually, but not always	Sometimes, rarely, or never	Ν
Highmark-HCBS	79%	13%	8%	24
Highmark-NF	54%	24%	22%	59
AmeriHealth-HCBS	76%	5%	19%	21
AmeriHealth-NF	53%	32%	15%	47
Overall DE Average	60%	23%	17%	151
Weighted NCI-AD Average	69%	19%	12%	1,512

Can have visitors at any time (if living in a group setting)





Table 129. Can have visitors at any time (if living in a group setting)

Program	Yes	No	Ν
Highmark-HCBS	75%	25%	24
Highmark-NF	74%	26%	57
AmeriHealth-NF	87%	13%	46
Overall DE Average	79%	21%	147
Weighted NCI-AD Average	77%	23%	1,440




Can get something to eat or grab a snack anytime they (if living in a group setting)

Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting)

Program	Yes	No	N
Highmark-HCBS	61%	39%	23
Highmark-NF	79%	21%	57
AmeriHealth-HCBS	90%	10%	21
AmeriHealth-NF	80%	20%	45
Overall DE Average	78%	22%	146
Weighted NCI-AD Average	81%	19%	1,475

Person-Centered Planning



Very or fully involved in making decisions about what is in the service plan?

Table 131. Involvement in making decisions about what is in the service plan

Program	Very or fully involved	Somewhat	Very little	Not at all	Ν
Highmark-HCBS	89%	9%	2%	1%	126
AmeriHealth-HCBS	87%	12%	0%	1%	102
Overall DE Average	85%	12%	2%	1%	259
Weighted NCI-AD Average	82%	14%	2%	2%	4,491

Remembers their last service planning meeting





Table 132. Remembers their last service planning meeting


Program	Yes	No	Ν
Highmark-HCBS	67%	33%	167
Highmark-NF	36%	64%	47
AmeriHealth-HCBS	57%	43%	156
AmeriHealth-NF	32%	68%	37
Overall DE Average	56%	44%	407
Weighted NCI-AD Average	59%	41%	7,497



Service planning meeting took place at a time that was good for them

Table 133. Service planning meeting took place at a time that was good for them


Program	Yes	No	Ν
Highmark-HCBS	98%	2%	110
AmeriHealth-HCBS	100%	0%	88
Overall DE Average	98%	2%	227
Weighted NCI-AD Average	99%	1%	4,554



Service planning meeting took place in a place that was good for them

Table 134. Service planning meeting took place in a place that was good for them


Program	Yes	No	Ν
Highmark-HCBS	99%	1%	111
AmeriHealth-HCBS	99%	1%	89
Overall DE Average	99%	1%	229
Weighted NCI-AD Average	100%	0%	4,553



Service planning meeting included the people they wanted to be there

Table 135. Service planning meeting included the people they wanted to be there


Program	Yes	Some People	No	Ν
Highmark-HCBS	98%	0%	2%	111
AmeriHealth-HCBS	94%	3%	2%	89
Overall DE Average	96%	2%	3%	229
Weighted NCI-AD Average	96%	2%	2%	4,473



People at the service planning meeting listened to needs and preferences

Table 136. People at the service planning meeting listened to needs and preferences


Program	Completely	Mostly	Somewhat	Very little	Not at all	Ν
Highmark-HCBS	78%	15%	4%	1%	2%	110
AmeriHealth-HCBS	80%	17%	1%	1%	1%	89
Overall DE Average	75%	16%	6%	1%	1%	227
Weighted NCI-AD Average	73%	20%	5%	1%	1%	4,525



Received a copy of the service plan after the service planning meeting

Table 137. Received a copy of the service plan after the service planning meeting


Program	Yes	No	Ν
Highmark-HCBS	96%	4%	96
AmeriHealth-HCBS	94%	6%	77
Overall DE Average	92%	8%	194
Weighted NCI-AD Average	91%	9%	3,512



Current service plan reflects what was talked about at the service plan meeting

Table 138. Current service plan reflects what was talked about at the service plan meeting

Program	Yes, completely	Yes, in part	No	N
Highmark-HCBS	91%	6%	3%	104
AmeriHealth-HCBS	91%	9%	0%	79
Overall DE Average	91%	7%	2%	204
Weighted NCI-AD Average	90%	6%	3%	3,512



Choices and preferences are reflected in current service plan

Table 139. Choices and preferences are reflected in current service plan

Program	Yes, all/completely	Yes, some/In Part	No	N
Highmark-HCBS	85%	12%	2%	124
AmeriHealth-HCBS	80%	20%	0%	98
Overall DE Average	81%	18%	1%	252
Weighted NCI-AD Average	84%	12%	4%	4,077

Self-Direction

Uses self-directed supports option





Table 140. Uses self-directed supports option

Information may only come from existing records.

Program	Yes	No	Don't Know	N
Highmark-HCBS	60%	40%	0%	280
Highmark-NF	2%	98%	0%	100
AmeriHealth-HCBS	39%	61%	0%	273
AmeriHealth-NF	0%	100%	0%	80
Overall DE Average	36%	64%	0%	733
Weighted NCI-AD Average	30%	60%	10%	13,546



Makes decisions about services that are self directed

Table 141. Makes decisions about services that are self directed

Program	Decisions about what services are received are made by a case manager or another professional employed by the state	Family or friend makes decision, person does not have input	Person has input, and family or friend helps	Person mostly makes decisions	N
Highmark-HCBS	3%	20%	25%	52%	143
AmeriHealth- HCBS	1%	21%	19%	59%	94
Overall DE Average	2%	20%	24%	53%	239
Weighted NCI-AD Average	2%	13%	25%	60%	2,466

Has enough help deciding how to direct services, like making decisions about how and when services are received





Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received

Program	Yes	Sometimes	No	Ν
Highmark-HCBS	89%	9%	2%	88
AmeriHealth-HCBS	90%	6%	3%	63
Overall DE Average	89%	8%	3%	153
Weighted NCI-AD Average	94%	3%	3%	1,481



Can make changes to the services and supports you self-direct if needed

Table 143. Can make changes to the services and supports you self-direct if needed

Program	Yes	In-between	No	N
Highmark-HCBS	85%	13%	2%	87
AmeriHealth-HCBS	86%	13%	2%	63
Overall DE Average	86%	12%	2%	152
Weighted NCI-AD Average	94%	4%	2%	1,445

Has the amount of control wanted with the services that are self-directed





Table 144. Has the amount of control wanted with the services that are self-directed


Program In-between Ν Yes No Highmark-HCBS 78% 17% 88 5% AmeriHealth-HCBS 77% 16% 6% 62 **Overall DE Average** 78% 16% 5% 152 Weighted NCI-AD Average 91% 5% 3% 1,463



Services and supports wanted to self direct are always available

Table 145. Services and supports wanted to self direct are always available


Program	Yes	Sometimes	No	Ν
Highmark-HCBS	64%	22%	13%	89
AmeriHealth-HCBS	68%	17%	15%	60
Overall DE Average	65%	21%	14%	151
Weighted NCI-AD Average	78%	11%	11%	1,439



Gets information about budget and services from the financial management service (FMS)

Table 146. Gets information about budget and services from the financial management service (FMS)


Program	Yes	Maybe, not sure	No	Ν
Highmark-HCBS	23%	14%	64%	80
AmeriHealth-HCBS	30%	15%	56%	54
Overall DE Average	24%	14%	62%	136
Weighted NCI-AD Average	52%	8%	40%	1,346



Information received from the FMS is easy to understand

Table 147. Information received from the FMS is easy to understand

Program	Yes, easy to understand on own	Some information is easy to understand or understands with help from others	No, not easy to understand and does not get help to understand	N
Overall DE Average	87%	9%	4%	33
Weighted NCI-AD Average	78%	17%	5%	702



Frequency of receiving information about budget and services from FMS

Table 148. Frequency of receiving information about budget and services from FMS

Program	At least every three months	About twice a year	Once a year or less	Ν
Overall DE Average	62%	27%	11%	33
Weighted NCI-AD Average	69%	18%	14%	663




Table 149. Parts of self-direction need help with

Program	Help with planning out service needs and setting up a schedule for staff	Help with getting staff paid	Help finding or keeping the staff you want	Help training staff	Help managing benefits for staff	Help understanding information you get from the FMS	More information about what services and supports you can get	Other	Does not need help with any of these things
Weighted NCI-AD Average	4%	7%	10%	4%	3%	9%	21%	2%	63%