



*National Core Indicators- Aging and Disabilities (NCI-AD)  
Adult Consumer Survey State Results*

**Indiana**

## Table of Contents: Indiana NCI-AD State Report

Introduction.....	10
Adult Consumer Survey.....	10
Indiana Sample.....	10
Table A. Statewide Sample.....	11
Table B. Classification of 2022-23 State programs.....	11
What is included in this report? .....	12
Presentation of Data .....	12
Accessibility Statement .....	12
Demographics.....	13
Table 1. Average age (reported for those under 90 years old).....	14
Table 2. Age Category (including those 90 and older) .....	15
Table 3. Gender .....	16
Table 4. Race and ethnicity .....	17
Table 5. Marital status.....	18
Table 6. Preferred language.....	19
Table 7. Preferred means of communication .....	20
Table 8. Residential designation.....	21
Table 9. Median area income (based on zip code) .....	22
Table 10. Type of Residence.....	23
Table 11. Who the person lives with.....	24
Table 12. Address changed in the past 6 months .....	25
Table 13. Where people moved from (if moved in the last 6 months) .....	26
Table 14A. Diagnoses .....	27

Table 14B. Diagnoses (continued).....	28
Table 15. Person has chronic psychiatric or mental health diagnosis.....	29
Table 16. Level of Mobility.....	30
Table 17. Has history of frequent falls (more than two falls in a six-month period).....	31
Table 18. Receives Medicare .....	32
Table 19. Length of time receiving LTSS services in current program.....	33
Table 20. Person has legal guardian.....	34
Table 21. Amount of paid supports received.....	35
Table 22. Person has remote supports .....	36
Outcome Tables .....	37
Community Participation.....	38
Table 23. Gets to do things outside of their home as much as they want to .....	40
Table 24. Takes part in activities with others as much as they want to (in-person or virtually).....	42
Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually.....	44
Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued).....	46
Access to the Community.....	47
Table 26. Has transportation to do the things they want outside of home.....	49
Table 27. Has transportation to get to medical appointments .....	51
Everyday Living .....	52
Table 28. Needs assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)....	54
Table 29. Always gets enough support for everyday activities (if needs at least some assistance).....	56
Table 30. Needs assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)..	58
Table 31. Always gets enough support for self-care (if needs at least some assistance).....	60
Work.....	61
Table 32. Has a paid job.....	63

Table 33. Wants a paid job (if they do not currently have one) .....	65
Table 34. Someone talked with them about job options (if they do not currently have a job but want one) .....	67
Table 35. Person volunteers.....	69
Table 36. Wants to volunteer (if they do not currently).....	71
Relationships.....	72
Table 37. Has friends or family they do not live with who are a part of their life.....	74
Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life).....	76
Table 39. Reasons not always able to see or talk to their friends and family when they want.....	78
Service Coordination.....	79
Table 40A. How first found out about services they can get.....	81
Table 40B. How first found out about services they can get (continued) .....	83
Table 41. Can contact their case manager or care coordinator when needs to .....	85
Table 42. Who helps person most often (if anyone helps on a regular basis).....	87
Table 43. Additional people who help person on a regular basis .....	89
Table 44. People who are paid to help them come and leave when they are supposed to .....	91
Table 45. Has a backup plan if their people who are paid to help them do not show up .....	93
Table 46. Has an emergency plan in place in case of widescale emergency .....	95
Table 47. Knows whom to contact if they have a complaint about their services .....	97
Table 48. Knows whom to contact if they want to make changes to services .....	99
Table 49. Services meet all current needs .....	101
Table 50A. Additional services and supports needed (if all current needs and goals are not being met).....	103
Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued) .....	105
Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued).....	107

Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager).....	109
Table 52. Service providers work together to provide support.....	111
Care Coordination .....	112
Table 53. Knows how to manage chronic conditions (if has at least one) .....	114
Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home.....	116
Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home).....	118
Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home) .....	120
Choice and Control.....	121
Table 57. Feels in control of their life .....	123
Table 58. Able to furnish and decorate their room however they want to (if living in a group setting).....	125
Table 59. Can choose or change their roommate (if living in a group setting and has a roommate) .....	127
Table 60. Can get up and go to bed when they want to.....	129
Table 61. Can eat their meals when they want to.....	131
Table 62. Can choose or change their services .....	133
Table 63. Can choose or change when and how often they receive services.....	135
Table 64. Can choose or change the people who provide paid supports if wants .....	137
Satisfaction.....	138
Table 65. Services help them live the life they want .....	140
Table 66. Case manager/care coordinator changes too often.....	142
Table 67. People who are paid to help them change too often .....	144
Table 68. Likes where they live.....	146
Table 69A. Reasons does not like where they live (if does not always like where they live) .....	148

Table 69B. Reasons does not like where they live (if does not always like where they live) (continued).....	150
Table 69C. Reasons does not like where they live (if does not always like where they live) (continued).....	152
Table 70. Wants to live somewhere else.....	154
Table 71. Where person would prefer to live (if wants to live somewhere else).....	156
Table 72. People who are paid to help them do things the way they want them done.....	158
Table 73. Usually likes how they spend their time during the day.....	160
Technology.....	161
Table 74. Has access to the internet.....	163
Table 75. Frequency with which people use the internet.....	165
Table 76. Always has a stable internet connection.....	167
Table 77. Has talked to health professionals using video conference/telehealth.....	169
Table 78. Liked talking to health care providers using telehealth.....	171
Access to Needed Equipment.....	172
Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them.....	174
Table 80. Needs other bathroom modifications but does not have them.....	176
Table 81. Needs a shower chair but does not have one.....	178
Table 82. Needs a specialized bed but does not have one.....	180
Table 83. Need for a ramp (either inside or outside of their residence) but does not have one.....	182
Table 84. Needs other home modifications that does not have.....	184
Table 85. Needs a wheelchair but does not have one.....	186
Table 86. Needs a scooter but does not have one.....	188
Table 87. Needs a walker but does not have one.....	190
Table 88. Needs hearing aids but does not have them.....	192
Table 89. Needs glasses but does not have them.....	194
Table 90. Needs personal emergency response system (PERS) but does not have one.....	196

Table 91. Needs an oxygen machine but does not have one.....	198
Table 92. Needs other assistive technology equipment but does not have.....	200
Table 93. Needs other equipment but does not have .....	202
Medications.....	203
Table 94. Knows what prescription medications are for .....	205
Table 95. Takes medication to help feel less sad or depressed .....	207
Health care.....	208
Table 96. Has access to mental health services if they want them.....	210
Table 97. Can get an appointment to see or talk to their primary care doctor when they need to.....	212
Table 98. Went to the emergency room for any reason in the past 12 months.....	214
Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance .....	216
Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain.....	218
Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician .....	220
Table 102. Had a physical exam or wellness visit in the past 12 months.....	222
Table 103. Had a hearing exam in the past 4 years .....	224
Table 104. Had a vision exam in the past year.....	226
Table 105. Had a dental visit in the past 12 months .....	228
Table 106. Had a flu shot in the past 12 months.....	230
Table 107. Received the COVID-19 Vaccine.....	232
Wellness.....	233
Table 108. Has access to healthy foods when they want them.....	235
Table 109. Overall Health.....	237
Table 110. Health compared to 12 months ago.....	239
Table 111. In the past 12 months, forgets things more often than before.....	241

Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months).....	243
Table 113. Amount of physical activity per week.....	245
Table 114. Often feels lonely .....	247
Affordability .....	248
Table 115. Ever has to skip meals due to financial worries .....	250
Safety .....	251
Table 116. They or someone else has concerns about falling or being unstable .....	253
Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable) .....	255
Table 118. Able to get to safety quickly in case of an emergency .....	257
Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others .....	259
Table 120. Are ever worried for the security of their personal belongings .....	261
Table 121. Someone used or took their money without their permission in the past 12 months.....	263
Table 122. Feels safe around people who are paid to help them.....	265
Rights and Respect.....	266
Table 123. Gets information about services in their preferred language (if preferred language is not English) .....	268
Table 124. Services and supports are delivered in a way that is respectful of their culture.....	270
Table 125. People who are paid to help them treat them with respect .....	272
Table 126. Others ask before coming into their home/room (if living in a group setting).....	274
Table 127. Able to lock doors to room (if living in a group setting) .....	276
Table 128. Has enough privacy where lives (if living in a group setting) .....	278
Table 129. Can have visitors at any time (if living in a group setting) .....	280
Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting).....	282
Person-Centered Planning.....	283
Table 131. Involvement in making decisions about what is in the service plan .....	285



Table 132. Remembers their last service planning meeting.....	287
Table 133. Service planning meeting took place at a time that was good for them.....	289
Table 134. Service planning meeting took place in a place that was good for them .....	291
Table 135. Service planning meeting included the people they wanted to be there.....	293
Table 136. People at the service planning meeting listened to needs and preferences.....	295
Table 137. Received a copy of the service plan after the service planning meeting.....	297
Table 138. Current service plan reflects what was talked about at the service plan meeting.....	299
Table 139. Choices and preferences are reflected in current service plan .....	301
Self-Direction .....	302
Table 140. Uses self-directed supports option .....	304
Table 141. Makes decisions about services that are self directed.....	306
Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received .....	308
Table 143. Can make changes to the services and supports you self-direct if needed .....	310
Table 144. Has the amount of control wanted with the services that are self-directed.....	312
Table 145. Services and supports wanted to self-direct are always available .....	314
Table 146. Gets information about budget and services from the financial management service (FMS) .....	316
Table 147. Information received from the FMS is easy to understand.....	318
Table 148. Frequency of receiving information about budget and services from FMS .....	320
Table 149. Parts of self-direction need help with.....	323

## Introduction

Established in 2015, National Core Indicators—Aging and Disabilities™ (NCI-AD™) is a voluntary effort by state aging and physical disability agencies to measure and track their performance using a standardized set of nationally validated measures. The effort is coordinated by Advancing States and Human Services Research Institute (HSRI). Learn more about our history [here](#).

In 2022-23 a total of 18 states participated in NCI-AD. Not all participating states do all surveys every year.

### *Adult Consumer Survey*

The NCI-AD Adult Consumer Survey (ACS), is standardized survey conducted with a person receiving long term services and supports (LTSS) through state aging and physical disability systems. Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person –demographic and service-related data – mainly from service agency records. In 2022-23, the survey included two state-optional modules:

**Person-Centered Planning Module (state-optional).** This is a state-optional series of questions that ask about the person-centered planning process, including the person’s experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: AL, CO, DE, GA, IN, KS, KY, MN, MO, ND, NE, NJ, OH, OK, TN, WA, and WI.

**Self-direction Module (state-optional).** This state-optional module was added to the 2022-23 ACS. Questions in this section are asked only of those who are using a self-directed supports option and assess experiences specific to self-direction. The following states conducted the Self-direction module: AL, CO, DE, GA, IN, KS, KY, MI, MN, MO, ND, NE, NJ, OH, OK, TN, WA, and WI.

### *Indiana Sample*

There is considerable variation in how states’ long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. The NCI-AD project team works closely with each participating NCI-AD state to advise and track which LTSS program populations and sub-populations are included in the state’s sampling strategy, how that sample is designed and how many surveys are targeted for completion. See detailed information on state sample frames [here](#).

Table A. Statewide Sample

Total Sample Frame	Total Surveys Completed	Overall Margin of Error
46,906	1,218	2.81%

Table B. Classification of 2022-23 State programs

Program	Funding Source	Description of Program	Total Population Eligible for NCI-AD	Total Usable Surveys Collected	MoE (95%Confidence, 0.5 Distribution)	MoE (95%Confidence, 0.7 Distribution)
<b>AD &amp; TBI</b>	1915(c)	Adult (18+) population who meet nursing facility of level of care	33,363	827	3.4%	3.1%
<b>CHOICE</b>	State Revenue	Adult (18+) population who meet eligibility based on need	3,058	100	9.8%	9.0%
<b>TITIII</b>	Older Americans Act	Title IIIE – caregiver is the recipient or grand-parents caregiving for grandchildren  Title III - Senior population who meet eligibility based on need	7,767	209	6.8%	6.2%
<b>SSBG</b>	Older Americans Act	Based on need	2,718	82	10.8%	9.9%

## What is included in this report?

This report presents Indiana 2022-23 ACS demographics and outcomes results. Data are shown for the overall statewide average, broken out by program sampled, and include the weighted NCI-AD Average.

*Please note:* Extreme caution should be used when interpreting results where the number of valid responses is small. Each program's valid number of responses (valid Ns) is shown in every chart and table in this report. **To protect people's privacy we do not show the data when 20 or fewer people from a state or within a program responded to a question, however their data are included in the overall state average.**

### Presentation of Data

Data may be viewed as bar charts or in tables by clicking the appropriate tab for each outcome. Data presented in charts are "collapsed" meaning that data grouped by response options to what is considered to reflect a positive outcome and all other responses. Tables represent the un-collapsed data outcomes. All NCI-AD data are collapsed "yes" responses only, unless otherwise noted.

**All state and NCI-AD averages throughout this report are "weighted"** to account for any non-proportional sampling of programs and to "rebalance" the states' sample sizes according to their populations of survey-eligible service recipients. *See more details on weighting in Part II of this report.*

### Accessibility Statement

National Core Indicators strives to develop accessible resources to support equitable access to information about quality of services. While all charts in this report have been marked as decorative, the data from the charts is all represented in the tables which have been reviewed for accessibility. Should you require other accommodations to make this report accessible for you, please reach out to us at [nci@nationalcoreindicators.org](mailto:nci@nationalcoreindicators.org).

## Demographics

---

Programs with more than 25% missing or don't know are marked with \*

**Table 1. Average age (reported for those under 90 years old)**

<b>Program</b>	<b>Age</b>	<b>N</b>
AD & TBI	67.3	774
CHOICE	69.0	84
TITIII	75.4	188
SSBG	72.0	71
<b>Overall IN Average</b>	<b>68.9</b>	<b>1,117</b>
<b>Weighted NCI-AD Average</b>	<b>67.2</b>	<b>14,414</b>

---

Programs with more than 25% missing or don't know are marked with \*

**Table 2. Age Category (including those 90 and older)**

<b>Program</b>	<b>18-44</b>	<b>45-65</b>	<b>66-89</b>	<b>90+</b>	<b>N</b>
AD & TBI	6%	31%	58%	5%	812
CHOICE	4%	30%	52%	14%	98
TITIII	0%	11%	80%	9%	207
SSBG	0%	22%	65%	12%	81
<b>Overall IN Average</b>	<b>4%</b>	<b>27%</b>	<b>62%</b>	<b>7%</b>	<b>1,198</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>30%</b>	<b>56%</b>	<b>6%</b>	<b>15,167</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 3. Gender**

<b>Program</b>	<b>Male</b>	<b>Female</b>	<b>Other</b>	<b>Don't know or unclear</b>	<b>N</b>
AD & TBI	34%	66%	0%	0%	825
CHOICE	24%	76%	0%	0%	99
TITIII	31%	69%	0%	0%	209
SSBG	22%	78%	0%	0%	82
<b>Overall IN Average</b>	<b>32%</b>	<b>68%</b>	<b>0%</b>	<b>0%</b>	<b>1,215</b>
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>65%</b>	<b>0%</b>	<b>0%</b>	<b>15,349</b>

---

Programs with more than 25% missing or don't know are marked with \*



**Table 4. Race and ethnicity**

*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>American Indian or Alaska Native</b>	<b>Asian</b>	<b>Black or African American</b>	<b>Pacific Islander</b>	<b>White</b>	<b>Hispanic or Latino</b>	<b>Other</b>	<b>Don't know or unclear</b>
AD & TBI	1%	1%	19%	0%	49%	1%	1%	1%
CHOICE	0%	0%	2%	0%	4%	0%	0%	0%
TITIII	0%	0%	4%	0%	12%	0%	0%	0%
SSBG	0%	0%	1%	0%	4%	0%	0%	0%
<b>Overall IN Average</b>	<b>1%</b>	<b>2%</b>	<b>26%</b>	<b>0%</b>	<b>69%</b>	<b>1%</b>	<b>1%</b>	<b>2%</b>
<b>Weighted NCI-AD Average</b>	<b>2%</b>	<b>4%</b>	<b>24%</b>	<b>0%</b>	<b>65%</b>	<b>4%</b>	<b>1%</b>	<b>2%</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 5. Marital status**

<b>Program</b>	<b>Single, never married</b>	<b>Married or in domestic partnership</b>	<b>Separated or divorced</b>	<b>Widowed</b>	<b>Don't know or unclear</b>	<b>N</b>
AD & TBI	22%	21%	27%	25%	4%	766
CHOICE	23%	16%	23%	33%	5%	95
TITIII	14%	17%	30%	40%	1%	200
SSBG	23%	6%	35%	34%	1%	79
<b>Overall IN Average</b>	<b>21%</b>	<b>19%</b>	<b>28%</b>	<b>28%</b>	<b>4%</b>	<b>1,140</b>
<b>Weighted NCI-AD Average</b>	<b>27%</b>	<b>17%</b>	<b>28%</b>	<b>25%</b>	<b>4%</b>	<b>14,363</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 6. Preferred language**

<b>Program</b>	<b>English</b>	<b>Spanish</b>	<b>Other</b>	<b>Don't know or unclear</b>	<b>N</b>
AD & TBI	84%	0%	2%	14%	801
CHOICE	94%	0%	2%	4%	96
TITIII	95%	1%	1%	4%	198
SSBG *	72%	0%	0%	28%	79
<b>Overall IN Average</b>	<b>86%</b>	<b>0%</b>	<b>2%</b>	<b>12%</b>	<b>1,174</b>
<b>Weighted NCI-AD Average</b>	<b>90%</b>	<b>2%</b>	<b>5%</b>	<b>2%</b>	<b>15,005</b>
Programs with more than 25% missing or don't know are marked with *					

Programs with more than 25% missing or don't know are marked with \*

**Table 7. Preferred means of communication**

*New Question in 2022-23*

<b>Program</b>	<b>Spoken</b>	<b>Gestures or body language</b>	<b>Sign language or finger spelling</b>	<b>Communication aid or device</b>	<b>Other</b>	<b>Don't Know</b>	<b>N</b>
AD & TBI	98%	1%	0%	0%	1%	1%	762
CHOICE	98%	1%	0%	0%	1%	0%	90
TITIII	97%	0%	0%	1%	1%	2%	194
SSBG	96%	0%	0%	1%	1%	1%	75
<b>Overall IN Average</b>	<b>98%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>1%</b>	<b>1,121</b>
<b>Weighted NCI-AD Average</b>	<b>95%</b>	<b>2%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>2%</b>	<b>14,370</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 8. Residential designation**

*Categories created using zip codes and corresponding RUCA codes.*

<b>Program</b>	<b>Metropolitan</b>	<b>Micropolitan</b>	<b>Rural</b>	<b>Small town</b>	<b>Don't Know</b>	<b>N</b>
AD & TBI	81%	13%	2%	4%	0%	794
CHOICE	80%	13%	3%	4%	0%	98
TITIII	80%	16%	0%	3%	0%	202
SSBG	73%	14%	6%	6%	0%	79
<b>Overall IN Average</b>	<b>80%</b>	<b>14%</b>	<b>2%</b>	<b>4%</b>	<b>0%</b>	<b>1,173</b>
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>14%</b>	<b>5%</b>	<b>9%</b>	<b>1%</b>	<b>14,726</b>

---

Programs with more than 25% missing or don't know are marked with \*

**Table 9. Median area income (based on zip code)**

<b>Program</b>	<b>\$0- \$9,999</b>	<b>\$10,000- \$19,999</b>	<b>\$20,000- \$29,999</b>	<b>\$30,000- \$39,999</b>	<b>\$40,000- \$49,999</b>	<b>\$50,000- \$59,999</b>	<b>\$60,000- \$69,999</b>	<b>\$70,000- \$79,999</b>	<b>\$80,000- \$89,999</b>	<b>\$90,000- \$99,999</b>	<b>\$100,000 and over</b>	<b>N</b>
AD & TBI	0%	0%	2%	8%	21%	38%	17%	7%	2%	2%	2%	793
CHOICE	0%	0%	5%	3%	24%	40%	16%	8%	1%	0%	2%	98
TITIII	1%	0%	1%	5%	24%	43%	16%	5%	1%	1%	1%	201
SSBG	0%	0%	3%	6%	16%	43%	24%	8%	0%	0%	0%	79
<b>Overall IN Average</b>	<b>0%</b>	<b>0%</b>	<b>2%</b>	<b>7%</b>	<b>21%</b>	<b>40%</b>	<b>17%</b>	<b>7%</b>	<b>2%</b>	<b>2%</b>	<b>2%</b>	<b>1,171</b>
<b>Weighted NCI- AD Average</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>9%</b>	<b>25%</b>	<b>29%</b>	<b>15%</b>	<b>9%</b>	<b>6%</b>	<b>3%</b>	<b>3%</b>	<b>14,656</b>

Programs with more than 25% missing or don't know are marked with \*

Table 10. Type of Residence

Program	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't know or unclear	N
AD & TBI	78%	5%	1%	9%	5%	0%	1%	1%	803
CHOICE	90%	7%	1%	2%	0%	0%	0%	0%	97
TITIII	85%	5%	0%	6%	3%	0%	0%	1%	208
SSBG	82%	10%	0%	5%	1%	0%	1%	0%	73
<b>Overall IN Average</b>	<b>80%</b>	<b>6%</b>	<b>1%</b>	<b>8%</b>	<b>4%</b>	<b>0%</b>	<b>1%</b>	<b>1%</b>	<b>1,181</b>
<b>Weighted NCI-AD Average</b>	<b>73%</b>	<b>6%</b>	<b>2%</b>	<b>8%</b>	<b>10%</b>	<b>0%</b>	<b>1%</b>	<b>1%</b>	<b>14,995</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 11. Who the person lives with**

*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>No One – Lives Alone</b>	<b>Spouse or Partner</b>	<b>Other Family</b>	<b>Friend(s)</b>	<b>Live-in PCA</b>	<b>Others</b>	<b>Don't Know or unclear</b>
AD & TBI	33%	13%	21%	1%	2%	2%	3%
CHOICE	4%	1%	2%	0%	0%	0%	0%
TITIII	10%	3%	4%	0%	0%	0%	0%
SSBG	4%	1%	1%	0%	0%	0%	0%
<b>Overall IN Average</b>	<b>50%</b>	<b>18%</b>	<b>27%</b>	<b>1%</b>	<b>2%</b>	<b>2%</b>	<b>4%</b>
<b>Weighted NCI-AD Average</b>	<b>48%</b>	<b>14%</b>	<b>24%</b>	<b>1%</b>	<b>2%</b>	<b>10%</b>	<b>4%</b>

Programs with more than 25% missing or don't know are marked with \*



**Table 12. Address changed in the past 6 months**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
AD & TBI	8%	90%	1%	761
CHOICE	2%	98%	0%	94
TITIII	6%	94%	1%	195
SSBG	7%	93%	0%	67
<b>Overall IN Average</b>	<b>7%</b>	<b>91%</b>	<b>1%</b>	<b>1,117</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>91%</b>	<b>3%</b>	<b>13,850</b>

---

Programs with more than 25% missing or don't know are marked with \*

Table 13. Where people moved from (if moved in the last 6 months)

Program	Own or family house or apartment	Senior living apartment or complex	Group home, adult family home, foster home, host home	Assisted living facility, residential care facility	Nursing facility, nursing home	Homeless or temporary shelter	Other	Don't know or unclear	N
AD & TBI	66%	5%	0%	13%	2%	4%	7%	4%	56
<b>Overall IN Average</b>	<b>67%</b>	<b>8%</b>	<b>0%</b>	<b>11%</b>	<b>3%</b>	<b>3%</b>	<b>6%</b>	<b>3%</b>	<b>74</b>
<b>Weighted NCI-AD Average</b>	<b>58%</b>	<b>4%</b>	<b>3%</b>	<b>7%</b>	<b>10%</b>	<b>2%</b>	<b>10%</b>	<b>7%</b>	<b>701</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 14A. Diagnoses**

*Categories are not mutually exclusive; therefore, N is not shown.*

Program	Physical Disability	Traumatic brain injury or other acquired brain injury	Intellectual or other developmental disability	Alzheimer's disease or other dementia	Heart Disease	Cancer
AD & TBI	48%	10%	5%	12%	27%	12%
CHOICE	4%	1%	0%	1%	3%	2%
TITIII	8%	1%	1%	2%	7%	5%
SSBG	3%	1%	0%	0%	2%	1%
<b>Overall IN Average</b>	<b>62%</b>	<b>12%</b>	<b>7%</b>	<b>16%</b>	<b>39%</b>	<b>20%</b>
<b>Weighted NCI-AD Average</b>	<b>63%</b>	<b>11%</b>	<b>6%</b>	<b>14%</b>	<b>36%</b>	<b>13%</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 14B. Diagnoses (continued)**

*Categories are not mutually exclusive; therefore, N is not shown.*

*Limited or no vision and hearing loss were newly added in 2022-23.*

Program	Chronic Obstructive pulmonary disease (COPD)	Stroke	Diabetes	Hypertension (or high blood pressure)	Limited or no vision- legally blind	Hearing loss- severe or profound
AD & TBI	23%	19%	32%	44%	14%	14%
CHOICE	2%	1%	3%	5%	3%	1%
TITIII	6%	4%	8%	13%	6%	5%
SSBG	1%	2%	2%	3%	1%	1%
<b>Overall IN Average</b>	<b>32%</b>	<b>26%</b>	<b>45%</b>	<b>64%</b>	<b>23%</b>	<b>21%</b>
<b>Weighted NCI-AD Average</b>	<b>24%</b>	<b>18%</b>	<b>38%</b>	<b>60%</b>	<b>15%</b>	<b>11%</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 15. Person has chronic psychiatric or mental health diagnosis**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
AD & TBI	31%	65%	4%	650
CHOICE	18%	80%	1%	92
TITIII	17%	82%	1%	167
SSBG	15%	85%	0%	54
<b>Overall IN Average</b>	<b>27%</b>	<b>70%</b>	<b>3%</b>	<b>963</b>
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>62%</b>	<b>2%</b>	<b>13,515</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 16. Level of Mobility**

*Categories are not mutually exclusive (except 'Don't know or unclear').*

<b>Program</b>	<b>Non-Ambulatory</b>	<b>Moves self with wheelchair</b>	<b>Moves self with other aids</b>	<b>Moves self without aids</b>	<b>Don't Know or unclear</b>
AD & TBI	6%	21%	50%	16%	1%
CHOICE	0%	2%	5%	2%	0%
TITIII	0%	4%	11%	7%	0%
SSBG	0%	1%	3%	1%	0%
<b>Overall IN Average</b>	<b>7%</b>	<b>27%</b>	<b>68%</b>	<b>27%</b>	<b>1%</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>22%</b>	<b>58%</b>	<b>24%</b>	<b>4%</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 17. Has history of frequent falls (more than two falls in a six-month period)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
AD & TBI	36%	61%	3%	706
CHOICE	43%	54%	3%	93
TITIII	21%	79%	1%	179
SSBG	32%	67%	2%	57
<b>Overall IN Average</b>	<b>34%</b>	<b>64%</b>	<b>3%</b>	<b>1,035</b>
<b>Weighted NCI-AD Average</b>	<b>29%</b>	<b>66%</b>	<b>5%</b>	<b>13,727</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 18. Receives Medicare**

*information required to come from administrative records*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
AD & TBI	75%	10%	16%	463
CHOICE	76%	17%	7%	70
TITIII	81%	15%	4%	99
SSBG	88%	9%	2%	43
<b>Overall IN Average</b>	<b>76%</b>	<b>11%</b>	<b>13%</b>	<b>675</b>
<b>Weighted NCI-AD Average</b>	<b>76%</b>	<b>17%</b>	<b>7%</b>	<b>13,432</b>

---

Programs with more than 25% missing or don't know are marked with \*



**Table 19. Length of time receiving LTSS services in current program**

*information required to come from administrative records*

<b>Program</b>	<b>0 - 5 months</b>	<b>6 months – less than 1 year</b>	<b>1 year – less than 3 years</b>	<b>3 or more years</b>	<b>Don't know or unclear</b>	<b>N</b>
AD & TBI	5%	10%	73%	1%	11%	552
CHOICE	7%	2%	83%	4%	4%	92
TITIII	1%	1%	87%	0%	11%	154
SSBG	0%	0%	100%	0%	0%	65
<b>Overall IN Average</b>	<b>4%</b>	<b>7%</b>	<b>78%</b>	<b>1%</b>	<b>10%</b>	<b>863</b>
<b>Weighted NCI-AD Average</b>	<b>2%</b>	<b>6%</b>	<b>35%</b>	<b>37%</b>	<b>20%</b>	<b>13,937</b>

Programs with more than 25% missing or don't know are marked with \*

**Table 20. Person has legal guardian**

*information required to come from administrative records*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
AD & TBI *	4%	30%	66%	195
<b>Overall IN Average *</b>	<b>4%</b>	<b>30%</b>	<b>66%</b>	<b>237</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>68%</b>	<b>26%</b>	<b>12,761</b>

Programs with more than 25% missing or don't know are marked with \*

---

Programs with more than 25% missing or don't know are marked with \*

**Table 21. Amount of paid supports received**

*Newly added question in 2022-23. Information required to come from administrative records.*

<b>Program</b>	<b>24-hour support or supervision</b>	<b>Daily support (for a limited number of hours per day, not round-the-clock)</b>	<b>Scheduled, less frequent than daily support</b>	<b>As-needed visitation and phone contact</b>	<b>None of the above</b>	<b>Don't know</b>	<b>N</b>
AD & TBI *	31%	3%	2%	0%	1%	62%	153
TITIII	44%	8%	16%	0%	12%	20%	25
<b>Overall IN Average *</b>	<b>30%</b>	<b>4%</b>	<b>7%</b>	<b>0%</b>	<b>3%</b>	<b>56%</b>	<b>204</b>
<b>Weighted NCI-AD Average</b>	<b>15%</b>	<b>15%</b>	<b>30%</b>	<b>2%</b>	<b>8%</b>	<b>30%</b>	<b>11,979</b>
Programs with more than 25% missing or don't know are marked with *							

Programs with more than 25% missing or don't know are marked with \*

**Table 22. Person has remote supports**

*Newly added question in 2022-23. Information required to come from administrative records.*

<b>Program</b>	<b>Yes, 24-hour remote supports</b>	<b>Yes, less than 24-hour remote supports</b>	<b>No, none</b>	<b>Don't know</b>	<b>N</b>
AD & TBI *	25%	0%	4%	71%	150
TITIII *	40%	0%	12%	48%	25
<b>Overall IN Average *</b>	<b>25%</b>	<b>0%</b>	<b>7%</b>	<b>68%</b>	<b>196</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>1%</b>	<b>58%</b>	<b>33%</b>	<b>12,242</b>
Programs with more than 25% missing or don't know are marked with *					

Programs with more than 25% missing or don't know are marked with \*

## Outcome Tables

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Community Participation*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Gets to do things outside of their home as much as they want to



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 23. Gets to do things outside of their home as much as they want to**


<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	67%	33%	439
CHOICE	62%	38%	78
TITIII	65%	35%	153
SSBG	48%	52%	60
<b>Overall IN Average</b>	<b>65%</b>	<b>35%</b>	<b>730</b>
<b>Weighted NCI-AD Average</b>	<b>62%</b>	<b>38%</b>	<b>11,081</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Takes part in activities with others as much as they want to (in-person or virtually)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 24. Takes part in activities with others as much as they want to (in-person or virtually)**

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
AD & TBI	66%	6%	29%	444
CHOICE	49%	25%	26%	72
TITIII	59%	14%	27%	151
SSBG	55%	11%	34%	62
<b>Overall IN Average</b>	<b>62%</b>	<b>9%</b>	<b>29%</b>	<b>729</b>
<b>Weighted NCI-AD Average</b>	<b>61%</b>	<b>12%</b>	<b>27%</b>	<b>10,991</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Reasons cannot always take part in activities with others as much as they want to in-person or virtually



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually**

*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Cost or money</b>	<b>Transportation</b>	<b>Accessibility or lack of equipment</b>	<b>Health limitations</b>	<b>Not enough help, staffing, or personal assistance</b>	<b>Feeling unwelcome in the community</b>
AD & TBI	3%	16%	3%	28%	2%	1%
CHOICE	1%	2%	1%	8%	1%	0%
TITIII	1%	4%	0%	17%	0%	0%
SSBG	1%	3%	0%	3%	0%	0%
<b>Overall IN Average</b>	<b>6%</b>	<b>25%</b>	<b>4%</b>	<b>56%</b>	<b>4%</b>	<b>2%</b>
<b>Weighted NCI-AD Average</b>	<b>13%</b>	<b>37%</b>	<b>10%</b>	<b>55%</b>	<b>8%</b>	<b>1%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued)**

*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Feeling unsafe</b>	<b>No community activities outside of home available</b>	<b>Lack of information or doesn't know what type of community activities are available</b>	<b>Does not have technology or equipment</b>	<b>Other</b>
AD & TBI	1%	3%	3%	1%	11%
CHOICE	0%	0%	0%	0%	1%
TITIII	0%	0%	2%	1%	3%
SSBG	1%	1%	0%	1%	2%
<b>Overall IN Average</b>	<b>2%</b>	<b>4%</b>	<b>5%</b>	<b>4%</b>	<b>17%</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>3%</b>	<b>8%</b>	<b>7%</b>	<b>8%</b>


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Access to the Community*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has transportation to do the things  
they want outside of home



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



**Table 26. Has transportation to do the things they want outside of home**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
AD & TBI	81%	7%	12%	702
CHOICE	78%	3%	18%	88
TITIII	82%	8%	10%	186
SSBG	69%	13%	18%	71
<b>Overall IN Average</b>	<b>80%</b>	<b>7%</b>	<b>13%</b>	<b>1,047</b>
<b>Weighted NCI-AD Average</b>	<b>68%</b>	<b>16%</b>	<b>16%</b>	<b>14,095</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Has transportation to get to medical appointments



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 27. Has transportation to get to medical appointments**

*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
AD & TBI	92%	5%	3%	724
CHOICE	89%	10%	1%	94
TITIII	96%	3%	1%	194
SSBG	88%	4%	8%	73
<b>Overall IN Average</b>	<b>92%</b>	<b>5%</b>	<b>3%</b>	<b>1,085</b>
<b>Weighted NCI-AD Average</b>	<b>89%</b>	<b>8%</b>	<b>3%</b>	<b>14,547</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## Everyday Living

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 28. Needs assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>A Lot</b>	<b>Some</b>	<b>None</b>	<b>N</b>
AD & TBI	60%	35%	5%	794
CHOICE	46%	51%	3%	99
TITIII	36%	45%	19%	201
SSBG	26%	59%	15%	81
<b>Overall IN Average</b>	<b>53%</b>	<b>39%</b>	<b>8%</b>	<b>1,175</b>
<b>Weighted NCI-AD Average</b>	<b>53%</b>	<b>38%</b>	<b>9%</b>	<b>15,170</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Always gets enough support for everyday activities (if needs at least some assistance)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 29. Always gets enough support for everyday activities (if needs at least some assistance)**

*Proxy respondents were allowed for this question*


<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	13%	735
CHOICE	75%	25%	93
TITIII	78%	22%	162
SSBG	71%	29%	68
<b>Overall IN Average</b>	<b>84%</b>	<b>16%</b>	<b>1,058</b>
<b>Weighted NCI-AD Average</b>	<b>79%</b>	<b>21%</b>	<b>13,902</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 30. Needs assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>A Lot</b>	<b>Some</b>	<b>None</b>	<b>N</b>
AD & TBI	37%	43%	20%	782
CHOICE	36%	50%	14%	98
TITIII	26%	37%	37%	201
SSBG	11%	32%	57%	79
<b>Overall IN Average</b>	<b>34%</b>	<b>42%</b>	<b>25%</b>	<b>1,160</b>
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>36%</b>	<b>27%</b>	<b>15,127</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Always gets enough support for self-care (if needs at least some assistance)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 31. Always gets enough support for self-care (if needs at least some assistance)**

*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	88%	12%	607
CHOICE	80%	20%	81
TITIII	80%	20%	123
SSBG	70%	30%	33
<b>Overall IN Average</b>	<b>86%</b>	<b>14%</b>	<b>844</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>19%</b>	<b>11,165</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## Work

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Has a paid job



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 32. Has a paid job**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	3%	97%	679
CHOICE	4%	96%	91
TITIII	2%	98%	179
SSBG	1%	99%	74
<b>Overall IN Average</b>	<b>3%</b>	<b>97%</b>	<b>1,023</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>97%</b>	<b>14,451</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Wants a paid job (if they do not currently have one)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 33. Wants a paid job (if they do not currently have one)**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
AD & TBI	7%	4%	89%	413
CHOICE	4%	1%	95%	74
TITIII	5%	4%	91%	142
SSBG	5%	3%	92%	60
<b>Overall IN Average</b>	<b>6%</b>	<b>4%</b>	<b>90%</b>	<b>689</b>
<b>Weighted NCI-AD Average</b>	<b>9%</b>	<b>5%</b>	<b>87%</b>	<b>10,424</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Someone talked with them about job options (if they do not currently have a job but want one)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 34. Someone talked with them about job options (if they do not currently have a job but want one)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	15%	85%	26
<b>Overall IN Average</b>	<b>16%</b>	<b>84%</b>	<b>37</b>
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>66%</b>	<b>887</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## Person Volunteers



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 35. Person volunteers**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	5%	95%	649
CHOICE	7%	93%	90
TITIII	5%	95%	171
SSBG	3%	97%	70
<b>Overall IN Average</b>	<b>5%</b>	<b>95%</b>	<b>980</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>93%</b>	<b>14,217</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Wants to volunteer (if they do not currently)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 36. Wants to volunteer (if they do not currently)**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
AD & TBI	9%	12%	79%	373
CHOICE	3%	4%	93%	67
TITIII	7%	3%	90%	129
SSBG	13%	11%	76%	54
<b>Overall IN Average</b>	<b>8%</b>	<b>9%</b>	<b>82%</b>	<b>623</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>9%</b>	<b>85%</b>	<b>9,606</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


## *Relationships*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Has friends or family they do not live with who are a part of their life



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 37. Has friends or family they do not live with who are a part of their life**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	96%	4%	536
CHOICE	93%	7%	85
TITIII	93%	7%	173
SSBG	86%	14%	71
<b>Overall IN Average</b>	<b>95%</b>	<b>5%</b>	<b>865</b>
<b>Weighted NCI-AD Average</b>	<b>92%</b>	<b>8%</b>	<b>11,665</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)**

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
AD & TBI	86%	10%	4%	509
CHOICE	94%	4%	3%	79
TITIII	83%	13%	4%	158
SSBG	93%	0%	7%	61
<b>Overall IN Average</b>	<b>87%</b>	<b>9%</b>	<b>4%</b>	<b>807</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>13%</b>	<b>6%</b>	<b>10,659</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Reasons not always able to see or talk to their friends and family when they want



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 39. Reasons not always able to see or talk to their friends and family when they want**

*Categories are not mutually exclusive, therefore N is not shown.*

Program	Availability of transportation	Accessibility	Staffing or personal assistance unavailable	Health limitations	Someone prevents from or rules against	No or limited access to a phone	No or limited access to the internet	Other
<b>Weighted NCI-AD Average</b>	<b>57%</b>	<b>14%</b>	<b>4%</b>	<b>45%</b>	<b>2%</b>	<b>3%</b>	<b>3%</b>	<b>3%</b>


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Service Coordination*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### How first found out about services they can get



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 40A. How first found out about services they can get**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Friend</b>	<b>Family</b>	<b>Aging and disability resource center; area agency on aging; center for independent living</b>	<b>State or county agency</b>	<b>Case manager or care coordinator</b>
AD & TBI	5%	22%	15%	9%	6%
CHOICE	0%	1%	4%	3%	3%
TITIII	1%	3%	8%	6%	5%
SSBG	1%	1%	1%	0%	1%
<b>Overall IN Average</b>	<b>8%</b>	<b>27%</b>	<b>27%</b>	<b>19%</b>	<b>16%</b>
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>21%</b>	<b>14%</b>	<b>17%</b>	<b>17%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### How first found out about services they can get (continued)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 40B. How first found out about services they can get (continued)**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Doctor, hospital, clinic</b>	<b>Other provider or provider agency</b>	<b>Media, newspaper, TV, radio, billboard, brochure, flyer, advertisement</b>	<b>Internet or website</b>	<b>Other</b>
AD & TBI	16%	4%	0%	0%	5%
CHOICE	2%	1%	0%	0%	0%
TITIII	5%	1%	0%	0%	2%
SSBG	1%	0%	0%	0%	1%
<b>Overall IN Average</b>	<b>23%</b>	<b>6%</b>	<b>0%</b>	<b>0%</b>	<b>7%</b>
<b>Weighted NCI-AD Average</b>	<b>21%</b>	<b>11%</b>	<b>1%</b>	<b>1%</b>	<b>5%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can contact their case manager or care coordinator when needs to



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 41. Can contact their case manager or care coordinator when needs to**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, always</b>	<b>Most of the time, usually</b>	<b>No</b>	<b>N</b>
AD & TBI	83%	12%	5%	543
CHOICE	86%	7%	7%	74
TITIII	83%	12%	5%	113
SSBG	82%	8%	10%	50
<b>Overall IN Average</b>	<b>83%</b>	<b>11%</b>	<b>5%</b>	<b>780</b>
<b>Weighted NCI-AD Average</b>	<b>80%</b>	<b>13%</b>	<b>6%</b>	<b>10,426</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Who helps person most often (if anyone helps on a regular basis)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 42. Who helps person most often (if anyone helps on a regular basis)**

*Proxy respondents were allowed for this question.*

Program	Paid support worker who is not a friend or relative	Paid family member or spouse or partner	Paid friend	Unpaid family member or spouse or partner	Unpaid friend or volunteer	Other	N
AD & TBI	53%	22%	1%	20%	2%	2%	692
CHOICE	53%	16%	1%	25%	2%	2%	83
TITIII	49%	12%	3%	31%	2%	4%	146
SSBG	65%	5%	2%	26%	2%	0%	57
<b>Overall IN Average</b>	<b>53%</b>	<b>19%</b>	<b>1%</b>	<b>22%</b>	<b>2%</b>	<b>3%</b>	<b>978</b>
<b>Weighted NCI-AD Average</b>	<b>54%</b>	<b>17%</b>	<b>2%</b>	<b>23%</b>	<b>3%</b>	<b>2%</b>	<b>13,048</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Additional people who help person on a regular basis



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 43. Additional people who help person on a regular basis**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Paid support worker who is not a friend or relative</b>	<b>Paid family member or spouse or partner</b>	<b>Paid friend</b>	<b>Unpaid family member or spouse or partner</b>	<b>Unpaid friend or volunteer</b>	<b>Other</b>	<b>No one else provides additional support</b>
AD & TBI	10%	3%	0%	31%	4%	1%	25%
TITIII	4%	0%	0%	7%	1%	0%	5%
<b>Overall IN Average</b>	<b>18%</b>	<b>4%</b>	<b>1%</b>	<b>44%</b>	<b>6%</b>	<b>2%</b>	<b>33%</b>
<b>Weighted NCI-AD Average</b>	<b>17%</b>	<b>4%</b>	<b>1%</b>	<b>42%</b>	<b>10%</b>	<b>2%</b>	<b>32%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

People who are paid to help them  
come and leave when they are  
supposed to



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 44. People who are paid to help them come and leave when they are supposed to**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, all paid support workers, always or almost always</b>	<b>Some, or usually</b>	<b>No, never or rarely</b>	<b>N</b>
AD & TBI	84%	11%	6%	336
CHOICE	81%	8%	10%	48
TITIII	87%	11%	1%	70
SSBG	79%	13%	8%	38
<b>Overall IN Average</b>	<b>84%</b>	<b>11%</b>	<b>6%</b>	<b>492</b>
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>9%</b>	<b>2%</b>	<b>6,758</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has a backup plan if the people who are paid to help them do not show up



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 45. Has a backup plan if their people who are paid to help them do not show up**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	69%	31%	315
CHOICE	73%	27%	48
TITIII	68%	32%	63
SSBG	39%	61%	33
<b>Overall IN Average</b>	<b>67%</b>	<b>33%</b>	<b>459</b>
<b>Weighted NCI-AD Average</b>	<b>67%</b>	<b>33%</b>	<b>6,627</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has an emergency plan in place in case of widescale emergency



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 46. Has an emergency plan in place in case of widescale emergency**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	80%	20%	684
CHOICE	88%	13%	96
TITIII	84%	16%	180
SSBG	77%	23%	64
<b>Overall IN Average</b>	<b>81%</b>	<b>19%</b>	<b>1,024</b>
<b>Weighted NCI-AD Average</b>	<b>78%</b>	<b>22%</b>	<b>14,071</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Knows whom to contact if they have a complaint about their services



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 47. Knows whom to contact if they have a complaint about their services**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
AD & TBI	81%	5%	14%	390
CHOICE	86%	1%	13%	70
TITIII	84%	4%	12%	118
SSBG	85%	2%	13%	53
<b>Overall IN Average</b>	<b>82%</b>	<b>4%</b>	<b>14%</b>	<b>631</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>7%</b>	<b>12%</b>	<b>9,582</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Knows whom to contact if they want  
to make changes to services



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 48. Knows whom to contact if they want to make changes to services**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	6%	7%	364
CHOICE	85%	8%	6%	62
TITIII	83%	10%	7%	112
SSBG	84%	8%	8%	49
<b>Overall IN Average</b>	<b>86%</b>	<b>7%</b>	<b>7%</b>	<b>587</b>
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>8%</b>	<b>8%</b>	<b>9,438</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Services meet all needs and current goals



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 49. Services meet all current needs**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, completely, all needs and goals</b>	<b>Some needs and goals</b>	<b>No, not at all, needs and goals are not met</b>	<b>N</b>
AD & TBI	76%	20%	5%	563
CHOICE	70%	21%	9%	77
TITIII	64%	29%	6%	139
SSBG	70%	28%	2%	53
<b>Overall IN Average</b>	<b>73%</b>	<b>22%</b>	<b>5%</b>	<b>832</b>
<b>Weighted NCI-AD Average</b>	<b>71%</b>	<b>24%</b>	<b>6%</b>	<b>12,225</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Additional Services Needed



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 50A. Additional services and supports needed (if all current needs and goals are not being met)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

Program	Skilled nursing facility, nursing home services	Personal care assistance, personal care services	Homemaker or chore services	Companion services	Healthcare home services, home health	Home delivered meals
AD & TBI	5%	17%	18%	4%	2%	4%
CHOICE	0%	1%	3%	1%	1%	1%
TITIII	0%	4%	9%	2%	2%	5%
<b>Overall IN Average</b>	<b>6%</b>	<b>23%</b>	<b>33%</b>	<b>8%</b>	<b>6%</b>	<b>12%</b>
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>29%</b>	<b>32%</b>	<b>14%</b>	<b>10%</b>	<b>15%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Additional Services Needed (continued)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Adult day services</b>	<b>Transportation</b>	<b>Respite or family caregiver support</b>	<b>Health care</b>	<b>Mental health care</b>	<b>Dental care</b>
AD & TBI	1%	7%	2%	1%	1%	2%
CHOICE	0%	1%	0%	0%	0%	1%
TITIII	2%	3%	0%	2%	0%	0%
<b>Overall IN Average</b>	<b>5%</b>	<b>14%</b>	<b>3%</b>	<b>3%</b>	<b>2%</b>	<b>3%</b>
<b>Weighted NCI-AD Average</b>	<b>9%</b>	<b>28%</b>	<b>6%</b>	<b>7%</b>	<b>9%</b>	<b>14%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Additional Services Needed (continued)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Housing assistance</b>	<b>Heating or cooling assistance</b>	<b>Hospice</b>	<b>Funeral planning</b>	<b>Other</b>
AD & TBI	12%	1%	0%	0%	24%
CHOICE	1%	1%	0%	0%	2%
TITIII	7%	1%	0%	0%	7%
<b>Overall IN Average</b>	<b>22%</b>	<b>4%</b>	<b>0%</b>	<b>1%</b>	<b>33%</b>
<b>Weighted NCI-AD Average</b>	<b>17%</b>	<b>9%</b>	<b>1%</b>	<b>4%</b>	<b>28%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	52%	48%	95
TITIII	66%	34%	29
<b>Overall IN Average</b>	<b>54%</b>	<b>46%</b>	<b>147</b>
<b>Weighted NCI-AD Average</b>	<b>56%</b>	<b>44%</b>	<b>2,536</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Service providers work together to provide support



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 52. Service providers work together to provide support**

*New question in 2022-2023.*

<b>Program</b>	<b>Yes, all service providers</b>	<b>Sometimes, or some service providers</b>	<b>No</b>	<b>N</b>
AD & TBI	84%	11%	6%	449
CHOICE	88%	6%	6%	64
TITIII	81%	5%	14%	110
SSBG	80%	9%	11%	44
<b>Overall IN Average</b>	<b>83%</b>	<b>10%</b>	<b>7%</b>	<b>667</b>
<b>Weighted NCI-AD Average</b>	<b>79%</b>	<b>12%</b>	<b>9%</b>	<b>10,771</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


## Care Coordination

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Knows how to manage chronic conditions (if has at least one)




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 53. Knows how to manage chronic conditions (if has at least one)**

<b>Program</b>	<b>Yes</b>	<b>In-between, or some conditions</b>	<b>No</b>	<b>N</b>
AD & TBI	95%	2%	2%	413
CHOICE	94%	4%	1%	72
TITIII	97%	0%	3%	139
SSBG	100%	0%	0%	52
<b>Overall IN Average</b>	<b>96%</b>	<b>2%</b>	<b>2%</b>	<b>676</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>10%</b>	<b>5%</b>	<b>10,269</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Stayed overnight in a hospital or  
rehab/nursing facility in the past  
12 months and was discharged to go  
home



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	37%	63%	686
CHOICE	35%	65%	89
TITIII	34%	66%	178
SSBG	31%	69%	67
<b>Overall IN Average</b>	<b>36%</b>	<b>64%</b>	<b>1,020</b>
<b>Weighted NCI-AD Average</b>	<b>29%</b>	<b>71%</b>	<b>14,099</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)**

<b>Program</b>	<b>Yes</b>	<b>In-between</b>	<b>No</b>	<b>N</b>
AD & TBI	90%	5%	5%	149
CHOICE	84%	8%	8%	25
TITIII	96%	4%	0%	49
<b>Overall IN Average</b>	<b>91%</b>	<b>5%</b>	<b>4%</b>	<b>241</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>7%</b>	<b>8%</b>	<b>3,056</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	92%	8%	218
CHOICE	96%	4%	26
TITIII	83%	17%	60
<b>Overall IN Average</b>	<b>90%</b>	<b>10%</b>	<b>323</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>15%</b>	<b>3,735</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




## *Choice and Control*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Always feels in control of their life




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 57. Feels in control of their life**

<b>Program</b>	<b>Yes, almost always, always</b>	<b>In-between, sometimes</b>	<b>No, rarely, never</b>	<b>N</b>
AD & TBI	75%	18%	6%	404
CHOICE	67%	27%	6%	82
TITIII	82%	14%	4%	147
SSBG	81%	12%	7%	57
<b>Overall IN Average</b>	<b>76%</b>	<b>18%</b>	<b>6%</b>	<b>690</b>
<b>Weighted NCI-AD Average</b>	<b>69%</b>	<b>24%</b>	<b>7%</b>	<b>10,647</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Able to furnish and decorate their room however they want to (if living in a group setting)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)**

<b>Program</b>	<b>In all ways</b>	<b>In most ways</b>	<b>Only in some ways, or not at all</b>	<b>N</b>
AD & TBI	69%	14%	17%	36
<b>Overall IN Average</b>	<b>74%</b>	<b>14%</b>	<b>12%</b>	<b>52</b>
<b>Weighted NCI-AD Average</b>	<b>53%</b>	<b>29%</b>	<b>18%</b>	<b>1,263</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can choose or change their roommate  
(if living in a group setting and  
has a roommate)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 59. Can choose or change their roommate (if living in a group setting and has a roommate)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
<b>Weighted NCI-AD Average</b>	<b>31%</b>	<b>69%</b>	<b>601</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can always get up and go to bed  
when they want to



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 60. Can get up and go to bed when they want to**

<b>Program</b>	<b>Yes, always, or almost always</b>	<b>Some days, sometimes</b>	<b>No, never</b>	<b>N</b>
AD & TBI	96%	1%	3%	77
<b>Overall IN Average</b>	<b>95%</b>	<b>3%</b>	<b>2%</b>	<b>115</b>
<b>Weighted NCI-AD Average</b>	<b>89%</b>	<b>9%</b>	<b>3%</b>	<b>2,339</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can always eat their meals when they want to



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 61. Can eat their meals when they want to**

<b>Program</b>	<b>Yes, always, or almost always</b>	<b>Some days, sometimes</b>	<b>No, never</b>	<b>N</b>
AD & TBI	78%	6%	16%	77
<b>Overall IN Average</b>	<b>80%</b>	<b>6%</b>	<b>13%</b>	<b>115</b>
<b>Weighted NCI-AD Average</b>	<b>74%</b>	<b>11%</b>	<b>15%</b>	<b>2,326</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Can choose or change their services



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 62. Can choose or change their services**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes, all services</b>	<b>Sometimes, or some services</b>	<b>No</b>	<b>N</b>
AD & TBI	84%	7%	9%	507
CHOICE	84%	9%	7%	68
TITIII	76%	14%	10%	113
SSBG	68%	16%	16%	50
<b>Overall IN Average</b>	<b>82%</b>	<b>9%</b>	<b>10%</b>	<b>738</b>
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>14%</b>	<b>14%</b>	<b>11,076</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Can choose or change when and how often they receive services



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 63. Can choose or change when and how often they receive services**

*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes, all services</b>	<b>Sometimes, or some services</b>	<b>No</b>	<b>N</b>
AD & TBI	79%	8%	13%	487
CHOICE	75%	16%	9%	68
TITIII	69%	15%	15%	110
SSBG	68%	19%	13%	47
<b>Overall IN Average</b>	<b>76%</b>	<b>11%</b>	<b>13%</b>	<b>712</b>
<b>Weighted NCI-AD Average</b>	<b>66%</b>	<b>15%</b>	<b>19%</b>	<b>11,038</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can choose or change the people who provide paid supports if wants



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



**Table 64. Can choose or change the people who provide paid supports if wants**

*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes, all services</b>	<b>Sometimes, or some services</b>	<b>No</b>	<b>N</b>
AD & TBI	78%	7%	16%	318
CHOICE	66%	22%	12%	41
TITIII	81%	2%	17%	64
SSBG	66%	6%	29%	35
<b>Overall IN Average</b>	<b>77%</b>	<b>7%</b>	<b>17%</b>	<b>458</b>
<b>Weighted NCI-AD Average</b>	<b>77%</b>	<b>7%</b>	<b>16%</b>	<b>6,837</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## Satisfaction

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Services help them live the life they want



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 65. Services help them live the life they want**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	13%	365
CHOICE	84%	16%	62
TITIII	85%	15%	103
SSBG	72%	28%	46
<b>Overall IN Average</b>	<b>85%</b>	<b>15%</b>	<b>576</b>
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>13%</b>	<b>9,108</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Case manager/care coordinator  
changes too often



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 66. Case manager/care coordinator changes too often**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	28%	72%	357
CHOICE	37%	63%	62
TITIII	17%	83%	83
SSBG	30%	70%	43
<b>Overall IN Average</b>	<b>28%</b>	<b>72%</b>	<b>545</b>
<b>Weighted NCI-AD Average</b>	<b>32%</b>	<b>68%</b>	<b>7,781</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### People who are paid to help them change too often



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 67. People who are paid to help them change too often**

<b>Program</b>	<b>Yes, all paid support workers, always or almost always</b>	<b>Some or usually</b>	<b>No, never or rarely</b>	<b>N</b>
AD & TBI	27%	11%	62%	334
CHOICE	24%	22%	54%	50
TITIII	22%	12%	66%	67
SSBG	37%	8%	55%	38
<b>Overall IN Average</b>	<b>27%</b>	<b>12%</b>	<b>61%</b>	<b>489</b>
<b>Weighted NCI-AD Average</b>	<b>18%</b>	<b>15%</b>	<b>68%</b>	<b>6,863</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Likes where they live



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 68. Likes where they live**

<b>Program</b>	<b>Yes</b>	<b>In between, most of the time</b>	<b>No</b>	<b>N</b>
AD & TBI	81%	9%	11%	527
CHOICE	92%	4%	5%	84
TITIII	83%	9%	7%	175
SSBG	87%	6%	7%	70
<b>Overall IN Average</b>	<b>83%</b>	<b>8%</b>	<b>9%</b>	<b>856</b>
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>9%</b>	<b>9%</b>	<b>11,612</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Reasons does not like where they live (if does not always like where they live)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 69A. Reasons does not like where they live (if does not always like where they live)**

*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Accessibility of house or building</b>	<b>Feels unsafe in or dislikes neighborhood</b>	<b>Feels unsafe in residence</b>	<b>Residence or building needs repair or upkeep</b>	<b>Doesn't feel like home</b>
AD & TBI	4%	10%	8%	8%	8%
TITIII	1%	2%	1%	1%	1%
<b>Overall IN Average</b>	<b>5%</b>	<b>14%</b>	<b>10%</b>	<b>11%</b>	<b>10%</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>15%</b>	<b>9%</b>	<b>16%</b>	<b>14%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Reasons does not like where they live (if does not always like where they live) (continued)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)**

*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Layout or size of residence or building</b>	<b>Problems with neighbors or housemates/other residents</b>	<b>Problems with staff</b>	<b>Insufficient amount or type of staff</b>	<b>Wants more independence or control</b>
AD & TBI	9%	9%	3%	6%	3%
TITIII	6%	2%	1%	1%	1%
<b>Overall IN Average</b>	<b>16%</b>	<b>11%</b>	<b>5%</b>	<b>7%</b>	<b>4%</b>
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>12%</b>	<b>8%</b>	<b>4%</b>	<b>10%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Reasons does not like where they live (if does not always like where they live) (continued)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)**


*Categories are not mutually exclusive, therefore N is not shown.*

<b>Program</b>	<b>Wants more privacy</b>	<b>Wants to be closer to family or friends</b>	<b>Feels isolated from community or feels lonely</b>	<b>Affordability or cost of housing</b>	<b>Other</b>
AD & TBI	5%	3%	3%	6%	7%
TITIII	0%	2%	1%	0%	0%
<b>Overall IN Average</b>	<b>5%</b>	<b>6%</b>	<b>4%</b>	<b>7%</b>	<b>7%</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>9%</b>	<b>8%</b>	<b>8%</b>	<b>10%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Wants to live somewhere else



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 70. Wants to live somewhere else**

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
AD & TBI	30%	5%	65%	504
CHOICE	12%	4%	84%	82
TITIII	18%	5%	77%	166
SSBG	19%	13%	68%	68
<b>Overall IN Average</b>	<b>26%</b>	<b>5%</b>	<b>69%</b>	<b>820</b>
<b>Weighted NCI-AD Average</b>	<b>22%</b>	<b>9%</b>	<b>70%</b>	<b>11,463</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Where person would prefer to live (if wants to live somewhere else)




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 71. Where person would prefer to live (if wants to live somewhere else)**

<b>Program</b>	<b>Different kind of home</b>	<b>Live independently</b>	<b>With or closer to family</b>	<b>In a different neighborhood</b>	<b>A different type of geography or climate</b>	<b>Other</b>
AD & TBI	41%	7%	5%	12%	16%	2%
TITIII	5%	1%	4%	5%	2%	1%
<b>Overall IN Average</b>	<b>50%</b>	<b>10%</b>	<b>11%</b>	<b>19%</b>	<b>22%</b>	<b>4%</b>
<b>Weighted NCI-AD Average</b>	<b>39%</b>	<b>18%</b>	<b>15%</b>	<b>21%</b>	<b>22%</b>	<b>1%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

People who are paid to help them  
always do things the way they want  
them done




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 72. People who are paid to help them do things the way they want them done**

<b>Program</b>	<b>Yes, all paid support workers, always or almost always</b>	<b>Some or usually</b>	<b>No, never or rarely</b>	<b>N</b>
AD & TBI	85%	11%	4%	254
CHOICE	81%	13%	6%	47
TITIII	88%	7%	5%	57
SSBG	76%	18%	6%	34
<b>Overall IN Average</b>	<b>84%</b>	<b>11%</b>	<b>5%</b>	<b>392</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>12%</b>	<b>3%</b>	<b>6,020</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Usually likes how they spend their time during the day



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 73. Usually likes how they spend their time during the day**

<b>Program</b>	<b>Yes, always, or almost always</b>	<b>Sometimes</b>	<b>No, never or rarely</b>	<b>N</b>
AD & TBI	63%	23%	14%	452
CHOICE	51%	32%	16%	74
TITIII	64%	29%	7%	147
SSBG	72%	20%	8%	60
<b>Overall IN Average</b>	<b>63%</b>	<b>25%</b>	<b>12%</b>	<b>733</b>
<b>Weighted NCI-AD Average</b>	<b>60%</b>	<b>31%</b>	<b>9%</b>	<b>11,029</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




## Technology

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Has access to the internet



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 74. Has access to the internet**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>Sometimes</b>	<b>No</b>	<b>N</b>
AD & TBI	63%	3%	34%	668
CHOICE	68%	3%	29%	91
TITIII	60%	2%	38%	176
SSBG	60%	4%	35%	68
<b>Overall IN Average</b>	<b>63%</b>	<b>3%</b>	<b>34%</b>	<b>1,003</b>
<b>Weighted NCI-AD Average</b>	<b>69%</b>	<b>2%</b>	<b>29%</b>	<b>14,369</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Frequency of internet use



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 75. Frequency with which people use the internet**

*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Daily</b>	<b>Several times a week</b>	<b>Several times a month</b>	<b>Several times a year</b>	<b>Don't use it at all</b>	<b>N</b>
AD & TBI	57%	13%	4%	2%	23%	413
CHOICE	75%	8%	5%	2%	11%	63
TITIII	54%	12%	9%	3%	22%	103
SSBG	51%	23%	7%	2%	16%	43
<b>Overall IN Average</b>	<b>58%</b>	<b>13%</b>	<b>5%</b>	<b>2%</b>	<b>22%</b>	<b>622</b>
<b>Weighted NCI-AD Average</b>	<b>56%</b>	<b>14%</b>	<b>6%</b>	<b>2%</b>	<b>22%</b>	<b>10,198</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Always has a stable internet connection



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 76. Always has a stable internet connection**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Always works</b>	<b>Sometimes works</b>	<b>Rarely or never works</b>	<b>N</b>
AD & TBI	88%	11%	2%	381
CHOICE	90%	8%	2%	61
TITIII	91%	8%	1%	92
SSBG	93%	7%	0%	41
<b>Overall IN Average</b>	<b>89%</b>	<b>10%</b>	<b>1%</b>	<b>575</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>13%</b>	<b>1%</b>	<b>9,485</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Has talked to health professionals using video conference/telehealth



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



**Table 77. Has talked to health professionals using video conference/telehealth**


*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	39%	61%	623
CHOICE	31%	69%	87
TITIII	22%	78%	156
SSBG	17%	83%	66
<b>Overall IN Average</b>	<b>35%</b>	<b>65%</b>	<b>932</b>
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>64%</b>	<b>13,967</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Liked talking to health care providers using telehealth



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 78. Liked talking to health care providers using telehealth**

*New question in 2022-2023.*

<b>Program</b>	<b>Yes, completely</b>	<b>Yes, in part</b>	<b>No</b>	<b>N</b>
AD & TBI	54%	27%	19%	176
CHOICE	78%	17%	4%	23
TITIII	64%	25%	11%	28
<b>Overall IN Average</b>	<b>56%</b>	<b>26%</b>	<b>18%</b>	<b>238</b>
<b>Weighted NCI-AD Average</b>	<b>58%</b>	<b>24%</b>	<b>18%</b>	<b>4,298</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Access to Needed Equipment*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs grab bars in the bathroom or elsewhere in their home but do not have them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 79. Needs grab bars in the bathroom or elsewhere in their home but does not have them**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	11%	6%	71%	12%	770
CHOICE	13%	4%	71%	13%	96
TITIII	13%	4%	69%	14%	195
SSBG	10%	5%	68%	17%	78
<b>Overall IN Average</b>	<b>11%</b>	<b>5%</b>	<b>71%</b>	<b>13%</b>	<b>1,139</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>6%</b>	<b>69%</b>	<b>17%</b>	<b>14,922</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Needs other bathroom modifications but does not have them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 80. Needs other bathroom modifications but does not have them**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	16%	5%	38%	40%	684
CHOICE	16%	2%	34%	48%	90
TITIII	20%	2%	25%	53%	179
SSBG	14%	1%	33%	51%	72
<b>Overall IN Average</b>	<b>16%</b>	<b>4%</b>	<b>36%</b>	<b>44%</b>	<b>1,025</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>3%</b>	<b>32%</b>	<b>55%</b>	<b>14,280</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Needs a shower chair but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 81. Needs a shower chair but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	7%	5%	75%	14%	739
CHOICE	6%	5%	73%	16%	95
TITIII	7%	4%	65%	24%	190
SSBG	21%	7%	53%	20%	76
<b>Overall IN Average</b>	<b>8%</b>	<b>5%</b>	<b>72%</b>	<b>16%</b>	<b>1,100</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>5%</b>	<b>69%</b>	<b>19%</b>	<b>14,766</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs a specialized bed but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 82. Needs a specialized bed but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	11%	3%	38%	48%	687
CHOICE	17%	4%	21%	57%	94
TITIII	13%	1%	19%	66%	175
SSBG	15%	1%	7%	76%	72
<b>Overall IN Average</b>	<b>12%</b>	<b>3%</b>	<b>32%</b>	<b>54%</b>	<b>1,028</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>4%</b>	<b>29%</b>	<b>60%</b>	<b>14,597</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Need for a ramp (either inside or outside of their residence) but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 83. Need for a ramp (either inside or outside of their residence) but does not have one**

*Proxy respondents were allowed for this question.*

Program	Needs	Has but needs change or update	Has and does not need change or update	Does not need	N
AD & TBI	10%	4%	37%	49%	682
CHOICE	10%	3%	28%	59%	92
TITIII	10%	3%	20%	68%	174
SSBG	7%	1%	23%	69%	74
<b>Overall IN Average</b>	<b>10%</b>	<b>4%</b>	<b>33%</b>	<b>54%</b>	<b>1,022</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>3%</b>	<b>35%</b>	<b>56%</b>	<b>14,547</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Needs other home modifications that does not have



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 84. Needs other home modifications that does not have**

*Proxy respondents were allowed for this question.*


<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	9%	6%	27%	58%	275
CHOICE	10%	6%	12%	73%	51
TITIII	14%	3%	19%	64%	78
SSBG	7%	0%	11%	82%	45
<b>Overall IN Average</b>	<b>10%</b>	<b>5%</b>	<b>23%</b>	<b>63%</b>	<b>449</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>2%</b>	<b>12%</b>	<b>80%</b>	<b>9,777</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Needs a wheelchair but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 85. Needs a wheelchair but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	5%	4%	49%	42%	723
CHOICE	6%	5%	47%	42%	96
TITIII	7%	1%	30%	62%	193
SSBG	6%	6%	28%	61%	72
<b>Overall IN Average</b>	<b>5%</b>	<b>4%</b>	<b>44%</b>	<b>47%</b>	<b>1,084</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>6%</b>	<b>39%</b>	<b>50%</b>	<b>14,745</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs a scooter but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 86. Needs a scooter but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	9%	2%	17%	71%	681
CHOICE	10%	2%	13%	76%	94
TITIII	7%	1%	5%	86%	188
SSBG	13%	0%	13%	74%	70
<b>Overall IN Average</b>	<b>9%</b>	<b>2%</b>	<b>15%</b>	<b>74%</b>	<b>1,033</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>2%</b>	<b>9%</b>	<b>81%</b>	<b>14,494</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs a walker but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 87. Needs a walker but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	2%	4%	68%	27%	732
CHOICE	3%	9%	55%	33%	95
TITIII	3%	2%	62%	34%	194
SSBG	4%	9%	57%	30%	74
<b>Overall IN Average</b>	<b>2%</b>	<b>4%</b>	<b>65%</b>	<b>28%</b>	<b>1,095</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>6%</b>	<b>55%</b>	<b>37%</b>	<b>14,706</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs hearing aids but does not have them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 88. Needs hearing aids but does not have them**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	8%	5%	19%	67%	659
CHOICE	4%	4%	11%	81%	94
TITIII	8%	3%	13%	76%	181
SSBG	14%	4%	13%	68%	69
<b>Overall IN Average</b>	<b>8%</b>	<b>5%</b>	<b>17%</b>	<b>70%</b>	<b>1,003</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>4%</b>	<b>13%</b>	<b>77%</b>	<b>14,387</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Needs glasses but does not have them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 89. Needs glasses but does not have them**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	3%	9%	72%	16%	666
CHOICE	0%	10%	75%	15%	92
TITIII	2%	12%	78%	8%	182
SSBG	7%	14%	64%	14%	70
<b>Overall IN Average</b>	<b>3%</b>	<b>10%</b>	<b>73%</b>	<b>14%</b>	<b>1,010</b>
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>14%</b>	<b>62%</b>	<b>19%</b>	<b>14,441</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs personal emergency response system (PERS) but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 90. Needs personal emergency response system (PERS) but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	8%	4%	68%	20%	691
CHOICE	12%	4%	64%	19%	89
TITIII	17%	2%	56%	25%	175
SSBG	15%	3%	54%	28%	71
<b>Overall IN Average</b>	<b>10%</b>	<b>4%</b>	<b>65%</b>	<b>21%</b>	<b>1,026</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>3%</b>	<b>51%</b>	<b>36%</b>	<b>14,408</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs an oxygen machine but does not have one



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 91. Needs an oxygen machine but does not have one**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	1%	1%	30%	67%	655
CHOICE	5%	1%	31%	62%	93
TITIII	3%	2%	16%	79%	181
SSBG	1%	1%	19%	78%	67
<b>Overall IN Average</b>	<b>2%</b>	<b>1%</b>	<b>27%</b>	<b>70%</b>	<b>996</b>
<b>Weighted NCI-AD Average</b>	<b>1%</b>	<b>1%</b>	<b>18%</b>	<b>79%</b>	<b>14,354</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Needs other assistive technology equipment but does not have



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 92. Needs other assistive technology equipment but does not have**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	3%	3%	26%	68%	315
CHOICE	5%	2%	12%	81%	58
TITIII	5%	1%	8%	86%	106
SSBG	10%	0%	10%	80%	49
<b>Overall IN Average</b>	<b>4%</b>	<b>2%</b>	<b>20%</b>	<b>74%</b>	<b>528</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>1%</b>	<b>16%</b>	<b>79%</b>	<b>10,552</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Needs other equipment but does not have



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 93. Needs other equipment but does not have**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Needs</b>	<b>Has but needs change or update</b>	<b>Has and does not need change or update</b>	<b>Does not need</b>	<b>N</b>
AD & TBI	4%	2%	37%	56%	261
CHOICE	7%	0%	18%	75%	55
TITIII	9%	0%	15%	77%	81
SSBG	3%	3%	23%	73%	40
<b>Overall IN Average</b>	<b>5%</b>	<b>2%</b>	<b>30%</b>	<b>63%</b>	<b>437</b>
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>2%</b>	<b>19%</b>	<b>75%</b>	<b>9,890</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## Medications

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Knows what prescription medications are for




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 94. Knows what prescription medications are for**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
AD & TBI	92%	7%	1%	426
CHOICE	93%	4%	3%	76
TITIII	91%	5%	4%	143
SSBG	89%	11%	0%	56
<b>Overall IN Average</b>	<b>92%</b>	<b>6%</b>	<b>2%</b>	<b>701</b>
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>9%</b>	<b>4%</b>	<b>10,661</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Takes medication to help feel less sad or depressed



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 95. Takes medication to help feel less sad or depressed**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	46%	54%	635
CHOICE	38%	62%	84
TITIII	35%	65%	155
SSBG	38%	63%	64
<b>Overall IN Average</b>	<b>43%</b>	<b>57%</b>	<b>938</b>
<b>Weighted NCI-AD Average</b>	<b>43%</b>	<b>57%</b>	<b>13,532</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


*Health care*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Has access to mental health services if they want them




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 96. Has access to mental health services if they want them**

<b>Program</b>	<b>Yes, always</b>	<b>Usually</b>	<b>No, only sometimes or rarely</b>	<b>N</b>
AD & TBI	87%	5%	8%	378
CHOICE	85%	6%	9%	67
TITIII	86%	3%	11%	120
SSBG	85%	4%	11%	54
<b>Overall IN Average</b>	<b>86%</b>	<b>5%</b>	<b>9%</b>	<b>619</b>
<b>Weighted NCI-AD Average</b>	<b>90%</b>	<b>2%</b>	<b>7%</b>	<b>9,898</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can get an appointment to see or talk to their primary care doctor when they need to



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 97. Can get an appointment to see or talk to their primary care doctor when they need to**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, always</b>	<b>Usually</b>	<b>No, only sometimes or rarely</b>	<b>N</b>
AD & TBI	90%	6%	4%	682
CHOICE	92%	6%	2%	95
TITIII	94%	4%	2%	171
SSBG	90%	3%	7%	67
<b>Overall IN Average</b>	<b>90%</b>	<b>6%</b>	<b>4%</b>	<b>1,015</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>10%</b>	<b>5%</b>	<b>14,215</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Went to the emergency room for any reason in the past 12 months



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 98. Went to the emergency room for any reason in the past 12 months**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	49%	51%	700
CHOICE	47%	53%	90
TITIII	42%	58%	183
SSBG	39%	61%	64
<b>Overall IN Average</b>	<b>47%</b>	<b>53%</b>	<b>1,037</b>
<b>Weighted NCI-AD Average</b>	<b>41%</b>	<b>59%</b>	<b>14,212</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has gone to the emergency room in the past 12 months due to falling or losing balance



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance**

*Proxy respondents were allowed for this question.*


<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	26%	74%	330
CHOICE	26%	74%	42
TITIII	31%	69%	77
SSBG	56%	44%	25
<b>Overall IN Average</b>	<b>28%</b>	<b>72%</b>	<b>474</b>
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>70%</b>	<b>5,720</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Has gone to the emergency room in the past 12 months due to tooth or mouth pain



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	0%	100%	330
CHOICE	0%	100%	42
TITIII	0%	100%	74
SSBG	8%	92%	25
<b>Overall IN Average</b>	<b>1%</b>	<b>99%</b>	<b>471</b>
<b>Weighted NCI-AD Average</b>	<b>2%</b>	<b>98%</b>	<b>5,667</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	3%	97%	321
CHOICE	5%	95%	42
TITIII	7%	93%	75
SSBG	16%	84%	25
<b>Overall IN Average</b>	<b>5%</b>	<b>95%</b>	<b>463</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>92%</b>	<b>5,630</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Had a physical exam or wellness visit in the past 12 months



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 102. Had a physical exam or wellness visit in the past 12 months**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	86%	14%	645
CHOICE	95%	5%	88
TITIII	94%	6%	175
SSBG	83%	17%	63
<b>Overall IN Average</b>	<b>88%</b>	<b>12%</b>	<b>971</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>14%</b>	<b>13,914</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Had a hearing exam in the past 4 years



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 103. Had a hearing exam in the past 4 years**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>5 years ago or more</b>	<b>3-4 years ago</b>	<b>1-2 years ago</b>	<b>Past Year</b>	<b>Has not had one</b>	<b>N</b>
AD & TBI	16%	9%	27%	18%	30%	448
CHOICE	24%	8%	11%	11%	47%	66
TITIII	15%	4%	16%	28%	37%	95
SSBG	17%	8%	21%	25%	29%	52
<b>Overall IN Average</b>	<b>16%</b>	<b>8%</b>	<b>24%</b>	<b>19%</b>	<b>32%</b>	<b>661</b>
<b>Weighted NCI-AD Average</b>	<b>21%</b>	<b>10%</b>	<b>18%</b>	<b>20%</b>	<b>32%</b>	<b>10,464</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Had a vision exam in the past year



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 104. Had a vision exam in the past year**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	62%	38%	621
CHOICE	73%	27%	88
TITIII	73%	27%	162
SSBG	67%	33%	63
<b>Overall IN Average</b>	<b>65%</b>	<b>35%</b>	<b>934</b>
<b>Weighted NCI-AD Average</b>	<b>61%</b>	<b>39%</b>	<b>13,693</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Had a dental visit in the past 12 months



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 105. Had a dental visit in the past 12 months**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	38%	62%	588
CHOICE	55%	45%	86
TITIII	48%	52%	159
SSBG	41%	59%	64
<b>Overall IN Average</b>	<b>41%</b>	<b>59%</b>	<b>897</b>
<b>Weighted NCI-AD Average</b>	<b>46%</b>	<b>54%</b>	<b>13,430</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Had a flu shot in the past 12 months



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 106. Had a flu shot in the past 12 months**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	74%	26%	647
CHOICE	74%	26%	90
TITIII	84%	16%	170
SSBG	74%	26%	65
<b>Overall IN Average</b>	<b>76%</b>	<b>24%</b>	<b>972</b>
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>28%</b>	<b>13,794</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Received the COVID-19 Vaccine



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 107. Received the COVID-19 Vaccine**

*Proxy respondents were allowed for this question*

<b>Program</b>	<b>Fully vaccinated and received at least one booster</b>	<b>Fully vaccinated, but not received a booster</b>	<b>Partially vaccinated</b>	<b>Not vaccinated at all</b>	<b>N</b>
AD & TBI	58%	15%	6%	20%	653
CHOICE	71%	9%	4%	15%	91
TITIII	74%	10%	4%	12%	173
SSBG	67%	16%	5%	13%	63
<b>Overall IN Average</b>	<b>62%</b>	<b>14%</b>	<b>6%</b>	<b>18%</b>	<b>980</b>
<b>Weighted NCI-AD Average</b>	<b>66%</b>	<b>13%</b>	<b>4%</b>	<b>16%</b>	<b>13,987</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




## Wellness

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Has access to healthy foods when they want them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 108. Has access to healthy foods when they want them**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, often</b>	<b>Sometimes</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	8%	5%	692
CHOICE	83%	11%	6%	93
TITIII	82%	15%	3%	184
SSBG	76%	13%	10%	68
<b>Overall IN Average</b>	<b>85%</b>	<b>9%</b>	<b>5%</b>	<b>1,037</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>11%</b>	<b>5%</b>	<b>14,425</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Overall Health



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 109. Overall Health**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Excellent</b>	<b>Very Good</b>	<b>Good</b>	<b>Fair</b>	<b>Poor</b>	<b>N</b>
AD & TBI	2%	7%	26%	43%	22%	706
CHOICE	1%	9%	26%	45%	20%	94
TITIII	2%	8%	32%	40%	18%	188
SSBG	3%	10%	33%	37%	16%	67
<b>Overall IN Average</b>	<b>2%</b>	<b>7%</b>	<b>27%</b>	<b>43%</b>	<b>21%</b>	<b>1,055</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>9%</b>	<b>30%</b>	<b>41%</b>	<b>18%</b>	<b>14,550</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Health compared to 12 months ago



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 110. Health compared to 12 months ago**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Much Better</b>	<b>Somewhat Better</b>	<b>About the same</b>	<b>Somewhat worse</b>	<b>Much worse</b>	<b>N</b>
AD & TBI	6%	15%	44%	25%	10%	692
CHOICE	3%	12%	59%	22%	3%	90
TITIII	3%	9%	61%	21%	6%	183
SSBG	10%	13%	50%	21%	6%	70
<b>Overall IN Average</b>	<b>6%</b>	<b>14%</b>	<b>48%</b>	<b>24%</b>	<b>9%</b>	<b>1,035</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>14%</b>	<b>49%</b>	<b>25%</b>	<b>7%</b>	<b>14,458</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

In the past 12 months, forgets things more often than before



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



**Table 111. In the past 12 months, forgets things more often than before**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	47%	53%	649
CHOICE	31%	69%	88
TITIII	36%	64%	174
SSBG	53%	47%	62
<b>Overall IN Average</b>	<b>44%</b>	<b>56%</b>	<b>973</b>
<b>Weighted NCI-AD Average</b>	<b>46%</b>	<b>54%</b>	<b>13,846</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has discussed forgetting things  
with a doctor or a nurse (if they  
have been forgetting things more  
often in the past 12 months)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	78%	22%	286
CHOICE	81%	19%	26
TITIII	68%	32%	60
SSBG	60%	40%	30
<b>Overall IN Average</b>	<b>75%</b>	<b>25%</b>	<b>402</b>
<b>Weighted NCI-AD Average</b>	<b>70%</b>	<b>30%</b>	<b>5,961</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Amount of physical activity per week



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 113. Amount of physical activity per week**


*New Question in 2022-2023. Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Does not exercise</b>	<b>Less than one hour</b>	<b>One to two hours</b>	<b>More than two hours</b>	<b>N</b>
AD & TBI	34%	20%	21%	24%	630
CHOICE	44%	29%	16%	11%	87
TITIII	45%	28%	10%	17%	163
SSBG	43%	19%	21%	16%	67
<b>Overall IN Average</b>	<b>37%</b>	<b>22%</b>	<b>19%</b>	<b>21%</b>	<b>947</b>
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>23%</b>	<b>22%</b>	<b>21%</b>	<b>14,049</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Often feels lonely



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 114. Often feels lonely**

<b>Program</b>	<b>Yes, often</b>	<b>Sometimes</b>	<b>Not often, never or almost never</b>	<b>N</b>
AD & TBI	19%	27%	54%	408
CHOICE	17%	44%	39%	77
TITIII	21%	28%	51%	137
SSBG	19%	41%	40%	58
<b>Overall IN Average</b>	<b>19%</b>	<b>30%</b>	<b>51%</b>	<b>680</b>
<b>Weighted NCI-AD Average</b>	<b>19%</b>	<b>36%</b>	<b>45%</b>	<b>10,781</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


## *Affordability*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Ever has to skip meals due to financial worries



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 115. Ever has to skip meals due to financial worries**

*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, often</b>	<b>Sometimes</b>	<b>No</b>	<b>N</b>
AD & TBI	5%	5%	90%	691
CHOICE	3%	9%	88%	94
TITIII	8%	6%	86%	183
SSBG	6%	9%	84%	64
<b>Overall IN Average</b>	<b>5%</b>	<b>6%</b>	<b>89%</b>	<b>1,032</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>6%</b>	<b>88%</b>	<b>14,416</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## Safety

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

They or someone else has concerns  
about falling or being unstable



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 116. They or someone else has concerns about falling or being unstable**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, often</b>	<b>Sometimes</b>	<b>No</b>	<b>N</b>
AD & TBI	48%	16%	36%	729
CHOICE	48%	18%	34%	95
TITIII	46%	11%	42%	192
SSBG	47%	15%	38%	72
<b>Overall IN Average</b>	<b>48%</b>	<b>16%</b>	<b>37%</b>	<b>1,088</b>
<b>Weighted NCI-AD Average</b>	<b>35%</b>	<b>21%</b>	<b>44%</b>	<b>14,825</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	92%	8%	444
CHOICE	95%	5%	60
TITIII	83%	17%	104
SSBG	75%	25%	44
<b>Overall IN Average</b>	<b>90%</b>	<b>10%</b>	<b>652</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>14%</b>	<b>8,130</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Able to get to safety quickly in case of an emergency



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



**Table 118. Able to get to safety quickly in case of an emergency**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	85%	15%	700
CHOICE	87%	13%	93
TITIII	93%	7%	176
SSBG	88%	13%	72
<b>Overall IN Average</b>	<b>86%</b>	<b>14%</b>	<b>1,041</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>14%</b>	<b>13,669</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Knows who to talk to if they are mistreated, hurt, disrespected by others




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	1%	12%	470
CHOICE	88%	1%	11%	82
TITIII	79%	8%	12%	154
SSBG	83%	3%	13%	60
<b>Overall IN Average</b>	<b>85%</b>	<b>3%</b>	<b>12%</b>	<b>766</b>
<b>Weighted NCI-AD Average</b>	<b>82%</b>	<b>5%</b>	<b>13%</b>	<b>11,135</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Are ever worried for the security of their personal belongings



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 120. Are ever worried for the security of their personal belongings**

<b>Program</b>	<b>Yes at least sometimes</b>	<b>No, never</b>	<b>N</b>
AD & TBI	12%	88%	484
CHOICE	10%	90%	79
TITIII	6%	94%	158
SSBG	17%	83%	64
<b>Overall IN Average</b>	<b>11%</b>	<b>89%</b>	<b>785</b>
<b>Weighted NCI-AD Average</b>	<b>13%</b>	<b>87%</b>	<b>11,310</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Someone used or took their money  
without their permission in the  
past 12 months



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 121. Someone used or took their money without their permission in the past 12 months**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	7%	93%	480
CHOICE	7%	93%	82
TITIII	3%	97%	161
SSBG	8%	92%	64
<b>Overall IN Average</b>	<b>6%</b>	<b>94%</b>	<b>787</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>94%</b>	<b>11,240</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Feels safe around people who are paid to help them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



**Table 122. Feels safe around people who are paid to help them**

<b>Program</b>	<b>Yes, all paid support workers, always</b>	<b>No, not all workers, or not always</b>	<b>N</b>
AD & TBI	96%	4%	254
CHOICE	98%	2%	47
TITIII	97%	3%	59
SSBG	97%	3%	35
<b>Overall IN Average</b>	<b>97%</b>	<b>3%</b>	<b>395</b>
<b>Weighted NCI-AD Average</b>	<b>97%</b>	<b>3%</b>	<b>6,036</b>


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Rights and Respect*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Gets information about services  
in their preferred language (if  
preferred language is not English)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 123. Gets information about services in their preferred language (if preferred language is not English)**


*Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes, all information</b>	<b>Some Information</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	9%	4%	23
<b>Overall IN Average</b>	<b>90%</b>	<b>6%</b>	<b>3%</b>	<b>33</b>
<b>Weighted NCI-AD Average</b>	<b>51%</b>	<b>29%</b>	<b>20%</b>	<b>971</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Services and supports are delivered  
in a way that is respectful of  
their culture




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 124. Services and supports are delivered in a way that is respectful of their culture**

<b>Program</b>	<b>Yes</b>	<b>Sometimes, or some services</b>	<b>No</b>	<b>N</b>
AD & TBI	94%	4%	3%	396
CHOICE	94%	3%	3%	70
TITIII	98%	1%	1%	121
SSBG	92%	8%	0%	51
<b>Overall IN Average</b>	<b>94%</b>	<b>3%</b>	<b>2%</b>	<b>638</b>
<b>Weighted NCI-AD Average</b>	<b>96%</b>	<b>3%</b>	<b>2%</b>	<b>9,700</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

People who are paid to help them  
treat them with respect



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 125. People who are paid to help them treat them with respect**

<b>Program</b>	<b>Yes, all paid support workers, always or almost always</b>	<b>Some, or usually</b>	<b>No, never or rarely</b>	<b>N</b>
AD & TBI	91%	7%	2%	256
CHOICE	88%	8%	4%	48
TITIII	95%	5%	0%	59
SSBG	100%	0%	0%	35
<b>Overall IN Average</b>	<b>92%</b>	<b>7%</b>	<b>2%</b>	<b>398</b>
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>6%</b>	<b>1%</b>	<b>6,046</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Others ask before coming into their home/room (if living in a group setting)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 126. Others ask before coming into their home/room (if living in a group setting)**

<b>Program</b>	<b>Yes, always</b>	<b>Usually, but not always</b>	<b>Sometimes, rarely, or never</b>	<b>N</b>
AD & TBI	68%	13%	20%	40
<b>Overall IN Average</b>	<b>74%</b>	<b>10%</b>	<b>16%</b>	<b>62</b>
<b>Weighted NCI-AD Average</b>	<b>70%</b>	<b>20%</b>	<b>9%</b>	<b>1,506</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Able to lock doors to room (if living in a group setting)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 127. Able to lock doors to room (if living in a group setting)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	83%	17%	41
<b>Overall IN Average</b>	<b>85%</b>	<b>15%</b>	<b>62</b>
<b>Weighted NCI-AD Average</b>	<b>52%</b>	<b>48%</b>	<b>1,462</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has enough privacy where lives (if living in a group setting)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 128. Has enough privacy where lives (if living in a group setting)**

<b>Program</b>	<b>Yes, always</b>	<b>Usually, but not always</b>	<b>Sometimes, rarely, or never</b>	<b>N</b>
AD & TBI	76%	12%	12%	42
<b>Overall IN Average</b>	<b>81%</b>	<b>10%</b>	<b>10%</b>	<b>64</b>
<b>Weighted NCI-AD Average</b>	<b>69%</b>	<b>19%</b>	<b>12%</b>	<b>1,512</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can have visitors at any time (if living in a group setting)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 129. Can have visitors at any time (if living in a group setting)**


<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	78%	22%	37
<b>Overall IN Average</b>	<b>82%</b>	<b>18%</b>	<b>58</b>
<b>Weighted NCI-AD Average</b>	<b>77%</b>	<b>23%</b>	<b>1,440</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



Can get something to eat or grab a snack anytime they (if living in a group setting)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	13%	39
<b>Overall IN Average</b>	<b>87%</b>	<b>13%</b>	<b>60</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>19%</b>	<b>1,475</b>

---


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Person-Centered Planning*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Very or fully involved in making decisions about what is in the service plan




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 131. Involvement in making decisions about what is in the service plan**

<b>Program</b>	<b>Very or fully involved</b>	<b>Somewhat</b>	<b>Very little</b>	<b>Not at all</b>	<b>N</b>
AD & TBI	95%	4%	1%	0%	191
CHOICE	85%	15%	0%	0%	40
TITIII	98%	2%	0%	0%	55
<b>Overall IN Average</b>	<b>94%</b>	<b>5%</b>	<b>1%</b>	<b>0%</b>	<b>300</b>
<b>Weighted NCI-AD Average</b>	<b>82%</b>	<b>14%</b>	<b>2%</b>	<b>2%</b>	<b>4,491</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Remembers their last service planning meeting



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 132. Remembers their last service planning meeting**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	71%	29%	254
CHOICE	76%	24%	51
TITIII	65%	35%	80
SSBG	41%	59%	27
<b>Overall IN Average</b>	<b>69%</b>	<b>31%</b>	<b>412</b>
<b>Weighted NCI-AD Average</b>	<b>59%</b>	<b>41%</b>	<b>7,497</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Service planning meeting took place  
at a time that was good for them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 133. Service planning meeting took place at a time that was good for them**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	98%	2%	179
CHOICE	100%	0%	39
TITIII	98%	2%	50
<b>Overall IN Average</b>	<b>98%</b>	<b>2%</b>	<b>277</b>
<b>Weighted NCI-AD Average</b>	<b>99%</b>	<b>1%</b>	<b>4,554</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Service planning meeting took place  
in a place that was good for them



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 134. Service planning meeting took place in a place that was good for them**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	99%	1%	178
CHOICE	100%	0%	38
TITIII	100%	0%	47
<b>Overall IN Average</b>	<b>100%</b>	<b>0%</b>	<b>274</b>
<b>Weighted NCI-AD Average</b>	<b>100%</b>	<b>0%</b>	<b>4,553</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Service planning meeting included  
the people they wanted to be there




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 135. Service planning meeting included the people they wanted to be there**

<b>Program</b>	<b>Yes</b>	<b>Some People</b>	<b>No</b>	<b>N</b>
AD & TBI	99%	0%	1%	169
CHOICE	100%	0%	0%	37
TITIII	100%	0%	0%	48
<b>Overall IN Average</b>	<b>99%</b>	<b>0%</b>	<b>1%</b>	<b>265</b>
<b>Weighted NCI-AD Average</b>	<b>96%</b>	<b>2%</b>	<b>2%</b>	<b>4,473</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

People at the service planning meeting listened to needs and preferences




Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 136. People at the service planning meeting listened to needs and preferences**

<b>Program</b>	<b>Completely</b>	<b>Mostly</b>	<b>Somewhat</b>	<b>Very little</b>	<b>Not at all</b>	<b>N</b>
AD & TBI	83%	12%	3%	1%	1%	178
CHOICE	74%	18%	5%	0%	3%	39
TITIII	68%	22%	10%	0%	0%	50
<b>Overall IN Average</b>	<b>78%</b>	<b>15%</b>	<b>5%</b>	<b>1%</b>	<b>1%</b>	<b>278</b>
<b>Weighted NCI-AD Average</b>	<b>73%</b>	<b>20%</b>	<b>5%</b>	<b>1%</b>	<b>1%</b>	<b>4,525</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Received a copy of the service plan  
after the service planning meeting



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.




**Table 137. Received a copy of the service plan after the service planning meeting**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	13%	149
CHOICE	81%	19%	26
TITIII	81%	19%	26
<b>Overall IN Average</b>	<b>86%</b>	<b>14%</b>	<b>206</b>
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>9%</b>	<b>3,512</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Current service plan reflects what was talked about at the service plan meeting



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 138. Current service plan reflects what was talked about at the service plan meeting**

<b>Program</b>	<b>Yes, completely</b>	<b>Yes, in part</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	0%	13%	149
CHOICE	81%	0%	19%	26
TITIII	81%	0%	19%	26
<b>Overall IN Average</b>	<b>86%</b>	<b>0%</b>	<b>14%</b>	<b>206</b>
<b>Weighted NCI-AD Average</b>	<b>90%</b>	<b>6%</b>	<b>3%</b>	<b>3,512</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Choices and preferences are reflected in current service plan



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 139. Choices and preferences are reflected in current service plan**

<b>Program</b>	<b>Yes, all/completely</b>	<b>Yes, some/In Part</b>	<b>No</b>	<b>N</b>
AD & TBI	87%	0%	13%	149
CHOICE	81%	0%	19%	26
TITIII	81%	0%	19%	26
<b>Overall IN Average</b>	<b>86%</b>	<b>0%</b>	<b>14%</b>	<b>206</b>
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>12%</b>	<b>4%</b>	<b>4,077</b>


Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

## *Self-Direction*

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Uses self-directed supports option



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 140. Uses self-directed supports option**

*Information may only come from existing records.*


<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know</b>	<b>N</b>
AD & TBI	10%	46%	44%	241
CHOICE	3%	76%	21%	67
TITIII	4%	94%	3%	113
<b>Overall IN Average</b>	<b>7%</b>	<b>63%</b>	<b>30%</b>	<b>434</b>
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>60%</b>	<b>10%</b>	<b>13,546</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Makes decisions about services that are self directed



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.


**Table 141. Makes decisions about services that are self directed**

*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

<b>Program</b>	<b>Decisions about what services are received are made by a case manager or another professional employed by the state</b>	<b>Family or friend makes decision, person does not have input</b>	<b>Person has input, and family or friend helps</b>	<b>Person mostly makes decisions</b>	<b>N</b>
AD & TBI	2%	11%	41%	46%	179
<b>Overall IN Average</b>	<b>2%</b>	<b>11%</b>	<b>41%</b>	<b>46%</b>	<b>195</b>
<b>Weighted NCI-AD Average</b>	<b>2%</b>	<b>13%</b>	<b>25%</b>	<b>60%</b>	<b>2,466</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has enough help deciding how to direct services, like making decisions about how and when services are received



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received**


*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

<b>Program</b>	<b>Yes</b>	<b>Sometimes</b>	<b>No</b>	<b>N</b>
AD & TBI	96%	4%	0%	27
<b>Overall IN Average</b>	<b>94%</b>	<b>3%</b>	<b>3%</b>	<b>29</b>
<b>Weighted NCI-AD Average</b>	<b>94%</b>	<b>3%</b>	<b>3%</b>	<b>1,481</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Can make changes to the services and supports you self-direct if needed



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 143. Can make changes to the services and supports you self-direct if needed**


*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

<b>Program</b>	<b>Yes</b>	<b>In-between</b>	<b>No</b>	<b>N</b>
AD & TBI	92%	4%	4%	25
<b>Overall IN Average</b>	<b>89%</b>	<b>7%</b>	<b>4%</b>	<b>27</b>
<b>Weighted NCI-AD Average</b>	<b>94%</b>	<b>4%</b>	<b>2%</b>	<b>1,445</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Has the amount of control wanted  
with the services that are  
self-directed



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 144. Has the amount of control wanted with the services that are self-directed**

*Proxy respondents were allowed for this question. Newly added question in 2022-23.*


<b>Program</b>	<b>Yes</b>	<b>In-between</b>	<b>No</b>	<b>N</b>
AD & TBI	100%	0%	0%	21
<b>Overall IN Average</b>	<b>96%</b>	<b>4%</b>	<b>0%</b>	<b>23</b>
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>5%</b>	<b>3%</b>	<b>1,463</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Services and supports wanted to self direct are always available



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 145. Services and supports wanted to self-direct are always available**


*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

<b>Program</b>	<b>Yes</b>	<b>Sometimes</b>	<b>No</b>	<b>N</b>
AD & TBI	88%	8%	4%	25
<b>Overall IN Average</b>	<b>85%</b>	<b>8%</b>	<b>7%</b>	<b>26</b>
<b>Weighted NCI-AD Average</b>	<b>78%</b>	<b>11%</b>	<b>11%</b>	<b>1,439</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Gets information about budget and services from the financial management service (FMS)



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 146. Gets information about budget and services from the financial management service (FMS)**


*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not sure</b>	<b>No</b>	<b>N</b>
<b>Weighted NCI-AD Average</b>	<b>52%</b>	<b>8%</b>	<b>40%</b>	<b>1,346</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

### Information received from the FMS is easy to understand



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 147. Information received from the FMS is easy to understand**


*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

<b>Program</b>	<b>Yes, easy to understand on own</b>	<b>Some information is easy to understand or understands with help from others</b>	<b>No, not easy to understand and does not get help to understand</b>	<b>N</b>
<b>Weighted NCI-AD Average</b>	<b>78%</b>	<b>17%</b>	<b>5%</b>	<b>702</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

Frequency of receiving information about budget and services from FMS



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 148. Frequency of receiving information about budget and services from FMS**

*Proxy respondents were allowed for this question. Newly added question in 2022-23.*


<b>Program</b>	<b>At least every three months</b>	<b>About twice a year</b>	<b>Once a year or less</b>	<b>N</b>
<b>Weighted NCI-AD Average</b>	<b>69%</b>	<b>18%</b>	<b>14%</b>	<b>663</b>

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.



### Parts of self-direction need help with



Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

---

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.

**Table 149. Parts of self-direction need help with**

*Proxy respondents were allowed for this question. Newly added question in 2022-23.*

Program	Help with planning out service needs and setting up a schedule for staff	Help with getting staff paid	Help finding or keeping the staff you want	Help training staff	Help managing benefits for staff	Help understanding information you get from the FMS	More information about what services and supports you can get	Other	Does not need help with any of these things
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>7%</b>	<b>10%</b>	<b>4%</b>	<b>3%</b>	<b>9%</b>	<b>21%</b>	<b>2%</b>	<b>63%</b>

Programs with fewer than 20 respondents are not shown for confidentiality, their data are included in the statewide average.