



*National Core Indicators- Aging and Disabilities (NCI-AD)
Adult Consumer Survey State Results*

Georgia

Table of Contents

Introduction	9
Adult Consumer Survey	9
Georgia Specific Sample	9
Figure 1. Statewide Sample	10
Figure 2. Classification of 2023-24 State programs.....	10
What is included in this report?	11
Presentation of Data	11
Accessibility Statement	11
Demographics.....	12
Table 1. Average age (reported for those under 90 years old)	13
Table 2. Age Category (including those 90 and older)	14
Table 3. Gender	15
Table 4. Race and ethnicity	16
Table 5. Marital status.....	17
Table 6. Preferred language	18
Table 7. Preferred means of communication.....	19
Table 8. Residential designation	20
Table 9. Median area income (based on zip code)	21
Table 10. Type of Residence.....	22
Table 11. Who the person lives with.....	23
Table 12. Address changed in the past 6 months	24
Table 13. Where people moved from (if moved in the last 6 months).....	25
Table 14A. Diagnoses	26
Table 14B. Diagnoses (continued).....	27

Table 15. Person has chronic psychiatric or mental health diagnosis	28
Table 16. Level of Mobility	29
Table 17. Has history of frequent falls (more than two falls in a six-month period)	30
Table 18. Receives Medicare	31
Table 19. Length of time receiving LTSS services in current program	32
Table 20. Person has legal guardian	33
Table 21. Amount of paid supports received	34
Table 22. Person has remote supports	35
Outcome Tables	36
Community Participation	37
Table 23. Gets to do things outside of their home as much as they want to	38
Table 24. Takes part in activities with others as much as they want to (in-person or virtually)	39
Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually	40
Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued)	41
Access to the Community	42
Table 26. Has transportation to do the things they want outside of home	43
Table 27. Has transportation to get to medical appointments	44
Everyday Living	45
Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)	46
Table 29. Always gets enough support for everyday activities (if needs at least some assistance)	47
Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)	48
Table 31. Always gets enough support for self-care (if needs at least some assistance)	49
Work	50
Table 32. Has a paid job	51
Table 33. Wants a paid job (if they do not currently have one)	52

Table 34. Someone talked with them about job options (if they do not currently have a job but want one)	53
Table 35. Person volunteers	54
Table 36. Wants to volunteer (if they do not currently)	55
Relationships	56
Table 37. Has friends or family they do not live with who are a part of their life	57
Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)	58
Table 39. Reasons not always able to see or talk to their friends and family when they want.....	59
Service Coordination	60
Table 40A. How first found out about services they can get	61
Table 40B. How first found out about services they can get (continued).....	62
Table 41. Can contact their case manager or care coordinator when needs to	63
Table 42. Who helps person most often (if anyone helps on a regular basis).....	64
Table 43. Additional people who help person on a regular basis	65
Table 44. People who are paid to help them come and leave when they are supposed to.....	66
Table 45. Has a backup plan if their people who are paid to help them do not show up	67
Table 46. Has an emergency plan in place in case of widescale emergency	68
Table 47. Knows whom to contact if they have a complaint about their services	69
Table 48. Knows whom to contact if they want to make changes to services	70
Table 49. Services meet all current needs	71
Table 50A. Additional services and supports needed (if all current needs and goals are not being met)	72
Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)	73
Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)	74
Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)	75
Table 52. Service providers work together to provide support	76
Care Coordination.....	77

Table 53. Knows how to manage chronic conditions (if has at least one)	78
Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home.....	79
Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)	80
Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home).....	81
Choice and Control	82
Table 57. Feels in control of their life.....	83
Table 58. Able to furnish and decorate their room however they want to (if living in a group setting).....	84
Table 59. Can choose or change their roommate (if living in a group setting and has a roommate).....	85
Table 60. Can get up and go to bed when they want to	86
Table 61. Can eat their meals when they want to	87
Table 62. Can choose or change their services	88
Table 63. Can choose or change when and how often they receive services.....	89
Table 64. Can choose or change the people who provide paid supports if wants	90
Satisfaction	91
Table 65. Services and supports help them live the life they want	92
Table 66. Case manager/care coordinator changes more often than they would like.....	93
Table 67. People who are paid to help them change too often	94
Table 68. Likes where they live	95
Table 69A. Reasons does not like where they live (if does not always like where they live)	96
Table 69B. Reasons does not like where they live (if does not always like where they live) (continued).....	97
Table 69C. Reasons does not like where they live (if does not always like where they live) (continued).....	98
Table 70. Wants to live somewhere else	99
Table 71. Where person would prefer to live (if wants to live somewhere else).....	100
Table 72. People who are paid to help them do things the way they want them done.....	101

Table 73. Usually likes how they spend their time during the day	102
Technology.....	103
Table 74. Has access to the internet	104
Table 75. Frequency with which people use the internet.....	105
Table 76. Always has a stable internet connection	106
Table 77. Has talked to health professionals using video conference/telehealth.....	107
Table 78. Liked talking to health care providers using telehealth	108
Access to Needed Equipment.....	109
Table 79. Needs grab bars in the bathroom or elsewhere in their home.....	110
Table 80. Needs other bathroom modifications	111
Table 81. Needs a shower chair	112
Table 82. Needs a specialized bed.....	113
Table 83. Need for a ramp (either inside or outside of their residence)	114
Table 84. Needs other home modifications that does not have.....	115
Table 85. Needs a wheelchair	116
Table 86. Needs a scooter	117
Table 87. Needs a walker	118
Table 88. Needs hearing aids	119
Table 89. Needs glasses.....	120
Table 90. Needs personal emergency response system (PERS).....	121
Table 91. Needs an oxygen machine.....	122
Table 92. Needs other assistive technology equipment but does not have	123
Table 93. Needs other equipment but does not have	124
Medications	125
Table 94. Knows what prescription medications are for	126

Table 95. Takes medication to help feel less sad or depressed	127
Health care.....	128
Table 96. Has access to mental health services if they want them	129
Table 97. Can get an appointment to see or talk to their primary care doctor when they need to	130
Table 98. Went to the emergency room for any reason in the past 12 months	131
Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance	132
Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain	133
Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician	134
Table 102. Had a physical exam or wellness visit in the past 12 months	135
Table 103. Had a hearing exam in the past 4 years	136
Table 104. Had a vision exam in the past year.....	137
Table 105. Had a dental visit in the past 12 months.....	138
Table 106. Had a flu shot in the past 12 months	139
Table 107. Received the COVID-19 Vaccine	140
Wellness.....	141
Table 108. Has access to healthy foods when they want them.....	142
Table 109. Overall Health.....	143
Table 110. Health compared to 12 months ago.....	144
Table 111. In the past 12 months, forgets things more often than before	145
Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months).....	146
Table 113. Amount of physical activity per week	147
Table 114. Often feels lonely.....	148
Affordability.....	149
Table 115. Ever has to skip meals due to financial worries	150
Safety	151

Table 116. They or someone else has concerns about falling or being unstable	152
Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)	153
Table 118. Able to get to safety quickly in case of an emergency	154
Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others	155
Table 120. Are ever worried for the security of their personal belongings	156
Table 121. Someone used or took their money without their permission in the past 12 months.....	157
Table 122. Feels safe around people who are paid to help them.....	158
Rights and Respect	159
Table 123. Gets information about services in their preferred language (if preferred language is not English)	160
Table 124. Services and supports are delivered in a way that is respectful of their culture	161
Table 125. People who are paid to help them treat them with respect.....	162
Table 126. Others ask before coming into their home/room (if living in a group setting)	163
Table 127. Able to lock doors to room (if living in a group setting)	164
Table 128. Has enough privacy where lives (if living in a group setting)	165
Table 129. Can have visitors at any time (if living in a group setting).....	166
Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting).....	167
Self-Direction	168
Table 131. Uses self-directed supports option	169

Introduction

Established in 2015, National Core Indicators—Aging and Disabilities™ (NCI-AD™) is a voluntary effort by state aging and physical disability agencies to measure and track their performance using a standardized set of nationally validated measures. The effort is coordinated by Advancing States and Human Services Research Institute (HSRI). Learn more about our history [here](#).

In 2023-24 a total of 20 states participated in NCI-AD. Not all participating states do all surveys every year.

Adult Consumer Survey

The NCI-AD Adult Consumer Survey (ACS), is standardized survey conducted with a person receiving long term services and supports (LTSS) through state aging and physical disability systems. Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person –demographic and service-related data – mainly from service agency records. In 2023-24, the survey included two state-optional modules:

Person-Centered Planning Module (state-optional). This is a state-optional series of questions that ask about the person-centered planning process, including the person’s experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: AL, AZ, DE, IN, KS, KY, MN, MO, NE, NJ, OH, OK, OR, TN, TX, WI, and WY.

Self-direction Module (state-optional). This state-optional module was added to the 2023-24 ACS. Questions in this section are asked only of those who are using a self-directed supports option and assess experiences specific to self-direction. The following states conducted the Self-direction module: AL, DE, IN, KS, KY, MO, NE, NJ, OH, OK, OR, TN, TX, WI, and WY.

Georgia Specific Sample

There is considerable variation in how states’ long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. The NCI-AD project team works closely with each participating NCI-AD state to advise and track which LTSS program populations and sub-populations are

included in the state’s sampling strategy, how that sample is designed and how many surveys are targeted for completion. See detailed information on state sample frames [here](#).

Figure 1. Statewide Sample

Total Sample Frame	Total surveys completed	Overall Margin of Error (MoE)
4000	501	4.4%

Figure 2. Classification of 2023-24 State programs

Program	Funding Source	Description of Program	Total Usable Surveys Collected	Total Population Eligible for NCI-AD	MoE(95%Confidence, 0.5 Distribution)	MoE(95%Confidence, 0.7 Distribution)
OAA	Title III	60+	501	4,000	4.4%	4.0%

What is included in this report?

This report presents Georgia 2023-24 ACS demographics and outcomes results. Data are shown for the overall statewide average, broken out by program sampled, and include the weighted NCI-AD Average.

Please note: Extreme caution should be used when interpreting results where the number of valid responses is small. Each program's valid number of responses (valid Ns) is shown in every chart and table in this report. **To protect people's privacy we do not show the data when 20 or fewer people from a state or within a program responded to a question, however their data are included in the overall state average.**

Presentation of Data

Data may be viewed as tables by clicking the appropriate tab for each outcome. Tables represent the un-collapsed data outcomes. This may differ from the national report that represents the data in collapsed outcomes. For more information on recoding and collapsing, refer to [Appendix B-How to Recode and Collapse Data](#).

All state and NCI-AD averages throughout this report are “weighted” to account for any non-proportional sampling of programs and to “rebalance” the states' sample sizes according to their populations of survey-eligible service recipients. [See more details on weighting in the national report.](#)

Accessibility Statement

National Core Indicators strives to develop accessible resources to support equitable access to information about quality of services. Should you require other accommodations to make this report accessible for you, please reach out to us at nci@nationalcoreindicators.org.

Demographics

Table 1. Average age (reported for those under 90 years old)

Program	Age	N
OAA	75.9	453
GA Overall Average	75.9	453
Weighted NCI-AD Average	62.5	19857

Table 2. Age Category (including those 90 and older)

Program	18-44	45-64	65-89	90+	N
OAA	0%	7%	84%	8%	494
GA Overall Average	0%	7%	84%	8%	494
Weighted NCI-AD Average	14%	33%	48%	5%	20956

Table 3. Gender

Program	Male	Female	Other	Don't Know or Unclear	N
OAA	32%	68%	0%	0%	500
GA Overall Average	32%	68%	0%	0%	500
Weighted NCI-AD Average	37%	63%	0%	0%	20299

Table 4. Race and ethnicity

Categories are not mutually exclusive; therefore, N is not shown.

Program	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know or Unclear
OAA	0%	1%	49%	0%	49%	0%	1%	1%
GA Overall Average	0%	1%	49%	0%	49%	0%	1%	1%
Weighted NCI-AD Average	3%	4%	26%	0%	57%	7%	3%	2%

Table 5. Marital status

Program	Single, Never Married	Married or in Domestic Partnership	Separated or Divorced	Widowed	Don't Know or Unclear	N
OAA	18%	22%	22%	37%	2%	498
GA Overall Average	18%	22%	22%	37%	2%	498
Weighted NCI-AD Average	34%	15%	24%	18%	9%	19613

Table 6. Preferred language

Program	English	Spanish	Other	Don't Know or Unclear	N
OAA	99%	0%	1%	0%	500
GA Overall Average	99%	0%	1%	0%	500
Weighted NCI-AD Average	91%	4%	4%	1%	20581

Table 7. Preferred means of communication

Program	Spoken	Gestures or Body Language	Sign Language or Finger Spelling	Communication Aid or Device	Other	Don't Know	N
OAA	99%	0%	0%	0%	0%	0%	500
GA Overall Average	99%	0%	0%	0%	0%	0%	500
Weighted NCI-AD Average	95%	2%	0%	0%	1%	2%	19920

Table 8. Residential designation

Categories created using zip codes and corresponding RUCA codes.

Program	Metropolitan	Micropolitan	Rural	Small Town	Don't Know	N
OAA	72%	16%	4%	7%	1%	497
GA Overall Average	72%	16%	4%	7%	1%	497
Weighted NCI-AD Average	74%	12%	5%	8%	1%	20743

Table 9. Median area income (based on zip code)

Program	\$0 - \$9,999	\$10,000 - \$19,999	\$20,000 - \$29,999	\$30,000 - \$39,999	\$40,000 - \$49,999	\$50,000 - \$59,999	\$60,000 - \$69,999	\$70,000 - \$79,999	\$80,000 - \$89,999	\$90,000 - \$99,999	\$100,000 and Over	N
OAA	1%	0%	0%	10%	34%	25%	12%	10%	5%	3%	1%	494
GA Overall Average	1%	0%	0%	10%	34%	25%	12%	10%	5%	3%	1%	494
Weighted NCI-AD Average	1%	0%	1%	7%	25%	27%	15%	9%	6%	3%	5%	20671

Table 10. Type of Residence

Program	Own or Family House or Apartment	Senior Living Apartment or Complex	Group Home, Adult Family Home, Foster Home, Host Home	Assisted Living Facility, Residential Care Facility	Nursing Facility, Nursing Home	Homeless or Temporary Shelter	Other	Don't Know or Unclear	N
OAA	93%	4%	0%	1%	0%	0%	2%	0%	501
GA Overall Average	93%	4%	0%	1%	0%	0%	2%	0%	501
Weighted NCI-AD Average	72%	3%	4%	7%	9%	0%	3%	2%	20306

Table 11. Who the person lives with

Categories are not mutually exclusive; therefore, N is not shown.

Program	No One – Lives Alone	Spouse or Partner	Other Family	Friend(s)	Live-in PCA	Others	Don't Know or Unclear
OAA	50%	21%	30%	1%	0%	1%	1%
GA Overall Average	50%	21%	30%	1%	0%	1%	1%
Weighted NCI-AD Average	38%	13%	32%	3%	2%	13%	3%

Table 12. Address changed in the past 6 months

Program	Yes	No	Don't Know or Unclear	N
OAA	5%	94%	1%	500
GA Overall Average	5%	94%	1%	500
Weighted NCI-AD Average	7%	91%	2%	19846

Table 13. Where people moved from (if moved in the last 6 months)

Program	Own or Family House or Apartment	Senior Living Apartment or Complex	Group Home, Adult Family Home, Foster Home, Host Home	Assisted Living Facility, Residential Care Facility	Nursing Facility, Nursing Home	Homeless or Temporary Shelter	Other	Don't Know or Unclear	N
OAA	72%	0%	0%	8%	8%	4%	8%	0%	25
GA Overall Average	72%	0%	0%	8%	8%	4%	8%	0%	25
Weighted NCI-AD Average	61%	5%	4%	5%	4%	6%	11%	4%	1186

Table 14A. Diagnoses

Categories are not mutually exclusive; therefore, N is not shown.

Program	Physical Disability	Traumatic Brain Injury or Other Acquired Brain Injury	Intellectual or Other Developmental Disability	Alzheimer's Disease or Other Dementia	Heart Disease	Cancer
OAA	81%	3%	2%	13%	28%	14%
GA Overall Average	81%	3%	2%	13%	28%	14%
Weighted NCI-AD Average	44%	10%	9%	12%	35%	12%

Table 14B. Diagnoses (continued)*Categories are not mutually exclusive; therefore, N is not shown.*

Program	Chronic Obstructive Pulmonary Disease (COPD)	Stroke	Diabetes	Hypertension (or High Blood Pressure)	Limited or No Vision - Legally Blind	Hearing Loss - Severe or Profound
OAA	15%	13%	31%	55%	18%	14%
GA Overall Average	15%	13%	31%	55%	18%	14%
Weighted NCI-AD Average	22%	17%	29%	65%	12%	10%

Table 15. Person has chronic psychiatric or mental health diagnosis

Program	Yes	No	Don't Know or Unclear	N
OAA	13%	76%	11%	499
GA Overall Average	13%	76%	11%	499
Weighted NCI-AD Average	28%	70%	2%	19343

Table 16. Level of Mobility

Categories are not mutually exclusive (except 'Don't Know or Unclear or Missing'); therefore, N is not shown.

Program	Non-Ambulatory	Moves Self with Wheelchair	Moves Self with Other Aids	Moves Self Without Aids	Don't Know or Unclear
OAA	6%	10%	62%	62%	3%
GA Overall Average	6%	10%	62%	62%	3%
Weighted NCI-AD Average	8%	19%	46%	38%	7%

Table 17. Has history of frequent falls (more than two falls in a six-month period)

Program	Yes	No	Don't Know or Unclear	N
OAA	26%	70%	4%	501
GA Overall Average	26%	70%	4%	501
Weighted NCI-AD Average	25%	73%	2%	19261

Table 18. Receives Medicare

Information required to come from administrative records.

Program	Yes	No	Don't Know or Unclear	N
OAA	70%	22%	8%	474
GA Overall Average	70%	22%	8%	474
Weighted NCI-AD Average	70%	24%	6%	18141

Table 19. Length of time receiving LTSS services in current program*Information required to come from administrative records.*

Program	0 - 5 Months	6 Months – Less Than 1 Year	1 Year – Less Than 3 Years	3 or More Years	Don't Know or Unclear	N
OAA	10%	3%	46%	40%	0%	487
GA Overall Average	10%	3%	46%	40%	0%	487
Weighted NCI-AD Average	3%	7%	24%	35%	30%	19647

Table 20. Person has legal guardian

Information required to come from administrative records.

Program	Yes	No	Don't Know or Unclear	N
OAA	5%	78%	17%	453
GA Overall Average **	5%	78%	17%	453
Weighted NCI-AD Average	7%	47%	46%	20383

*Programs with more than 25% missing or don't know are marked with **.*

Table 21. Amount of paid supports received*Information required to come from administrative records.*

Program	24-hour Support or Supervision	Daily Support (for a Limited Number of Hours per Day, not Round-the-Clock)	Scheduled, Less Frequent than Daily Support	As-needed Visitation and Phone Contact	None of the Above	Don't Know	N
OAA	1%	3%	21%	4%	58%	13%	501
GA Overall Average	1%	3%	21%	4%	58%	13%	501
Weighted NCI- AD Average	14%	11%	8%	1%	5%	60%	19531

Table 22. Person has remote supports*Information required to come from administrative records.*

Program	Yes, 24-Hour Remote Supports	Yes, Less than 24-Hour Remote Supports	No, None	Don't Know	N
OAA	0%	0%	84%	16%	501
GA Overall Average	0%	0%	84%	16%	501
Weighted NCI-AD Average	3%	0%	32%	65%	19527

Outcome Tables

Community Participation

Table 23. Gets to do things outside of their home as much as they want to

Program	Yes	No	N
OAA	65%	35%	381
GA Overall Average	65%	35%	381
Weighted NCI-AD Average	66%	34%	15580

Table 24. Takes part in activities with others as much as they want to (in-person or virtually)

Program	Yes	Maybe	No	N
OAA	60%	13%	28%	383
GA Overall Average	60%	13%	28%	383
Weighted NCI-AD Average	66%	10%	24%	15521

Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually*Categories are not mutually exclusive; therefore, N is not shown.*

Program	Cost or Money	Transportation	Accessibility or Lack of Equipment	Health Limitations	Not Enough Help, Staffing, or Personal Assistance	Feeling Unwelcome in the Community
OAA	12%	48%	7%	54%	5%	1%
GA Overall Average	12%	48%	7%	54%	5%	1%
Weighted NCI-AD Average	12%	32%	9%	50%	6%	2%

Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued)*Categories are not mutually exclusive; therefore, N is not shown.*

Program	Feeling Unsafe	No Community Activities Outside of Home Available	Lack of Information or Doesn't Know What Type of Community Activities are Available	Does Not Have Technology or Equipment	Other
OAA	5%	5%	3%	2%	8%
GA Overall Average	5%	5%	3%	2%	8%
Weighted NCI-AD Average	3%	4%	6%	4%	17%

Access to the Community

Table 26. Has transportation to do the things they want outside of home*Proxy respondents were allowed for this question.*

Program	Yes	Maybe	No	N
OAA	73%	13%	13%	484
GA Overall Average	73%	13%	13%	484
Weighted NCI-AD Average	72%	12%	16%	19326

Table 27. Has transportation to get to medical appointments*Proxy respondents were allowed for this question.*

Program	Yes	Maybe	No	N
OAA	88%	9%	3%	489
GA Overall Average	88%	9%	3%	489
Weighted NCI-AD Average	91%	6%	3%	19721

Everyday Living

Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)*Proxy respondents were allowed for this question.*

Program	A Lot	Some	None	N
OAA	27%	44%	29%	498
GA Overall Average	27%	44%	29%	498
Weighted NCI-AD Average	50%	34%	16%	20745

Table 29. Always gets enough support for everyday activities (if needs at least some assistance)*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	63%	37%	351
GA Overall Average	63%	37%	351
Weighted NCI-AD Average	82%	18%	18728

Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)*Proxy respondents were allowed for this question.*

Program	A Lot	Some	None	N
OAA	20%	36%	44%	496
GA Overall Average	20%	36%	44%	496
Weighted NCI-AD Average	34%	30%	35%	20699

Table 31. Always gets enough support for self-care (if needs at least some assistance)*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	61%	39%	276
GA Overall Average	61%	39%	276
Weighted NCI-AD Average	84%	16%	14885

Table 32. Has a paid job*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	1%	99%	494
GA Overall Average	1%	99%	494
Weighted NCI-AD Average	5%	95%	20005

Table 33. Wants a paid job (if they do not currently have one)

Program	Yes	Maybe, Not Sure	No	N
OAA	3%	1%	96%	376
GA Overall Average	3%	1%	96%	376
Weighted NCI-AD Average	12%	6%	82%	14703

Table 34. Someone talked with them about job options (if they do not currently have a job but want one)

Program	Yes	No	N
OAA	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a
Weighted NCI-AD Average	33%	67%	1248

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 35. Person volunteers

Proxy respondents were allowed for this question.

Program	Yes	No	N
OAA	4%	96%	493
GA Overall Average	4%	96%	493
Weighted NCI-AD Average	10%	90%	19881

Table 36. Wants to volunteer (if they do not currently)

Program	Yes	Maybe, Not Sure	No	N
OAA	7%	2%	91%	355
GA Overall Average	7%	2%	91%	355
Weighted NCI-AD Average	9%	9%	82%	13634

Relationships

Table 37. Has friends or family they do not live with who are a part of their life

Program	Yes	No	N
OAA	88%	12%	386
GA Overall Average	88%	12%	386
Weighted NCI-AD Average	93%	7%	16256

Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)

Program	Yes	Maybe	No	N
OAA	93%	4%	3%	338
GA Overall Average	93%	4%	3%	338
Weighted NCI-AD Average	82%	12%	6%	14959

Table 39. Reasons not always able to see or talk to their friends and family when they want

Categories are not mutually exclusive; therefore, N is not shown.

Program	Availability of Transportation	Accessibility	Staffing or Personal Assistance Unavailable	Health Limitations	Someone Prevents From or Rules Against	No or Limited Access to a Phone	No or Limited Access to the Internet	Other
OAA	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	34%	4%	2%	24%	2%	3%	1%	57%

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Service Coordination

Table 40A. How first found out about services they can get

Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.

Program	Friend	Family	Aging and Disability Resource Center; Area Agency on Aging; Center for Independent Living	State or County Agency	Case Manager or Care Coordinator
OAA	7%	12%	25%	20%	5%
GA Overall Average	7%	12%	25%	20%	5%
Weighted NCI-AD Average	10%	21%	9%	13%	21%

Table 40B. How first found out about services they can get (continued)

Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.

Program	Doctor, Hospital, Clinic	Other Provider or Provider Agency	Media, Newspaper, TV, Radio, Billboard, Brochure, Flyer, Advertisement	Internet or Website	Other
OAA	23%	3%	0%	0%	6%
GA Overall Average	23%	3%	0%	0%	6%
Weighted NCI-AD Average	19%	10%	1%	2%	10%

Table 41. Can contact their case manager or care coordinator when needs to*Proxy respondents were allowed for this question.*

Program	Yes, Always	Most of the Time, Usually	No	N
OAA	83%	8%	9%	111
GA Overall Average	83%	8%	9%	111
Weighted NCI-AD Average	79%	14%	7%	14666

Table 42. Who helps person most often (if anyone helps on a regular basis)*Proxy respondents were allowed for this question.*

Program	Paid Support Worker Who is Not a Friend or Relative	Paid Family Member or Spouse or Partner	Paid friend	Unpaid Family Member or Spouse or Partner	Unpaid Friend or Volunteer	Other	N
OAA	24%	1%	1%	69%	5%	1%	310
GA Overall Average	24%	1%	1%	69%	5%	1%	310
Weighted NCI- AD Average	50%	19%	2%	25%	3%	1%	18111

Table 43. Additional people who help person on a regular basis

Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.

Program	Paid Support Worker Who is Not a Friend or Relative	Paid Family Member or Spouse or Partner	Paid friend	Unpaid Family Member or Spouse or Partner	Unpaid Friend or Volunteer	Other	No One Else Provides Additional Support
OAA	15%	0%	0%	35%	7%	2%	42%
GA Overall Average	15%	0%	0%	35%	7%	2%	42%
Weighted NCI- AD Average	17%	5%	1%	45%	9%	2%	28%

Table 44. People who are paid to help them come and leave when they are supposed to*Proxy respondents were allowed for this question.*

Program	Yes, All Paid Support Workers, Always or Almost always	Some, or Usually	No, Never or Rarely	N
OAA	92%	5%	3%	75
GA Overall Average	92%	5%	3%	75
Weighted NCI-AD Average	88%	10%	2%	10348

Table 45. Has a backup plan if their people who are paid to help them do not show up*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	61%	39%	74
GA Overall Average	61%	39%	74
Weighted NCI-AD Average	73%	27%	10164

Table 46. Has an emergency plan in place in case of widescale emergency*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	66%	34%	483
GA Overall Average	66%	34%	483
Weighted NCI-AD Average	79%	21%	19432

Table 47. Knows whom to contact if they have a complaint about their services

Program	Yes	Maybe, Not Sure	No	N
OAA	86%	8%	6%	156
GA Overall Average	86%	8%	6%	156
Weighted NCI-AD Average	77%	6%	17%	13615

Table 48. Knows whom to contact if they want to make changes to services

Program	Yes	Maybe, Not Sure	No	N
OAA	79%	14%	7%	160
GA Overall Average	79%	14%	7%	160
Weighted NCI-AD Average	84%	6%	10%	13538

Table 49. Services meet all current needs*Proxy respondents were allowed for this question.*

Program	Yes, Completely, All Needs and Goals	Some Needs and Goals	No, Not at All, Needs and Goals Are Not Met	N
OAA	54%	36%	9%	206
GA Overall Average	54%	36%	9%	206
Weighted NCI-AD Average	71%	22%	7%	17228

Table 50A. Additional services and supports needed (if all current needs and goals are not being met)

Proxy respondents were allowed for this question; categories are not mutually exclusive; therefore, N is not shown.

Program	Skilled Nursing Facility, Nursing Home Services	Personal Care Assistance, Personal Care Services	Homemaker or Chore Services	Companion Services	Healthcare Home Services, Home Health	Home Delivered Meals
OAA	7%	33%	54%	16%	4%	22%
GA Overall Average	7%	33%	54%	16%	4%	22%
Weighted NCI- AD Average	4%	22%	22%	13%	10%	12%

Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive; therefore, N is not shown.

Program	Adult Day Services	Transportation	Respite or Family Caregiver Support	Health Care	Mental Health Care	Dental Care
OAA	10%	26%	6%	0%	0%	15%
GA Overall Average	10%	26%	6%	0%	0%	15%
Weighted NCI-AD Average	8%	26%	5%	11%	9%	14%

Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)

Proxy respondents were allowed for this question; categories are not mutually exclusive; therefore, N is not shown.

Program	Housing Assistance	Heating or Cooling Assistance	Hospice	Funeral Planning	Other
OAA	9%	8%	0%	3%	19%
GA Overall Average	9%	8%	0%	3%	19%
Weighted NCI-AD Average	17%	7%	1%	2%	34%

Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)

Proxy respondents were allowed for this question.

Program	Yes	No	N
OAA	44%	56%	50
GA Overall Average	44%	56%	50
Weighted NCI-AD Average	51%	49%	3335

Table 52. Service providers work together to provide support

Program	Yes, All Service Providers	Sometimes, or Some Service Providers	No	N
OAA	84%	10%	6%	153
GA Overall Average	84%	10%	6%	153
Weighted NCI-AD Average	80%	11%	9%	13861

Care Coordination

Table 53. Knows how to manage chronic conditions (if has at least one)

Program	Yes	In-Between, or Some Conditions	No	N
OAA	97%	1%	2%	369
GA Overall Average	97%	1%	2%	369
Weighted NCI-AD Average	85%	9%	6%	14517

Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	25%	75%	487
GA Overall Average	25%	75%	487
Weighted NCI-AD Average	27%	73%	19616

Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

Program	Yes	In-Between	No	N
OAA	90%	2%	8%	90
GA Overall Average	90%	2%	8%	90
Weighted NCI-AD Average	86%	5%	9%	4432

Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)

Proxy respondents were allowed for this question.

Program	Yes	No	N
OAA	91%	9%	117
GA Overall Average	91%	9%	117
Weighted NCI-AD Average	83%	17%	5379

Choice and Control

Table 57. Feels in control of their life

Program	Yes, Almost Always, Always	In-Between, Sometimes	No, Rarely, Never	N
OAA	79%	16%	5%	377
GA Overall Average	79%	16%	5%	377
Weighted NCI-AD Average	72%	20%	8%	14903

Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)

Program	In All Ways	In Most Ways	Only in Some Ways, or Not at All	N
OAA	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	57%	28%	15%	2500

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 59. Can choose or change their roommate (if living in a group setting and has a roommate)

Program	Yes	No	N
OAA	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a
Weighted NCI-AD Average	36%	64%	1106

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 60. Can get up and go to bed when they want to

Program	Yes, Always, or Almost Always	Some Days, Sometimes	No, Never	N
OAA	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	89%	8%	4%	3415

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 61. Can eat their meals when they want to

Program	Yes, Always, or Almost Always	Some Days, Sometimes	No, Never	N
OAA	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	68%	13%	19%	3410

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 62. Can choose or change their services*Proxy respondents were allowed for this question.*

Program	Yes, All Services	Sometimes, or Some Services	No	N
OAA	66%	16%	18%	191
GA Overall Average	66%	16%	18%	191
Weighted NCI-AD Average	75%	13%	12%	15690

Table 63. Can choose or change when and how often they receive services*Proxy respondents were allowed for this question.*

Program	Yes, All Services	Sometimes, or Some Services	No	N
OAA	62%	16%	22%	188
GA Overall Average	62%	16%	22%	188
Weighted NCI-AD Average	70%	15%	16%	15260

Table 64. Can choose or change the people who provide paid supports if wants*Proxy respondents were allowed for this question.*

Program	Yes, All Services	Sometimes, or Some Services	No	N
OAA	88%	0%	12%	68
GA Overall Average	88%	0%	12%	68
Weighted NCI-AD Average	76%	6%	18%	10664

Satisfaction

Table 65. Services and supports help them live the life they want

Program	Yes	No	N
OAA	90%	10%	157
GA Overall Average	90%	10%	157
Weighted NCI-AD Average	88%	12%	13011

Table 66. Case manager/care coordinator changes more often than they would like

Program	Yes	No	N
OAA	38%	62%	81
GA Overall Average	38%	62%	81
Weighted NCI-AD Average	30%	70%	11144

Table 67. People who are paid to help them change too often

Program	Yes, All Paid Support Workers, Always or Almost Always	Some or Usually	No, Never or Rarely	N
OAA	4%	6%	90%	52
GA Overall Average	4%	6%	90%	52
Weighted NCI-AD Average	15%	13%	72%	8569

Table 68. Likes where they live

Program	Yes	In Between, Most of the Time	No	N
OAA	92%	3%	5%	380
GA Overall Average	92%	3%	5%	380
Weighted NCI-AD Average	80%	9%	10%	16205

Table 69A. Reasons does not like where they live (if does not always like where they live)

Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.

Program	Accessibility of House or Building	Feels Unsafe in or Dislikes Neighborhood	Feels Unsafe in Residence	Residence or Building Needs Repair or Upkeep	Doesn't Feel Like Home
OAA	10%	6%	3%	13%	19%
GA Overall Average	10%	6%	3%	13%	19%
Weighted NCI-AD Average	8%	15%	9%	15%	14%

Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)

Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.

Program	Layout or Size of Residence or Building	Problems With Neighbors or Housemates/Other Residents	Problems With Staff	Insufficient Amount or Type of Staff	Wants More Independence or Control
OAA	13%	3%	10%	3%	3%
GA Overall Average	13%	3%	10%	3%	3%
Weighted NCI- AD Average	12%	12%	8%	4%	10%

Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)

Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.

Program	Wants More Privacy	Wants to be Closer to Family or Friends	Feels Isolated from Community or Feels Lonely	Affordability or Cost of Housing	Other
OAA	6%	3%	10%	13%	48%
GA Overall Average	6%	3%	10%	13%	48%
Weighted NCI-AD Average	10%	7%	6%	6%	29%

Table 70. Wants to live somewhere else

Program	Yes	Maybe	No	N
OAA	13%	5%	82%	383
GA Overall Average	13%	5%	82%	383
Weighted NCI-AD Average	30%	9%	62%	15997

Table 71. Where person would prefer to live (if wants to live somewhere else)*Proxy respondents were allowed for this question.*

Program	Different Kind of Home	Live Independently	With or Closer to Family	In a Different Neighborhood	A Different Type of Geography or Climate	Other
OAA	24%	9%	6%	15%	13%	43%
GA Overall Average	24%	9%	6%	15%	13%	43%
Weighted NCI-AD Average	36%	18%	13%	24%	25%	17%

Table 72. People who are paid to help them do things the way they want them done

Program	Yes, All Paid Support Workers, Always or Almost Always	Some or Usually	No, Never or Rarely	N
OAA	88%	8%	4%	51
GA Overall Average	88%	8%	4%	51
Weighted NCI-AD Average	86%	12%	2%	9285

Table 73. Usually likes how they spend their time during the day

Program	Yes, Always, or Almost Always	Sometimes	No, Never or Rarely	N
OAA	64%	27%	9%	380
GA Overall Average	64%	27%	9%	380
Weighted NCI-AD Average	63%	27%	10%	15507

Technology

Table 74. Has access to the internet*Proxy respondents were allowed for this question*

Program	Yes	Sometimes	No	N
OAA	73%	0%	27%	485
GA Overall Average	73%	0%	27%	485
Weighted NCI-AD Average	75%	2%	23%	19930

Table 75. Frequency with which people use the internet*Proxy respondents were allowed for this question.*

Program	Daily	Several Times a Week	Several Times a Month	Several Times a Year	Don't Use It at All	N
OAA	48%	17%	7%	4%	24%	351
GA Overall Average	48%	17%	7%	4%	24%	351
Weighted NCI-AD Average	65%	11%	5%	2%	17%	14951

Table 76. Always has a stable internet connection*Proxy respondents were allowed for this question.*

Program	Always Works	Sometimes Works	Rarely or Never Works	N
OAA	93%	6%	1%	347
GA Overall Average	93%	6%	1%	347
Weighted NCI-AD Average	85%	13%	2%	13661

Table 77. Has talked to health professionals using video conference/telehealth*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	18%	82%	491
GA Overall Average	18%	82%	491
Weighted NCI-AD Average	43%	57%	19520

Table 78. Liked talking to health care providers using telehealth

Program	Yes, Completely	Yes, In Part	No	N
OAA	72%	16%	13%	64
GA Overall Average	72%	16%	13%	64
Weighted NCI-AD Average	61%	22%	17%	6560

Access to Needed Equipment

Table 79. Needs grab bars in the bathroom or elsewhere in their home*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	19%	5%	60%	17%	494
GA Overall Average	19%	5%	60%	17%	494
Weighted NCI-AD Average	11%	4%	59%	25%	20407

Table 80. Needs other bathroom modifications*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	12%	3%	13%	73%	456
GA Overall Average	12%	3%	13%	73%	456
Weighted NCI-AD Average	11%	3%	27%	59%	19790

Table 81. Needs a shower chair

Proxy respondents were allowed for this question.

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	11%	6%	65%	18%	492
GA Overall Average	11%	6%	65%	18%	492
Weighted NCI-AD Average	7%	5%	59%	28%	20332

Table 82. Needs a specialized bed*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	6%	3%	13%	78%	492
GA Overall Average	6%	3%	13%	78%	492
Weighted NCI-AD Average	8%	4%	24%	64%	20302

Table 83. Need for a ramp (either inside or outside of their residence)*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	9%	5%	37%	50%	494
GA Overall Average	9%	5%	37%	50%	494
Weighted NCI-AD Average	6%	3%	27%	63%	20290

Table 84. Needs other home modifications that does not have*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	4%	1%	1%	94%	449
GA Overall Average	4%	1%	1%	94%	449
Weighted NCI-AD Average	7%	2%	8%	83%	13206

Table 85. Needs a wheelchair

Proxy respondents were allowed for this question.

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	7%	5%	26%	61%	492
GA Overall Average	7%	5%	26%	61%	492
Weighted NCI-AD Average	5%	6%	30%	59%	20297

Table 86. Needs a scooter*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	12%	2%	4%	82%	487
GA Overall Average	12%	2%	4%	82%	487
Weighted NCI-AD Average	9%	2%	6%	83%	20129

Table 87. Needs a walker

Proxy respondents were allowed for this question.

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	4%	8%	53%	34%	491
GA Overall Average	4%	8%	53%	34%	491
Weighted NCI-AD Average	3%	5%	45%	47%	20266

Table 88. Needs hearing aids

Proxy respondents were allowed for this question.

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	10%	4%	10%	77%	488
GA Overall Average	10%	4%	10%	77%	488
Weighted NCI-AD Average	7%	3%	10%	80%	20096

Table 89. Needs glasses*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	8%	14%	60%	18%	489
GA Overall Average	8%	14%	60%	18%	489
Weighted NCI-AD Average	4%	18%	55%	23%	20154

Table 90. Needs personal emergency response system (PERS)*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	31%	2%	23%	44%	490
GA Overall Average	31%	2%	23%	44%	490
Weighted NCI-AD Average	11%	3%	40%	46%	20058

Table 91. Needs an oxygen machine*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	2%	1%	10%	88%	488
GA Overall Average	2%	1%	10%	88%	488
Weighted NCI-AD Average	1%	1%	13%	85%	20122

Table 92. Needs other assistive technology equipment but does not have*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	3%	1%	4%	92%	447
GA Overall Average	3%	1%	4%	92%	447
Weighted NCI-AD Average	3%	2%	14%	81%	13670

Table 93. Needs other equipment but does not have*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
OAA	2%	1%	0%	97%	450
GA Overall Average	2%	1%	0%	97%	450
Weighted NCI-AD Average	5%	3%	22%	70%	13714

Medications

Table 94. Knows what prescription medications are for

Program	Yes	Maybe, Not Sure	No	N
OAA	97%	1%	2%	377
GA Overall Average	97%	1%	2%	377
Weighted NCI-AD Average	87%	8%	5%	14971

Table 95. Takes medication to help feel less sad or depressed*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	26%	74%	477
GA Overall Average	26%	74%	477
Weighted NCI-AD Average	44%	56%	19144

Health care

Table 96. Has access to mental health services if they want them

Program	Yes, Always	Usually	No, Only Sometimes or Rarely	N
OAA	90%	2%	8%	355
GA Overall Average	90%	2%	8%	355
Weighted NCI-AD Average	89%	2%	10%	14131

Table 97. Can get an appointment to see or talk to their primary care doctor when they need to*Proxy respondents were allowed for this question.*

Program	Yes, Always	Usually	No, Only Sometimes or Rarely	N
OAA	91%	4%	5%	490
GA Overall Average	91%	4%	5%	490
Weighted NCI-AD Average	83%	11%	7%	19497

Table 98. Went to the emergency room for any reason in the past 12 months*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	34%	66%	485
GA Overall Average	34%	66%	485
Weighted NCI-AD Average	43%	57%	19717

Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	34%	66%	162
GA Overall Average	34%	66%	162
Weighted NCI-AD Average	26%	74%	8702

Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	1%	99%	162
GA Overall Average	1%	99%	162
Weighted NCI-AD Average	3%	97%	8675

Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	4%	96%	159
GA Overall Average	4%	96%	159
Weighted NCI-AD Average	11%	89%	8647

Table 102. Had a physical exam or wellness visit in the past 12 months*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	92%	8%	487
GA Overall Average	92%	8%	487
Weighted NCI-AD Average	83%	17%	19364

Table 103. Had a hearing exam in the past 4 years*Proxy respondents were allowed for this question.*

Program	5 Years Ago or More	3-4 Years Ago	1-2 Years Ago	Past Year	Has Not Had One	N
OAA	17%	7%	26%	23%	27%	407
GA Overall Average	17%	7%	26%	23%	27%	407
Weighted NCI-AD Average	25%	9%	17%	19%	30%	14960

Table 104. Had a vision exam in the past year*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	72%	28%	479
GA Overall Average	72%	28%	479
Weighted NCI-AD Average	58%	42%	19308

Table 105. Had a dental visit in the past 12 months*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	51%	49%	471
GA Overall Average	51%	49%	471
Weighted NCI-AD Average	46%	54%	18881

Table 106. Had a flu shot in the past 12 months*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	78%	22%	485
GA Overall Average	78%	22%	485
Weighted NCI-AD Average	65%	35%	19237

Table 107. Received the COVID-19 Vaccine*Proxy respondents were allowed for this question.*

Program	Fully Vaccinated and Received at Least One Booster	Fully Vaccinated, but Not Received a Booster	Partially Vaccinated	Not Vaccinated at All	N
OAA	54%	26%	3%	16%	482
GA Overall Average	54%	26%	3%	16%	482
Weighted NCI-AD Average	62%	13%	4%	21%	19331

Table 108. Has access to healthy foods when they want them*Proxy respondents were allowed for this question.*

Program	Yes, Often	Sometimes	No	N
OAA	85%	9%	6%	495
GA Overall Average	85%	9%	6%	495
Weighted NCI-AD Average	86%	9%	5%	19981

Table 109. Overall Health*Proxy respondents were allowed for this question.*

Program	Excellent	Very Good	Good	Fair	Poor	N
OAA	0%	8%	40%	35%	16%	491
GA Overall Average	0%	8%	40%	35%	16%	491
Weighted NCI-AD Average	3%	11%	31%	39%	17%	20003

Table 110. Health compared to 12 months ago*Proxy respondents were allowed for this question.*

Program	Much Better	Somewhat Better	About the Same	Somewhat Worse	Much Worse	N
OAA	3%	9%	56%	25%	7%	489
GA Overall Average	3%	9%	56%	25%	7%	489
Weighted NCI-AD Average	7%	15%	48%	23%	7%	19996

Table 111. In the past 12 months, forgets things more often than before*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	44%	56%	481
GA Overall Average	44%	56%	481
Weighted NCI-AD Average	48%	52%	19463

Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	58%	42%	207
GA Overall Average	58%	42%	207
Weighted NCI-AD Average	67%	33%	8996

Table 113. Amount of physical activity per week*Proxy respondents were allowed for this question.*

Program	Does Not Exercise	Less Than One hour	One to Two Hours	More Than Two Hours	N
OAA	42%	26%	21%	11%	489
GA Overall Average	42%	26%	21%	11%	489
Weighted NCI-AD Average	30%	21%	21%	27%	19701

Table 114. Often feels lonely

Program	Yes, Often	Sometimes	Not Often, Never or Almost Never	N
OAA	13%	35%	51%	379
GA Overall Average	13%	35%	51%	379
Weighted NCI-AD Average	21%	31%	48%	15084

Affordability

Table 115. Ever has to skip meals due to financial worries*Proxy respondents were allowed for this question.*

Program	Yes, often	Sometimes	No	N
OAA	4%	5%	90%	490
GA Overall Average	4%	5%	90%	490
Weighted NCI-AD Average	5%	8%	87%	19965

Table 116. They or someone else has concerns about falling or being unstable*Proxy respondents were allowed for this question.*

Program	Yes, often	Sometimes	No	N
OAA	33%	17%	51%	496
GA Overall Average	33%	17%	51%	496
Weighted NCI-AD Average	37%	16%	47%	20478

Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	82%	18%	242
GA Overall Average	82%	18%	242
Weighted NCI-AD Average	81%	19%	11285

Table 118. Able to get to safety quickly in case of an emergency*Proxy respondents were allowed for this question.*

Program	Yes	No	N
OAA	75%	25%	467
GA Overall Average	75%	25%	467
Weighted NCI-AD Average	88%	12%	19346

Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others

Program	Yes	Maybe, Not Sure	No	N
OAA	64%	4%	32%	384
GA Overall Average	64%	4%	32%	384
Weighted NCI-AD Average	81%	4%	15%	15605

Table 120. Are ever worried for the security of their personal belongings

Program	Yes at Least Sometimes	No, Never	N
OAA	6%	94%	383
GA Overall Average	6%	94%	383
Weighted NCI-AD Average	14%	86%	15812

Table 121. Someone used or took their money without their permission in the past 12 months

Program	Yes	No	N
OAA	3%	97%	382
GA Overall Average	3%	97%	382
Weighted NCI-AD Average	6%	94%	15768

Table 122. Feels safe around people who are paid to help them

Program	Yes, All Paid Support Workers, Always	No, Not All Workers, or Not Always	N
OAA	100%	0%	51
GA Overall Average	100%	0%	51
Weighted NCI-AD Average	98%	2%	9305

Rights and Respect

Table 123. Gets information about services in their preferred language (if preferred language is not English)

Proxy respondents were allowed for this question.

Program	Yes, All Information	Some Information	No	N
OAA	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	49%	36%	15%	1413

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 124. Services and supports are delivered in a way that is respectful of their culture

Program	Yes	Sometimes, or Some Services	No	N
OAA	98%	2%	0%	161
GA Overall Average	98%	2%	0%	161
Weighted NCI-AD Average	95%	3%	2%	13874

Table 125. People who are paid to help them treat them with respect

Program	Yes, All Paid Support Workers, Always or Almost Always	Some or Usually	No, Never or Rarely	N
OAA	100%	0%	0%	49
GA Overall Average	100%	0%	0%	49
Weighted NCI-AD Average	93%	6%	1%	9300

Table 126. Others ask before coming into their home/room (if living in a group setting)

Program	Yes, Always	Usually, but Not Always	Sometimes, Rarely, or Never	N
OAA	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	75%	16%	9%	2947

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 127. Able to lock doors to room (if living in a group setting)

Program	Yes	No	N
OAA	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a
Weighted NCI-AD Average	53%	47%	2841

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 128. Has enough privacy where lives (if living in a group setting)

Program	Yes, Always	Usually, but Not Always	Sometimes, Rarely, or Never	N
OAA	n/a	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a	n/a
Weighted NCI-AD Average	75%	16%	9%	2944

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 129. Can have visitors at any time (if living in a group setting)

Program	Yes	No	N
OAA	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a
Weighted NCI-AD Average	81%	19%	2838

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting)

Program	Yes	No	N
OAA	n/a	n/a	n/a
GA Overall Average	n/a	n/a	n/a
Weighted NCI-AD Average	87%	13%	2890

Table note: OAA, GA Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the GA Overall Average and Weighted NCI-AD Average.

Self-Direction

Note: all but one item in this section- 'Uses self-directed supports option' (Table 131) is part of a state option module.

Note: Georgia did not participate in the Self-Direction Module.

Table 131. Uses self-directed supports option

Information may only come from existing records; this differs from previous years as those indicated as “Don’t Know” are not included in the reporting of the measure.

Program	Yes	No	N
OAA	0%	100%	428
GA Overall Average	0%	100%	428
Weighted NCI-AD Average	30%	70%	16483