



*National Core Indicators- Aging and Disabilities (NCI-AD)  
Adult Consumer Survey State Results*

**Kansas**

## Table of Contents

Introduction .....	10
Adult Consumer Survey .....	10
Kansas Specific Sample .....	10
Figure 1. Statewide Sample .....	12
Figure 2. Classification of 2023-24 State programs .....	12
What is included in this report? .....	13
Presentation of Data.....	13
Accessibility Statement.....	13
Demographics .....	14
Table 1. Average age (reported for those under 90 years old) .....	15
Table 2. Age Category (including those 90 and older) .....	16
Table 3. Gender .....	17
Table 4. Race and ethnicity .....	18
Table 5. Marital status.....	19
Table 6. Preferred language .....	20
Table 7. Preferred means of communication.....	21
Table 8. Residential designation .....	22
Table 9. Median area income (based on zip code) .....	23
Table 10. Type of Residence .....	24
Table 11. Who the person lives with.....	25
Table 12. Address changed in the past 6 months .....	26
Table 13. Where people moved from (if moved in the last 6 months).....	27
Table 14A. Diagnoses .....	28
Table 14B. Diagnoses (continued).....	29

Table 15. Person has chronic psychiatric or mental health diagnosis .....	30
Table 16. Level of Mobility .....	31
Table 17. Has history of frequent falls (more than two falls in a six-month period) .....	32
Table 18. Receives Medicare .....	33
Table 19. Length of time receiving LTSS services in current program .....	34
Table 20. Person has legal guardian .....	35
Table 21. Amount of paid supports received .....	36
Table 22. Person has remote supports .....	37
Outcome Tables .....	38
Community Participation .....	39
Table 23. Gets to do things outside of their home as much as they want to .....	40
Table 24. Takes part in activities with others as much as they want to (in-person or virtually) .....	41
Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually .....	42
Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued) .....	43
Access to the Community .....	44
Table 26. Has transportation to do the things they want outside of home .....	45
Table 27. Has transportation to get to medical appointments .....	46
Everyday Living .....	47
Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications) .....	48
Table 29. Always gets enough support for everyday activities (if needs at least some assistance) .....	49
Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home) .....	50
Table 31. Always gets enough support for self-care (if needs at least some assistance) .....	51
Work .....	52
Table 32. Has a paid job .....	53
Table 33. Wants a paid job (if they do not currently have one) .....	54

Table 34. Someone talked with them about job options (if they do not currently have a job but want one) .....	55
Table 35. Person volunteers.....	56
Table 36. Wants to volunteer (if they do not currently) .....	57
Relationships .....	58
Table 37. Has friends or family they do not live with who are a part of their life .....	59
Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life).....	60
Table 39. Reasons not always able to see or talk to their friends and family when they want.....	61
Service Coordination .....	62
Table 40A. How first found out about services they can get .....	63
Table 40B. How first found out about services they can get (continued).....	64
Table 41. Can contact their case manager or care coordinator when needs to.....	65
Table 42. Who helps person most often (if anyone helps on a regular basis).....	66
Table 43. Additional people who help person on a regular basis .....	67
Table 44. People who are paid to help them come and leave when they are supposed to.....	68
Table 45. Has a backup plan if their people who are paid to help them do not show up .....	69
Table 46. Has an emergency plan in place in case of widescale emergency .....	70
Table 47. Knows whom to contact if they have a complaint about their services .....	71
Table 48. Knows whom to contact if they want to make changes to services .....	72
Table 49. Services meet all current needs .....	73
Table 50A. Additional services and supports needed (if all current needs and goals are not being met) .....	74
Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued) .....	75
Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued) .....	76
Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager) .....	77
Table 52. Service providers work together to provide support.....	78
Care Coordination.....	79

Table 53. Knows how to manage chronic conditions (if has at least one) .....	80
Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home.....	81
Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home) .....	82
Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home).....	83
Choice and Control .....	84
Table 57. Feels in control of their life.....	85
Table 58. Able to furnish and decorate their room however they want to (if living in a group setting).....	86
Table 59. Can choose or change their roommate (if living in a group setting and has a roommate).....	87
Table 60. Can get up and go to bed when they want to .....	88
Table 61. Can eat their meals when they want to .....	89
Table 62. Can choose or change their services .....	90
Table 63. Can choose or change when and how often they receive services.....	91
Table 64. Can choose or change the people who provide paid supports if wants .....	92
Satisfaction .....	93
Table 65. Services and supports help them live the life they want .....	94
Table 66. Case manager/care coordinator changes more often than they would like.....	95
Table 67. People who are paid to help them change too often .....	96
Table 68. Likes where they live .....	97
Table 69A. Reasons does not like where they live (if does not always like where they live) .....	98
Table 69B. Reasons does not like where they live (if does not always like where they live) (continued).....	99
Table 69C. Reasons does not like where they live (if does not always like where they live) (continued).....	100
Table 70. Wants to live somewhere else .....	101
Table 71. Where person would prefer to live (if wants to live somewhere else).....	102
Table 72. People who are paid to help them do things the way they want them done.....	103

Table 73. Usually likes how they spend their time during the day .....	104
Technology.....	105
Table 74. Has access to the internet .....	106
Table 75. Frequency with which people use the internet.....	107
Table 76. Always has a stable internet connection .....	108
Table 77. Has talked to health professionals using video conference/telehealth .....	109
Table 78. Liked talking to health care providers using telehealth .....	110
Access to Needed Equipment.....	111
Table 79. Needs grab bars in the bathroom or elsewhere in their home.....	112
Table 80. Needs other bathroom modifications .....	113
Table 81. Needs a shower chair .....	114
Table 82. Needs a specialized bed.....	115
Table 83. Need for a ramp (either inside or outside of their residence) .....	116
Table 84. Needs other home modifications that does not have.....	117
Table 85. Needs a wheelchair .....	118
Table 86. Needs a scooter .....	119
Table 87. Needs a walker .....	120
Table 88. Needs hearing aids .....	121
Table 89. Needs glasses.....	122
Table 90. Needs personal emergency response system (PERS).....	123
Table 91. Needs an oxygen machine.....	124
Table 92. Needs other assistive technology equipment but does not have .....	125
Table 93. Needs other equipment but does not have .....	126
Medications .....	127
Table 94. Knows what prescription medications are for .....	128

Table 95. Takes medication to help feel less sad or depressed .....	129
Health care.....	130
Table 96. Has access to mental health services if they want them .....	131
Table 97. Can get an appointment to see or talk to their primary care doctor when they need to .....	132
Table 98. Went to the emergency room for any reason in the past 12 months .....	133
Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance .....	134
Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain .....	135
Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician .....	136
Table 102. Had a physical exam or wellness visit in the past 12 months .....	137
Table 103. Had a hearing exam in the past 4 years .....	138
Table 104. Had a vision exam in the past year.....	139
Table 105. Had a dental visit in the past 12 months.....	140
Table 106. Had a flu shot in the past 12 months .....	141
Table 107. Received the COVID-19 Vaccine .....	142
Wellness.....	143
Table 108. Has access to healthy foods when they want them.....	144
Table 109. Overall Health .....	145
Table 110. Health compared to 12 months ago.....	146
Table 111. In the past 12 months, forgets things more often than before .....	147
Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months).....	148
Table 113. Amount of physical activity per week .....	149
Table 114. Often feels lonely.....	150
Affordability .....	151
Table 115. Ever has to skip meals due to financial worries .....	152
Safety .....	153

Table 116. They or someone else has concerns about falling or being unstable .....	154
Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable) .....	155
Table 118. Able to get to safety quickly in case of an emergency .....	156
Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others .....	157
Table 120. Are ever worried for the security of their personal belongings .....	158
Table 121. Someone used or took their money without their permission in the past 12 months.....	159
Table 122. Feels safe around people who are paid to help them.....	160
Rights and Respect .....	161
Table 123. Gets information about services in their preferred language (if preferred language is not English) .....	162
Table 124. Services and supports are delivered in a way that is respectful of their culture .....	163
Table 125. People who are paid to help them treat them with respect.....	164
Table 126. Others ask before coming into their home/room (if living in a group setting) .....	165
Table 127. Able to lock doors to room (if living in a group setting) .....	166
Table 128. Has enough privacy where lives (if living in a group setting) .....	167
Table 129. Can have visitors at any time (if living in a group setting).....	168
Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting).....	169
Person-Centered Planning (State Optional Module).....	170
Table 131. Very or fully involved in making decisions about what is in the service plan .....	171
Table 132. Remembers their last service planning meeting .....	172
Table 133. Service planning meeting took place at a time that was good for them .....	173
Table 134. Service planning meeting took place in a place that was good for them .....	174
Table 135. Service planning meeting included the people they wanted to be there .....	175
Table 136. People at the service planning meeting listened to needs and preferences .....	176
Table 137. Received a copy of the service plan after the service planning meeting .....	177
Table 138. Current service plan reflects what was talked about at the service plan meeting .....	178



Table 139. Choices and preferences are reflected in current service plan.....	179
Self-Direction .....	180
Table 140. Uses self-directed supports option .....	181
Table 141. Makes decisions about services that are self directed.....	182
Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received .....	183
Table 143. Can make changes to the services and supports you self-direct if needed .....	184
Table 144. Has the amount of control wanted with the services that are self-directed .....	185
Table 145. Services and supports wanted to self direct are always available .....	186
Table 146. Gets information about budget and services from the financial management service (FMS) .....	187
Table 147. Information received from the FMS is easy to understand .....	188
Table 148. Frequency of receiving information about budget and services from FMS.....	189
Table 149. Parts of self-direction need help with .....	190

## Introduction

Established in 2015, National Core Indicators—Aging and Disabilities™ (NCI-AD™) is a voluntary effort by state aging and physical disability agencies to measure and track their performance using a standardized set of nationally validated measures. The effort is coordinated by Advancing States and Human Services Research Institute (HSRI). Learn more about our history [here](#).

In 2023-24 a total of 20 states participated in NCI-AD. Not all participating states do all surveys every year.

## Adult Consumer Survey

The NCI-AD Adult Consumer Survey (ACS), is standardized survey conducted with a person receiving long term services and supports (LTSS) through state aging and physical disability systems. Surveys are conducted by trained surveyors through in-person, secure video meeting, or over-the-phone conversations with service participants. The main part of the survey contains subjective questions about how well services are supporting the person; these can only be answered by the person themselves. A subset of more objective questions may be answered by a proxy respondent if needed. In addition to the questions for service participants, the survey also collects background information on the person –demographic and service-related data – mainly from service agency records. In 2023-24, the survey included two state-optional modules:

**Person-Centered Planning Module (state-optional).** This is a state-optional series of questions that ask about the person-centered planning process, including the person’s experience developing the service plan and the service planning meeting. The following states conducted the Person-Centered Planning Module: AL, AZ, DE, IN, KS, KY, MN, MO, NE, NJ, OH, OK, OR, TN, TX, WI, and WY.

**Self-direction Module (state-optional).** This state-optional module was added to the 2023-24 ACS. Questions in this section are asked only of those who are using a self-directed supports option and assess experiences specific to self-direction. The following states conducted the Self-direction module: AL, DE, IN, KS, KY, MO, NE, NJ, OH, OK, OR, TN, TX, WI, and WY.

## Kansas Specific Sample

There is considerable variation in how states’ long-term services and supports (LTSS) programs serving older adults and adults with physical disabilities are organized, funded, and administered. The NCI-AD program allows states to include programs funded through Medicaid, the Older Americans Act, Program of All-Inclusive Care for the Elderly (PACE), state-only funds, and/or other state- and federal-blended funds. The NCI-AD project team works closely with each participating NCI-AD state to advise and track which LTSS program populations and sub-populations are

included in the state’s sampling strategy, how that sample is designed and how many surveys are targeted for completion. See detailed information on state sample frames [here](#).

*Figure 1. Statewide Sample*

Total Sample Frame	Total surveys completed	Overall Margin of Error (MoE)
13783	1,237	2.8%

*Figure 2. Classification of 2023-24 State programs*

Program	Funding Source	Description of Program	Total Usable Surveys Collected	Total Population Eligible for NCI-AD	MoE(95%Confidence, 0.5 Distribution)	MoE(95%Confidence, 0.7 Distribution)
<b>Frail Elderly (FE)</b>	Medicaid Waiver	HCBS waiver eligible individuals 65 – no maximum age	557	6,845	4.2%	3.8%
<b>Physical Disability (PD)</b>	Medicaid Waiver	HCBS waiver eligible physically disabled individuals ages 16 and older (will only survey those 18 and older)	601	6,047	4.0%	3.7%
<b>Brain Injury (BI)</b>	Medicaid Waiver	HCBS waiver eligible individuals with brain injury ages 0 and older (will only survey those 18 and older)	79	891	11%	10.1%

## What is included in this report?

This report presents Kansas 2023-24 ACS demographics and outcomes results. Data are shown for the overall statewide average, broken out by program sampled, and include the weighted NCI-AD Average.

*Please note:* Extreme caution should be used when interpreting results where the number of valid responses is small. Each program's valid number of responses (valid Ns) is shown in every chart and table in this report. **To protect people's privacy we do not show the data when 20 or fewer people from a state or within a program responded to a question, however their data are included in the overall state average.**

## Presentation of Data

Data may be viewed as tables by clicking the appropriate tab for each outcome. Tables represent the un-collapsed data outcomes. This may differ from the national report that represents the data in collapsed outcomes. For more information on recoding and collapsing, refer to [Appendix B-How to Recode and Collapse Data](#).

**All state and NCI-AD averages throughout this report are “weighted”** to account for any non-proportional sampling of programs and to “rebalance” the states' sample sizes according to their populations of survey-eligible service recipients. [See more details on weighting in the national report.](#)

## Accessibility Statement

National Core Indicators strives to develop accessible resources to support equitable access to information about quality of services. Should you require other accommodations to make this report accessible for you, please reach out to us at [nci@nationalcoreindicators.org](mailto:nci@nationalcoreindicators.org).

## *Demographics*

**Table 1. Average age (reported for those under 90 years old)**

<b>Program</b>	<b>Age</b>	<b>N</b>
Frail Elderly (FE)	75.2	503
Physical Disability (PD)	57.3	600
Brain Injury (BI)	49.4	79
<b>KS Overall Average</b>	<b>65.2</b>	<b>1182</b>
<b>Weighted NCI-AD Average</b>	<b>62.5</b>	<b>19857</b>

**Table 2. Age Category (including those 90 and older)**

<b>Program</b>	<b>18-44</b>	<b>45-64</b>	<b>65-89</b>	<b>90+</b>	<b>N</b>
Frail Elderly (FE)	0%	0%	90%	10%	557
Physical Disability (PD)	13%	62%	25%	0%	601
Brain Injury (BI)	39%	56%	5%	0%	79
<b>KS Overall Average</b>	<b>8%</b>	<b>31%</b>	<b>56%</b>	<b>5%</b>	<b>1237</b>
<b>Weighted NCI-AD Average</b>	<b>14%</b>	<b>33%</b>	<b>48%</b>	<b>5%</b>	<b>20956</b>



**Table 3. Gender**

<b>Program</b>	<b>Male</b>	<b>Female</b>	<b>Other</b>	<b>Don't Know or Unclear</b>	<b>N</b>
Frail Elderly (FE)	30%	70%	0%	0%	557
Physical Disability (PD)	33%	67%	0%	0%	601
Brain Injury (BI)	43%	57%	0%	0%	79
<b>KS Overall Average</b>	<b>32%</b>	<b>68%</b>	<b>0%</b>	<b>0%</b>	<b>1237</b>
<b>Weighted NCI-AD Average</b>	<b>37%</b>	<b>63%</b>	<b>0%</b>	<b>0%</b>	<b>20299</b>

**Table 4. Race and ethnicity**

*Categories are not mutually exclusive; therefore, N is not shown.*

Program	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know or Unclear
Frail Elderly (FE)	2%	2%	13%	0%	76%	3%	1%	4%
Physical Disability (PD)	2%	1%	24%	0%	70%	2%	1%	2%
Brain Injury (BI)	1%	0%	23%	0%	76%	1%	0%	1%
<b>KS Overall Average</b>	<b>2%</b>	<b>2%</b>	<b>19%</b>	<b>0%</b>	<b>73%</b>	<b>3%</b>	<b>1%</b>	<b>3%</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>4%</b>	<b>26%</b>	<b>0%</b>	<b>57%</b>	<b>7%</b>	<b>3%</b>	<b>2%</b>

Table 5. Marital status

Program	Single, Never Married	Married or in Domestic Partnership	Separated or Divorced	Widowed	Don't Know or Unclear	N
Frail Elderly (FE)	18%	15%	34%	33%	0%	502
Physical Disability (PD)	38%	12%	37%	12%	1%	545
Brain Injury (BI)	49%	13%	30%	4%	4%	71
<b>KS Overall Average</b>	<b>29%</b>	<b>14%</b>	<b>35%</b>	<b>22%</b>	<b>1%</b>	<b>1118</b>
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>15%</b>	<b>24%</b>	<b>18%</b>	<b>9%</b>	<b>19613</b>

**Table 6. Preferred language**

<b>Program</b>	<b>English</b>	<b>Spanish</b>	<b>Other</b>	<b>Don't Know or Unclear</b>	<b>N</b>
Frail Elderly (FE)	92%	3%	5%	0%	519
Physical Disability (PD)	99%	1%	0%	0%	560
Brain Injury (BI)	97%	1%	1%	0%	72
<b>KS Overall Average</b>	<b>95%</b>	<b>2%</b>	<b>3%</b>	<b>0%</b>	<b>1151</b>
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>4%</b>	<b>4%</b>	<b>1%</b>	<b>20581</b>

Table 7. Preferred means of communication

Program	Spoken	Gestures or Body Language	Sign Language or Finger Spelling	Communication Aid or Device	Other	Don't Know	N
Frail Elderly (FE)	96%	1%	0%	0%	0%	3%	519
Physical Disability (PD)	93%	0%	0%	0%	0%	6%	559
Brain Injury (BI)	96%	1%	0%	1%	1%	0%	72
<b>KS Overall Average</b>	<b>95%</b>	<b>1%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>4%</b>	<b>1150</b>
<b>Weighted NCI-AD Average</b>	<b>95%</b>	<b>2%</b>	<b>0%</b>	<b>0%</b>	<b>1%</b>	<b>2%</b>	<b>19920</b>

**Table 8. Residential designation**

*Categories created using zip codes and corresponding RUCA codes.*

Program	Metropolitan	Micropolitan	Rural	Small Town	Don't Know	N
Frail Elderly (FE)	52%	23%	8%	16%	0%	549
Physical Disability (PD)	54%	26%	8%	12%	0%	592
Brain Injury (BI)	76%	15%	8%	1%	0%	78
<b>KS Overall Average</b>	<b>55%</b>	<b>24%</b>	<b>8%</b>	<b>13%</b>	<b>0%</b>	<b>1219</b>
<b>Weighted NCI-AD Average</b>	<b>74%</b>	<b>12%</b>	<b>5%</b>	<b>8%</b>	<b>1%</b>	<b>20743</b>

Table 9. Median area income (based on zip code)

Program	\$0 - \$9,999	\$10,000 - \$19,999	\$20,000 - \$29,999	\$30,000 - \$39,999	\$40,000 - \$49,999	\$50,000 - \$59,999	\$60,000 - \$69,999	\$70,000 - \$79,999	\$80,000 - \$89,999	\$90,000 - \$99,999	\$100,000 and Over	N
Frail Elderly (FE)	0%	0%	0%	6%	31%	31%	15%	7%	4%	2%	3%	549
Physical Disability (PD)	1%	0%	1%	9%	35%	33%	12%	5%	4%	1%	1%	592
Brain Injury (BI)	0%	0%	0%	13%	22%	24%	17%	15%	8%	0%	1%	78
<b>KS Overall Average</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>8%</b>	<b>33%</b>	<b>31%</b>	<b>14%</b>	<b>6%</b>	<b>4%</b>	<b>1%</b>	<b>2%</b>	<b>1219</b>
<b>Weighted NCI-AD Average</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>7%</b>	<b>25%</b>	<b>27%</b>	<b>15%</b>	<b>9%</b>	<b>6%</b>	<b>3%</b>	<b>5%</b>	<b>20671</b>

Table 10. Type of Residence

Program	Own or Family House or Apartment	Senior Living Apartment or Complex	Group Home, Adult Family Home, Foster Home, Host Home	Assisted Living Facility, Residential Care Facility	Nursing Facility, Nursing Home	Homeless or Temporary Shelter	Other	Don't Know or Unclear	N
Frail Elderly (FE)	72%	10%	1%	15%	1%	0%	0%	2%	516
Physical Disability (PD)	91%	3%	0%	4%	0%	0%	0%	1%	548
Brain Injury (BI)	89%	3%	1%	1%	0%	0%	3%	3%	70
<b>KS Overall Average</b>	<b>81%</b>	<b>6%</b>	<b>1%</b>	<b>9%</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>1%</b>	<b>1134</b>
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>3%</b>	<b>4%</b>	<b>7%</b>	<b>9%</b>	<b>0%</b>	<b>3%</b>	<b>2%</b>	<b>20306</b>



**Table 11. Who the person lives with**

*Categories are not mutually exclusive; therefore, N is not shown.*

Program	No One – Lives Alone	Spouse or Partner	Other Family	Friend(s)	Live-in PCA	Others	Don't Know or Unclear
Frail Elderly (FE)	61%	12%	21%	1%	0%	3%	3%
Physical Disability (PD)	61%	11%	23%	3%	1%	1%	2%
Brain Injury (BI)	34%	19%	42%	1%	0%	1%	4%
<b>KS Overall Average</b>	<b>60%</b>	<b>12%</b>	<b>23%</b>	<b>2%</b>	<b>1%</b>	<b>2%</b>	<b>2%</b>
<b>Weighted NCI-AD Average</b>	<b>38%</b>	<b>13%</b>	<b>32%</b>	<b>3%</b>	<b>2%</b>	<b>13%</b>	<b>3%</b>

**Table 12. Address changed in the past 6 months**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
Frail Elderly (FE)	9%	90%	2%	510
Physical Disability (PD)	8%	90%	2%	546
Brain Injury (BI)	9%	88%	3%	69
<b>KS Overall Average</b>	<b>9%</b>	<b>90%</b>	<b>2%</b>	<b>1125</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>91%</b>	<b>2%</b>	<b>19846</b>

**Table 13. Where people moved from (if moved in the last 6 months)**

Program	Own or Family House or Apartment	Senior Living Apartment or Complex	Group Home, Adult Family Home, Foster Home, Host Home	Assisted Living Facility, Residential Care Facility	Nursing Facility, Nursing Home	Homeless or Temporary Shelter	Other	Don't Know or Unclear	N
Frail Elderly (FE)	71%	10%	0%	10%	5%	0%	2%	2%	42
Physical Disability (PD)	74%	2%	0%	2%	2%	0%	9%	9%	43
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>73%</b>	<b>6%</b>	<b>0%</b>	<b>6%</b>	<b>3%</b>	<b>0%</b>	<b>6%</b>	<b>5%</b>	<b>91</b>
<b>Weighted NCI-AD Average</b>	<b>61%</b>	<b>5%</b>	<b>4%</b>	<b>5%</b>	<b>4%</b>	<b>6%</b>	<b>11%</b>	<b>4%</b>	<b>1186</b>

Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.

**Table 14A. Diagnoses**

*Categories are not mutually exclusive; therefore, N is not shown.*

Program	Physical Disability	Traumatic Brain Injury or Other Acquired Brain Injury	Intellectual or Other Developmental Disability	Alzheimer's Disease or Other Dementia	Heart Disease	Cancer
Frail Elderly (FE)	59%	6%	6%	19%	37%	20%
Physical Disability (PD)	88%	13%	9%	5%	31%	17%
Brain Injury (BI)	69%	95%	15%	6%	16%	7%
<b>KS Overall Average</b>	<b>72%</b>	<b>15%</b>	<b>8%</b>	<b>12%</b>	<b>33%</b>	<b>18%</b>
<b>Weighted NCI-AD Average</b>	<b>44%</b>	<b>10%</b>	<b>9%</b>	<b>12%</b>	<b>35%</b>	<b>12%</b>

**Table 14B. Diagnoses (continued)***Categories are not mutually exclusive; therefore, N is not shown.*

Program	Chronic Obstructive Pulmonary Disease (COPD)	Stroke	Diabetes	Hypertension (or High Blood Pressure)	Limited or No Vision - Legally Blind	Hearing Loss - Severe or Profound
Frail Elderly (FE)	28%	20%	39%	63%	30%	19%
Physical Disability (PD)	31%	19%	41%	56%	30%	13%
Brain Injury (BI)	19%	44%	22%	36%	30%	10%
<b>KS Overall Average</b>	<b>29%</b>	<b>21%</b>	<b>39%</b>	<b>58%</b>	<b>30%</b>	<b>16%</b>
<b>Weighted NCI-AD Average</b>	<b>22%</b>	<b>17%</b>	<b>29%</b>	<b>65%</b>	<b>12%</b>	<b>10%</b>

**Table 15. Person has chronic psychiatric or mental health diagnosis**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
Frail Elderly (FE)	20%	73%	7%	496
Physical Disability (PD)	39%	57%	5%	542
Brain Injury (BI)	44%	43%	13%	72
<b>KS Overall Average</b>	<b>30%</b>	<b>64%</b>	<b>6%</b>	<b>1110</b>
<b>Weighted NCI-AD Average</b>	<b>28%</b>	<b>70%</b>	<b>2%</b>	<b>19343</b>

**Table 16. Level of Mobility**

*Categories are not mutually exclusive (except 'Don't Know or Unclear or Missing'); therefore, N is not shown.*

Program	Non-Ambulatory	Moves Self with Wheelchair	Moves Self with Other Aids	Moves Self Without Aids	Don't Know or Unclear
Frail Elderly (FE)	3%	20%	70%	42%	1%
Physical Disability (PD)	3%	24%	62%	39%	0%
Brain Injury (BI)	4%	23%	62%	38%	3%
<b>KS Overall Average</b>	<b>3%</b>	<b>22%</b>	<b>66%</b>	<b>40%</b>	<b>1%</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>19%</b>	<b>46%</b>	<b>38%</b>	<b>7%</b>

**Table 17. Has history of frequent falls (more than two falls in a six-month period)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>Don't Know or Unclear</b>	<b>N</b>
Frail Elderly (FE)	32%	66%	2%	504
Physical Disability (PD)	39%	60%	1%	553
Brain Injury (BI)	27%	70%	3%	73
<b>KS Overall Average</b>	<b>35%</b>	<b>64%</b>	<b>2%</b>	<b>1130</b>
<b>Weighted NCI-AD Average</b>	<b>25%</b>	<b>73%</b>	<b>2%</b>	<b>19261</b>



**Table 18. Receives Medicare**

*Information required to come from administrative records.*

Program	Yes	No	Don't Know or Unclear	N
Frail Elderly (FE)	88%	7%	5%	491
Physical Disability (PD)	68%	25%	7%	531
Brain Injury (BI)	46%	43%	11%	70
<b>KS Overall Average</b>	<b>76%</b>	<b>17%</b>	<b>6%</b>	<b>1092</b>
<b>Weighted NCI-AD Average</b>	<b>70%</b>	<b>24%</b>	<b>6%</b>	<b>18141</b>

**Table 19. Length of time receiving LTSS services in current program***Information required to come from administrative records.*

<b>Program</b>	<b>0 - 5 Months</b>	<b>6 Months – Less Than 1 Year</b>	<b>1 Year – Less Than 3 Years</b>	<b>3 or More Years</b>	<b>Don't Know or Unclear</b>	<b>N</b>
Frail Elderly (FE)	10%	20%	36%	31%	3%	548
Physical Disability (PD)	4%	8%	27%	55%	5%	593
Brain Injury (BI)	10%	18%	38%	31%	3%	78
<b>KS Overall Average</b>	<b>8%</b>	<b>14%</b>	<b>32%</b>	<b>42%</b>	<b>4%</b>	<b>1219</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>7%</b>	<b>24%</b>	<b>35%</b>	<b>30%</b>	<b>19647</b>

**Table 20. Person has legal guardian**

*Information required to come from administrative records.*

Program	Yes	No	Don't Know or Unclear	N
Frail Elderly (FE) **	1%	15%	84%	547
Physical Disability (PD) **	1%	17%	82%	590
Brain Injury (BI) **	1%	21%	78%	78
<b>KS Overall Average **</b>	<b>1%</b>	<b>16%</b>	<b>83%</b>	<b>1215</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>47%</b>	<b>46%</b>	<b>20383</b>

*Programs with more than 25% missing or don't know are marked with \*\*.*

**Table 21. Amount of paid supports received***Information required to come from administrative records.*

Program	24-hour Support or Supervision	Daily Support (for a Limited Number of Hours per Day, not Round-the-Clock)	Scheduled, Less Frequent than Daily Support	As-needed Visitation and Phone Contact	None of the Above	Don't Know	N
Frail Elderly (FE) **	0%	0%	0%	0%	0%	100%	557
Physical Disability (PD) **	0%	0%	0%	0%	0%	100%	601
Brain Injury (BI) **	0%	0%	0%	0%	0%	100%	79
<b>KS Overall Average **</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>100%</b>	<b>1237</b>
<b>Weighted NCI- AD Average</b>	<b>14%</b>	<b>11%</b>	<b>8%</b>	<b>1%</b>	<b>5%</b>	<b>60%</b>	<b>19531</b>

*Programs with more than 25% missing or don't know are marked with \*\*.*

**Table 22. Person has remote supports***Information required to come from administrative records.*

Program	Yes, 24-Hour Remote Supports	Yes, Less than 24-Hour Remote Supports	No, None	Don't Know	N
Frail Elderly (FE) **	0%	0%	0%	100%	557
Physical Disability (PD) **	0%	0%	0%	100%	601
Brain Injury (BI) **	0%	0%	0%	100%	79
<b>KS Overall Average **</b>	<b>0%</b>	<b>0%</b>	<b>0%</b>	<b>100%</b>	<b>1237</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>0%</b>	<b>32%</b>	<b>65%</b>	<b>19527</b>

*Programs with more than 25% missing or don't know are marked with \*\*.*

# Outcome Tables

## *Community Participation*

**Table 23. Gets to do things outside of their home as much as they want to**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	73%	27%	380
Physical Disability (PD)	73%	27%	510
Brain Injury (BI)	61%	39%	57
<b>KS Overall Average</b>	<b>72%</b>	<b>28%</b>	<b>947</b>
<b>Weighted NCI-AD Average</b>	<b>66%</b>	<b>34%</b>	<b>15580</b>



**Table 24. Takes part in activities with others as much as they want to (in-person or virtually)**

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	72%	12%	16%	375
Physical Disability (PD)	74%	9%	17%	512
Brain Injury (BI)	73%	18%	9%	56
<b>KS Overall Average</b>	<b>73%</b>	<b>11%</b>	<b>16%</b>	<b>943</b>
<b>Weighted NCI-AD Average</b>	<b>66%</b>	<b>10%</b>	<b>24%</b>	<b>15521</b>

**Table 25A. Reasons cannot always take part in activities with others as much as they want to in-person or virtually**

*Categories are not mutually exclusive; therefore, N is not shown.*

<b>Program</b>	<b>Cost or Money</b>	<b>Transportation</b>	<b>Accessibility or Lack of Equipment</b>	<b>Health Limitations</b>	<b>Not Enough Help, Staffing, or Personal Assistance</b>	<b>Feeling Unwelcome in the Community</b>
Frail Elderly (FE)	12%	38%	8%	55%	6%	0%
Physical Disability (PD)	9%	35%	6%	46%	3%	3%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>11%</b>	<b>39%</b>	<b>6%</b>	<b>49%</b>	<b>4%</b>	<b>1%</b>
<b>Weighted NCI-AD Average</b>	<b>12%</b>	<b>32%</b>	<b>9%</b>	<b>50%</b>	<b>6%</b>	<b>2%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 25B. Reasons cannot always take part in activities with others as much as they want to in-person or virtually (continued)***Categories are not mutually exclusive; therefore, N is not shown.*

Program	Feeling Unsafe	No Community Activities Outside of Home Available	Lack of Information or Doesn't Know What Type of Community Activities are Available	Does Not Have Technology or Equipment	Other
Frail Elderly (FE)	0%	4%	3%	3%	13%
Physical Disability (PD)	2%	2%	2%	3%	14%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>2%</b>	<b>3%</b>	<b>2%</b>	<b>3%</b>	<b>13%</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>4%</b>	<b>6%</b>	<b>4%</b>	<b>17%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

## *Access to the Community*

**Table 26. Has transportation to do the things they want outside of home***Proxy respondents were allowed for this question.*

Program	Yes	Maybe	No	N
Frail Elderly (FE)	75%	16%	9%	508
Physical Disability (PD)	78%	12%	11%	561
Brain Injury (BI)	75%	4%	21%	71
<b>KS Overall Average</b>	<b>76%</b>	<b>13%</b>	<b>11%</b>	<b>1140</b>
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>12%</b>	<b>16%</b>	<b>19326</b>

**Table 27. Has transportation to get to medical appointments***Proxy respondents were allowed for this question.*

Program	Yes	Maybe	No	N
Frail Elderly (FE)	92%	7%	2%	521
Physical Disability (PD)	94%	4%	2%	566
Brain Injury (BI)	90%	5%	4%	73
<b>KS Overall Average</b>	<b>92%</b>	<b>6%</b>	<b>2%</b>	<b>1160</b>
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>6%</b>	<b>3%</b>	<b>19721</b>

## *Everyday Living*

**Table 28. Needs at least some assistance with everyday activities (such as preparing meals, housework, shopping or taking their medications)***Proxy respondents were allowed for this question.*

Program	A Lot	Some	None	N
Frail Elderly (FE)	54%	41%	5%	540
Physical Disability (PD)	58%	40%	1%	580
Brain Injury (BI)	49%	44%	8%	78
<b>KS Overall Average</b>	<b>55%</b>	<b>41%</b>	<b>4%</b>	<b>1198</b>
<b>Weighted NCI-AD Average</b>	<b>50%</b>	<b>34%</b>	<b>16%</b>	<b>20745</b>



**Table 29. Always gets enough support for everyday activities (if needs at least some assistance)***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	85%	15%	504
Physical Disability (PD)	82%	18%	565
Brain Injury (BI)	79%	21%	72
<b>KS Overall Average</b>	<b>83%</b>	<b>17%</b>	<b>1141</b>
<b>Weighted NCI-AD Average</b>	<b>82%</b>	<b>18%</b>	<b>18728</b>

**Table 30. Needs at least some assistance with self-care (such as bathing, dressing, going to the bathroom, eating, or moving around their home)***Proxy respondents were allowed for this question.*

Program	A Lot	Some	None	N
Frail Elderly (FE)	31%	41%	28%	537
Physical Disability (PD)	34%	44%	23%	581
Brain Injury (BI)	41%	32%	27%	78
<b>KS Overall Average</b>	<b>33%</b>	<b>41%</b>	<b>26%</b>	<b>1196</b>
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>30%</b>	<b>35%</b>	<b>20699</b>

**Table 31. Always gets enough support for self-care (if needs at least some assistance)***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	89%	11%	376
Physical Disability (PD)	87%	13%	438
Brain Injury (BI)	77%	23%	57
<b>KS Overall Average</b>	<b>87%</b>	<b>13%</b>	<b>871</b>
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>16%</b>	<b>14885</b>



**Table 32. Has a paid job***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	2%	98%	529
Physical Disability (PD)	1%	99%	560
Brain Injury (BI)	1%	99%	74
<b>KS Overall Average</b>	<b>2%</b>	<b>98%</b>	<b>1163</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>95%</b>	<b>20005</b>

**Table 33. Wants a paid job (if they do not currently have one)**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not Sure</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	2%	1%	96%	366
Physical Disability (PD)	6%	3%	90%	493
Brain Injury (BI)	7%	8%	85%	59
<b>KS Overall Average</b>	<b>5%</b>	<b>3%</b>	<b>93%</b>	<b>918</b>
<b>Weighted NCI-AD Average</b>	<b>12%</b>	<b>6%</b>	<b>82%</b>	<b>14703</b>

**Table 34. Someone talked with them about job options (if they do not currently have a job but want one)**

Program	Yes	No	N
Frail Elderly (FE)	n/a	n/a	n/a
Physical Disability (PD)	30%	70%	30
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>28%</b>	<b>72%</b>	<b>42</b>
<b>Weighted NCI-AD Average</b>	<b>33%</b>	<b>67%</b>	<b>1248</b>

*Table note: Frail Elderly (FE), Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 35. Person volunteers**

*Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	8%	92%	518
Physical Disability (PD)	7%	93%	554
Brain Injury (BI)	3%	97%	72
<b>KS Overall Average</b>	<b>7%</b>	<b>93%</b>	<b>1144</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>90%</b>	<b>19881</b>



**Table 36. Wants to volunteer (if they do not currently)**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not Sure</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	3%	5%	91%	328
Physical Disability (PD)	5%	5%	90%	455
Brain Injury (BI)	9%	6%	85%	54
<b>KS Overall Average</b>	<b>5%</b>	<b>5%</b>	<b>90%</b>	<b>837</b>
<b>Weighted NCI-AD Average</b>	<b>9%</b>	<b>9%</b>	<b>82%</b>	<b>13634</b>

## *Relationships*

**Table 37. Has friends or family they do not live with who are a part of their life**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	92%	8%	405
Physical Disability (PD)	96%	4%	543
Brain Injury (BI)	97%	3%	62
<b>KS Overall Average</b>	<b>94%</b>	<b>6%</b>	<b>1010</b>
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>7%</b>	<b>16256</b>

**Table 38. Able to see or talk to their friends and family when they want (if has friends or family they do not live with who are a part of their life)**

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	80%	15%	5%	371
Physical Disability (PD)	87%	11%	2%	515
Brain Injury (BI)	86%	8%	5%	59
<b>KS Overall Average</b>	<b>84%</b>	<b>12%</b>	<b>4%</b>	<b>945</b>
<b>Weighted NCI-AD Average</b>	<b>82%</b>	<b>12%</b>	<b>6%</b>	<b>14959</b>

**Table 39. Reasons not always able to see or talk to their friends and family when they want**

*Categories are not mutually exclusive; therefore, N is not shown.*

Program	Availability of Transportation	Accessibility	Staffing or Personal Assistance Unavailable	Health Limitations	Someone Prevents From or Rules Against	No or Limited Access to a Phone	No or Limited Access to the Internet	Other
Frail Elderly (FE)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>31%</b>	<b>0%</b>	<b>0%</b>	<b>22%</b>	<b>3%</b>	<b>0%</b>	<b>0%</b>	<b>55%</b>
<b>Weighted NCI-AD Average</b>	<b>34%</b>	<b>4%</b>	<b>2%</b>	<b>24%</b>	<b>2%</b>	<b>3%</b>	<b>1%</b>	<b>57%</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

## *Service Coordination*

**Table 40A. How first found out about services they can get**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Friend	Family	Aging and Disability Resource Center; Area Agency on Aging; Center for Independent Living	State or County Agency	Case Manager or Care Coordinator
Frail Elderly (FE)	8%	16%	15%	11%	12%
Physical Disability (PD)	10%	12%	17%	11%	15%
Brain Injury (BI)	4%	15%	7%	12%	22%
<b>KS Overall Average</b>	<b>9%</b>	<b>14%</b>	<b>15%</b>	<b>11%</b>	<b>14%</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>21%</b>	<b>9%</b>	<b>13%</b>	<b>21%</b>

**Table 40B. How first found out about services they can get (continued)**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Doctor, Hospital, Clinic	Other Provider or Provider Agency	Media, Newspaper, TV, Radio, Billboard, Brochure, Flyer, Advertisement	Internet or Website	Other
Frail Elderly (FE)	14%	3%	1%	1%	11%
Physical Disability (PD)	16%	3%	2%	2%	14%
Brain Injury (BI)	29%	1%	0%	3%	12%
<b>KS Overall Average</b>	<b>16%</b>	<b>3%</b>	<b>2%</b>	<b>2%</b>	<b>12%</b>
<b>Weighted NCI-AD Average</b>	<b>19%</b>	<b>10%</b>	<b>1%</b>	<b>2%</b>	<b>10%</b>



**Table 41. Can contact their case manager or care coordinator when needs to**

*Proxy respondents were allowed for this question.*

Program	Yes, Always	Most of the Time, Usually	No	N
Frail Elderly (FE)	78%	15%	7%	414
Physical Disability (PD)	80%	15%	5%	508
Brain Injury (BI)	87%	8%	5%	62
<b>KS Overall Average</b>	<b>80%</b>	<b>15%</b>	<b>5%</b>	<b>984</b>
<b>Weighted NCI-AD Average</b>	<b>79%</b>	<b>14%</b>	<b>7%</b>	<b>14666</b>

**Table 42. Who helps person most often (if anyone helps on a regular basis)***Proxy respondents were allowed for this question.*

Program	Paid Support Worker Who is Not a Friend or Relative	Paid Family Member or Spouse or Partner	Paid friend	Unpaid Family Member or Spouse or Partner	Unpaid Friend or Volunteer	Other	N
Frail Elderly (FE)	54%	25%	3%	14%	2%	1%	473
Physical Disability (PD)	47%	31%	7%	11%	3%	1%	523
Brain Injury (BI)	45%	26%	5%	22%	3%	0%	65
<b>KS Overall Average</b>	<b>50%</b>	<b>28%</b>	<b>5%</b>	<b>13%</b>	<b>3%</b>	<b>1%</b>	<b>1061</b>
<b>Weighted NCI- AD Average</b>	<b>50%</b>	<b>19%</b>	<b>2%</b>	<b>25%</b>	<b>3%</b>	<b>1%</b>	<b>18111</b>

**Table 43. Additional people who help person on a regular basis**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Paid Support Worker Who is Not a Friend or Relative	Paid Family Member or Spouse or Partner	Paid friend	Unpaid Family Member or Spouse or Partner	Unpaid Friend or Volunteer	Other	No One Else Provides Additional Support
Frail Elderly (FE)	19%	6%	1%	44%	12%	2%	23%
Physical Disability (PD)	15%	7%	1%	40%	11%	3%	30%
Brain Injury (BI)	21%	3%	3%	44%	5%	2%	27%
<b>KS Overall Average</b>	<b>18%</b>	<b>6%</b>	<b>1%</b>	<b>42%</b>	<b>11%</b>	<b>2%</b>	<b>26%</b>
<b>Weighted NCI- AD Average</b>	<b>17%</b>	<b>5%</b>	<b>1%</b>	<b>45%</b>	<b>9%</b>	<b>2%</b>	<b>28%</b>

**Table 44. People who are paid to help them come and leave when they are supposed to***Proxy respondents were allowed for this question.*

Program	Yes, All Paid Support Workers, Always or Almost always	Some, or Usually	No, Never or Rarely	N
Frail Elderly (FE)	92%	7%	1%	297
Physical Disability (PD)	92%	7%	1%	361
Brain Injury (BI)	91%	9%	0%	34
<b>KS Overall Average</b>	<b>92%</b>	<b>7%</b>	<b>1%</b>	<b>692</b>
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>10%</b>	<b>2%</b>	<b>10348</b>

**Table 45. Has a backup plan if their people who are paid to help them do not show up***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	75%	25%	294
Physical Disability (PD)	74%	26%	356
Brain Injury (BI)	85%	15%	33
<b>KS Overall Average</b>	<b>75%</b>	<b>25%</b>	<b>683</b>
<b>Weighted NCI-AD Average</b>	<b>73%</b>	<b>27%</b>	<b>10164</b>

**Table 46. Has an emergency plan in place in case of widescale emergency***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	88%	12%	519
Physical Disability (PD)	83%	17%	557
Brain Injury (BI)	85%	15%	72
<b>KS Overall Average</b>	<b>86%</b>	<b>14%</b>	<b>1148</b>
<b>Weighted NCI-AD Average</b>	<b>79%</b>	<b>21%</b>	<b>19432</b>

**Table 47. Knows whom to contact if they have a complaint about their services**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not Sure</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	80%	10%	10%	331
Physical Disability (PD)	87%	4%	9%	496
Brain Injury (BI)	86%	8%	6%	51
<b>KS Overall Average</b>	<b>84%</b>	<b>7%</b>	<b>9%</b>	<b>878</b>
<b>Weighted NCI-AD Average</b>	<b>77%</b>	<b>6%</b>	<b>17%</b>	<b>13615</b>

**Table 48. Knows whom to contact if they want to make changes to services**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not Sure</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	85%	10%	5%	327
Physical Disability (PD)	90%	3%	7%	486
Brain Injury (BI)	83%	13%	4%	53
<b>KS Overall Average</b>	<b>87%</b>	<b>7%</b>	<b>6%</b>	<b>866</b>
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>6%</b>	<b>10%</b>	<b>13538</b>



**Table 49. Services meet all current needs***Proxy respondents were allowed for this question.*

Program	Yes, Completely, All Needs and Goals	Some Needs and Goals	No, Not at All, Needs and Goals Are Not Met	N
Frail Elderly (FE)	82%	13%	4%	431
Physical Disability (PD)	81%	16%	4%	513
Brain Injury (BI)	78%	13%	10%	63
<b>KS Overall Average</b>	<b>81%</b>	<b>14%</b>	<b>4%</b>	<b>1007</b>
<b>Weighted NCI-AD Average</b>	<b>71%</b>	<b>22%</b>	<b>7%</b>	<b>17228</b>

**Table 50A. Additional services and supports needed (if all current needs and goals are not being met)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive; therefore, N is not shown.*

Program	Skilled Nursing Facility, Nursing Home Services	Personal Care Assistance, Personal Care Services	Homemaker or Chore Services	Companion Services	Healthcare Home Services, Home Health	Home Delivered Meals
Frail Elderly (FE)	1%	20%	37%	12%	8%	20%
Physical Disability (PD)	0%	24%	28%	9%	6%	5%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>1%</b>	<b>22%</b>	<b>33%</b>	<b>12%</b>	<b>7%</b>	<b>11%</b>
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>22%</b>	<b>22%</b>	<b>13%</b>	<b>10%</b>	<b>12%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 50B. Additional services and supports needed (if all current needs and goals are not being met; continued)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive; therefore, N is not shown.*

Program	Adult Day Services	Transportation	Respite or Family Caregiver Support	Health Care	Mental Health Care	Dental Care
Frail Elderly (FE)	4%	29%	4%	5%	3%	7%
Physical Disability (PD)	3%	29%	1%	3%	4%	5%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>3%</b>	<b>29%</b>	<b>2%</b>	<b>4%</b>	<b>4%</b>	<b>6%</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>26%</b>	<b>5%</b>	<b>11%</b>	<b>9%</b>	<b>14%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 50C. Additional services and supports needed (if all current needs and goals are not being met; continued)**

*Proxy respondents were allowed for this question; categories are not mutually exclusive; therefore, N is not shown.*

Program	Housing Assistance	Heating or Cooling Assistance	Hospice	Funeral Planning	Other
Frail Elderly (FE)	1%	0%	0%	1%	28%
Physical Disability (PD)	7%	2%	0%	0%	21%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>4%</b>	<b>1%</b>	<b>0%</b>	<b>1%</b>	<b>25%</b>
<b>Weighted NCI-AD Average</b>	<b>17%</b>	<b>7%</b>	<b>1%</b>	<b>2%</b>	<b>34%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 51. Case manager talked to them about services that might help with their unmet needs (if all current needs and goals are not being met and has a case manager)**

*Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	48%	52%	63
Physical Disability (PD)	57%	43%	77
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>53%</b>	<b>47%</b>	<b>151</b>
<b>Weighted NCI-AD Average</b>	<b>51%</b>	<b>49%</b>	<b>3335</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 52. Service providers work together to provide support**

<b>Program</b>	<b>Yes, All Service Providers</b>	<b>Sometimes, or Some Service Providers</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	86%	9%	5%	341
Physical Disability (PD)	86%	7%	7%	438
Brain Injury (BI)	87%	4%	9%	55
<b>KS Overall Average</b>	<b>86%</b>	<b>8%</b>	<b>6%</b>	<b>834</b>
<b>Weighted NCI-AD Average</b>	<b>80%</b>	<b>11%</b>	<b>9%</b>	<b>13861</b>

## Care Coordination

**Table 53. Knows how to manage chronic conditions (if has at least one)**

<b>Program</b>	<b>Yes</b>	<b>In-Between, or Some Conditions</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	90%	7%	3%	348
Physical Disability (PD)	92%	6%	2%	481
Brain Injury (BI)	91%	6%	4%	53
<b>KS Overall Average</b>	<b>91%</b>	<b>7%</b>	<b>2%</b>	<b>882</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>9%</b>	<b>6%</b>	<b>14517</b>



**Table 54. Stayed overnight in a hospital or rehab/nursing facility in the past 12 months and was discharged to go home***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	31%	69%	508
Physical Disability (PD)	28%	72%	551
Brain Injury (BI)	36%	64%	70
<b>KS Overall Average</b>	<b>30%</b>	<b>70%</b>	<b>1129</b>
<b>Weighted NCI-AD Average</b>	<b>27%</b>	<b>73%</b>	<b>19616</b>

**Table 55. Felt comfortable and supported enough to go home after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)**

Program	Yes	In-Between	No	N
Frail Elderly (FE)	91%	3%	6%	117
Physical Disability (PD)	88%	5%	7%	137
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>89%</b>	<b>5%</b>	<b>7%</b>	<b>271</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>5%</b>	<b>9%</b>	<b>4432</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 56. Someone followed-up to make sure they had needed services and supports after stay in a hospital or rehab/nursing facility (if had an overnight stay in the past 12 months and was discharged to go home)**

*Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	84%	16%	148
Physical Disability (PD)	88%	12%	151
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>86%</b>	<b>14%</b>	<b>319</b>
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>17%</b>	<b>5379</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

## *Choice and Control*

Table 57. Feels in control of their life

Program	Yes, Almost Always, Always	In-Between, Sometimes	No, Rarely, Never	N
Frail Elderly (FE)	75%	18%	7%	350
Physical Disability (PD)	75%	20%	5%	484
Brain Injury (BI)	64%	30%	6%	53
<b>KS Overall Average</b>	<b>74%</b>	<b>20%</b>	<b>6%</b>	<b>887</b>
<b>Weighted NCI-AD Average</b>	<b>72%</b>	<b>20%</b>	<b>8%</b>	<b>14903</b>

**Table 58. Able to furnish and decorate their room however they want to (if living in a group setting)**

<b>Program</b>	<b>In All Ways</b>	<b>In Most Ways</b>	<b>Only in Some Ways, or Not at All</b>	<b>N</b>
Frail Elderly (FE)	97%	3%	0%	34
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>91%</b>	<b>9%</b>	<b>0%</b>	<b>50</b>
<b>Weighted NCI-AD Average</b>	<b>57%</b>	<b>28%</b>	<b>15%</b>	<b>2500</b>

*Table note: Physical Disability (PD), Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 59. Can choose or change their roommate (if living in a group setting and has a roommate)**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>64%</b>	<b>1106</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), KS Overall Average, Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 60. Can get up and go to bed when they want to**

Program	Yes, Always, or Almost Always	Some Days, Sometimes	No, Never	N
Frail Elderly (FE)	96%	3%	1%	77
Physical Disability (PD)	91%	6%	3%	32
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>95%</b>	<b>3%</b>	<b>2%</b>	<b>110</b>
<b>Weighted NCI-AD Average</b>	<b>89%</b>	<b>8%</b>	<b>4%</b>	<b>3415</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*



**Table 61. Can eat their meals when they want to**

Program	Yes, Always, or Almost Always	Some Days, Sometimes	No, Never	N
Frail Elderly (FE)	87%	5%	8%	77
Physical Disability (PD)	78%	3%	19%	32
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>85%</b>	<b>5%</b>	<b>10%</b>	<b>110</b>
<b>Weighted NCI-AD Average</b>	<b>68%</b>	<b>13%</b>	<b>19%</b>	<b>3410</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 62. Can choose or change their services***Proxy respondents were allowed for this question.*

Program	Yes, All Services	Sometimes, or Some Services	No	N
Frail Elderly (FE)	85%	8%	7%	397
Physical Disability (PD)	88%	6%	7%	491
Brain Injury (BI)	84%	14%	2%	56
<b>KS Overall Average</b>	<b>86%</b>	<b>7%</b>	<b>7%</b>	<b>944</b>
<b>Weighted NCI-AD Average</b>	<b>75%</b>	<b>13%</b>	<b>12%</b>	<b>15690</b>

**Table 63. Can choose or change when and how often they receive services***Proxy respondents were allowed for this question.*

Program	Yes, All Services	Sometimes, or Some Services	No	N
Frail Elderly (FE)	85%	7%	8%	382
Physical Disability (PD)	81%	7%	12%	472
Brain Injury (BI)	91%	7%	2%	56
<b>KS Overall Average</b>	<b>83%</b>	<b>7%</b>	<b>9%</b>	<b>910</b>
<b>Weighted NCI-AD Average</b>	<b>70%</b>	<b>15%</b>	<b>16%</b>	<b>15260</b>

**Table 64. Can choose or change the people who provide paid supports if wants***Proxy respondents were allowed for this question.*

Program	Yes, All Services	Sometimes, or Some Services	No	N
Frail Elderly (FE)	85%	3%	12%	294
Physical Disability (PD)	93%	2%	5%	365
Brain Injury (BI)	97%	0%	3%	32
<b>KS Overall Average</b>	<b>89%</b>	<b>3%</b>	<b>8%</b>	<b>691</b>
<b>Weighted NCI-AD Average</b>	<b>76%</b>	<b>6%</b>	<b>18%</b>	<b>10664</b>

# *Satisfaction*

**Table 65. Services and supports help them live the life they want**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	92%	8%	310
Physical Disability (PD)	92%	8%	462
Brain Injury (BI)	87%	13%	47
<b>KS Overall Average</b>	<b>92%</b>	<b>8%</b>	<b>819</b>
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>12%</b>	<b>13011</b>

**Table 66. Case manager/care coordinator changes more often than they would like**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	24%	76%	292
Physical Disability (PD)	22%	78%	462
Brain Injury (BI)	19%	81%	48
<b>KS Overall Average</b>	<b>22%</b>	<b>78%</b>	<b>802</b>
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>70%</b>	<b>11144</b>

**Table 67. People who are paid to help them change too often**

<b>Program</b>	<b>Yes, All Paid Support Workers, Always or Almost Always</b>	<b>Some or Usually</b>	<b>No, Never or Rarely</b>	<b>N</b>
Frail Elderly (FE)	11%	4%	85%	242
Physical Disability (PD)	10%	4%	86%	335
Brain Injury (BI)	11%	11%	79%	28
<b>KS Overall Average</b>	<b>11%</b>	<b>4%</b>	<b>85%</b>	<b>605</b>
<b>Weighted NCI-AD Average</b>	<b>15%</b>	<b>13%</b>	<b>72%</b>	<b>8569</b>



**Table 68. Likes where they live**

<b>Program</b>	<b>Yes</b>	<b>In Between, Most of the Time</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	86%	7%	7%	398
Physical Disability (PD)	84%	7%	8%	541
Brain Injury (BI)	85%	6%	8%	62
<b>KS Overall Average</b>	<b>85%</b>	<b>7%</b>	<b>8%</b>	<b>1001</b>
<b>Weighted NCI-AD Average</b>	<b>80%</b>	<b>9%</b>	<b>10%</b>	<b>16205</b>

**Table 69A. Reasons does not like where they live (if does not always like where they live)**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Accessibility of House or Building	Feels Unsafe in or Dislikes Neighborhood	Feels Unsafe in Residence	Residence or Building Needs Repair or Upkeep	Doesn't Feel Like Home
Frail Elderly (FE)	4%	15%	2%	17%	12%
Physical Disability (PD)	8%	14%	12%	18%	8%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>6%</b>	<b>15%</b>	<b>7%</b>	<b>18%</b>	<b>11%</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>15%</b>	<b>9%</b>	<b>15%</b>	<b>14%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 69B. Reasons does not like where they live (if does not always like where they live) (continued)**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Layout or Size of Residence or Building	Problems With Neighbors or Housemates/Other Residents	Problems With Staff	Insufficient Amount or Type of Staff	Wants More Independence or Control
Frail Elderly (FE)	12%	6%	4%	2%	4%
Physical Disability (PD)	10%	4%	7%	1%	1%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>13%</b>	<b>5%</b>	<b>5%</b>	<b>1%</b>	<b>3%</b>
<b>Weighted NCI-AD Average</b>	<b>12%</b>	<b>12%</b>	<b>8%</b>	<b>4%</b>	<b>10%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 69C. Reasons does not like where they live (if does not always like where they live) (continued)**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Wants More Privacy	Wants to be Closer to Family or Friends	Feels Isolated from Community or Feels Lonely	Affordability or Cost of Housing	Other
Frail Elderly (FE)	2%	6%	8%	4%	21%
Physical Disability (PD)	5%	6%	7%	4%	18%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>5%</b>	<b>6%</b>	<b>7%</b>	<b>4%</b>	<b>20%</b>
<b>Weighted NCI-AD Average</b>	<b>10%</b>	<b>7%</b>	<b>6%</b>	<b>6%</b>	<b>29%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 70. Wants to live somewhere else**

<b>Program</b>	<b>Yes</b>	<b>Maybe</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	17%	7%	76%	395
Physical Disability (PD)	20%	12%	68%	531
Brain Injury (BI)	16%	8%	75%	61
<b>KS Overall Average</b>	<b>18%</b>	<b>10%</b>	<b>72%</b>	<b>987</b>
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>9%</b>	<b>62%</b>	<b>15997</b>

**Table 71. Where person would prefer to live (if wants to live somewhere else)**

*Proxy respondents were allowed for this question.*

Program	Different Kind of Home	Live Independently	With or Closer to Family	In a Different Neighborhood	A Different Type of Geography or Climate	Other
Frail Elderly (FE)	32%	5%	15%	31%	20%	9%
Physical Disability (PD)	33%	6%	11%	27%	28%	6%
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>34%</b>	<b>6%</b>	<b>12%</b>	<b>28%</b>	<b>24%</b>	<b>7%</b>
<b>Weighted NCI-AD Average</b>	<b>36%</b>	<b>18%</b>	<b>13%</b>	<b>24%</b>	<b>25%</b>	<b>17%</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 72. People who are paid to help them do things the way they want them done**

<b>Program</b>	<b>Yes, All Paid Support Workers, Always or Almost Always</b>	<b>Some or Usually</b>	<b>No, Never or Rarely</b>	<b>N</b>
Frail Elderly (FE)	86%	12%	1%	251
Physical Disability (PD)	89%	8%	2%	350
Brain Injury (BI)	93%	7%	0%	29
<b>KS Overall Average</b>	<b>88%</b>	<b>10%</b>	<b>2%</b>	<b>630</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>12%</b>	<b>2%</b>	<b>9285</b>

**Table 73. Usually likes how they spend their time during the day**

<b>Program</b>	<b>Yes, Always, or Almost Always</b>	<b>Sometimes</b>	<b>No, Never or Rarely</b>	<b>N</b>
Frail Elderly (FE)	65%	26%	9%	369
Physical Disability (PD)	63%	29%	8%	502
Brain Injury (BI)	53%	33%	14%	58
<b>KS Overall Average</b>	<b>63%</b>	<b>28%</b>	<b>9%</b>	<b>929</b>
<b>Weighted NCI-AD Average</b>	<b>63%</b>	<b>27%</b>	<b>10%</b>	<b>15507</b>



# Technology

**Table 74. Has access to the internet***Proxy respondents were allowed for this question*

Program	Yes	Sometimes	No	N
Frail Elderly (FE)	62%	3%	35%	523
Physical Disability (PD)	82%	1%	17%	571
Brain Injury (BI)	85%	4%	11%	74
<b>KS Overall Average</b>	<b>72%</b>	<b>2%</b>	<b>26%</b>	<b>1168</b>
<b>Weighted NCI-AD Average</b>	<b>75%</b>	<b>2%</b>	<b>23%</b>	<b>19930</b>

**Table 75. Frequency with which people use the internet***Proxy respondents were allowed for this question.*

Program	Daily	Several Times a Week	Several Times a Month	Several Times a Year	Don't Use It at All	N
Frail Elderly (FE)	52%	14%	5%	3%	26%	325
Physical Disability (PD)	76%	9%	5%	1%	8%	471
Brain Injury (BI)	83%	9%	0%	2%	6%	65
<b>KS Overall Average</b>	<b>67%</b>	<b>11%</b>	<b>5%</b>	<b>2%</b>	<b>16%</b>	<b>861</b>
<b>Weighted NCI-AD Average</b>	<b>65%</b>	<b>11%</b>	<b>5%</b>	<b>2%</b>	<b>17%</b>	<b>14951</b>

**Table 76. Always has a stable internet connection***Proxy respondents were allowed for this question.*

Program	Always Works	Sometimes Works	Rarely or Never Works	N
Frail Elderly (FE)	89%	10%	1%	294
Physical Disability (PD)	88%	10%	1%	449
Brain Injury (BI)	94%	6%	0%	64
<b>KS Overall Average</b>	<b>89%</b>	<b>10%</b>	<b>1%</b>	<b>807</b>
<b>Weighted NCI-AD Average</b>	<b>85%</b>	<b>13%</b>	<b>2%</b>	<b>13661</b>

**Table 77. Has talked to health professionals using video conference/telehealth***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	26%	74%	505
Physical Disability (PD)	47%	53%	547
Brain Injury (BI)	48%	52%	71
<b>KS Overall Average</b>	<b>37%</b>	<b>63%</b>	<b>1123</b>
<b>Weighted NCI-AD Average</b>	<b>43%</b>	<b>57%</b>	<b>19520</b>

**Table 78. Liked talking to health care providers using telehealth**

<b>Program</b>	<b>Yes, Completely</b>	<b>Yes, In Part</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	62%	23%	15%	103
Physical Disability (PD)	57%	24%	19%	242
Brain Injury (BI)	82%	11%	7%	28
<b>KS Overall Average</b>	<b>61%</b>	<b>23%</b>	<b>17%</b>	<b>373</b>
<b>Weighted NCI-AD Average</b>	<b>61%</b>	<b>22%</b>	<b>17%</b>	<b>6560</b>

## *Access to Needed Equipment*

**Table 79. Needs grab bars in the bathroom or elsewhere in their home***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	9%	4%	75%	12%	535
Physical Disability (PD)	15%	7%	59%	19%	578
Brain Injury (BI)	19%	4%	56%	21%	75
<b>KS Overall Average</b>	<b>12%</b>	<b>5%</b>	<b>67%</b>	<b>16%</b>	<b>1188</b>
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>4%</b>	<b>59%</b>	<b>25%</b>	<b>20407</b>



**Table 80. Needs other bathroom modifications**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	13%	3%	29%	55%	519
Physical Disability (PD)	14%	3%	21%	63%	573
Brain Injury (BI)	14%	4%	21%	62%	73
<b>KS Overall Average</b>	<b>13%</b>	<b>3%</b>	<b>25%</b>	<b>59%</b>	<b>1165</b>
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>3%</b>	<b>27%</b>	<b>59%</b>	<b>19790</b>

**Table 81. Needs a shower chair**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	7%	4%	75%	14%	529
Physical Disability (PD)	8%	8%	65%	19%	573
Brain Injury (BI)	11%	7%	56%	27%	75
<b>KS Overall Average</b>	<b>8%</b>	<b>6%</b>	<b>70%</b>	<b>17%</b>	<b>1177</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>5%</b>	<b>59%</b>	<b>28%</b>	<b>20332</b>

**Table 82. Needs a specialized bed**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	9%	2%	19%	70%	533
Physical Disability (PD)	9%	3%	20%	69%	573
Brain Injury (BI)	8%	4%	18%	69%	72
<b>KS Overall Average</b>	<b>9%</b>	<b>3%</b>	<b>19%</b>	<b>69%</b>	<b>1178</b>
<b>Weighted NCI-AD Average</b>	<b>8%</b>	<b>4%</b>	<b>24%</b>	<b>64%</b>	<b>20302</b>

**Table 83. Need for a ramp (either inside or outside of their residence)***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	8%	2%	27%	63%	529
Physical Disability (PD)	7%	4%	24%	65%	574
Brain Injury (BI)	5%	4%	28%	63%	76
<b>KS Overall Average</b>	<b>8%</b>	<b>3%</b>	<b>26%</b>	<b>64%</b>	<b>1179</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>3%</b>	<b>27%</b>	<b>63%</b>	<b>20290</b>

**Table 84. Needs other home modifications that does not have***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	10%	1%	10%	80%	400
Physical Disability (PD)	10%	1%	7%	81%	466
Brain Injury (BI)	7%	1%	10%	81%	68
<b>KS Overall Average</b>	<b>10%</b>	<b>1%</b>	<b>9%</b>	<b>81%</b>	<b>934</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>2%</b>	<b>8%</b>	<b>83%</b>	<b>13206</b>

**Table 85. Needs a wheelchair**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	4%	4%	28%	64%	529
Physical Disability (PD)	5%	7%	31%	57%	573
Brain Injury (BI)	3%	5%	32%	60%	75
<b>KS Overall Average</b>	<b>4%</b>	<b>5%</b>	<b>30%</b>	<b>61%</b>	<b>1177</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>6%</b>	<b>30%</b>	<b>59%</b>	<b>20297</b>

**Table 86. Needs a scooter***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	6%	1%	7%	86%	530
Physical Disability (PD)	11%	2%	6%	81%	574
Brain Injury (BI)	7%	3%	11%	80%	74
<b>KS Overall Average</b>	<b>8%</b>	<b>2%</b>	<b>7%</b>	<b>83%</b>	<b>1178</b>
<b>Weighted NCI-AD Average</b>	<b>9%</b>	<b>2%</b>	<b>6%</b>	<b>83%</b>	<b>20129</b>

**Table 87. Needs a walker**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	3%	5%	59%	33%	529
Physical Disability (PD)	3%	5%	48%	44%	574
Brain Injury (BI)	0%	11%	43%	47%	75
<b>KS Overall Average</b>	<b>3%</b>	<b>6%</b>	<b>53%</b>	<b>39%</b>	<b>1178</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>5%</b>	<b>45%</b>	<b>47%</b>	<b>20266</b>



**Table 88. Needs hearing aids**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	8%	4%	16%	71%	520
Physical Disability (PD)	5%	2%	7%	85%	567
Brain Injury (BI)	1%	1%	8%	89%	72
<b>KS Overall Average</b>	<b>7%</b>	<b>3%</b>	<b>12%</b>	<b>79%</b>	<b>1159</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>3%</b>	<b>10%</b>	<b>80%</b>	<b>20096</b>

**Table 89. Needs glasses**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	2%	13%	71%	14%	526
Physical Disability (PD)	3%	19%	61%	17%	565
Brain Injury (BI)	1%	21%	49%	29%	72
<b>KS Overall Average</b>	<b>2%</b>	<b>16%</b>	<b>65%</b>	<b>16%</b>	<b>1163</b>
<b>Weighted NCI-AD Average</b>	<b>4%</b>	<b>18%</b>	<b>55%</b>	<b>23%</b>	<b>20154</b>

**Table 90. Needs personal emergency response system (PERS)***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	5%	2%	73%	20%	523
Physical Disability (PD)	3%	3%	61%	33%	561
Brain Injury (BI)	3%	1%	56%	40%	73
<b>KS Overall Average</b>	<b>4%</b>	<b>2%</b>	<b>66%</b>	<b>27%</b>	<b>1157</b>
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>3%</b>	<b>40%</b>	<b>46%</b>	<b>20058</b>

**Table 91. Needs an oxygen machine**

*Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	1%	1%	17%	81%	521
Physical Disability (PD)	1%	1%	18%	79%	560
Brain Injury (BI)	1%	3%	11%	85%	73
<b>KS Overall Average</b>	<b>1%</b>	<b>1%</b>	<b>17%</b>	<b>81%</b>	<b>1154</b>
<b>Weighted NCI-AD Average</b>	<b>1%</b>	<b>1%</b>	<b>13%</b>	<b>85%</b>	<b>20122</b>

**Table 92. Needs other assistive technology equipment but does not have***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	1%	1%	9%	88%	442
Physical Disability (PD)	3%	0%	17%	79%	500
Brain Injury (BI)	1%	1%	18%	79%	68
<b>KS Overall Average</b>	<b>2%</b>	<b>1%</b>	<b>13%</b>	<b>84%</b>	<b>1010</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>2%</b>	<b>14%</b>	<b>81%</b>	<b>13670</b>

**Table 93. Needs other equipment but does not have***Proxy respondents were allowed for this question.*

Program	Needs	Has But Needs Change or Update	Has and Does Not Need Change or Update	Does Not Need	N
Frail Elderly (FE)	4%	2%	15%	79%	428
Physical Disability (PD)	5%	3%	14%	79%	494
Brain Injury (BI)	3%	6%	14%	77%	69
<b>KS Overall Average</b>	<b>4%</b>	<b>2%</b>	<b>14%</b>	<b>79%</b>	<b>991</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>3%</b>	<b>22%</b>	<b>70%</b>	<b>13714</b>

## *Medications*

**Table 94. Knows what prescription medications are for**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not Sure</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	87%	9%	4%	353
Physical Disability (PD)	91%	6%	3%	490
Brain Injury (BI)	85%	13%	2%	54
<b>KS Overall Average</b>	<b>89%</b>	<b>8%</b>	<b>4%</b>	<b>897</b>
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>8%</b>	<b>5%</b>	<b>14971</b>



**Table 95. Takes medication to help feel less sad or depressed***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	37%	63%	494
Physical Disability (PD)	50%	50%	546
Brain Injury (BI)	57%	43%	72
<b>KS Overall Average</b>	<b>44%</b>	<b>56%</b>	<b>1112</b>
<b>Weighted NCI-AD Average</b>	<b>44%</b>	<b>56%</b>	<b>19144</b>

## *Health care*

**Table 96. Has access to mental health services if they want them**

<b>Program</b>	<b>Yes, Always</b>	<b>Usually</b>	<b>No, Only Sometimes or Rarely</b>	<b>N</b>
Frail Elderly (FE)	93%	1%	6%	324
Physical Disability (PD)	96%	1%	4%	481
Brain Injury (BI)	93%	0%	7%	55
<b>KS Overall Average</b>	<b>94%</b>	<b>1%</b>	<b>5%</b>	<b>860</b>
<b>Weighted NCI-AD Average</b>	<b>89%</b>	<b>2%</b>	<b>10%</b>	<b>14131</b>

**Table 97. Can get an appointment to see or talk to their primary care doctor when they need to***Proxy respondents were allowed for this question.*

Program	Yes, Always	Usually	No, Only Sometimes or Rarely	N
Frail Elderly (FE)	86%	11%	2%	503
Physical Disability (PD)	84%	11%	5%	550
Brain Injury (BI)	92%	4%	4%	71
<b>KS Overall Average</b>	<b>86%</b>	<b>11%</b>	<b>4%</b>	<b>1124</b>
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>11%</b>	<b>7%</b>	<b>19497</b>

**Table 98. Went to the emergency room for any reason in the past 12 months***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	42%	58%	508
Physical Disability (PD)	46%	54%	550
Brain Injury (BI)	49%	51%	71
<b>KS Overall Average</b>	<b>44%</b>	<b>56%</b>	<b>1129</b>
<b>Weighted NCI-AD Average</b>	<b>43%</b>	<b>57%</b>	<b>19717</b>

**Table 99. Has gone to the emergency room in the past 12 months due to falling or losing balance***Proxy respondents were allowed for this question.*

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	41%	59%	209
Physical Disability (PD)	28%	72%	250
Brain Injury (BI)	31%	69%	35
<b>KS Overall Average</b>	<b>34%</b>	<b>66%</b>	<b>494</b>
<b>Weighted NCI-AD Average</b>	<b>26%</b>	<b>74%</b>	<b>8702</b>

**Table 100. Has gone to the emergency room in the past 12 months due to tooth or mouth pain***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	2%	98%	207
Physical Disability (PD)	2%	98%	249
Brain Injury (BI)	3%	97%	34
<b>KS Overall Average</b>	<b>2%</b>	<b>98%</b>	<b>490</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>97%</b>	<b>8675</b>

**Table 101. Has gone to the emergency room in the past 12 months due to not being able to see their primary care physician***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	5%	95%	208
Physical Disability (PD)	9%	91%	250
Brain Injury (BI)	6%	94%	32
<b>KS Overall Average</b>	<b>7%</b>	<b>93%</b>	<b>490</b>
<b>Weighted NCI-AD Average</b>	<b>11%</b>	<b>89%</b>	<b>8647</b>



**Table 102. Had a physical exam or wellness visit in the past 12 months***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	88%	13%	488
Physical Disability (PD)	85%	15%	529
Brain Injury (BI)	85%	15%	68
<b>KS Overall Average</b>	<b>86%</b>	<b>14%</b>	<b>1085</b>
<b>Weighted NCI-AD Average</b>	<b>83%</b>	<b>17%</b>	<b>19364</b>

**Table 103. Had a hearing exam in the past 4 years***Proxy respondents were allowed for this question.*

Program	5 Years Ago or More	3-4 Years Ago	1-2 Years Ago	Past Year	Has Not Had One	N
Frail Elderly (FE)	20%	8%	15%	22%	34%	357
Physical Disability (PD)	26%	7%	9%	13%	45%	385
Brain Injury (BI)	21%	4%	15%	17%	44%	48
<b>KS Overall Average</b>	<b>23%</b>	<b>7%</b>	<b>12%</b>	<b>18%</b>	<b>40%</b>	<b>790</b>
<b>Weighted NCI-AD Average</b>	<b>25%</b>	<b>9%</b>	<b>17%</b>	<b>19%</b>	<b>30%</b>	<b>14960</b>

**Table 104. Had a vision exam in the past year***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	67%	33%	493
Physical Disability (PD)	65%	35%	544
Brain Injury (BI)	59%	41%	69
<b>KS Overall Average</b>	<b>66%</b>	<b>34%</b>	<b>1106</b>
<b>Weighted NCI-AD Average</b>	<b>58%</b>	<b>42%</b>	<b>19308</b>

**Table 105. Had a dental visit in the past 12 months***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	35%	65%	454
Physical Disability (PD)	41%	59%	527
Brain Injury (BI)	57%	43%	67
<b>KS Overall Average</b>	<b>39%</b>	<b>61%</b>	<b>1048</b>
<b>Weighted NCI-AD Average</b>	<b>46%</b>	<b>54%</b>	<b>18881</b>

**Table 106. Had a flu shot in the past 12 months***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	76%	24%	490
Physical Disability (PD)	61%	39%	530
Brain Injury (BI)	50%	50%	70
<b>KS Overall Average</b>	<b>68%</b>	<b>32%</b>	<b>1090</b>
<b>Weighted NCI-AD Average</b>	<b>65%</b>	<b>35%</b>	<b>19237</b>

**Table 107. Received the COVID-19 Vaccine***Proxy respondents were allowed for this question.*

Program	Fully Vaccinated and Received at Least One Booster	Fully Vaccinated, but Not Received a Booster	Partially Vaccinated	Not Vaccinated at All	N
Frail Elderly (FE)	64%	13%	4%	18%	484
Physical Disability (PD)	53%	14%	3%	30%	522
Brain Injury (BI)	43%	12%	10%	35%	68
<b>KS Overall Average</b>	<b>58%</b>	<b>14%</b>	<b>4%</b>	<b>24%</b>	<b>1074</b>
<b>Weighted NCI-AD Average</b>	<b>62%</b>	<b>13%</b>	<b>4%</b>	<b>21%</b>	<b>19331</b>



**Table 108. Has access to healthy foods when they want them***Proxy respondents were allowed for this question.*

Program	Yes, Often	Sometimes	No	N
Frail Elderly (FE)	86%	11%	3%	526
Physical Disability (PD)	84%	11%	5%	556
Brain Injury (BI)	86%	8%	5%	73
<b>KS Overall Average</b>	<b>85%</b>	<b>11%</b>	<b>4%</b>	<b>1155</b>
<b>Weighted NCI-AD Average</b>	<b>86%</b>	<b>9%</b>	<b>5%</b>	<b>19981</b>



**Table 109. Overall Health**

*Proxy respondents were allowed for this question.*

Program	Excellent	Very Good	Good	Fair	Poor	N
Frail Elderly (FE)	2%	8%	31%	41%	18%	515
Physical Disability (PD)	1%	5%	26%	47%	22%	559
Brain Injury (BI)	3%	11%	34%	41%	11%	73
<b>KS Overall Average</b>	<b>2%</b>	<b>7%</b>	<b>29%</b>	<b>43%</b>	<b>19%</b>	<b>1147</b>
<b>Weighted NCI-AD Average</b>	<b>3%</b>	<b>11%</b>	<b>31%</b>	<b>39%</b>	<b>17%</b>	<b>20003</b>

**Table 110. Health compared to 12 months ago***Proxy respondents were allowed for this question.*

Program	Much Better	Somewhat Better	About the Same	Somewhat Worse	Much Worse	N
Frail Elderly (FE)	5%	10%	50%	27%	7%	511
Physical Disability (PD)	5%	13%	46%	30%	6%	557
Brain Injury (BI)	5%	23%	43%	23%	5%	74
<b>KS Overall Average</b>	<b>5%</b>	<b>12%</b>	<b>48%</b>	<b>28%</b>	<b>6%</b>	<b>1142</b>
<b>Weighted NCI-AD Average</b>	<b>7%</b>	<b>15%</b>	<b>48%</b>	<b>23%</b>	<b>7%</b>	<b>19996</b>

**Table 111. In the past 12 months, forgets things more often than before***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	49%	51%	496
Physical Disability (PD)	43%	57%	538
Brain Injury (BI)	44%	56%	72
<b>KS Overall Average</b>	<b>46%</b>	<b>54%</b>	<b>1106</b>
<b>Weighted NCI-AD Average</b>	<b>48%</b>	<b>52%</b>	<b>19463</b>

**Table 112. Has discussed forgetting things with a doctor or a nurse (if they have been forgetting things more often in the past 12 months)***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	76%	24%	240
Physical Disability (PD)	66%	34%	225
Brain Injury (BI)	87%	13%	31
<b>KS Overall Average</b>	<b>73%</b>	<b>27%</b>	<b>496</b>
<b>Weighted NCI-AD Average</b>	<b>67%</b>	<b>33%</b>	<b>8996</b>

**Table 113. Amount of physical activity per week***Proxy respondents were allowed for this question.*

Program	Does Not Exercise	Less Than One hour	One to Two Hours	More Than Two Hours	N
Frail Elderly (FE)	33%	27%	20%	20%	513
Physical Disability (PD)	32%	24%	22%	22%	549
Brain Injury (BI)	24%	24%	24%	27%	70
<b>KS Overall Average</b>	<b>32%</b>	<b>26%</b>	<b>21%</b>	<b>21%</b>	<b>1132</b>
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>21%</b>	<b>21%</b>	<b>27%</b>	<b>19701</b>

**Table 114. Often feels lonely**

<b>Program</b>	<b>Yes, Often</b>	<b>Sometimes</b>	<b>Not Often, Never or Almost Never</b>	<b>N</b>
Frail Elderly (FE)	12%	32%	56%	362
Physical Disability (PD)	18%	33%	48%	499
Brain Injury (BI)	17%	36%	47%	59
<b>KS Overall Average</b>	<b>15%</b>	<b>33%</b>	<b>52%</b>	<b>920</b>
<b>Weighted NCI-AD Average</b>	<b>21%</b>	<b>31%</b>	<b>48%</b>	<b>15084</b>

## *Affordability*

**Table 115. Ever has to skip meals due to financial worries***Proxy respondents were allowed for this question.*

Program	Yes, often	Sometimes	No	N
Frail Elderly (FE)	4%	6%	90%	524
Physical Disability (PD)	5%	9%	86%	558
Brain Injury (BI)	6%	11%	83%	72
<b>KS Overall Average</b>	<b>4%</b>	<b>8%</b>	<b>88%</b>	<b>1154</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>8%</b>	<b>87%</b>	<b>19965</b>





**Table 116. They or someone else has concerns about falling or being unstable***Proxy respondents were allowed for this question.*

Program	Yes, often	Sometimes	No	N
Frail Elderly (FE)	36%	26%	38%	538
Physical Disability (PD)	37%	22%	41%	578
Brain Injury (BI)	35%	24%	41%	74
<b>KS Overall Average</b>	<b>37%</b>	<b>24%</b>	<b>40%</b>	<b>1190</b>
<b>Weighted NCI-AD Average</b>	<b>37%</b>	<b>16%</b>	<b>47%</b>	<b>20478</b>

**Table 117. Has worked with someone to reduce risk of falls (if someone has concerns about them falling or being unstable)***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	92%	8%	321
Physical Disability (PD)	88%	12%	334
Brain Injury (BI)	91%	9%	43
<b>KS Overall Average</b>	<b>90%</b>	<b>10%</b>	<b>698</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>19%</b>	<b>11285</b>

**Table 118. Able to get to safety quickly in case of an emergency***Proxy respondents were allowed for this question.*

Program	Yes	No	N
Frail Elderly (FE)	87%	13%	502
Physical Disability (PD)	93%	7%	546
Brain Injury (BI)	93%	7%	72
<b>KS Overall Average</b>	<b>90%</b>	<b>10%</b>	<b>1120</b>
<b>Weighted NCI-AD Average</b>	<b>88%</b>	<b>12%</b>	<b>19346</b>

**Table 119. Knows who to talk to if they are mistreated, hurt, disrespected by others**

<b>Program</b>	<b>Yes</b>	<b>Maybe, Not Sure</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	85%	5%	10%	377
Physical Disability (PD)	90%	3%	8%	517
Brain Injury (BI)	86%	2%	13%	56
<b>KS Overall Average</b>	<b>87%</b>	<b>4%</b>	<b>9%</b>	<b>950</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>4%</b>	<b>15%</b>	<b>15605</b>

**Table 120. Are ever worried for the security of their personal belongings**

<b>Program</b>	<b>Yes at Least Sometimes</b>	<b>No, Never</b>	<b>N</b>
Frail Elderly (FE)	12%	88%	383
Physical Disability (PD)	7%	93%	524
Brain Injury (BI)	7%	93%	58
<b>KS Overall Average</b>	<b>9%</b>	<b>91%</b>	<b>965</b>
<b>Weighted NCI-AD Average</b>	<b>14%</b>	<b>86%</b>	<b>15812</b>

**Table 121. Someone used or took their money without their permission in the past 12 months**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	4%	96%	373
Physical Disability (PD)	6%	94%	518
Brain Injury (BI)	2%	98%	56
<b>KS Overall Average</b>	<b>5%</b>	<b>95%</b>	<b>947</b>
<b>Weighted NCI-AD Average</b>	<b>6%</b>	<b>94%</b>	<b>15768</b>

**Table 122. Feels safe around people who are paid to help them**

<b>Program</b>	<b>Yes, All Paid Support Workers, Always</b>	<b>No, Not All Workers, or Not Always</b>	<b>N</b>
Frail Elderly (FE)	99%	1%	253
Physical Disability (PD)	99%	1%	349
Brain Injury (BI)	100%	0%	29
<b>KS Overall Average</b>	<b>99%</b>	<b>1%</b>	<b>631</b>
<b>Weighted NCI-AD Average</b>	<b>98%</b>	<b>2%</b>	<b>9305</b>



## *Rights and Respect*

**Table 123. Gets information about services in their preferred language (if preferred language is not English)**

*Proxy respondents were allowed for this question.*

Program	Yes, All Information	Some Information	No	N
Frail Elderly (FE)	53%	3%	43%	30
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>52%</b>	<b>5%</b>	<b>43%</b>	<b>37</b>
<b>Weighted NCI-AD Average</b>	<b>49%</b>	<b>36%</b>	<b>15%</b>	<b>1413</b>

*Table note: Physical Disability (PD), Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 124. Services and supports are delivered in a way that is respectful of their culture**

<b>Program</b>	<b>Yes</b>	<b>Sometimes, or Some Services</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	98%	2%	1%	328
Physical Disability (PD)	97%	2%	1%	499
Brain Injury (BI)	96%	0%	4%	54
<b>KS Overall Average</b>	<b>97%</b>	<b>2%</b>	<b>1%</b>	<b>881</b>
<b>Weighted NCI-AD Average</b>	<b>95%</b>	<b>3%</b>	<b>2%</b>	<b>13874</b>

**Table 125. People who are paid to help them treat them with respect**

<b>Program</b>	<b>Yes, All Paid Support Workers, Always or Almost Always</b>	<b>Some or Usually</b>	<b>No, Never or Rarely</b>	<b>N</b>
Frail Elderly (FE)	93%	6%	0%	255
Physical Disability (PD)	95%	4%	1%	348
Brain Injury (BI)	100%	0%	0%	27
<b>KS Overall Average</b>	<b>95%</b>	<b>5%</b>	<b>0%</b>	<b>630</b>
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>6%</b>	<b>1%</b>	<b>9300</b>

**Table 126. Others ask before coming into their home/room (if living in a group setting)**

<b>Program</b>	<b>Yes, Always</b>	<b>Usually, but Not Always</b>	<b>Sometimes, Rarely, or Never</b>	<b>N</b>
Frail Elderly (FE)	88%	7%	5%	43
Physical Disability (PD)	91%	9%	0%	22
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>89%</b>	<b>7%</b>	<b>3%</b>	<b>66</b>
<b>Weighted NCI-AD Average</b>	<b>75%</b>	<b>16%</b>	<b>9%</b>	<b>2947</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 127. Able to lock doors to room (if living in a group setting)**

Program	Yes	No	N
Frail Elderly (FE)	91%	9%	43
Physical Disability (PD)	81%	19%	21
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>88%</b>	<b>12%</b>	<b>65</b>
<b>Weighted NCI-AD Average</b>	<b>53%</b>	<b>47%</b>	<b>2841</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 128. Has enough privacy where lives (if living in a group setting)**

Program	Yes, Always	Usually, but Not Always	Sometimes, Rarely, or Never	N
Frail Elderly (FE)	95%	5%	0%	42
Physical Disability (PD)	100%	0%	0%	22
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>97%</b>	<b>3%</b>	<b>0%</b>	<b>65</b>
<b>Weighted NCI-AD Average</b>	<b>75%</b>	<b>16%</b>	<b>9%</b>	<b>2944</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 129. Can have visitors at any time (if living in a group setting)**

Program	Yes	No	N
Frail Elderly (FE)	95%	5%	41
Physical Disability (PD)	81%	19%	21
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>90%</b>	<b>10%</b>	<b>63</b>
<b>Weighted NCI-AD Average</b>	<b>81%</b>	<b>19%</b>	<b>2838</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*



**Table 130. Can get something to eat or grab a snack anytime they (if living in a group setting)**

Program	Yes	No	N
Frail Elderly (FE)	93%	7%	41
Physical Disability (PD)	91%	9%	22
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>92%</b>	<b>8%</b>	<b>64</b>
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>13%</b>	<b>2890</b>

*Table note: Brain Injury (BI) had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

## *Person-Centered Planning (State Optional Module)*

**Table 131. Very or fully involved in making decisions about what is in the service plan**

<b>Program</b>	<b>Very or Fully Involved</b>	<b>Somewhat</b>	<b>Very Little</b>	<b>Not at All</b>	<b>N</b>
Frail Elderly (FE)	89%	8%	1%	2%	184
Physical Disability (PD)	89%	10%	0%	1%	341
Brain Injury (BI)	83%	17%	0%	0%	29
<b>KS Overall Average</b>	<b>88%</b>	<b>10%</b>	<b>1%</b>	<b>1%</b>	<b>554</b>
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>14%</b>	<b>2%</b>	<b>1%</b>	<b>5802</b>

**Table 132. Remembers their last service planning meeting**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	69%	31%	280
Physical Disability (PD)	75%	25%	425
Brain Injury (BI)	71%	29%	42
<b>KS Overall Average</b>	<b>72%</b>	<b>28%</b>	<b>747</b>
<b>Weighted NCI-AD Average</b>	<b>62%</b>	<b>38%</b>	<b>9694</b>

**Table 133. Service planning meeting took place at a time that was good for them**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	99%	1%	192
Physical Disability (PD)	100%	0%	316
Brain Injury (BI)	100%	0%	30
<b>KS Overall Average</b>	<b>100%</b>	<b>0%</b>	<b>538</b>
<b>Weighted NCI-AD Average</b>	<b>99%</b>	<b>1%</b>	<b>6055</b>

**Table 134. Service planning meeting took place in a place that was good for them**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	99%	1%	192
Physical Disability (PD)	100%	0%	315
Brain Injury (BI)	100%	0%	30
<b>KS Overall Average</b>	<b>99%</b>	<b>1%</b>	<b>537</b>
<b>Weighted NCI-AD Average</b>	<b>99%</b>	<b>1%</b>	<b>6060</b>

**Table 135. Service planning meeting included the people they wanted to be there**

<b>Program</b>	<b>Yes</b>	<b>Some People</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	97%	2%	1%	188
Physical Disability (PD)	99%	0%	1%	313
Brain Injury (BI)	100%	0%	0%	30
<b>KS Overall Average</b>	<b>98%</b>	<b>1%</b>	<b>1%</b>	<b>531</b>
<b>Weighted NCI-AD Average</b>	<b>96%</b>	<b>1%</b>	<b>3%</b>	<b>6010</b>

**Table 136. People at the service planning meeting listened to needs and preferences**

<b>Program</b>	<b>Completely</b>	<b>Mostly</b>	<b>Somewhat</b>	<b>Very Little</b>	<b>Not at All</b>	<b>N</b>
Frail Elderly (FE)	76%	19%	4%	1%	0%	186
Physical Disability (PD)	79%	17%	3%	1%	1%	314
Brain Injury (BI)	73%	17%	10%	0%	0%	30
<b>KS Overall Average</b>	<b>77%</b>	<b>18%</b>	<b>4%</b>	<b>1%</b>	<b>0%</b>	<b>530</b>
<b>Weighted NCI-AD Average</b>	<b>77%</b>	<b>16%</b>	<b>5%</b>	<b>2%</b>	<b>1%</b>	<b>6045</b>



**Table 137. Received a copy of the service plan after the service planning meeting**

<b>Program</b>	<b>Yes</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	90%	10%	146
Physical Disability (PD)	92%	8%	268
Brain Injury (BI)	91%	9%	23
<b>KS Overall Average</b>	<b>91%</b>	<b>9%</b>	<b>437</b>
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>9%</b>	<b>4642</b>

**Table 138. Current service plan reflects what was talked about at the service plan meeting**

<b>Program</b>	<b>Yes, Completely</b>	<b>Yes, In Part</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	88%	11%	1%	151
Physical Disability (PD)	91%	8%	1%	282
Brain Injury (BI)	84%	12%	4%	25
<b>KS Overall Average</b>	<b>89%</b>	<b>10%</b>	<b>1%</b>	<b>458</b>
<b>Weighted NCI-AD Average</b>	<b>90%</b>	<b>8%</b>	<b>2%</b>	<b>4658</b>

**Table 139. Choices and preferences are reflected in current service plan**

<b>Program</b>	<b>Yes, All/Completely</b>	<b>Yes, Some/In Part</b>	<b>No</b>	<b>N</b>
Frail Elderly (FE)	82%	16%	2%	177
Physical Disability (PD)	88%	11%	1%	340
Brain Injury (BI)	86%	11%	4%	28
<b>KS Overall Average</b>	<b>86%</b>	<b>13%</b>	<b>2%</b>	<b>545</b>
<b>Weighted NCI-AD Average</b>	<b>87%</b>	<b>11%</b>	<b>2%</b>	<b>5594</b>

## Self-Direction

*Note: all but one item in this section- ‘Uses self-directed supports option’ (Table 140) is part of a state option module.*

**Table 140. Uses self-directed supports option**

*Information may only come from existing records; this differs from previous years as those indicated as “Don’t Know” are not included in the reporting of the measure.*

Program	Yes	No	N
Frail Elderly (FE)	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>30%</b>	<b>70%</b>	<b>16483</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 141. Makes decisions about services that are self directed**

*Proxy respondents were allowed for this question.*

Program	Decisions About What Services Are Received Are Made by a Case Manager or Another Professional Employed by the State	Family or Friend Makes Decision, Person Does Not Have Input	Person Has Input, and Family or Friend Helps	Person Mostly Makes Decisions	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>2%</b>	<b>9%</b>	<b>25%</b>	<b>64%</b>	<b>1787</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 142. Has enough help deciding how to direct services, like making decisions about how and when services are received**

*Proxy respondents were allowed for this question.*

Program	Yes	Sometimes	No	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>93%</b>	<b>2%</b>	<b>5%</b>	<b>1354</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 143. Can make changes to the services and supports you self-direct if needed**

*Proxy respondents were allowed for this question.*

Program	Yes	In-Between	No	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>94%</b>	<b>4%</b>	<b>3%</b>	<b>1341</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*



**Table 144. Has the amount of control wanted with the services that are self-directed**

*Proxy respondents were allowed for this question.*

Program	Yes	In-Between	No	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>91%</b>	<b>5%</b>	<b>4%</b>	<b>1359</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 145. Services and supports wanted to self direct are always available**

*Proxy respondents were allowed for this question.*

Program	Yes	Sometimes	No	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>84%</b>	<b>9%</b>	<b>7%</b>	<b>1335</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 146. Gets information about budget and services from the financial management service (FMS)**

*Proxy respondents were allowed for this question.*

Program	Yes	Maybe, Not Sure	No	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>48%</b>	<b>13%</b>	<b>39%</b>	<b>1230</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 147. Information received from the FMS is easy to understand**

*Proxy respondents were allowed for this question.*

Program	Yes, Easy to Understand on Own	Some Information is Easy to Understand or Understands With Help From Others	No, Not Easy to Understand and Does Not Get Help to Understand	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>80%</b>	<b>17%</b>	<b>2%</b>	<b>697</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 148. Frequency of receiving information about budget and services from FMS**

*Proxy respondents were allowed for this question.*

Program	At Least Every Three Months	About Twice a Year	Once a Year or Less	N
Frail Elderly (FE)	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>67%</b>	<b>17%</b>	<b>16%</b>	<b>619</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*

**Table 149. Parts of self-direction need help with**

*Proxy respondents were allowed for this question. Categories are not mutually exclusive; therefore, N is not shown.*

Program	Help With Planning Out Service Needs and Setting up a Schedule for Staff	Help With Getting Staff Paid	Help Finding or Keeping the Staff You Want	Help Training Staff	Help Managing Benefits for Staff	Help Understanding Information You Get From the FMS	More Information About What Services and Supports You Can Get	Other	Does Not Need Help With Any of These Things
Frail Elderly (FE)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Physical Disability (PD)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brain Injury (BI)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
<b>KS Overall Average</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>
<b>Weighted NCI-AD Average</b>	<b>5%</b>	<b>5%</b>	<b>5%</b>	<b>2%</b>	<b>3%</b>	<b>8%</b>	<b>18%</b>	<b>2%</b>	<b>71%</b>

*Table note: Frail Elderly (FE), Physical Disability (PD), Brain Injury (BI), KS Overall Average had an N of less than 20, so their data is reported as n/a. They are included in the KS Overall Average and Weighted NCI-AD Average.*